

Spurious Emission at Antenna Terminals

NR Mode Test Verdict

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n26 (PART22)	5	LCH	QPSK	25	0	Pass
			QPSK	1	0	Pass
			QPSK	1	24	Pass
		MCH	QPSK	25	0	Pass
			QPSK	1	0	Pass
			QPSK	1	24	Pass
		HCH	QPSK	25	0	Pass
			QPSK	1	0	Pass
			QPSK	1	24	Pass
	15	LCH	QPSK	79	0	Pass
			QPSK	1	0	Pass
			QPSK	1	78	Pass
		MCH	QPSK	79	0	Pass
			QPSK	1	0	Pass
			QPSK	1	78	Pass
		HCH	QPSK	79	0	Pass
			QPSK	1	0	Pass
			QPSK	1	78	Pass
	20	LCH	QPSK	106	0	Pass
			QPSK	1	0	Pass
			QPSK	1	105	Pass
		MCH	QPSK	106	0	Pass
			QPSK	1	0	Pass
			QPSK	1	105	Pass
		HCH	QPSK	106	0	Pass
			QPSK	1	0	Pass
			QPSK	1	105	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n26 (PART90)	5	LCH	QPSK	25	0	Pass
			QPSK	1	0	Pass
			QPSK	1	24	Pass
		MCH	QPSK	25	0	Pass
			QPSK	1	0	Pass
			QPSK	1	24	Pass
		HCH	QPSK	25	0	Pass
			QPSK	1	0	Pass
			QPSK	1	24	Pass
	10	MCH	QPSK	52	0	Pass
			QPSK	1	0	Pass
			QPSK	1	51	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n41	10	LCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		MCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		HCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
	15	LCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
		MCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
		HCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
	20	LCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		MCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		HCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n77 (3450-3550)	10	LCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		MCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		HCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
	15	LCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
		MCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
		HCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
	20	LCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		MCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		HCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n77 (3700-3980)	10	LCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		MCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		HCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
	15	LCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
		MCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
		HCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
	20	LCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		MCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		HCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass


Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n78 (3450-3550)	10	LCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		MCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		HCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
	15	LCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
		MCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
		HCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
	20	LCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		MCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		HCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n78 (3700-3800)	10	LCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		MCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		HCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
	15	LCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
		MCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
		HCH	QPSK	38	0	Pass
			QPSK	1	0	Pass
			QPSK	1	37	Pass
	20	LCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		MCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		HCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass

1. n41


1.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-25	47.31	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-25	46.93	Pass	2986
30	1000	0.1	RMS	971.781	-65.39	-25	40.39	Pass	9701
1000	2486	1	RMS	2486	-40.17	-25	15.17	Pass	1487
2486	2700	1	RMS	2503.655	10.2	60	49.8	Pass	401
2700	3000	1	RMS	2938.5	-49.99	-25	24.99	Pass	401
3000	7000	1	RMS	6973	-66.62	-25	41.62	Pass	4001
7000	26500	1	RMS	25500	-50.86	-25	25.86	Pass	19503




1.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.69	-25	47.69	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-25	47.17	Pass	2986
30	1000	0.1	RMS	947.265	-65.53	-25	40.53	Pass	9701
1000	2486	1	RMS	2486	-52.01	-25	27.01	Pass	1487
2486	2700	1	RMS	2496.7	18.3	60	41.7	Pass	401
2700	3000	1	RMS	2933.25	-49.99	-25	24.99	Pass	401
3000	7000	1	RMS	4994	-65.33	-25	40.33	Pass	4001
7000	26500	1	RMS	25500	-50.79	-25	25.79	Pass	19503




1.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-25	46.56	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-25	47.17	Pass	2986
30	1000	0.1	RMS	832.4	-65.52	-25	40.52	Pass	9701
1000	2486	1	RMS	2481	-52.44	-25	27.44	Pass	1487
2486	2700	1	RMS	2504.725	18.43	60	41.57	Pass	401
2700	3000	1	RMS	2933.25	-49.98	-25	24.98	Pass	401
3000	7000	1	RMS	5010	-65.01	-25	40.01	Pass	4001
7000	26500	1	RMS	25516	-50.82	-25	25.82	Pass	19503




1.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.03	-25	47.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-25	47.45	Pass	2986
30	1000	0.1	RMS	846.6	-65.5	-25	40.5	Pass	9701
1000	2486	1	RMS	2484	-52.57	-25	27.57	Pass	1487
2486	2700	1	RMS	2589.79	9.94	60	50.06	Pass	401
2700	3000	1	RMS	2941.5	-49.98	-25	24.98	Pass	401
3000	7000	1	RMS	6971	-66.58	-25	41.58	Pass	4001
7000	26500	1	RMS	25509	-50.75	-25	25.75	Pass	19503




1.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-25	46.56	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-25	46.61	Pass	2986
30	1000	0.1	RMS	902.936	-65.52	-25	40.52	Pass	9701
1000	2486	1	RMS	2486	-52.49	-25	27.49	Pass	1487
2486	2700	1	RMS	2588.72	18.23	60	41.77	Pass	401
2700	3000	1	RMS	2937.75	-49.97	-25	24.97	Pass	401
3000	7000	1	RMS	6979	-66.56	-25	41.56	Pass	4001
7000	26500	1	RMS	25498	-50.86	-25	25.86	Pass	19503




1.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.06	-25	48.06	Pass	401
0.15	30	0.01	RMS	0.18	-71.69	-25	46.69	Pass	2986
30	1000	0.1	RMS	990.794	-65.54	-25	40.54	Pass	9701
1000	2486	1	RMS	2486	-52.5	-25	27.5	Pass	1487
2486	2700	1	RMS	2596.745	18.47	60	41.53	Pass	401
2700	3000	1	RMS	2934	-49.97	-25	24.97	Pass	401
3000	7000	1	RMS	6979	-66.58	-25	41.58	Pass	4001
7000	26500	1	RMS	25477	-50.89	-25	25.89	Pass	19503




1.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.72	-25	47.72	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-25	47.41	Pass	2986
30	1000	0.1	RMS	943.663	-65.51	-25	40.51	Pass	9701
1000	2486	1	RMS	2482	-52.53	-25	27.53	Pass	1487
2486	2700	1	RMS	2681.81	9.86	60	50.14	Pass	401
2700	3000	1	RMS	2700	-40.43	-25	15.43	Pass	401
3000	7000	1	RMS	6975	-66.59	-25	41.59	Pass	4001
7000	26500	1	RMS	25502	-50.69	-25	25.69	Pass	19503




1.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.39	-25	47.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-25	46.54	Pass	2986
30	1000	0.1	RMS	880.421	-65.39	-25	40.39	Pass	9701
1000	2486	1	RMS	2485	-52.49	-25	27.49	Pass	1487
2486	2700	1	RMS	2680.74	18.28	60	41.72	Pass	401
2700	3000	1	RMS	2935.5	-49.93	-25	24.93	Pass	401
3000	7000	1	RMS	6972	-66.57	-25	41.57	Pass	4001
7000	26500	1	RMS	25496	-50.89	-25	25.89	Pass	19503




1.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.3	-25	46.3	Pass	401
0.15	30	0.01	RMS	0.19	-72.31	-25	47.31	Pass	2986
30	1000	0.1	RMS	728.4	-65.38	-25	40.38	Pass	9701
1000	2486	1	RMS	2485	-52.51	-25	27.51	Pass	1487
2486	2700	1	RMS	2688.765	18.42	60	41.58	Pass	401
2700	3000	1	RMS	2946	-50	-25	25	Pass	401
3000	7000	1	RMS	6976	-66.54	-25	41.54	Pass	4001
7000	26500	1	RMS	25500	-50.71	-25	25.71	Pass	19503




1.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-25	47.72	Pass	401
0.15	30	0.01	RMS	0.2	-72.64	-25	47.64	Pass	2986
30	1000	0.1	RMS	890.527	-65.42	-25	40.42	Pass	9701
1000	2481	1	RMS	2481	-42.1	-25	17.1	Pass	1482
2481	2705	1	RMS	2508.44	8.29	60	51.71	Pass	401
2705	3000	1	RMS	2929.938	-49.96	-25	24.96	Pass	401
3000	7000	1	RMS	6977	-66.56	-25	41.56	Pass	4001
7000	26500	1	RMS	25496	-50.86	-25	25.86	Pass	19503




1.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-25	47.37	Pass	401
0.15	30	0.01	RMS	0.17	-71.34	-25	46.34	Pass	2986
30	1000	0.1	RMS	929.353	-65.55	-25	40.55	Pass	9701
1000	2481	1	RMS	2481	-52.37	-25	27.37	Pass	1482
2481	2705	1	RMS	2496.68	18.46	60	41.54	Pass	401
2705	3000	1	RMS	2937.313	-49.96	-25	24.96	Pass	401
3000	7000	1	RMS	4994	-65.4	-25	40.4	Pass	4001
7000	26500	1	RMS	25501	-50.87	-25	25.87	Pass	19503




1.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.42	-25	47.42	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-25	46.81	Pass	2986
30	1000	0.1	RMS	844.1	-65.45	-25	40.45	Pass	9701
1000	2481	1	RMS	2467	-52.48	-25	27.48	Pass	1482
2481	2705	1	RMS	2510.12	17.99	60	42.01	Pass	401
2705	3000	1	RMS	2936.575	-49.97	-25	24.97	Pass	401
3000	7000	1	RMS	5020	-65.66	-25	40.66	Pass	4001
7000	26500	1	RMS	25506	-50.79	-25	25.79	Pass	19503




1.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-25	47.75	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-25	47.28	Pass	2986
30	1000	0.1	RMS	850.501	-65.54	-25	40.54	Pass	9701
1000	2481	1	RMS	2477	-52.44	-25	27.44	Pass	1482
2481	2705	1	RMS	2587.4	7.94	60	52.06	Pass	401
2705	3000	1	RMS	2932.888	-49.92	-25	24.92	Pass	401
3000	7000	1	RMS	6974	-66.54	-25	41.54	Pass	4001
7000	26500	1	RMS	25509	-50.89	-25	25.89	Pass	19503




1.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-25	46.94	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-25	47.44	Pass	2986
30	1000	0.1	RMS	979.186	-65.5	-25	40.5	Pass	9701
1000	2481	1	RMS	2481	-52.48	-25	27.48	Pass	1482
2481	2705	1	RMS	2586.28	17.86	60	42.14	Pass	401
2705	3000	1	RMS	2943.95	-49.95	-25	24.95	Pass	401
3000	7000	1	RMS	6979	-66.56	-25	41.56	Pass	4001
7000	26500	1	RMS	25503	-50.82	-25	25.82	Pass	19503




1.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.1	-25	48.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-25	46.59	Pass	2986
30	1000	0.1	RMS	923.249	-65.49	-25	40.49	Pass	9701
1000	2481	1	RMS	2474	-52.56	-25	27.56	Pass	1482
2481	2705	1	RMS	2599.16	18.27	60	41.73	Pass	401
2705	3000	1	RMS	2935.838	-49.97	-25	24.97	Pass	401
3000	7000	1	RMS	6977	-66.6	-25	41.6	Pass	4001
7000	26500	1	RMS	25504	-50.88	-25	25.88	Pass	19503




1.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.96	-25	47.96	Pass	401
0.15	30	0.01	RMS	0.36	-72.61	-25	47.61	Pass	2986
30	1000	0.1	RMS	929.353	-65.58	-25	40.58	Pass	9701
1000	2481	1	RMS	2480	-52.54	-25	27.54	Pass	1482
2481	2705	1	RMS	2677	8.02	60	51.98	Pass	401
2705	3000	1	RMS	2705	-40.78	-25	15.78	Pass	401
3000	7000	1	RMS	6973	-66.52	-25	41.52	Pass	4001
7000	26500	1	RMS	25498	-50.8	-25	25.8	Pass	19503




1.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-25	46.9	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-25	46.86	Pass	2986
30	1000	0.1	RMS	874.717	-65.6	-25	40.6	Pass	9701
1000	2481	1	RMS	2478	-52.55	-25	27.55	Pass	1482
2481	2705	1	RMS	2675.32	18.21	60	41.79	Pass	401
2705	3000	1	RMS	2938.788	-49.96	-25	24.96	Pass	401
3000	7000	1	RMS	6972	-66.58	-25	41.58	Pass	4001
7000	26500	1	RMS	25510	-50.88	-25	25.88	Pass	19503




1.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.45	-25	47.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-25	46.54	Pass	2986
30	1000	0.1	RMS	728.5	-65.49	-25	40.49	Pass	9701
1000	2481	1	RMS	2481	-52.5	-25	27.5	Pass	1482
2481	2705	1	RMS	2688.76	18.43	60	41.57	Pass	401
2705	3000	1	RMS	2933.625	-49.94	-25	24.94	Pass	401
3000	7000	1	RMS	6979	-66.53	-25	41.53	Pass	4001
7000	26500	1	RMS	25494	-50.85	-25	25.85	Pass	19503




1.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.53	-25	47.53	Pass	401
0.15	30	0.01	RMS	0.17	-71.71	-25	46.71	Pass	2986
30	1000	0.1	RMS	849	-65.22	-25	40.22	Pass	9701
1000	2476	1	RMS	2476	-46.4	-25	21.4	Pass	1477
2476	2710	1	RMS	2513.44	7.04	60	52.96	Pass	401
2710	3000	1	RMS	2941.275	-49.94	-25	24.94	Pass	401
3000	7000	1	RMS	6972	-66.52	-25	41.52	Pass	4001
7000	26500	1	RMS	25492	-50.89	-25	25.89	Pass	19503




1.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-25	46.41	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-25	47.01	Pass	2986
30	1000	0.1	RMS	840.7	-65.48	-25	40.48	Pass	9701
1000	2476	1	RMS	2475	-52.56	-25	27.56	Pass	1477
2476	2710	1	RMS	2496.475	17.98	60	42.02	Pass	401
2710	3000	1	RMS	2942	-49.95	-25	24.95	Pass	401
3000	7000	1	RMS	4994	-64.71	-25	39.71	Pass	4001
7000	26500	1	RMS	25510	-50.86	-25	25.86	Pass	19503




1.28 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.27	-25	47.27	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-25	46.78	Pass	2986
30	1000	0.1	RMS	985.39	-65.4	-25	40.4	Pass	9701
1000	2476	1	RMS	2473	-52.61	-25	27.61	Pass	1477
2476	2710	1	RMS	2514.61	18.6	60	41.4	Pass	401
2710	3000	1	RMS	2939.1	-49.91	-25	24.91	Pass	401
3000	7000	1	RMS	5030	-66.02	-25	41.02	Pass	4001
7000	26500	1	RMS	25503	-50.82	-25	25.82	Pass	19503




1.29 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.16	-25	47.16	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-25	46.51	Pass	2986
30	1000	0.1	RMS	976.785	-65.45	-25	40.45	Pass	9701
1000	2476	1	RMS	2475	-52.6	-25	27.6	Pass	1477
2476	2710	1	RMS	2585.98	6.73	60	53.27	Pass	401
2710	3000	1	RMS	2946.35	-49.93	-25	24.93	Pass	401
3000	7000	1	RMS	6973	-66.61	-25	41.61	Pass	4001
7000	26500	1	RMS	25501	-50.86	-25	25.86	Pass	19503




1.30 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.45	-25	47.45	Pass	401
0.15	30	0.01	RMS	0.17	-71.45	-25	46.45	Pass	2986
30	1000	0.1	RMS	997.198	-65.42	-25	40.42	Pass	9701
1000	2476	1	RMS	2475	-52.54	-25	27.54	Pass	1477
2476	2710	1	RMS	2583.64	18.44	60	41.56	Pass	401
2710	3000	1	RMS	2938.375	-49.96	-25	24.96	Pass	401
3000	7000	1	RMS	6977	-66.53	-25	41.53	Pass	4001
7000	26500	1	RMS	25500	-50.8	-25	25.8	Pass	19503




1.31 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-25	47.12	Pass	401
0.15	30	0.01	RMS	0.18	-72.16	-25	47.16	Pass	2986
30	1000	0.1	RMS	986.091	-65.55	-25	40.55	Pass	9701
1000	2476	1	RMS	2476	-52.58	-25	27.58	Pass	1477
2476	2710	1	RMS	2601.775	18.62	60	41.38	Pass	401
2710	3000	1	RMS	2935.475	-49.94	-25	24.94	Pass	401
3000	7000	1	RMS	6978	-66.53	-25	41.53	Pass	4001
7000	26500	1	RMS	25497	-50.83	-25	25.83	Pass	19503




1.32 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-25	47.7	Pass	401
0.15	30	0.01	RMS	0.18	-72.33	-25	47.33	Pass	2986
30	1000	0.1	RMS	968.779	-65.53	-25	40.53	Pass	9701
1000	2476	1	RMS	2476	-52.62	-25	27.62	Pass	1477
2476	2710	1	RMS	2686.6	6.67	60	53.33	Pass	401
2710	3000	1	RMS	2710	-41.81	-25	16.81	Pass	401
3000	7000	1	RMS	6976	-66.56	-25	41.56	Pass	4001
7000	26500	1	RMS	25508	-50.82	-25	25.82	Pass	19503




1.33 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.08	-25	47.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-25	46.11	Pass	2986
30	1000	0.1	RMS	710.3	-65.18	-25	40.18	Pass	9701
1000	2476	1	RMS	2474	-52.63	-25	27.63	Pass	1477
2476	2710	1	RMS	2670.805	18.54	60	41.46	Pass	401
2710	3000	1	RMS	2945.625	-49.95	-25	24.95	Pass	401
3000	7000	1	RMS	6979	-66.53	-25	41.53	Pass	4001
7000	26500	1	RMS	25497	-50.77	-25	25.77	Pass	19503



1.34 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-25	47.51	Pass	401
0.15	30	0.01	RMS	0.22	-72.28	-25	47.28	Pass	2986
30	1000	0.1	RMS	728.3	-65.31	-25	40.31	Pass	9701
1000	2476	1	RMS	2476	-52.59	-25	27.59	Pass	1477
2476	2710	1	RMS	2688.94	17.76	60	42.24	Pass	401
2710	3000	1	RMS	2937.65	-49.97	-25	24.97	Pass	401
3000	7000	1	RMS	6973	-66.57	-25	41.57	Pass	4001
7000	26500	1	RMS	25501	-50.81	-25	25.81	Pass	19503



2. n77 30kHz(3450-3550)


2.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.2	-70.44	-13	57.44	Pass	2986
30	1000	0.1	RMS	876.718	-62.55	-13	49.55	Pass	9701
1000	3000	1	RMS	2937	-49.75	-13	36.75	Pass	2001
3000	3440	1	RMS	3382	-46.43	-13	33.43	Pass	441
3440	3560	1	RMS	3457.7	9.13	60	50.87	Pass	401
3560	7000	1	RMS	6910	-61.49	-13	48.49	Pass	3441
7000	26500	1	RMS	25473	-50.1	-13	37.1	Pass	19503




2.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.16	-70.54	-13	57.54	Pass	2986
30	1000	0.1	RMS	899.433	-62.23	-13	49.23	Pass	9701
1000	3000	1	RMS	2932	-49.8	-13	36.8	Pass	2001
3000	3440	1	RMS	3440	-50.23	-13	37.23	Pass	441
3440	3560	1	RMS	3450.8	17.78	60	42.22	Pass	401
3560	7000	1	RMS	6902	-54.16	-13	41.16	Pass	3441
7000	26500	1	RMS	25474	-49.73	-13	36.73	Pass	19503




2.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.88	-13	57.88	Pass	401
0.15	30	0.01	RMS	0.37	-70.3	-13	57.3	Pass	2986
30	1000	0.1	RMS	857.806	-63.27	-13	50.27	Pass	9701
1000	3000	1	RMS	2930	-49.55	-13	36.55	Pass	2001
3000	3440	1	RMS	3159	-50.37	-13	37.37	Pass	441
3440	3560	1	RMS	3459.2	17.92	60	42.08	Pass	401
3560	7000	1	RMS	6918	-54.07	-13	41.07	Pass	3441
7000	26500	1	RMS	25485	-50.15	-13	37.15	Pass	19503




2.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.86	-13	57.86	Pass	401
0.15	30	0.01	RMS	0.23	-68.86	-13	55.86	Pass	2986
30	1000	0.1	RMS	820.2	-63.04	-13	50.04	Pass	9701
1000	3000	1	RMS	2956	-49.94	-13	36.94	Pass	2001
3000	3440	1	RMS	3427	-46.49	-13	33.49	Pass	441
3440	3560	1	RMS	3497.9	9.18	60	50.82	Pass	401
3560	7000	1	RMS	3573	-49.07	-13	36.07	Pass	3441
7000	26500	1	RMS	25500	-49.85	-13	36.85	Pass	19503




2.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.28	-70.91	-13	57.91	Pass	2986
30	1000	0.1	RMS	952.268	-63.47	-13	50.47	Pass	9701
1000	3000	1	RMS	2939	-49.8	-13	36.8	Pass	2001
3000	3440	1	RMS	3166	-50.38	-13	37.38	Pass	441
3440	3560	1	RMS	3495.8	17.94	60	42.06	Pass	401
3560	7000	1	RMS	6992	-55.83	-13	42.83	Pass	3441
7000	26500	1	RMS	25544	-49.93	-13	36.93	Pass	19503




2.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.19	-70.9	-13	57.9	Pass	2986
30	1000	0.1	RMS	889.327	-62.9	-13	49.9	Pass	9701
1000	3000	1	RMS	2942	-49.78	-13	36.78	Pass	2001
3000	3440	1	RMS	3161	-50.31	-13	37.31	Pass	441
3440	3560	1	RMS	3504.2	17.77	60	42.23	Pass	401
3560	7000	1	RMS	3811	-62.4	-13	49.4	Pass	3441
7000	26500	1	RMS	25511	-49.23	-13	36.23	Pass	19503




2.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.38	-70.66	-13	57.66	Pass	2986
30	1000	0.1	RMS	868.813	-62.41	-13	49.41	Pass	9701
1000	3000	1	RMS	2943	-49.9	-13	36.9	Pass	2001
3000	3440	1	RMS	3160	-50.33	-13	37.33	Pass	441
3440	3560	1	RMS	3542.6	8.87	60	51.13	Pass	401
3560	7000	1	RMS	3618	-49.48	-13	36.48	Pass	3441
7000	26500	1	RMS	25484	-49.25	-13	36.25	Pass	19503




2.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.16	-70.84	-13	57.84	Pass	2986
30	1000	0.1	RMS	974.483	-63.23	-13	50.23	Pass	9701
1000	3000	1	RMS	2936	-49.8	-13	36.8	Pass	2001
3000	3440	1	RMS	3167	-50.4	-13	37.4	Pass	441
3440	3560	1	RMS	3540.8	17.51	60	42.49	Pass	401
3560	7000	1	RMS	3560	-58.33	-13	45.33	Pass	3441
7000	26500	1	RMS	25902	-49.86	-13	36.86	Pass	19503




2.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.31	-13	57.31	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-13	58.03	Pass	2986
30	1000	0.1	RMS	813.8	-63.02	-13	50.02	Pass	9701
1000	3000	1	RMS	2963	-49.8	-13	36.8	Pass	2001
3000	3440	1	RMS	3163	-50.24	-13	37.24	Pass	441
3440	3560	1	RMS	3549.2	17.49	60	42.51	Pass	401
3560	7000	1	RMS	3567	-56.54	-13	43.54	Pass	3441
7000	26500	1	RMS	25500	-49.87	-13	36.87	Pass	19503




2.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.27	-70.34	-13	57.34	Pass	2986
30	1000	0.1	RMS	844.3	-62.84	-13	49.84	Pass	9701
1000	3000	1	RMS	2928	-49.8	-13	36.8	Pass	2001
3000	3440	1	RMS	3440	-41.96	-13	28.96	Pass	441
3440	3560	1	RMS	3461	7.08	60	52.92	Pass	401
3560	7000	1	RMS	3605	-61.22	-13	48.22	Pass	3441
7000	26500	1	RMS	25522	-50.06	-13	37.06	Pass	19503




2.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.39	-70.56	-13	57.56	Pass	2986
30	1000	0.1	RMS	855.304	-63.04	-13	50.04	Pass	9701
1000	3000	1	RMS	2934	-49.91	-13	36.91	Pass	2001
3000	3440	1	RMS	3440	-49.84	-13	36.84	Pass	441
3440	3560	1	RMS	3450.8	17.79	60	42.21	Pass	401
3560	7000	1	RMS	6902	-54.42	-13	41.42	Pass	3441
7000	26500	1	RMS	26220	-49.99	-13	36.99	Pass	19503




2.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.16	-13	56.16	Pass	401
0.15	30	0.01	RMS	0.17	-69.45	-13	56.45	Pass	2986
30	1000	0.1	RMS	832.2	-62.67	-13	49.67	Pass	9701
1000	3000	1	RMS	2943	-49.8	-13	36.8	Pass	2001
3000	3440	1	RMS	3157	-50.26	-13	37.26	Pass	441
3440	3560	1	RMS	3464	17.7	60	42.3	Pass	401
3560	7000	1	RMS	6928	-53.95	-13	40.95	Pass	3441
7000	26500	1	RMS	25504	-49.62	-13	36.62	Pass	19503




2.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.81	-13	56.81	Pass	401
0.15	30	0.01	RMS	0.21	-70.24	-13	57.24	Pass	2986
30	1000	0.1	RMS	939.56	-62.58	-13	49.58	Pass	9701
1000	3000	1	RMS	2932	-49.77	-13	36.77	Pass	2001
3000	3440	1	RMS	3162	-50.2	-13	37.2	Pass	441
3440	3560	1	RMS	3500	7.2	60	52.8	Pass	401
3560	7000	1	RMS	3648	-61.37	-13	48.37	Pass	3441
7000	26500	1	RMS	25481	-49.74	-13	36.74	Pass	19503




2.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.16	-70.76	-13	57.76	Pass	2986
30	1000	0.1	RMS	830.4	-62.97	-13	49.97	Pass	9701
1000	3000	1	RMS	2944	-49.92	-13	36.92	Pass	2001
3000	3440	1	RMS	3158	-50.36	-13	37.36	Pass	441
3440	3560	1	RMS	3493.4	17.85	60	42.15	Pass	401
3560	7000	1	RMS	6987	-55.57	-13	42.57	Pass	3441
7000	26500	1	RMS	25474	-50	-13	37	Pass	19503




2.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.56	-13	57.56	Pass	401
0.15	30	0.01	RMS	0.32	-70.33	-13	57.33	Pass	2986
30	1000	0.1	RMS	844.7	-63.17	-13	50.17	Pass	9701
1000	3000	1	RMS	2937	-49.77	-13	36.77	Pass	2001
3000	3440	1	RMS	3160	-50.28	-13	37.28	Pass	441
3440	3560	1	RMS	3506.6	18	60	42	Pass	401
3560	7000	1	RMS	3814	-62.51	-13	49.51	Pass	3441
7000	26500	1	RMS	25485	-50.02	-13	37.02	Pass	19503




2.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.24	-70.59	-13	57.59	Pass	2986
30	1000	0.1	RMS	971.181	-62.17	-13	49.17	Pass	9701
1000	3000	1	RMS	2944	-49.81	-13	36.81	Pass	2001
3000	3440	1	RMS	3165	-50.35	-13	37.35	Pass	441
3440	3560	1	RMS	3537.2	6.8	60	53.2	Pass	401
3560	7000	1	RMS	3560	-46.63	-13	33.63	Pass	3441
7000	26500	1	RMS	25878	-50.17	-13	37.17	Pass	19503




2.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.33	-69.27	-13	56.27	Pass	2986
30	1000	0.1	RMS	860.608	-62.65	-13	49.65	Pass	9701
1000	3000	1	RMS	2963	-49.84	-13	36.84	Pass	2001
3000	3440	1	RMS	3161	-50.31	-13	37.31	Pass	441
3440	3560	1	RMS	3535.7	17.54	60	42.46	Pass	401
3560	7000	1	RMS	3561	-61.29	-13	48.29	Pass	3441
7000	26500	1	RMS	25510	-49.7	-13	36.7	Pass	19503




2.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.19	-13	58.19	Pass	401
0.15	30	0.01	RMS	0.45	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	827.6	-63.16	-13	50.16	Pass	9701
1000	3000	1	RMS	2962	-49.87	-13	36.87	Pass	2001
3000	3440	1	RMS	3158	-50.33	-13	37.33	Pass	441
3440	3560	1	RMS	3549.2	17.66	60	42.34	Pass	401




2.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.34	-68.91	-13	55.91	Pass	2986
30	1000	0.1	RMS	958.472	-63.07	-13	50.07	Pass	9701
1000	3000	1	RMS	2951	-49.79	-13	36.79	Pass	2001
3000	3440	1	RMS	3440	-39.49	-13	26.49	Pass	441
3440	3560	1	RMS	3457.1	5.83	60	54.17	Pass	401
3560	7000	1	RMS	3605	-57.88	-13	44.88	Pass	3441
7000	26500	1	RMS	25912	-50	-13	37	Pass	19503




2.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.27	-69.74	-13	56.74	Pass	2986
30	1000	0.1	RMS	975.484	-63.19	-13	50.19	Pass	9701
1000	3000	1	RMS	2951	-49.78	-13	36.78	Pass	2001
3000	3440	1	RMS	3440	-49.21	-13	36.21	Pass	441
3440	3560	1	RMS	3451.1	17.72	60	42.28	Pass	401
3560	7000	1	RMS	6902	-53.68	-13	40.68	Pass	3441
7000	26500	1	RMS	25464	-49.8	-13	36.8	Pass	19503




2.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.59	-13	58.59	Pass	401
0.15	30	0.01	RMS	0.17	-71.06	-13	58.06	Pass	2986
30	1000	0.1	RMS	864.91	-63.1	-13	50.1	Pass	9701
1000	3000	1	RMS	2932	-49.85	-13	36.85	Pass	2001
3000	3440	1	RMS	3162	-50.2	-13	37.2	Pass	441
3440	3560	1	RMS	3469.1	17.86	60	42.14	Pass	401
3560	7000	1	RMS	6938	-54.03	-13	41.03	Pass	3441
7000	26500	1	RMS	25478	-50.08	-13	37.08	Pass	19503




2.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.63	-13	57.63	Pass	401
0.15	30	0.01	RMS	0.62	-70.42	-13	57.42	Pass	2986
30	1000	0.1	RMS	865.511	-62.33	-13	49.33	Pass	9701
1000	3000	1	RMS	2955	-49.68	-13	36.68	Pass	2001
3000	3440	1	RMS	3355	-49.78	-13	36.78	Pass	441
3440	3560	1	RMS	3496.7	5.93	60	54.07	Pass	401
3560	7000	1	RMS	3645	-57.63	-13	44.63	Pass	3441
7000	26500	1	RMS	25485	-50.16	-13	37.16	Pass	19503




2.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.21	-70.57	-13	57.57	Pass	2986
30	1000	0.1	RMS	890.828	-62.89	-13	49.89	Pass	9701
1000	3000	1	RMS	2944	-49.79	-13	36.79	Pass	2001
3000	3440	1	RMS	3158	-50.36	-13	37.36	Pass	441
3440	3560	1	RMS	3491	17.83	60	42.17	Pass	401
3560	7000	1	RMS	6982	-54.68	-13	41.68	Pass	3441
7000	26500	1	RMS	25539	-49.81	-13	36.81	Pass	19503




2.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.8	-13	57.8	Pass	401
0.15	30	0.01	RMS	1.09	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	862.609	-62.93	-13	49.93	Pass	9701
1000	3000	1	RMS	2935	-49.83	-13	36.83	Pass	2001
3000	3440	1	RMS	3161	-50.31	-13	37.31	Pass	441
3440	3560	1	RMS	3509	18.01	60	41.99	Pass	401
3560	7000	1	RMS	3816	-62.6	-13	49.6	Pass	3441
7000	26500	1	RMS	25901	-49.62	-13	36.62	Pass	19503




2.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.92	-13	57.92	Pass	401
0.15	30	0.01	RMS	0.17	-69.79	-13	56.79	Pass	2986
30	1000	0.1	RMS	981.788	-62.79	-13	49.79	Pass	9701
1000	3000	1	RMS	2936	-49.76	-13	36.76	Pass	2001
3000	3440	1	RMS	3395	-49.73	-13	36.73	Pass	441
3440	3560	1	RMS	3533	5.54	60	54.46	Pass	401
3560	7000	1	RMS	3560	-44.19	-13	31.19	Pass	3441
7000	26500	1	RMS	25840	-50.16	-13	37.16	Pass	19503




2.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.88	-70.63	-13	57.63	Pass	2986
30	1000	0.1	RMS	855.404	-62.3	-13	49.3	Pass	9701
1000	3000	1	RMS	2940	-49.76	-13	36.76	Pass	2001
3000	3440	1	RMS	3162	-50.2	-13	37.2	Pass	441
3440	3560	1	RMS	3530.9	17.65	60	42.35	Pass	401
3560	7000	1	RMS	3561	-59.69	-13	46.69	Pass	3441
7000	26500	1	RMS	25527	-49.53	-13	36.53	Pass	19503



2.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.64	-13	57.64	Pass	401
0.15	30	0.01	RMS	0.43	-71.3	-13	58.3	Pass	2986
30	1000	0.1	RMS	964.176	-62.92	-13	49.92	Pass	9701
1000	3000	1	RMS	2946	-49.66	-13	36.66	Pass	2001
3000	3440	1	RMS	3160	-50.32	-13	37.32	Pass	441
3440	3560	1	RMS	3548.9	17.62	60	42.38	Pass	401
3560	7000	1	RMS	3561	-52.42	-13	39.42	Pass	3441
7000	26500	1	RMS	25487	-49.78	-13	36.78	Pass	19503



3. n78 30kHz(3450-3550)

3.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.65	-13	57.65	Pass	401
0.15	30	0.01	RMS	0.15	-70.3	-13	57.3	Pass	2986
30	1000	0.1	RMS	959.373	-62.82	-13	49.82	Pass	9701
1000	3000	1	RMS	2971	-49.72	-13	36.72	Pass	2001
3000	3440	1	RMS	3382	-46.64	-13	33.64	Pass	441
3440	3560	1	RMS	3458	9.03	60	50.97	Pass	401
3560	7000	1	RMS	6911	-61.98	-13	48.98	Pass	3441
7000	26500	1	RMS	25914	-49.82	-13	36.82	Pass	19503

