

Band Edge

NR Mode Test Verdict

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n26 (PART22)	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	15	LCH	QPSK	1	0	Pass
				79	0	Pass
		HCH	QPSK	1	78	Pass
				79	0	Pass
	20	LCH	QPSK	1	0	Pass
				106	0	Pass
		HCH	QPSK	1	105	Pass
				106	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n26 (PART90)	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	10	LCH	QPSK	1	0	Pass
				52	0	Pass
		HCH	QPSK	1	51	Pass
				52	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n41	10	LCH	QPSK	1	0	Pass
				24	0	Pass
		HCH	QPSK	1	23	Pass
				24	0	Pass
	15	LCH	QPSK	1	0	Pass
				38	0	Pass
		HCH	QPSK	1	37	Pass
				38	0	Pass
	20	LCH	QPSK	1	0	Pass
				51	0	Pass
		HCH	QPSK	1	50	Pass
				51	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n77 (3450-3550)	10	LCH	QPSK	1	0	Pass
				24	0	Pass
		HCH	QPSK	1	23	Pass
				24	0	Pass
	15	LCH	QPSK	1	0	Pass
				38	0	Pass
		HCH	QPSK	1	37	Pass
				38	0	Pass
	20	LCH	QPSK	1	0	Pass
				51	0	Pass
		HCH	QPSK	1	50	Pass
				51	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n77 (3700-3980)	10	LCH	QPSK	1	0	Pass
				24	0	Pass
		HCH	QPSK	1	23	Pass
				24	0	Pass
	15	LCH	QPSK	1	0	Pass
				38	0	Pass
		HCH	QPSK	1	37	Pass
				38	0	Pass
	20	LCH	QPSK	1	0	Pass
				51	0	Pass
		HCH	QPSK	1	50	Pass
				51	0	Pass


Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n78 (3450-3550)	10	LCH	QPSK	1	0	Pass
				24	0	Pass
		HCH	QPSK	1	23	Pass
				24	0	Pass
	15	LCH	QPSK	1	0	Pass
				38	0	Pass
		HCH	QPSK	1	37	Pass
				38	0	Pass
	20	LCH	QPSK	1	0	Pass
				51	0	Pass
		HCH	QPSK	1	50	Pass
				51	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n78 (3700-3800)	10	LCH	QPSK	1	0	Pass
				24	0	Pass
		HCH	QPSK	1	23	Pass
				24	0	Pass
	15	LCH	QPSK	1	0	Pass
				38	0	Pass
		HCH	QPSK	1	37	Pass
				38	0	Pass
	20	LCH	QPSK	1	0	Pass
				51	0	Pass
		HCH	QPSK	1	50	Pass
				51	0	Pass

1. n41


1.1 Band Edge for SA_Part22-24-27(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490.5	1	RMS	2490.286	-50.33	-25	25.33	Pass	401
2490.5	2495	1	RMS	2495	-26.19	-13	13.19	Pass	401
2495	2496	0.051	RMS	2496	-27.15	-13	14.15	Pass	401
2496	2506	1	RMS	2496.825	18.89	40	21.11	Pass	401




1.2 Band Edge for SA_Part22-24-27(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490	1	RMS	2490	-34.83	-25	9.83	Pass	10
2490.5	2495	1	RMS	2495	-26.31	-13	13.31	Pass	401
2495	2496	0.2	RMS	2496	-28.21	-13	15.21	Pass	401
2496	2506	1	RMS	2504.05	10.34	40	29.66	Pass	401




1.3 Band Edge for SA_Part22-24-27(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2689.15	18.77	40	21.23	Pass	401
2690	2691	0.051	RMS	2690.003	-27.61	-10	17.61	Pass	401
2691	2695	1	RMS	2691	-27.4	-10	17.4	Pass	401
2695	2700	1	RMS	2695.05	-49.18	-13	36.18	Pass	401
2700	2705	1	RMS	2700.3	-51.6	-25	26.6	Pass	401




1.4 Band Edge for SA_Part22-24-27(Subtest:4, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2682.075	9.96	40	30.04	Pass	401
2690	2691	0.2	RMS	2690	-27.39	-10	17.39	Pass	401
2691	2695	1	RMS	2691	-25.92	-10	15.92	Pass	401
2695	2700	1	RMS	2695	-31.96	-13	18.96	Pass	401
2700	2705	1	RMS	2700	-39.8	-25	14.8	Pass	401




1.5 Band Edge for SA_Part22-24-27(Subtest:1, Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2476	2490.5	1	RMS	2490.5	-49.68	-25	24.68	Pass	401
2490.5	2495	1	RMS	2495	-24.19	-13	11.19	Pass	401
2495	2496	0.051	RMS	2496	-23.36	-13	10.36	Pass	401
2496	2511	1	RMS	2496.825	19.01	40	20.99	Pass	401




1.6 Band Edge for SA_Part22-24-27(Subtest:2, Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2476	2490.5	1	RMS	2490.5	-31.96	-25	6.96	Pass	401
2490.5	2495	1	RMS	2495	-27.05	-13	14.05	Pass	401
2495	2496	0.3	RMS	2496	-27.12	-13	14.12	Pass	401
2496	2511	1	RMS	2509.088	8.42	40	31.58	Pass	401



1.7 Band Edge for SA_Part22-24-27(Subtest:3, Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	1	RMS	2689.1	18.71	40	21.29	Pass	401
2690	2691	0.051	RMS	2690.003	-26.01	-10	16.01	Pass	401
2691	2695	1	RMS	2691	-26.24	-10	16.24	Pass	401
2695	2705	1	RMS	2695	-48.09	-13	35.09	Pass	401
2705	2710	1	RMS	2705.988	-51.74	-25	26.74	Pass	401




1.8 Band Edge for SA_Part22-24-27(Subtest:4, Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	1	RMS	2678.113	8.07	40	31.93	Pass	401
2690	2691	0.3	RMS	2690	-27.31	-10	17.31	Pass	401
2691	2695	1	RMS	2691	-26.82	-10	16.82	Pass	401
2695	2705	1	RMS	2695	-30.91	-13	17.91	Pass	401
2705	2710	1	RMS	2705.038	-40.06	-25	15.06	Pass	401




1.9 Band Edge for SA_Part22-24-27(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2488.599	-49.68	-25	24.68	Pass	401
2490.5	2495	1	RMS	2495	-30.95	-13	17.95	Pass	401
2495	2496	0.051	RMS	2496	-29.91	-13	16.91	Pass	401
2496	2516	1	RMS	2497	18.86	40	21.14	Pass	401




1.10 Band Edge for SA_Part22-24-27(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2490.5	-32.22	-25	7.22	Pass	401
2490.5	2495	1	RMS	2495	-27.24	-13	14.24	Pass	401
2495	2496	0.39	RMS	2495.998	-27.53	-13	14.53	Pass	401
2496	2516	1	RMS	2513.7	7.16	40	32.84	Pass	401



1.11 Band Edge for SA_Part22-24-27(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2689	18.83	40	21.17	Pass	401
2690	2691	0.051	RMS	2690	-29.03	-10	19.03	Pass	401
2691	2695	1	RMS	2691.01	-30.21	-10	20.21	Pass	401
2695	2710	1	RMS	2695.075	-47.25	-13	34.25	Pass	401
2710	2715	1	RMS	2714.45	-51.74	-25	26.74	Pass	401



1.12 Band Edge for SA_Part22-24-27(Subtest:4, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2687	6.78	40	33.22	Pass	401
2690	2691	0.39	RMS	2690.003	-27.86	-10	17.86	Pass	401
2691	2695	1	RMS	2691.04	-26.46	-10	16.46	Pass	401
2695	2710	1	RMS	2695.038	-30.68	-13	17.68	Pass	401
2710	2715	1	RMS	2710.2	-41.32	-25	16.32	Pass	401



2. n77 30kHz(3450-3550)


2.1 Band Edge for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-47.36	-13	34.36	Pass	401
3445	3449	0.62	RMS	3449	-36.22	-13	23.22	Pass	401
3449	3450	0.2	RMS	3450	-21.01	-13	8.01	Pass	401
3450	3460	1	RMS	3450.8	17.94	40	22.06	Pass	401




2.2 Band Edge for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.975	-37.16	-13	24.16	Pass	401
3445	3449	0.62	RMS	3449	-31.42	-13	18.42	Pass	401
3449	3450	0.2	RMS	3449.983	-29.42	-13	16.42	Pass	401
3450	3460	1	RMS	3457.125	9.2	40	30.8	Pass	401




2.3 Band Edge for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.1	17.48	40	22.52	Pass	401
3550	3551	0.2	RMS	3550	-23.59	-13	10.59	Pass	401
3551	3555	0.62	RMS	3551.02	-36.31	-13	23.31	Pass	401
3555	3565	1	RMS	3555.15	-47	-13	34	Pass	401




2.4 Band Edge for SA_Part22-24-27(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3542.4	8.9	40	31.1	Pass	401
3550	3551	0.2	RMS	3550	-28.29	-13	15.29	Pass	401
3551	3555	0.62	RMS	3551	-29.72	-13	16.72	Pass	401
3555	3565	1	RMS	3555.05	-37.83	-13	24.83	Pass	401




2.5 Band Edge for SA_Part22-24-27(Subtest:1, Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3430	3445	1	RMS	3444.888	-45.74	-13	32.74	Pass	401
3445	3449	0.62	RMS	3449	-35.09	-13	22.09	Pass	401
3449	3450	0.2	RMS	3450	-18.65	-13	5.65	Pass*	401
3450	3465	1	RMS	3450.825	17.9	40	22.1	Pass	401




2.6 Band Edge for SA_Part22-24-27(Subtest:2, Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3430	3445	1	RMS	3444.925	-34.92	-13	21.92	Pass	401
3445	3449	0.62	RMS	3448.98	-32.44	-13	19.44	Pass	401
3449	3450	0.2	RMS	3450	-30.17	-13	17.17	Pass	401
3450	3465	1	RMS	3460.913	7.12	40	32.88	Pass	401




2.7 Band Edge for SA_Part22-24-27(Subtest:3, Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	1	RMS	3549.1	17.78	40	22.22	Pass	401
3550	3551	0.2	RMS	3550.015	-20.06	-13	7.06	Pass	401
3551	3555	0.62	RMS	3551.03	-35.1	-13	22.1	Pass	401
3555	3570	1	RMS	3555.075	-45.54	-13	32.54	Pass	401




2.8 Band Edge for SA_Part22-24-27(Subtest:4, Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	1	RMS	3537.175	6.94	40	33.06	Pass	401
3550	3551	0.2	RMS	3550.005	-29.41	-13	16.41	Pass	401
3551	3555	0.62	RMS	3551	-31.01	-13	18.01	Pass	401
3555	3570	1	RMS	3555	-35.1	-13	22.1	Pass	401




2.9 Band Edge for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-46.3	-13	33.3	Pass	401
3445	3449	0.62	RMS	3448.99	-37.18	-13	24.18	Pass	401
3449	3450	0.051	RMS	3450	-29.99	-13	16.99	Pass	401
3450	3470	1	RMS	3451	17.9	40	22.1	Pass	401




2.10 Band Edge for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-33.83	-13	20.83	Pass	401
3445	3449	0.62	RMS	3448.98	-31.03	-13	18.03	Pass	401
3449	3450	0.2	RMS	3449.998	-31.95	-13	18.95	Pass	401
3450	3470	1	RMS	3460.6	5.96	40	34.04	Pass	401




2.11 Band Edge for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3548.95	17.89	40	22.11	Pass	401
3550	3551	0.051	RMS	3550.003	-30.94	-13	17.94	Pass	401
3551	3555	0.62	RMS	3551	-36.12	-13	23.12	Pass	401
3555	3575	1	RMS	3555.05	-45.85	-13	32.85	Pass	401



2.12 Band Edge for SA_Part22-24-27(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3536.4	5.71	40	34.29	Pass	401
3550	3551	0.2	RMS	3550.003	-30.94	-13	17.94	Pass	401
3551	3555	0.62	RMS	3551.03	-28.67	-13	15.67	Pass	401
3555	3575	1	RMS	3555	-34.43	-13	21.43	Pass	401



3. n78 30kHz(3450-3550)


3.1 Band Edge for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.6	-46.79	-13	33.79	Pass	401
3445	3449	0.62	RMS	3449	-35.55	-13	22.55	Pass	401
3449	3450	0.2	RMS	3449.998	-20.87	-13	7.87	Pass	401
3450	3460	1	RMS	3450.825	17.75	40	22.25	Pass	401




3.2 Band Edge for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-37.08	-13	24.08	Pass	401
3445	3449	0.62	RMS	3448.96	-31.38	-13	18.38	Pass	401
3449	3450	0.2	RMS	3450	-29.45	-13	16.45	Pass	401
3450	3460	1	RMS	3457.75	9.08	40	30.92	Pass	401




3.3 Band Edge for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.075	17.36	40	22.64	Pass	401
3550	3551	0.2	RMS	3550.008	-23.67	-13	10.67	Pass	401
3551	3555	0.62	RMS	3551.01	-35.67	-13	22.67	Pass	401
3555	3565	1	RMS	3555.025	-46.87	-13	33.87	Pass	401




3.4 Band Edge for SA_Part22-24-27(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3542.8	8.56	40	31.44	Pass	401
3550	3551	0.2	RMS	3550	-28.85	-13	15.85	Pass	401
3551	3555	0.62	RMS	3551.01	-29.91	-13	16.91	Pass	401
3555	3565	1	RMS	3555.05	-37.74	-13	24.74	Pass	401




3.5 Band Edge for SA_Part22-24-27(Subtest:1, Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3430	3445	1	RMS	3444.85	-46.62	-13	33.62	Pass	401
3445	3449	0.62	RMS	3449	-34.09	-13	21.09	Pass	401
3449	3450	0.2	RMS	3449.998	-18.78	-13	5.78	Pass*	401
3450	3465	1	RMS	3450.9	17.61	40	22.39	Pass	401




3.6 Band Edge for SA_Part22-24-27(Subtest:2, Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3430	3445	1	RMS	3444.925	-34.93	-13	21.93	Pass	401
3445	3449	0.62	RMS	3449	-31.8	-13	18.8	Pass	401
3449	3450	0.2	RMS	3450	-30.55	-13	17.55	Pass	401
3450	3465	1	RMS	3458.025	6.88	40	33.12	Pass	401




3.7 Band Edge for SA_Part22-24-27(Subtest:3, Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	1	RMS	3549.175	17.51	40	22.49	Pass	401
3550	3551	0.2	RMS	3550.008	-20.42	-13	7.42	Pass	401
3551	3555	0.62	RMS	3551.01	-34.44	-13	21.44	Pass	401
3555	3570	1	RMS	3555.038	-46.24	-13	33.24	Pass	401




3.8 Band Edge for SA_Part22-24-27(Subtest:4, Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	1	RMS	3537.325	6.69	40	33.31	Pass	401
3550	3551	0.2	RMS	3550	-29.52	-13	16.52	Pass	401
3551	3555	0.62	RMS	3551	-31.36	-13	18.36	Pass	401
3555	3570	1	RMS	3555	-36.15	-13	23.15	Pass	401




3.9 Band Edge for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.95	-46.47	-13	33.47	Pass	401
3445	3449	0.62	RMS	3448.97	-36.18	-13	23.18	Pass	401
3449	3450	0.051	RMS	3449.998	-30.84	-13	17.84	Pass	401
3450	3470	1	RMS	3450.95	17.61	40	22.39	Pass	401




3.10 Band Edge for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-33.95	-13	20.95	Pass	401
3445	3449	0.62	RMS	3448.87	-30.27	-13	17.27	Pass	401
3449	3450	0.2	RMS	3449.998	-31.56	-13	18.56	Pass	401
3450	3470	1	RMS	3461.05	5.61	40	34.39	Pass	401




3.11 Band Edge for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3549	17.57	40	22.43	Pass	401
3550	3551	0.051	RMS	3550	-31.04	-13	18.04	Pass	401
3551	3555	0.62	RMS	3551.01	-35.32	-13	22.32	Pass	401
3555	3575	1	RMS	3555	-46.26	-13	33.26	Pass	401



3.12 Band Edge for SA_Part22-24-27(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3536.4	5.44	40	34.56	Pass	401
3550	3551	0.2	RMS	3550.015	-31.96	-13	18.96	Pass	401
3551	3555	0.62	RMS	3551	-29.92	-13	16.92	Pass	401
3555	3575	1	RMS	3555	-35.56	-13	22.56	Pass	401



4. n77 30kHz(3700-3980)


4.1 Band Edge for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3693.55	-44.77	-13	31.77	Pass	401
3695	3699	0.62	RMS	3698.46	-34.07	-13	21.07	Pass	401
3699	3700	0.051	RMS	3699.965	-27.62	-13	14.62	Pass	401
3700	3710	1	RMS	3700.85	18.17	40	21.83	Pass	401




4.2 Band Edge for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-40.66	-13	27.66	Pass	401
3695	3699	0.62	RMS	3699	-33.28	-13	20.28	Pass	401
3699	3700	0.39	RMS	3699.983	-25.68	-13	12.68	Pass	401
3700	3710	1	RMS	3702.375	9.51	40	30.49	Pass	401




4.3 Band Edge for SA_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3979.125	17.8	40	22.2	Pass	401
3980	3981	0.051	RMS	3980.005	-29.86	-13	16.86	Pass	401
3981	3985	0.62	RMS	3981.1	-34.51	-13	21.51	Pass	401
3985	3995	1	RMS	3985.85	-45.26	-13	32.26	Pass	401




4.4 Band Edge for SA_Part22-24-27(Subtest:4, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3977.725	9.06	40	30.94	Pass	401
3980	3981	0.39	RMS	3980.003	-24.1	-13	11.1	Pass	401
3981	3985	0.62	RMS	3981	-31.27	-13	18.27	Pass	401
3985	3995	1	RMS	3985	-39.28	-13	26.28	Pass	401



4.5 Band Edge for SA_Part22-24-27(Subtest:1, Channel:647168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3695	1	RMS	3695	-44.53	-13	31.53	Pass	401
3695	3699	0.62	RMS	3698.99	-33.15	-13	20.15	Pass	401
3699	3700	0.39	RMS	3699.943	-15.26	-13	2.26	Pass*	401
3700	3715	1	RMS	3700.825	18.62	40	21.38	Pass	401




4.6 Band Edge for SA_Part22-24-27(Subtest:2, Channel:647168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3695	1	RMS	3694.85	-38.93	-13	25.93	Pass	401
3695	3699	0.62	RMS	3699	-32.76	-13	19.76	Pass	401
3699	3700	0.39	RMS	3699.995	-26.81	-13	13.81	Pass	401
3700	3715	1	RMS	3702.4	7.62	40	32.38	Pass	401




4.7 Band Edge for SA_Part22-24-27(Subtest:3, Channel:664832, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3965	3980	1	RMS	3979.063	17.81	40	22.19	Pass	401
3980	3981	0.39	RMS	3980.008	-17.34	-13	4.34	Pass*	401
3981	3985	0.62	RMS	3981.03	-34.82	-13	21.82	Pass	401
3985	4000	1	RMS	3986.088	-44.93	-13	31.93	Pass	401




4.8 Band Edge for SA_Part22-24-27(Subtest:4, Channel:664832, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3965	3980	1	RMS	3975.95	7.03	40	32.97	Pass	401
3980	3981	0.39	RMS	3980.015	-26.87	-13	13.87	Pass	401
3981	3985	0.62	RMS	3981	-31.64	-13	18.64	Pass	401
3985	4000	1	RMS	3985	-38.6	-13	25.6	Pass	401




4.9 Band Edge for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.05	-44.55	-13	31.55	Pass	401
3695	3699	0.62	RMS	3698.77	-34.21	-13	21.21	Pass	401
3699	3700	0.051	RMS	3699.993	-31.18	-13	18.18	Pass	401
3700	3720	1	RMS	3701	18.48	40	21.52	Pass	401




4.10 Band Edge for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3695	-36.22	-13	23.22	Pass	401
3695	3699	0.62	RMS	3698.99	-30.17	-13	17.17	Pass	401
3699	3700	0.39	RMS	3699.993	-27.79	-13	14.79	Pass	401
3700	3720	1	RMS	3703.55	6.36	40	33.64	Pass	401



4.11 Band Edge for SA_Part22-24-27(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3979	17.85	40	22.15	Pass	401
3980	3981	0.051	RMS	3980	-30.51	-13	17.51	Pass	401
3981	3985	0.62	RMS	3981.14	-34.42	-13	21.42	Pass	401
3985	4005	1	RMS	3985.9	-44.74	-13	31.74	Pass	401



4.12 Band Edge for SA_Part22-24-27(Subtest:4, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3975.05	5.83	40	34.17	Pass	401
3980	3981	0.39	RMS	3980.003	-28.76	-13	15.76	Pass	401
3981	3985	0.62	RMS	3981.03	-29.63	-13	16.63	Pass	401
3985	4005	1	RMS	3985	-36.37	-13	23.37	Pass	401



5. n78 30kHz(3700-3800)


5.1 Band Edge for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-46.53	-13	33.53	Pass	401
3695	3699	0.62	RMS	3698.97	-37.01	-13	24.01	Pass	401
3699	3700	0.051	RMS	3699.998	-29.58	-13	16.58	Pass	401
3700	3710	1	RMS	3700.85	16.14	40	23.86	Pass	401




5.2 Band Edge for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-39.13	-13	26.13	Pass	401
3695	3699	0.62	RMS	3698.98	-35.82	-13	22.82	Pass	401
3699	3700	0.39	RMS	3700	-29	-13	16	Pass	401
3700	3710	1	RMS	3702.375	7.47	40	32.53	Pass	401




5.3 Band Edge for SA_Part22-24-27(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3799.1	16.47	40	23.53	Pass	401
3800	3801	0.051	RMS	3800.003	-32.22	-13	19.22	Pass	401
3801	3805	0.62	RMS	3801	-36.17	-13	23.17	Pass	401
3805	3815	1	RMS	3805.05	-45.98	-13	32.98	Pass	401




5.4 Band Edge for SA_Part22-24-27(Subtest:4, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3797.675	7.56	40	32.44	Pass	401
3800	3801	0.39	RMS	3800.003	-26.48	-13	13.48	Pass	401
3801	3805	0.62	RMS	3801	-34.69	-13	21.69	Pass	401
3805	3815	1	RMS	3805	-41.02	-13	28.02	Pass	401



5.5 Band Edge for SA_Part22-24-27(Subtest:1, Channel:647168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3695	1	RMS	3695	-46.2	-13	33.2	Pass	401
3695	3699	0.62	RMS	3699	-34.88	-13	21.88	Pass	401
3699	3700	0.39	RMS	3699.94	-17.37	-13	4.37	Pass*	401
3700	3715	1	RMS	3700.825	16.91	40	23.09	Pass	401




5.6 Band Edge for SA_Part22-24-27(Subtest:2, Channel:647168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3695	1	RMS	3695	-36.27	-13	23.27	Pass	401
3695	3699	0.62	RMS	3698.98	-35.41	-13	22.41	Pass	401
3699	3700	0.39	RMS	3699.988	-29.36	-13	16.36	Pass	401
3700	3715	1	RMS	3702.363	6.06	40	33.94	Pass	401




5.7 Band Edge for SA_Part22-24-27(Subtest:3, Channel:652832, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3785	3800	1	RMS	3799.138	16.58	40	23.42	Pass	401
3800	3801	0.39	RMS	3800.008	-17.36	-13	4.36	Pass*	401
3801	3805	0.62	RMS	3801.05	-36.15	-13	23.15	Pass	401
3805	3820	1	RMS	3805.113	-46.17	-13	33.17	Pass	401




5.8 Band Edge for SA_Part22-24-27(Subtest:4, Channel:652832, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3785	3800	1	RMS	3787.325	5.56	40	34.44	Pass	401
3800	3801	0.39	RMS	3800.005	-29.41	-13	16.41	Pass	401
3801	3805	0.62	RMS	3801	-36.31	-13	23.31	Pass	401
3805	3820	1	RMS	3805	-39.95	-13	26.95	Pass	401




5.9 Band Edge for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.9	-46.63	-13	33.63	Pass	401
3695	3699	0.62	RMS	3699	-36.62	-13	23.62	Pass	401
3699	3700	0.051	RMS	3699.998	-32.86	-13	19.86	Pass	401
3700	3720	1	RMS	3701	16.91	40	23.09	Pass	401




5.10 Band Edge for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3695	-35.98	-13	22.98	Pass	401
3695	3699	0.62	RMS	3699	-36.15	-13	23.15	Pass	401
3699	3700	0.39	RMS	3699.998	-31.54	-13	18.54	Pass	401
3700	3720	1	RMS	3704	4.83	40	35.17	Pass	401




5.11 Band Edge for SA_Part22-24-27(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3799	16.68	40	23.32	Pass	401
3800	3801	0.051	RMS	3800.003	-31.34	-13	18.34	Pass	401
3801	3805	0.62	RMS	3801.02	-37.58	-13	24.58	Pass	401
3805	3825	1	RMS	3805.05	-46.72	-13	33.72	Pass	401



5.12 Band Edge for SA_Part22-24-27(Subtest:4, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3782.95	4.46	40	35.54	Pass	401
3800	3801	0.39	RMS	3800	-33.44	-13	20.44	Pass	401
3801	3805	0.62	RMS	3801	-36.74	-13	23.74	Pass	401
3805	3825	1	RMS	3805	-40.04	-13	27.04	Pass	401



6. n26 15kHz_Part22


6.1 Band Edge for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.91	-51.85	-13	38.85	Pass	401
823	824	0.05	RMS	824	-18.71	-13	5.71	Pass*	21
824	829	0.1	RMS	824.338	17	30	13	Pass	401




6.2 Band Edge for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-33.78	-13	20.78	Pass	401
823	824	0.051	RMS	823.998	-27.73	-13	14.73	Pass	401
824	829	0.1	RMS	825.1	3.55	30	26.45	Pass	401




6.3 Band Edge for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	17.04	30	12.96	Pass	401
849	850	0.051	RMS	849	-20.52	-13	7.52	Pass	401
850	859	0.1	RMS	850.023	-53.45	-13	40.45	Pass	401




6.4 Band Edge for SA_Part22-24-27(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.05	3.8	30	26.2	Pass	401
849	850	0.051	RMS	849.005	-29.94	-13	16.94	Pass	401
850	859	0.1	RMS	850.27	-36.01	-13	23.01	Pass	401




6.9 Band Edge for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	823	-51.65	-13	38.65	Pass	401
823	824	0.15	RMS	824	-19.3	-13	6.3	Pass	8
824	839	0.1	RMS	824.488	17	30	13	Pass	401




6.10 Band Edge for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	823	-36.12	-13	23.12	Pass	401
823	824	0.15	RMS	824	-29.69	-13	16.69	Pass	401
824	839	0.1	RMS	832.963	-1.44	30	31.44	Pass	401




6.11 Band Edge for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	17.04	30	12.96	Pass	401
849	850	0.15	RMS	849	-20.66	-13	7.66	Pass	401
850	869	0.1	RMS	850.048	-52.03	-13	39.03	Pass	401




6.12 Band Edge for SA_Part22-24-27(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	835.35	-1.35	30	31.35	Pass	401
849	850	0.15	RMS	849	-32.92	-13	19.92	Pass	401
850	869	0.1	RMS	850.095	-38.62	-13	25.62	Pass	401




6.13 Band Edge for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	823	-51.08	-13	38.08	Pass	401
823	824	0.2	RMS	824	-20.1	-13	7.1	Pass	401
824	844	0.1	RMS	824.55	17.09	30	12.91	Pass	401




6.14 Band Edge for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.46	-36.53	-13	23.53	Pass	401
823	824	0.2	RMS	824	-30.48	-13	17.48	Pass	401
824	844	0.1	RMS	834.1	-2.52	30	32.52	Pass	401




6.15 Band Edge for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	17.01	30	12.99	Pass	401
849	850	0.2	RMS	849	-21.76	-13	8.76	Pass	401
850	874	0.1	RMS	850	-51.78	-13	38.78	Pass	401



6.16 Band Edge for SA_Part22-24-27(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	833.15	-2.59	30	32.59	Pass	401
849	850	0.2	RMS	849	-29.63	-13	16.63	Pass	401
850	874	0.1	RMS	850	-38.23	-13	25.23	Pass	401



1. n26 15kHz_Part90


1.1 Band Edge for SA_Part90(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.051	RMS	813.963	-20.76	-13	7.76	Pass	401
813.9625	814	0.002	RMS	813.994	-29.73	-20	9.73	Pass	401
814	819	0.1	RMS	814.325	17.02	30	12.98	Pass	401




1.2 Band Edge for SA_Part90(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.051	RMS	813.963	-30.11	-13	17.11	Pass	401
813.9625	814	0.051	RMS	813.999	-29.54	-20	9.54	Pass	401
814	819	0.1	RMS	817.963	3.51	30	26.49	Pass	401




1.3 Band Edge for SA_Part90(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	16.97	30	13.03	Pass	401
824	824.0375	0.002	RMS	824.001	-32.12	-20	12.12	Pass	401
824.0375	829	0.051	RMS	824.038	-22.2	-13	9.2	Pass	401




1.4 Band Edge for SA_Part90(Subtest:4, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.05	3.59	30	26.41	Pass	401
824	824.0375	0.051	RMS	824	-29.1	-20	9.1	Pass	401
824.0375	829	0.051	RMS	824.038	-30.3	-13	17.3	Pass	401




1.5 Band Edge for SA_Part90(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-19.46	-13	6.46	Pass	401
813.9625	814	0.002	RMS	813.995	-32.09	-20	12.09	Pass	401
814	824	0.1	RMS	814.4	16.97	30	13.03	Pass	401




1.6 Band Edge for SA_Part90(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-30.6	-13	17.6	Pass	401
813.9625	814	0.1	RMS	813.999	-29.72	-20	9.72	Pass	401
814	824	0.1	RMS	817.625	0.4	30	29.6	Pass	401




1.7 Band Edge for SA_Part90(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	823.575	17.09	30	12.91	Pass	401
824	824.0375	0.002	RMS	824.001	-34.25	-20	14.25	Pass	401
824.0375	834	0.1	RMS	824.038	-20.83	-13	7.83	Pass	401



1.8 Band Edge for SA_Part90(Subtest:4, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	817.625	0.4	30	29.6	Pass	401
824	824.0375	0.1	RMS	824.001	-29.11	-20	9.11	Pass	401
824.0375	834	0.1	RMS	824.038	-29.99	-13	16.99	Pass	401



--BLANK BELOW--