

FCC Appendix RF Test Data for LTE Band17

FCC ID : 2ANMU-C26MINI

Company : SHENZHEN YUNJI INTELLIGENT TECHNOLOGY
CO.,LTD

EUT : Smart phone

Model Number : C26 Mini

Report No. : ET-26094838E07

01 LTE CONDUCTED OUTPUT POWER (ERP)


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	ERP (dBm)	ERP (mW)	ERP Limit (mW)	Verdict
NVNT	Band17	5	23755	1	#0	QPSK	23.39	-6.53	14.71	29.58	3000	PASS
NVNT	Band17	5	23755	1	#Mid	QPSK	23.44	-6.53	14.76	29.92	3000	PASS
NVNT	Band17	5	23755	1	#Max	QPSK	23.41	-6.53	14.73	29.72	3000	PASS
NVNT	Band17	5	23755	12	#0	QPSK	22.49	-6.53	13.81	24.04	3000	PASS
NVNT	Band17	5	23755	12	#Mid	QPSK	22.53	-6.53	13.85	24.27	3000	PASS
NVNT	Band17	5	23755	12	#Max	QPSK	22.49	-6.53	13.81	24.04	3000	PASS
NVNT	Band17	5	23755	25	#0	QPSK	22.57	-6.53	13.89	24.49	3000	PASS
NVNT	Band17	5	23755	1	#0	16QAM	23.47	-6.53	14.79	30.13	3000	PASS
NVNT	Band17	5	23755	1	#Mid	16QAM	22.92	-6.53	14.24	26.55	3000	PASS
NVNT	Band17	5	23755	1	#Max	16QAM	22.89	-6.53	14.21	26.36	3000	PASS
NVNT	Band17	5	23755	12	#0	16QAM	22.02	-6.53	13.34	21.58	3000	PASS
NVNT	Band17	5	23755	12	#Mid	16QAM	21.99	-6.53	13.31	21.43	3000	PASS
NVNT	Band17	5	23755	12	#Max	16QAM	21.98	-6.53	13.3	21.38	3000	PASS
NVNT	Band17	5	23755	25	#0	16QAM	22.17	-6.53	13.49	22.34	3000	PASS
NVNT	Band17	5	23790	1	#0	QPSK	23.59	-6.53	14.91	30.97	3000	PASS
NVNT	Band17	5	23790	1	#Mid	QPSK	23.69	-6.53	15.01	31.70	3000	PASS
NVNT	Band17	5	23790	1	#Max	QPSK	23.62	-6.53	14.94	31.19	3000	PASS
NVNT	Band17	5	23790	12	#0	QPSK	22.48	-6.53	13.8	23.99	3000	PASS
NVNT	Band17	5	23790	12	#Mid	QPSK	23.08	-6.53	14.4	27.54	3000	PASS
NVNT	Band17	5	23790	12	#Max	QPSK	23.01	-6.53	14.33	27.10	3000	PASS
NVNT	Band17	5	23790	25	#0	QPSK	22.98	-6.53	14.3	26.92	3000	PASS
NVNT	Band17	5	23790	1	#0	16QAM	22.91	-6.53	14.23	26.49	3000	PASS
NVNT	Band17	5	23790	1	#Mid	16QAM	23.43	-6.53	14.75	29.85	3000	PASS
NVNT	Band17	5	23790	1	#Max	16QAM	23.43	-6.53	14.75	29.85	3000	PASS
NVNT	Band17	5	23790	12	#0	16QAM	22.1	-6.53	13.42	21.98	3000	PASS
NVNT	Band17	5	23790	12	#Mid	16QAM	22.07	-6.53	13.39	21.83	3000	PASS
NVNT	Band17	5	23790	12	#Max	16QAM	22.19	-6.53	13.51	22.44	3000	PASS
NVNT	Band17	5	23790	25	#0	16QAM	22.01	-6.53	13.33	21.53	3000	PASS
NVNT	Band17	5	23825	1	#0	QPSK	23.41	-6.53	14.73	29.72	3000	PASS
NVNT	Band17	5	23825	1	#Mid	QPSK	23.53	-6.53	14.85	30.55	3000	PASS
NVNT	Band17	5	23825	1	#Max	QPSK	23.51	-6.53	14.83	30.41	3000	PASS
NVNT	Band17	5	23825	12	#0	QPSK	23.06	-6.53	14.38	27.42	3000	PASS
NVNT	Band17	5	23825	12	#Mid	QPSK	23.07	-6.53	14.39	27.48	3000	PASS

NVNT	Band1 7	5	23825	12	#Max	QPSK	23.11	- 6.53	14.43	27.7 3	3000	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	23.02	- 6.53	14.34	27.1 6	3000	PASS
NVNT	Band1 7	5	23825	1	#0	16QAM	23	- 6.53	14.32	27.0 4	3000	PASS
NVNT	Band1 7	5	23825	1	#Mid	16QAM	23.01	- 6.53	14.33	27.1 0	3000	PASS
NVNT	Band1 7	5	23825	1	#Max	16QAM	22.64	- 6.53	13.96	24.8 9	3000	PASS
NVNT	Band1 7	5	23825	12	#0	16QAM	22.05	- 6.53	13.37	21.7 3	3000	PASS
NVNT	Band1 7	5	23825	12	#Mid	16QAM	22.08	- 6.53	13.4	21.8 8	3000	PASS
NVNT	Band1 7	5	23825	12	#Max	16QAM	22.09	- 6.53	13.41	21.9 3	3000	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	22	- 6.53	13.32	21.4 8	3000	PASS
NVNT	Band1 7	10	23780	1	#0	QPSK	23.85	- 6.53	15.17	32.8 9	3000	PASS
NVNT	Band1 7	10	23780	1	#Mid	QPSK	23.83	- 6.53	15.15	32.7 3	3000	PASS
NVNT	Band1 7	10	23780	1	#Max	QPSK	24.04	- 6.53	15.36	34.3 6	3000	PASS
NVNT	Band1 7	10	23780	25	#0	QPSK	22.5	- 6.53	13.82	24.1 0	3000	PASS
NVNT	Band1 7	10	23780	25	#Mid	QPSK	22.55	- 6.53	13.87	24.3 8	3000	PASS
NVNT	Band1 7	10	23780	25	#Max	QPSK	23.12	- 6.53	14.44	27.8 0	3000	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	22.45	- 6.53	13.77	23.8 2	3000	PASS
NVNT	Band1 7	10	23780	1	#0	16QAM	23.24	- 6.53	14.56	28.5 8	3000	PASS
NVNT	Band1 7	10	23780	1	#Mid	16QAM	22.8	- 6.53	14.12	25.8 2	3000	PASS
NVNT	Band1 7	10	23780	1	#Max	16QAM	23.33	- 6.53	14.65	29.1 7	3000	PASS
NVNT	Band1 7	10	23780	25	#0	16QAM	22.07	- 6.53	13.39	21.8 3	3000	PASS
NVNT	Band1 7	10	23780	25	#Mid	16QAM	22.06	- 6.53	13.38	21.7 8	3000	PASS
NVNT	Band1 7	10	23780	25	#Max	16QAM	22.05	- 6.53	13.37	21.7 3	3000	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	22.05	- 6.53	13.37	21.7 3	3000	PASS
NVNT	Band1 7	10	23790	1	#0	QPSK	23.39	- 6.53	14.71	29.5 8	3000	PASS
NVNT	Band1 7	10	23790	1	#Mid	QPSK	23.44	- 6.53	14.76	29.9 2	3000	PASS
NVNT	Band1 7	10	23790	1	#Max	QPSK	23.54	- 6.53	14.86	30.6 2	3000	PASS
NVNT	Band1 7	10	23790	25	#0	QPSK	22.61	- 6.53	13.93	24.7 2	3000	PASS
NVNT	Band1 7	10	23790	25	#Mid	QPSK	22.98	- 6.53	14.3	26.9 2	3000	PASS
NVNT	Band1 7	10	23790	25	#Max	QPSK	22.99	- 6.53	14.31	26.9 8	3000	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	23.09	- 6.53	14.41	27.6 1	3000	PASS
NVNT	Band1 7	10	23790	1	#0	16QAM	23.59	- 6.53	14.91	30.9 7	3000	PASS
NVNT	Band1 7	10	23790	1	#Mid	16QAM	24.06	- 6.53	15.38	34.5 1	3000	PASS
NVNT	Band1 7	10	23790	1	#Max	16QAM	24.06	- 6.53	15.38	34.5 1	3000	PASS
NVNT	Band1 7	10	23790	25	#0	16QAM	22.14	- 6.53	13.46	22.1 8	3000	PASS
NVNT	Band1 7	10	23790	25	#Mid	16QAM	22.15	- 6.53	13.47	22.2 3	3000	PASS
NVNT	Band1 7	10	23790	25	#Max	16QAM	22.23	- 6.53	13.55	22.6 5	3000	PASS


NVNT	Band1 7	10	23790	50	#0	16QAM	22.18	- 6.53	13.5	22.3 9	3000	PASS
NVNT	Band1 7	10	23800	1	#0	QPSK	23.68	- 6.53	15	31.6 2	3000	PASS
NVNT	Band1 7	10	23800	1	#Mid	QPSK	23.7	- 6.53	15.02	31.7 7	3000	PASS
NVNT	Band1 7	10	23800	1	#Max	QPSK	23.7	- 6.53	15.02	31.7 7	3000	PASS
NVNT	Band1 7	10	23800	25	#0	QPSK	22.58	- 6.53	13.9	24.5 5	3000	PASS
NVNT	Band1 7	10	23800	25	#Mid	QPSK	22.99	- 6.53	14.31	26.9 8	3000	PASS
NVNT	Band1 7	10	23800	25	#Max	QPSK	23.16	- 6.53	14.48	28.0 5	3000	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	23.05	- 6.53	14.37	27.3 5	3000	PASS
NVNT	Band1 7	10	23800	1	#0	16QAM	23.28	- 6.53	14.6	28.8 4	3000	PASS
NVNT	Band1 7	10	23800	1	#Mid	16QAM	23.72	- 6.53	15.04	31.9 2	3000	PASS
NVNT	Band1 7	10	23800	1	#Max	16QAM	23.26	- 6.53	14.58	28.7 1	3000	PASS
NVNT	Band1 7	10	23800	25	#0	16QAM	22.11	- 6.53	13.43	22.0 3	3000	PASS
NVNT	Band1 7	10	23800	25	#Mid	16QAM	22.05	- 6.53	13.37	21.7 3	3000	PASS
NVNT	Band1 7	10	23800	25	#Max	16QAM	22.13	- 6.53	13.45	22.1 3	3000	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	22.04	- 6.53	13.36	21.6 8	3000	PASS

03 LTE PEAK-TO-AVERAGE RATIO


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
NVNT	Band17	5	23755	1	#0	QPSK	6.06	13	PASS
NVNT	Band17	5	23755	1	#0	16QAM	6.29	13	PASS
NVNT	Band17	5	23790	1	#0	QPSK	5.61	13	PASS
NVNT	Band17	5	23790	1	#0	16QAM	6.12	13	PASS
NVNT	Band17	5	23825	1	#0	QPSK	5.74	13	PASS
NVNT	Band17	5	23825	1	#0	16QAM	6.19	13	PASS
NVNT	Band17	10	23780	1	#0	QPSK	5.83	13	PASS
NVNT	Band17	10	23780	1	#0	16QAM	6.65	13	PASS
NVNT	Band17	10	23790	1	#0	QPSK	5.69	13	PASS
NVNT	Band17	10	23790	1	#0	16QAM	6.58	13	PASS
NVNT	Band17	10	23800	1	#0	QPSK	5.48	13	PASS
NVNT	Band17	10	23800	1	#0	16QAM	6.19	13	PASS




Band17 16QAM BW=10MHz Channel=23780 RB Size=1 Position=#0 NVNT




Band17 16QAM BW=10MHz Channel=23790 RB Size=1 Position=#0 NVNT




Band17 16QAM BW=10MHz Channel=23800 RB Size=1 Position=#0 NVNT




Band17 16QAM BW=5MHz Channel=23755 RB Size=1 Position=#0 NVNT




Band17 16QAM BW=5MHz Channel=23790 RB Size=1 Position=#0 NVNT




Band17 16QAM BW=5MHz Channel=23825 RB Size=1 Position=#0 NVNT




Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0 NVNT




Band17 QPSK BW=10MHz Channel=23790 RB Size=1 Position=#0 NVNT




Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#0 NVNT



Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0 NVNT




Band17 QPSK BW=5MHz Channel=23790 RB Size=1 Position=#0 NVNT




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0 NVNT

04 LTE OCCUPIED BANDWIDTH


<i>Condition</i>	<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
NVNT	Band17	5	23755	25	#0	QPSK	4.513	4.962	PASS
NVNT	Band17	5	23755	25	#0	16QAM	4.511	4.928	PASS
NVNT	Band17	5	23790	25	#0	QPSK	4.517	4.995	PASS
NVNT	Band17	5	23790	25	#0	16QAM	4.508	4.929	PASS
NVNT	Band17	5	23825	25	#0	QPSK	4.495	4.916	PASS
NVNT	Band17	5	23825	25	#0	16QAM	4.498	4.915	PASS
NVNT	Band17	10	23780	50	#0	QPSK	9.031	9.799	PASS
NVNT	Band17	10	23780	50	#0	16QAM	8.991	9.891	PASS
NVNT	Band17	10	23790	50	#0	QPSK	8.981	9.921	PASS
NVNT	Band17	10	23790	50	#0	16QAM	8.984	9.798	PASS
NVNT	Band17	10	23800	50	#0	QPSK	8.975	9.792	PASS
NVNT	Band17	10	23800	50	#0	16QAM	9.002	9.860	PASS




Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0 NVNT




Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0 NVNT




Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0 NVNT




Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0 NVNT




Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0 NVNT




Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0 NVNT




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0 NVNT




Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0 NVNT




Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0 NVNT



Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0 NVNT




Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0 NVNT




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0 NVNT

05 LTE BAND EDGE

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band17	5	23755	1	#0	QPSK	Normal	704.00	-20.22	-13	PASS
NVNT	Band17	5	23755	1	#Max	QPSK	Normal	704.00	-38.29	-13	PASS
NVNT	Band17	5	23755	25	#0	QPSK	Normal	704.00	-30.29	-13	PASS
NVNT	Band17	5	23755	1	#0	16QAM	Normal	704.00	-22.17	-13	PASS
NVNT	Band17	5	23755	1	#Max	16QAM	Normal	704.00	-36.82	-13	PASS
NVNT	Band17	5	23755	25	#0	16QAM	Normal	704.00	-29.72	-13	PASS
NVNT	Band17	5	23825	1	#0	QPSK	Normal	716.00	-38.27	-13	PASS
NVNT	Band17	5	23825	1	#Max	QPSK	Normal	716.00	-20.14	-13	PASS
NVNT	Band17	5	23825	25	#0	QPSK	Normal	716.01	-31.87	-13	PASS
NVNT	Band17	5	23825	1	#0	16QAM	Normal	716.00	-36.99	-13	PASS
NVNT	Band17	5	23825	1	#Max	16QAM	Normal	716.00	-17.33	-13	PASS
NVNT	Band17	5	23825	25	#0	16QAM	Normal	716.00	-31.62	-13	PASS
NVNT	Band17	10	23780	1	#0	QPSK	Normal	704.00	-23.99	-13	PASS
NVNT	Band17	10	23780	1	#Max	QPSK	Normal	704.00	-39.75	-13	PASS
NVNT	Band17	10	23780	50	#0	QPSK	Normal	704.00	-31.03	-13	PASS
NVNT	Band17	10	23780	1	#0	16QAM	Normal	703.98	-24.65	-13	PASS
NVNT	Band17	10	23780	1	#Max	16QAM	Normal	704.00	-38.13	-13	PASS
NVNT	Band17	10	23780	50	#0	16QAM	Normal	704.00	-32.97	-13	PASS
NVNT	Band17	10	23800	1	#0	QPSK	Normal	716.00	-40.40	-13	PASS
NVNT	Band17	10	23800	1	#Max	QPSK	Normal	716.00	-21.52	-13	PASS
NVNT	Band17	10	23800	50	#0	QPSK	Normal	716.02	-32.58	-13	PASS
NVNT	Band17	10	23800	1	#0	16QAM	Normal	716.00	-41.85	-13	PASS
NVNT	Band17	10	23800	1	#Max	16QAM	Normal	716.00	-23.35	-13	PASS
NVNT	Band17	10	23800	50	#0	16QAM	Normal	716.00	-32.52	-13	PASS



Band17 16QAM BW=10MHz Channel=23780 RB Size=1 Position=#0 Normal NVNT




Band17 16QAM BW=10MHz Channel=23780 RB Size=1 Position=#Max Normal NVNT



Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0 Normal NVNT




Band17 16QAM BW=10MHz Channel=23800 RB Size=1 Position=#0 Normal NVNT




Band17 16QAM BW=10MHz Channel=23800 RB Size=1 Position=#Max Normal NVNT



Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0 Normal NVNT




Band17 16QAM BW=5MHz Channel=23755 RB Size=1 Position=#0 Normal NVNT




Band17 16QAM BW=5MHz Channel=23755 RB Size=1 Position=#Max Normal NVNT





Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0 Normal NVNT




Band17 16QAM BW=5MHz Channel=23825 RB Size=1 Position=#0 Normal NVNT








Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0 Normal NVNT



Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#0 Normal NVNT




Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#Max Normal NVNT



Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0 Normal NVNT




Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0 Normal NVNT




Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#Max Normal NVNT



Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0 Normal NVNT



Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0 Normal NVNT



Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#Max Normal NVNT




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0 Normal NVNT

06 LTE OUT-OF-BAND EMISSIONS


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band17	5	23755	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	-50.26	-13	PASS
NVNT	Band17	5	23755	1	#0	QPSK	0.15 MHz_30 MHz	0.15	-53.30	-13	PASS
NVNT	Band17	5	23755	1	#0	QPSK	30 MHz_1000 MHz	817.20	-53.19	-13	PASS
NVNT	Band17	5	23755	1	#0	QPSK	1000 MHz_10000 MHz	1409.05	-38.36	-13	PASS
NVNT	Band17	5	23755	25	#0	QPSK	0.009 MHz_0.15 MHz	0.01	-50.22	-13	PASS
NVNT	Band17	5	23755	25	#0	QPSK	0.15 MHz_30 MHz	0.17	-53.44	-13	PASS
NVNT	Band17	5	23755	25	#0	QPSK	30 MHz_1000 MHz	898.20	-53.16	-13	PASS
NVNT	Band17	5	23755	25	#0	QPSK	1000 MHz_10000 MHz	7459.75	-40.73	-13	PASS
NVNT	Band17	5	23755	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	-50.45	-13	PASS
NVNT	Band17	5	23755	1	#0	16QAM	0.15 MHz_30 MHz	0.17	-53.51	-13	PASS
NVNT	Band17	5	23755	1	#0	16QAM	30 MHz_1000 MHz	784.20	-53.48	-13	PASS
NVNT	Band17	5	23755	1	#0	16QAM	1000 MHz_10000 MHz	1409.05	-40.72	-13	PASS
NVNT	Band17	5	23755	25	#0	16QAM	0.009 MHz_0.15 MHz	0.01	-50.54	-13	PASS
NVNT	Band17	5	23755	25	#0	16QAM	0.15 MHz_30 MHz	0.15	-52.99	-13	PASS
NVNT	Band17	5	23755	25	#0	16QAM	30 MHz_1000 MHz	781.53	-54.08	-13	PASS
NVNT	Band17	5	23755	25	#0	16QAM	1000 MHz_10000 MHz	6924.25	-40.45	-13	PASS
NVNT	Band17	5	23825	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	-48.07	-13	PASS
NVNT	Band17	5	23825	1	#0	QPSK	0.15 MHz_30 MHz	0.15	-52.11	-13	PASS
NVNT	Band17	5	23825	1	#0	QPSK	30 MHz_1000 MHz	948.15	-53.85	-13	PASS
NVNT	Band17	5	23825	1	#0	QPSK	1000 MHz_10000 MHz	1422.78	-41.11	-13	PASS
NVNT	Band17	5	23825	25	#0	QPSK	0.009 MHz_0.15 MHz	0.01	-51.67	-13	PASS
NVNT	Band17	5	23825	25	#0	QPSK	0.15 MHz_30 MHz	0.16	-50.51	-13	PASS

NVNT	Band1 7	5	23825	25	#0	QPSK	30 MHz_1000 MHz	509.37	- 54.15	-13	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	1000 MHz_1000 0 MHz	6591.7 0	- 41.05	-13	PASS
NVNT	Band1 7	5	23825	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 51.06	-13	PASS
NVNT	Band1 7	5	23825	1	#0	16QAM	0.15 MHz_30 MHz	0.15	- 51.41	-13	PASS
NVNT	Band1 7	5	23825	1	#0	16QAM	30 MHz_1000 MHz	898.17	- 53.66	-13	PASS
NVNT	Band1 7	5	23825	1	#0	16QAM	1000 MHz_1000 0 MHz	1422.7 8	- 35.63	-13	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 51.02	-13	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	0.15 MHz_30 MHz	0.15	- 54.14	-13	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	30 MHz_1000 MHz	833.40	- 53.31	-13	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	1000 MHz_1000 0 MHz	5516.4 3	- 40.75	-13	PASS
NVNT	Band1 7	10	23780	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 50.47	-13	PASS
NVNT	Band1 7	10	23780	1	#0	QPSK	0.15 MHz_30 MHz	0.16	- 51.38	-13	PASS
NVNT	Band1 7	10	23780	1	#0	QPSK	30 MHz_1000 MHz	988.26	- 53.46	-13	PASS
NVNT	Band1 7	10	23780	1	#0	QPSK	1000 MHz_1000 0 MHz	7994.8 0	- 41.13	-13	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 50.71	-13	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	0.15 MHz_30 MHz	0.16	- 52.05	-13	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	30 MHz_1000 MHz	914.62	- 53.33	-13	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	1000 MHz_1000 0 MHz	5987.1 3	- 39.82	-13	PASS
NVNT	Band1 7	10	23780	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 50.74	-13	PASS
NVNT	Band1 7	10	23780	1	#0	16QAM	0.15 MHz_30 MHz	0.15	- 51.97	-13	PASS
NVNT	Band1 7	10	23780	1	#0	16QAM	30 MHz_1000 MHz	426.83	- 53.53	-13	PASS
NVNT	Band1 7	10	23780	1	#0	16QAM	1000 MHz_1000 0 MHz	1409.5 0	- 37.32	-13	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 50.57	-13	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	0.15 MHz_30 MHz	0.16	- 50.09	-13	PASS
NVNT	Band1	10	23780	50	#0	16QAM	30	642.26	-	-13	PASS


	7						MHz_1000 MHz		53.85		
NVNT	Band1 7	10	23780	50	#0	16QAM	1000 MHz_1000 0 MHz	6151.3 8	- 41.38	-13	PASS
NVNT	Band1 7	10	23800	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 51.34	-13	PASS
NVNT	Band1 7	10	23800	1	#0	QPSK	0.15 MHz_30 MHz	0.17	- 53.62	-13	PASS
NVNT	Band1 7	10	23800	1	#0	QPSK	30 MHz_1000 MHz	424.35	- 52.88	-13	PASS
NVNT	Band1 7	10	23800	1	#0	QPSK	1000 MHz_1000 0 MHz	1413.1 0	- 38.84	-13	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 50.75	-13	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	0.15 MHz_30 MHz	0.16	- 52.97	-13	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	30 MHz_1000 MHz	891.82	- 53.57	-13	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	1000 MHz_1000 0 MHz	8028.5 5	-41.11	-13	PASS
NVNT	Band1 7	10	23800	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 48.24	-13	PASS
NVNT	Band1 7	10	23800	1	#0	16QAM	0.15 MHz_30 MHz	0.17	- 52.73	-13	PASS
NVNT	Band1 7	10	23800	1	#0	16QAM	30 MHz_1000 MHz	890.80	- 54.00	-13	PASS
NVNT	Band1 7	10	23800	1	#0	16QAM	1000 MHz_1000 0 MHz	6256.0 0	- 41.07	-13	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 48.91	-13	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	0.15 MHz_30 MHz	0.16	- 52.66	-13	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	30 MHz_1000 MHz	652.01	- 54.08	-13	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	1000 MHz_1000 0 MHz	7329.4 8	- 41.36	-13	PASS




Band17 16QAM BW=10MHz Channel=23780 RB Size=1 Position=#0 1000 MHz 10000 MHz NVNT





Band17 16QAM BW=10MHz Channel=23780 RB Size=1 Position=#0 30 MHz 1000 MHz NVNT




Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0 0.009 MHz 0.15 MHz NVNT




Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0 0.15 MHz 30 MHz NVNT







Band17 16QAM BW=10MHz Channel=23800 RB Size=1 Position=#0 0.009 MHz 0.15 MHz NVNT




Band17 16QAM BW=10MHz Channel=23800 RB Size=1 Position=#0 0.15 MHz 30 MHz NVNT




Band17 16QAM BW=10MHz Channel=23800 RB Size=1 Position=#0 1000 MHz 10000 MHz NVNT




Band17 16QAM BW=10MHz Channel=23800 RB Size=1 Position=#0 30 MHz 1000 MHz NVNT




Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0 0.009 MHz 0.15 MHz NVNT




Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0 0.15 MHz 30 MHz NVNT




Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0 1000 MHz 10000 MHz NVNT




Band17 16QAM BW=5MHz Channel=23755 RB Size=1 Position=#0 0.15 MHz 30 MHz NVNT




Band17 16QAM BW=5MHz Channel=23755 RB Size=1 Position=#0 0.009 MHz 0.15 MHz NVNT




Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0 30 MHz 1000 MHz NVNT




Band17 16QAM BW=5MHz Channel=23755 RB Size=1 Position=#0 1000 MHz 10000 MHz NVNT




Band17 16QAM BW=5MHz Channel=23755 RB Size=1 Position=#0 30 MHz 1000 MHz NVNT




Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0 0.009 MHz 0.15 MHz NVNT




Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0 0.15 MHz 30 MHz NVNT




Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0 1000 MHz 10000 MHz NVNT




Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0 30 MHz 1000 MHz NVNT




Band17 16QAM BW=5MHz Channel=23825 RB Size=1 Position=#0 0.009 MHz 0.15 MHz NVNT




Band17 16QAM BW=5MHz Channel=23825 RB Size=1 Position=#0 0.15 MHz 30 MHz NVNT




Band17 16QAM BW=5MHz Channel=23825 RB Size=1 Position=#0 1000 MHz 10000 MHz NVNT




Band17 16QAM BW=5MHz Channel=23825 RB Size=1 Position=#0 30 MHz 1000 MHz NVNT




Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0 1000 MHz_10000 MHz NVNT




Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0 1000 MHz_10000 MHz NVNT




Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0 0.15 MHz 30 MHz NVNT




Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0 30 MHz 1000 MHz NVNT




Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0 0.009 MHz 0.15 MHz NVNT




Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0 30 MHz_1000 MHz NVNT




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0 0.009 MHz 0.15 MHz NVNT




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0 0.15 MHz 30 MHz NVNT




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0 1000 MHz 10000 MHz NVNT




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0 30 MHz 1000 MHz NVNT




Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#0 0.009 MHz 0.15 MHz NVNT




Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#0 0.15 MHz 30 MHz NVNT




Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#0 1000 MHz_10000 MHz NVNT




Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0 30 MHz_1000 MHz NVNT




Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#0 30 MHz 1000 MHz NVNT




Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0 0.009 MHz 0.15 MHz NVNT




Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0 0.15 MHz 30 MHz NVNT





Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0 1000 MHz 10000 MHz NVNT




Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0 0.15 MHz 30 MHz NVNT




Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0 0.009 MHz 0.15 MHz NVNT







Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0 0.009 MHz 0.15 MHz NVNT




Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0 0.15 MHz 30 MHz NVNT




Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0 1000 MHz_10000 MHz NVNT




Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0 30 MHz_1000 MHz NVNT




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0 0.009 MHz 0.15 MHz NVNT




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0 0.15 MHz 30 MHz NVNT




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0 1000 MHz_10000 MHz NVNT




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0 30 MHz_1000 MHz NVNT




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0 0.15 MHz 30 MHz NVNT



Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0 1000 MHz 10000 MHz NVNT



Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0 0.009 MHz 0.15 MHz NVNT



Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0 30 MHz_1000 MHz NVNT