

FCC Appendix RF Test Data for LTE Band26(824-849)

FCC ID : 2ANMU-C26MINI

Company : SHENZHEN YUNJI INTELLIGENT TECHNOLOGY
CO.,LTD

EUT : Smart phone

Model Number : C26 Mini

Report No. : ET-26094838E07

01 LTE CONDUCTED OUTPUT POWER (ERP)

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	ERP (dBm)	ERP (mW)	ERP Limit (mW)	Verdict
NVNT	Band26(824-849)	1.4	26797	1	#0	QPSK	23.68	-0.89	20.64	115.88	7000	PASS
NVNT	Band26(824-849)	1.4	26797	1	#Mid	QPSK	23.64	-0.89	20.6	114.82	7000	PASS
NVNT	Band26(824-849)	1.4	26797	1	#Max	QPSK	23.6	-0.89	20.56	113.76	7000	PASS
NVNT	Band26(824-849)	1.4	26797	3	#0	QPSK	22.99	-0.89	19.95	98.86	7000	PASS
NVNT	Band26(824-849)	1.4	26797	3	#Mid	QPSK	22.96	-0.89	19.92	98.17	7000	PASS
NVNT	Band26(824-849)	1.4	26797	3	#Max	QPSK	22.88	-0.89	19.84	96.38	7000	PASS
NVNT	Band26(824-849)	1.4	26797	6	#0	QPSK	21.93	-0.89	18.89	77.45	7000	PASS
NVNT	Band26(824-849)	1.4	26797	1	#0	16QAM	23.21	-0.89	20.17	103.99	7000	PASS
NVNT	Band26(824-849)	1.4	26797	1	#Mid	16QAM	23.19	-0.89	20.15	103.51	7000	PASS
NVNT	Band26(824-849)	1.4	26797	1	#Max	16QAM	23.2	-0.89	20.16	103.75	7000	PASS
NVNT	Band26(824-849)	1.4	26797	3	#0	16QAM	21.94	-0.89	18.9	77.62	7000	PASS
NVNT	Band26(824-849)	1.4	26797	3	#Mid	16QAM	21.84	-0.89	18.8	75.86	7000	PASS
NVNT	Band26(824-849)	1.4	26797	3	#Max	16QAM	21.9	-0.89	18.86	76.91	7000	PASS
NVNT	Band26(824-849)	1.4	26797	6	#0	16QAM	20.66	-0.89	17.62	57.81	7000	PASS
NVNT	Band26(824-849)	1.4	26915	1	#0	QPSK	23.23	-0.89	20.19	104.47	7000	PASS
NVNT	Band26(824-849)	1.4	26915	1	#Mid	QPSK	23.27	-0.89	20.23	105.44	7000	PASS
NVNT	Band26(824-849)	1.4	26915	1	#Max	QPSK	23.22	-0.89	20.18	104.23	7000	PASS
NVNT	Band26(824-849)	1.4	26915	3	#0	QPSK	22.84	-0.89	19.8	95.50	7000	PASS
NVNT	Band26(824-849)	1.4	26915	3	#Mid	QPSK	22.83	-0.89	19.79	95.28	7000	PASS
NVNT	Band26(824-849)	1.4	26915	3	#Max	QPSK	22.77	-0.89	19.73	93.97	7000	PASS
NVNT	Band26(824-849)	1.4	26915	6	#0	QPSK	21.83	-0.89	18.79	75.68	7000	PASS
NVNT	Band26(824-849)	1.4	26915	1	#0	16QAM	23.87	-0.89	20.83	121.06	7000	PASS
NVNT	Band26(824-849)	1.4	26915	1	#Mid	16QAM	23.41	-0.89	20.37	108.89	7000	PASS
NVNT	Band26(824-849)	1.4	26915	1	#Max	16QAM	23.48	-0.89	20.44	110.66	7000	PASS
NVNT	Band26(824-849)	1.4	26915	3	#0	16QAM	21.74	-0.89	18.7	74.13	7000	PASS
NVNT	Band26(824-849)	1.4	26915	3	#Mid	16QAM	21.71	-0.89	18.67	73.62	7000	PASS
NVNT	Band26(824-849)	1.4	26915	3	#Max	16QAM	21.68	-0.89	18.64	73.11	7000	PASS
NVNT	Band26(824-849)	1.4	26915	6	#0	16QAM	21.35	-0.89	18.31	67.76	7000	PASS
NVNT	Band26(824-849)	1.4	27033	1	#0	QPSK	23.48	-0.89	20.44	110.66	7000	PASS
NVNT	Band26(824-849)	1.4	27033	1	#Mid	QPSK	23.57	-0.89	20.53	112.98	7000	PASS
NVNT	Band26(824-849)	1.4	27033	1	#Max	QPSK	23.52	-0.89	20.48	111.69	7000	PASS
NVNT	Band26(824-849)	1.4	27033	3	#0	QPSK	22.84	-0.89	19.8	95.50	7000	PASS
NVNT	Band26(824-849)	1.4	27033	3	#Mid	QPSK	22.86	-	19.82	95.94	7000	PASS

	4-849)							0.89				
NVNT	Band26(82 4-849)	1.4	27033	3	#Max	QPSK	22.84	- 0.89	19.8	95.50	7000	PASS
NVNT	Band26(82 4-849)	1.4	27033	6	#0	QPSK	21.78	- 0.89	18.74	74.82	7000	PASS
NVNT	Band26(82 4-849)	1.4	27033	1	#0	16QAM	23.03	- 0.89	19.99	99.77	7000	PASS
NVNT	Band26(82 4-849)	1.4	27033	1	#Mid	16QAM	23.01	- 0.89	19.97	99.31	7000	PASS
NVNT	Band26(82 4-849)	1.4	27033	1	#Max	16QAM	23.04	- 0.89	20	100.0 0	7000	PASS
NVNT	Band26(82 4-849)	1.4	27033	3	#0	16QAM	21.85	- 0.89	18.81	76.03	7000	PASS
NVNT	Band26(82 4-849)	1.4	27033	3	#Mid	16QAM	21.9	- 0.89	18.86	76.91	7000	PASS
NVNT	Band26(82 4-849)	1.4	27033	3	#Max	16QAM	21.89	- 0.89	18.85	76.74	7000	PASS
NVNT	Band26(82 4-849)	1.4	27033	6	#0	16QAM	21.37	- 0.89	18.33	68.08	7000	PASS
NVNT	Band26(82 4-849)	3	26805	1	#0	QPSK	23.61	- 0.89	20.57	114.0 2	7000	PASS
NVNT	Band26(82 4-849)	3	26805	1	#Mid	QPSK	23.62	- 0.89	20.58	114.2 9	7000	PASS
NVNT	Band26(82 4-849)	3	26805	1	#Max	QPSK	23.53	- 0.89	20.49	111.9 4	7000	PASS
NVNT	Band26(82 4-849)	3	26805	8	#0	QPSK	21.86	- 0.89	18.82	76.21	7000	PASS
NVNT	Band26(82 4-849)	3	26805	8	#Mid	QPSK	21.91	- 0.89	18.87	77.09	7000	PASS
NVNT	Band26(82 4-849)	3	26805	8	#Max	QPSK	21.82	- 0.89	18.78	75.51	7000	PASS
NVNT	Band26(82 4-849)	3	26805	15	#0	QPSK	22.02	- 0.89	18.98	79.07	7000	PASS
NVNT	Band26(82 4-849)	3	26805	1	#0	16QAM	22.54	- 0.89	19.5	89.13	7000	PASS
NVNT	Band26(82 4-849)	3	26805	1	#Mid	16QAM	22.66	- 0.89	19.62	91.62	7000	PASS
NVNT	Band26(82 4-849)	3	26805	1	#Max	16QAM	22.71	- 0.89	19.67	92.68	7000	PASS
NVNT	Band26(82 4-849)	3	26805	8	#0	16QAM	20.68	- 0.89	17.64	58.08	7000	PASS
NVNT	Band26(82 4-849)	3	26805	8	#Mid	16QAM	20.66	- 0.89	17.62	57.81	7000	PASS
NVNT	Band26(82 4-849)	3	26805	8	#Max	16QAM	21.33	- 0.89	18.29	67.45	7000	PASS
NVNT	Band26(82 4-849)	3	26805	15	#0	16QAM	20.89	- 0.89	17.85	60.95	7000	PASS
NVNT	Band26(82 4-849)	3	26915	1	#0	QPSK	23.26	- 0.89	20.22	105.2 0	7000	PASS
NVNT	Band26(82 4-849)	3	26915	1	#Mid	QPSK	23.27	- 0.89	20.23	105.4 4	7000	PASS
NVNT	Band26(82 4-849)	3	26915	1	#Max	QPSK	23.27	- 0.89	20.23	105.4 4	7000	PASS
NVNT	Band26(82 4-849)	3	26915	8	#0	QPSK	22.3	- 0.89	19.26	84.33	7000	PASS
NVNT	Band26(82 4-849)	3	26915	8	#Mid	QPSK	21.88	- 0.89	18.84	76.56	7000	PASS
NVNT	Band26(82 4-849)	3	26915	8	#Max	QPSK	21.83	- 0.89	18.79	75.68	7000	PASS
NVNT	Band26(82 4-849)	3	26915	15	#0	QPSK	21.84	- 0.89	18.8	75.86	7000	PASS
NVNT	Band26(82 4-849)	3	26915	1	#0	16QAM	23.89	- 0.89	20.85	121.6 2	7000	PASS
NVNT	Band26(82 4-849)	3	26915	1	#Mid	16QAM	23.52	- 0.89	20.48	111.6 9	7000	PASS
NVNT	Band26(82 4-849)	3	26915	1	#Max	16QAM	23.46	- 0.89	20.42	110.1 5	7000	PASS
NVNT	Band26(82 4-849)	3	26915	8	#0	16QAM	21.27	- 0.89	18.23	66.53	7000	PASS
NVNT	Band26(82 4-849)	3	26915	8	#Mid	16QAM	21.31	- 0.89	18.27	67.14	7000	PASS
NVNT	Band26(82 4-849)	3	26915	8	#Max	16QAM	21.26	-	18.22	66.37	7000	PASS

	4-849)						0.89					
NVNT	Band26(82 4-849)	3	26915	15	#0	16QAM	21.36	- 0.89	18.32	67.92	7000	PASS
NVNT	Band26(82 4-849)	3	27025	1	#0	QPSK	23.47	- 0.89	20.43	110.4 1	7000	PASS
NVNT	Band26(82 4-849)	3	27025	1	#Mid	QPSK	23.5	- 0.89	20.46	111.1 7	7000	PASS
NVNT	Band26(82 4-849)	3	27025	1	#Max	QPSK	23.59	- 0.89	20.55	113.5 0	7000	PASS
NVNT	Band26(82 4-849)	3	27025	8	#0	QPSK	21.64	- 0.89	18.6	72.44	7000	PASS
NVNT	Band26(82 4-849)	3	27025	8	#Mid	QPSK	21.55	- 0.89	18.51	70.96	7000	PASS
NVNT	Band26(82 4-849)	3	27025	8	#Max	QPSK	21.67	- 0.89	18.63	72.95	7000	PASS
NVNT	Band26(82 4-849)	3	27025	15	#0	QPSK	21.78	- 0.89	18.74	74.82	7000	PASS
NVNT	Band26(82 4-849)	3	27025	1	#0	16QAM	23.17	- 0.89	20.13	103.0 4	7000	PASS
NVNT	Band26(82 4-849)	3	27025	1	#Mid	16QAM	23.16	- 0.89	20.12	102.8 0	7000	PASS
NVNT	Band26(82 4-849)	3	27025	1	#Max	16QAM	23.2	- 0.89	20.16	103.7 5	7000	PASS
NVNT	Band26(82 4-849)	3	27025	8	#0	16QAM	20.68	- 0.89	17.64	58.08	7000	PASS
NVNT	Band26(82 4-849)	3	27025	8	#Mid	16QAM	20.66	- 0.89	17.62	57.81	7000	PASS
NVNT	Band26(82 4-849)	3	27025	8	#Max	16QAM	21.18	- 0.89	18.14	65.16	7000	PASS
NVNT	Band26(82 4-849)	3	27025	15	#0	16QAM	20.74	- 0.89	17.7	58.88	7000	PASS
NVNT	Band26(82 4-849)	5	26815	1	#0	QPSK	23.47	- 0.89	20.43	110.4 1	7000	PASS
NVNT	Band26(82 4-849)	5	26815	1	#Mid	QPSK	23.35	- 0.89	20.31	107.4 0	7000	PASS
NVNT	Band26(82 4-849)	5	26815	1	#Max	QPSK	23.3	- 0.89	20.26	106.1 7	7000	PASS
NVNT	Band26(82 4-849)	5	26815	12	#0	QPSK	21.9	- 0.89	18.86	76.91	7000	PASS
NVNT	Band26(82 4-849)	5	26815	12	#Mid	QPSK	21.86	- 0.89	18.82	76.21	7000	PASS
NVNT	Band26(82 4-849)	5	26815	12	#Max	QPSK	21.75	- 0.89	18.71	74.30	7000	PASS
NVNT	Band26(82 4-849)	5	26815	25	#0	QPSK	21.84	- 0.89	18.8	75.86	7000	PASS
NVNT	Band26(82 4-849)	5	26815	1	#0	16QAM	23.23	- 0.89	20.19	104.4 7	7000	PASS
NVNT	Band26(82 4-849)	5	26815	1	#Mid	16QAM	23.23	- 0.89	20.19	104.4 7	7000	PASS
NVNT	Band26(82 4-849)	5	26815	1	#Max	16QAM	23.17	- 0.89	20.13	103.0 4	7000	PASS
NVNT	Band26(82 4-849)	5	26815	12	#0	16QAM	20.68	- 0.89	17.64	58.08	7000	PASS
NVNT	Band26(82 4-849)	5	26815	12	#Mid	16QAM	21.26	- 0.89	18.22	66.37	7000	PASS
NVNT	Band26(82 4-849)	5	26815	12	#Max	16QAM	21.19	- 0.89	18.15	65.31	7000	PASS
NVNT	Band26(82 4-849)	5	26815	25	#0	16QAM	21.47	- 0.89	18.43	69.66	7000	PASS
NVNT	Band26(82 4-849)	5	26915	1	#0	QPSK	23.4	- 0.89	20.36	108.6 4	7000	PASS
NVNT	Band26(82 4-849)	5	26915	1	#Mid	QPSK	23.35	- 0.89	20.31	107.4 0	7000	PASS
NVNT	Band26(82 4-849)	5	26915	1	#Max	QPSK	23.37	- 0.89	20.33	107.8 9	7000	PASS
NVNT	Band26(82 4-849)	5	26915	12	#0	QPSK	22.35	- 0.89	19.31	85.31	7000	PASS
NVNT	Band26(82 4-849)	5	26915	12	#Mid	QPSK	21.88	- 0.89	18.84	76.56	7000	PASS
NVNT	Band26(82 4-849)	5	26915	12	#Max	QPSK	21.75	- 0.89	18.71	74.30	7000	PASS
NVNT	Band26(82 4-849)	5	26915	25	#0	QPSK	21.78	-	18.74	74.82	7000	PASS


	4-849)							0.89				
NVNT	Band26(82 4-849)	5	26915	1	#0	16QAM	23.4	- 0.89	20.36	108.6 4	7000	PASS
NVNT	Band26(82 4-849)	5	26915	1	#Mid	16QAM	22.99	- 0.89	19.95	98.86	7000	PASS
NVNT	Band26(82 4-849)	5	26915	1	#Max	16QAM	22.98	- 0.89	19.94	98.63	7000	PASS
NVNT	Band26(82 4-849)	5	26915	12	#0	16QAM	21.34	- 0.89	18.3	67.61	7000	PASS
NVNT	Band26(82 4-849)	5	26915	12	#Mid	16QAM	21.4	- 0.89	18.36	68.55	7000	PASS
NVNT	Band26(82 4-849)	5	26915	12	#Max	16QAM	21.37	- 0.89	18.33	68.08	7000	PASS
NVNT	Band26(82 4-849)	5	26915	25	#0	16QAM	21.28	- 0.89	18.24	66.68	7000	PASS
NVNT	Band26(82 4-849)	5	27015	1	#0	QPSK	23.27	- 0.89	20.23	105.4 4	7000	PASS
NVNT	Band26(82 4-849)	5	27015	1	#Mid	QPSK	23.16	- 0.89	20.12	102.8 0	7000	PASS
NVNT	Band26(82 4-849)	5	27015	1	#Max	QPSK	23.22	- 0.89	20.18	104.2 3	7000	PASS
NVNT	Band26(82 4-849)	5	27015	12	#0	QPSK	21.86	- 0.89	18.82	76.21	7000	PASS
NVNT	Band26(82 4-849)	5	27015	12	#Mid	QPSK	21.81	- 0.89	18.77	75.34	7000	PASS
NVNT	Band26(82 4-849)	5	27015	12	#Max	QPSK	21.83	- 0.89	18.79	75.68	7000	PASS
NVNT	Band26(82 4-849)	5	27015	25	#0	QPSK	21.8	- 0.89	18.76	75.16	7000	PASS
NVNT	Band26(82 4-849)	5	27015	1	#0	16QAM	22.26	- 0.89	19.22	83.56	7000	PASS
NVNT	Band26(82 4-849)	5	27015	1	#Mid	16QAM	22.27	- 0.89	19.23	83.75	7000	PASS
NVNT	Band26(82 4-849)	5	27015	1	#Max	16QAM	22.4	- 0.89	19.36	86.30	7000	PASS
NVNT	Band26(82 4-849)	5	27015	12	#0	16QAM	21.26	- 0.89	18.22	66.37	7000	PASS
NVNT	Band26(82 4-849)	5	27015	12	#Mid	16QAM	20.7	- 0.89	17.66	58.34	7000	PASS
NVNT	Band26(82 4-849)	5	27015	12	#Max	16QAM	20.79	- 0.89	17.75	59.57	7000	PASS
NVNT	Band26(82 4-849)	5	27015	25	#0	16QAM	20.62	- 0.89	17.58	57.28	7000	PASS
NVNT	Band26(82 4-849)	10	26840	1	#0	QPSK	23.72	- 0.89	20.68	116.9 5	7000	PASS
NVNT	Band26(82 4-849)	10	26840	1	#Mid	QPSK	23.58	- 0.89	20.54	113.2 4	7000	PASS
NVNT	Band26(82 4-849)	10	26840	1	#Max	QPSK	23.63	- 0.89	20.59	114.5 5	7000	PASS
NVNT	Band26(82 4-849)	10	26840	25	#0	QPSK	22.25	- 0.89	19.21	83.37	7000	PASS
NVNT	Band26(82 4-849)	10	26840	25	#Mid	QPSK	22.28	- 0.89	19.24	83.95	7000	PASS
NVNT	Band26(82 4-849)	10	26840	25	#Max	QPSK	22.34	- 0.89	19.3	85.11	7000	PASS
NVNT	Band26(82 4-849)	10	26840	50	#0	QPSK	22.29	- 0.89	19.25	84.14	7000	PASS
NVNT	Band26(82 4-849)	10	26840	1	#0	16QAM	22.65	- 0.89	19.61	91.41	7000	PASS
NVNT	Band26(82 4-849)	10	26840	1	#Mid	16QAM	22.46	- 0.89	19.42	87.50	7000	PASS
NVNT	Band26(82 4-849)	10	26840	1	#Max	16QAM	22.53	- 0.89	19.49	88.92	7000	PASS
NVNT	Band26(82 4-849)	10	26840	25	#0	16QAM	21.9	- 0.89	18.86	76.91	7000	PASS
NVNT	Band26(82 4-849)	10	26840	25	#Mid	16QAM	21.87	- 0.89	18.83	76.38	7000	PASS
NVNT	Band26(82 4-849)	10	26840	25	#Max	16QAM	21.9	- 0.89	18.86	76.91	7000	PASS
NVNT	Band26(82 4-849)	10	26840	50	#0	16QAM	21.83	- 0.89	18.79	75.68	7000	PASS
NVNT	Band26(82 4-849)	10	26915	1	#0	QPSK	23.34	-	20.3	107.1	7000	PASS

	4-849)						0.89		5			
NVNT	Band26(82 4-849)	10	26915	1	#Mid	QPSK	23.19	- 0.89	20.15	103.5 1	7000	PASS
NVNT	Band26(82 4-849)	10	26915	1	#Max	QPSK	23.24	- 0.89	20.2	104.7 1	7000	PASS
NVNT	Band26(82 4-849)	10	26915	25	#0	QPSK	22.69	- 0.89	19.65	92.26	7000	PASS
NVNT	Band26(82 4-849)	10	26915	25	#Mid	QPSK	22.4	- 0.89	19.36	86.30	7000	PASS
NVNT	Band26(82 4-849)	10	26915	25	#Max	QPSK	22.22	- 0.89	19.18	82.79	7000	PASS
NVNT	Band26(82 4-849)	10	26915	50	#0	QPSK	22.42	- 0.89	19.38	86.70	7000	PASS
NVNT	Band26(82 4-849)	10	26915	1	#0	16QAM	23.36	- 0.89	20.32	107.6 5	7000	PASS
NVNT	Band26(82 4-849)	10	26915	1	#Mid	16QAM	23.29	- 0.89	20.25	105.9 3	7000	PASS
NVNT	Band26(82 4-849)	10	26915	1	#Max	16QAM	23.36	- 0.89	20.32	107.6 5	7000	PASS
NVNT	Band26(82 4-849)	10	26915	25	#0	16QAM	21.89	- 0.89	18.85	76.74	7000	PASS
NVNT	Band26(82 4-849)	10	26915	25	#Mid	16QAM	21.99	- 0.89	18.95	78.52	7000	PASS
NVNT	Band26(82 4-849)	10	26915	25	#Max	16QAM	21.94	- 0.89	18.9	77.62	7000	PASS
NVNT	Band26(82 4-849)	10	26915	50	#0	16QAM	21.86	- 0.89	18.82	76.21	7000	PASS
NVNT	Band26(82 4-849)	10	26990	1	#0	QPSK	23.41	- 0.89	20.37	108.8 9	7000	PASS
NVNT	Band26(82 4-849)	10	26990	1	#Mid	QPSK	23.41	- 0.89	20.37	108.8 9	7000	PASS
NVNT	Band26(82 4-849)	10	26990	1	#Max	QPSK	23.46	- 0.89	20.42	110.1 5	7000	PASS
NVNT	Band26(82 4-849)	10	26990	25	#0	QPSK	22.28	- 0.89	19.24	83.95	7000	PASS
NVNT	Band26(82 4-849)	10	26990	25	#Mid	QPSK	22.3	- 0.89	19.26	84.33	7000	PASS
NVNT	Band26(82 4-849)	10	26990	25	#Max	QPSK	22.3	- 0.89	19.26	84.33	7000	PASS
NVNT	Band26(82 4-849)	10	26990	50	#0	QPSK	22.13	- 0.89	19.09	81.10	7000	PASS
NVNT	Band26(82 4-849)	10	26990	1	#0	16QAM	22.85	- 0.89	19.81	95.72	7000	PASS
NVNT	Band26(82 4-849)	10	26990	1	#Mid	16QAM	22.8	- 0.89	19.76	94.62	7000	PASS
NVNT	Band26(82 4-849)	10	26990	1	#Max	16QAM	22.89	- 0.89	19.85	96.61	7000	PASS
NVNT	Band26(82 4-849)	10	26990	25	#0	16QAM	21.78	- 0.89	18.74	74.82	7000	PASS
NVNT	Band26(82 4-849)	10	26990	25	#Mid	16QAM	21.84	- 0.89	18.8	75.86	7000	PASS
NVNT	Band26(82 4-849)	10	26990	25	#Max	16QAM	21.41	- 0.89	18.37	68.71	7000	PASS
NVNT	Band26(82 4-849)	10	26990	50	#0	16QAM	21.79	- 0.89	18.75	74.99	7000	PASS
NVNT	Band26(82 4-849)	15	26865	1	#0	QPSK	23.66	- 0.89	20.62	115.3 5	7000	PASS
NVNT	Band26(82 4-849)	15	26865	1	#Mid	QPSK	23.67	- 0.89	20.63	115.6 1	7000	PASS
NVNT	Band26(82 4-849)	15	26865	1	#Max	QPSK	23.6	- 0.89	20.56	113.7 6	7000	PASS
NVNT	Band26(82 4-849)	15	26865	36	#0	QPSK	22.35	- 0.89	19.31	85.31	7000	PASS
NVNT	Band26(82 4-849)	15	26865	36	#Mid	QPSK	22.44	- 0.89	19.4	87.10	7000	PASS
NVNT	Band26(82 4-849)	15	26865	36	#Max	QPSK	22.73	- 0.89	19.69	93.11	7000	PASS
NVNT	Band26(82 4-849)	15	26865	75	#0	QPSK	22.38	- 0.89	19.34	85.90	7000	PASS
NVNT	Band26(82 4-849)	15	26865	1	#0	16QAM	22.66	- 0.89	19.62	91.62	7000	PASS
NVNT	Band26(82 4-849)	15	26865	1	#Mid	16QAM	22.58	-	19.54	89.95	7000	PASS


	4-849)							0.89				
NVNT	Band26(82 4-849)	15	26865	1	#Max	16QAM	22.47	- 0.89	19.43	87.70	7000	PASS
NVNT	Band26(82 4-849)	15	26865	36	#0	16QAM	21.85	- 0.89	18.81	76.03	7000	PASS
NVNT	Band26(82 4-849)	15	26865	36	#Mid	16QAM	21.82	- 0.89	18.78	75.51	7000	PASS
NVNT	Band26(82 4-849)	15	26865	36	#Max	16QAM	21.78	- 0.89	18.74	74.82	7000	PASS
NVNT	Band26(82 4-849)	15	26865	75	#0	16QAM	21.89	- 0.89	18.85	76.74	7000	PASS
NVNT	Band26(82 4-849)	15	26915	1	#0	QPSK	23.32	- 0.89	20.28	106.6 6	7000	PASS
NVNT	Band26(82 4-849)	15	26915	1	#Mid	QPSK	23.19	- 0.89	20.15	103.5 1	7000	PASS
NVNT	Band26(82 4-849)	15	26915	1	#Max	QPSK	23.22	- 0.89	20.18	104.2 3	7000	PASS
NVNT	Band26(82 4-849)	15	26915	36	#0	QPSK	22.36	- 0.89	19.32	85.51	7000	PASS
NVNT	Band26(82 4-849)	15	26915	36	#Mid	QPSK	22.34	- 0.89	19.3	85.11	7000	PASS
NVNT	Band26(82 4-849)	15	26915	36	#Max	QPSK	22.23	- 0.89	19.19	82.99	7000	PASS
NVNT	Band26(82 4-849)	15	26915	75	#0	QPSK	22.29	- 0.89	19.25	84.14	7000	PASS
NVNT	Band26(82 4-849)	15	26915	1	#0	16QAM	23.33	- 0.89	20.29	106.9 1	7000	PASS
NVNT	Band26(82 4-849)	15	26915	1	#Mid	16QAM	23.24	- 0.89	20.2	104.7 1	7000	PASS
NVNT	Band26(82 4-849)	15	26915	1	#Max	16QAM	23.25	- 0.89	20.21	104.9 5	7000	PASS
NVNT	Band26(82 4-849)	15	26915	36	#0	16QAM	21.76	- 0.89	18.72	74.47	7000	PASS
NVNT	Band26(82 4-849)	15	26915	36	#Mid	16QAM	21.82	- 0.89	18.78	75.51	7000	PASS
NVNT	Band26(82 4-849)	15	26915	36	#Max	16QAM	21.76	- 0.89	18.72	74.47	7000	PASS
NVNT	Band26(82 4-849)	15	26915	75	#0	16QAM	21.78	- 0.89	18.74	74.82	7000	PASS
NVNT	Band26(82 4-849)	15	26965	1	#0	QPSK	23.36	- 0.89	20.32	107.6 5	7000	PASS
NVNT	Band26(82 4-849)	15	26965	1	#Mid	QPSK	23.33	- 0.89	20.29	106.9 1	7000	PASS
NVNT	Band26(82 4-849)	15	26965	1	#Max	QPSK	23.47	- 0.89	20.43	110.4 1	7000	PASS
NVNT	Band26(82 4-849)	15	26965	36	#0	QPSK	22.3	- 0.89	19.26	84.33	7000	PASS
NVNT	Band26(82 4-849)	15	26965	36	#Mid	QPSK	22.27	- 0.89	19.23	83.75	7000	PASS
NVNT	Band26(82 4-849)	15	26965	36	#Max	QPSK	22.25	- 0.89	19.21	83.37	7000	PASS
NVNT	Band26(82 4-849)	15	26965	75	#0	QPSK	22.24	- 0.89	19.2	83.18	7000	PASS
NVNT	Band26(82 4-849)	15	26965	1	#0	16QAM	23.04	- 0.89	20	100.0 0	7000	PASS
NVNT	Band26(82 4-849)	15	26965	1	#Mid	16QAM	22.55	- 0.89	19.51	89.33	7000	PASS
NVNT	Band26(82 4-849)	15	26965	1	#Max	16QAM	23.04	- 0.89	20	100.0 0	7000	PASS
NVNT	Band26(82 4-849)	15	26965	36	#0	16QAM	21.83	- 0.89	18.79	75.68	7000	PASS
NVNT	Band26(82 4-849)	15	26965	36	#Mid	16QAM	21.81	- 0.89	18.77	75.34	7000	PASS
NVNT	Band26(82 4-849)	15	26965	36	#Max	16QAM	21.82	- 0.89	18.78	75.51	7000	PASS
NVNT	Band26(82 4-849)	15	26965	75	#0	16QAM	21.76	- 0.89	18.72	74.47	7000	PASS

03 LTE PEAK-TO-AVERAGE RATIO


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
NVNT	Band26(824-849)	1.4	26797	1	#0	QPSK	5.48	13	PASS
NVNT	Band26(824-849)	1.4	26797	1	#0	16QAM	5.86	13	PASS
NVNT	Band26(824-849)	1.4	26915	1	#0	QPSK	5.62	13	PASS
NVNT	Band26(824-849)	1.4	26915	1	#0	16QAM	5.90	13	PASS
NVNT	Band26(824-849)	1.4	27033	1	#0	QPSK	4.97	13	PASS
NVNT	Band26(824-849)	1.4	27033	1	#0	16QAM	5.63	13	PASS
NVNT	Band26(824-849)	3	26805	1	#0	QPSK	5.28	13	PASS
NVNT	Band26(824-849)	3	26805	1	#0	16QAM	6.10	13	PASS
NVNT	Band26(824-849)	3	26915	1	#0	QPSK	5.54	13	PASS
NVNT	Band26(824-849)	3	26915	1	#0	16QAM	5.67	13	PASS
NVNT	Band26(824-849)	3	27025	1	#0	QPSK	5.23	13	PASS
NVNT	Band26(824-849)	3	27025	1	#0	16QAM	5.76	13	PASS
NVNT	Band26(824-849)	5	26815	1	#0	QPSK	5.45	13	PASS
NVNT	Band26(824-849)	5	26815	1	#0	16QAM	6.18	13	PASS
NVNT	Band26(824-849)	5	26915	1	#0	QPSK	5.21	13	PASS
NVNT	Band26(824-849)	5	26915	1	#0	16QAM	5.66	13	PASS
NVNT	Band26(824-849)	5	27015	1	#0	QPSK	5.48	13	PASS
NVNT	Band26(824-849)	5	27015	1	#0	16QAM	6.20	13	PASS
NVNT	Band26(824-849)	10	26840	1	#0	QPSK	5.17	13	PASS
NVNT	Band26(824-849)	10	26840	1	#0	16QAM	5.97	13	PASS
NVNT	Band26(824-849)	10	26915	1	#0	QPSK	5.04	13	PASS
NVNT	Band26(824-849)	10	26915	1	#0	16QAM	5.33	13	PASS
NVNT	Band26(824-849)	10	26990	1	#0	QPSK	5.45	13	PASS
NVNT	Band26(824-849)	10	26990	1	#0	16QAM	6.01	13	PASS
NVNT	Band26(824-849)	15	26865	1	#0	QPSK	5.28	13	PASS
NVNT	Band26(824-849)	15	26865	1	#0	16QAM	6.10	13	PASS
NVNT	Band26(824-849)	15	26915	1	#0	QPSK	4.85	13	PASS
NVNT	Band26(824-849)	15	26915	1	#0	16QAM	5.71	13	PASS
NVNT	Band26(824-849)	15	26965	1	#0	QPSK	5.42	13	PASS
NVNT	Band26(824-849)	15	26965	1	#0	16QAM	5.80	13	PASS




Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=1.4MHz Channel=26915 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=10MHz Channel=26840 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=10MHz Channel=26915 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=10MHz Channel=26990 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=15MHz Channel=26865 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=15MHz Channel=26915 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=15MHz Channel=26965 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=3MHz Channel=26805 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=3MHz Channel=26915 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=5MHz Channel=26915 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=5MHz Channel=27015 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=3MHz Channel=27025 RB Size=1 Position=#0 NVNT




Band26(824-849) 16QAM BW=5MHz Channel=26815 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=1 Position=#0 NVNT



Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=1 Position=#0 NVNT




Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=1 Position=#0 NVNT

04 LTE OCCUPIED BANDWIDTH


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
NVNT	Band26(824-849)	1.4	26797	6	#0	QPSK	1.098	1.247	PASS
NVNT	Band26(824-849)	1.4	26797	6	#0	16QAM	1.097	1.248	PASS
NVNT	Band26(824-849)	1.4	26915	6	#0	QPSK	1.097	1.242	PASS
NVNT	Band26(824-849)	1.4	26915	6	#0	16QAM	1.091	1.244	PASS
NVNT	Band26(824-849)	1.4	27033	6	#0	QPSK	1.100	1.248	PASS
NVNT	Band26(824-849)	1.4	27033	6	#0	16QAM	1.098	1.250	PASS
NVNT	Band26(824-849)	3	26805	15	#0	QPSK	2.721	3.025	PASS
NVNT	Band26(824-849)	3	26805	15	#0	16QAM	2.708	3.035	PASS
NVNT	Band26(824-849)	3	26915	15	#0	QPSK	2.725	3.018	PASS
NVNT	Band26(824-849)	3	26915	15	#0	16QAM	2.701	3.039	PASS
NVNT	Band26(824-849)	3	27025	15	#0	QPSK	2.704	3.016	PASS
NVNT	Band26(824-849)	3	27025	15	#0	16QAM	2.716	3.058	PASS
NVNT	Band26(824-849)	5	26815	25	#0	QPSK	4.543	4.972	PASS
NVNT	Band26(824-849)	5	26815	25	#0	16QAM	4.514	4.978	PASS
NVNT	Band26(824-849)	5	26915	25	#0	QPSK	4.522	4.897	PASS
NVNT	Band26(824-849)	5	26915	25	#0	16QAM	4.519	4.974	PASS
NVNT	Band26(824-849)	5	27015	25	#0	QPSK	4.507	4.942	PASS
NVNT	Band26(824-849)	5	27015	25	#0	16QAM	4.517	4.952	PASS
NVNT	Band26(824-849)	10	26840	50	#0	QPSK	8.977	9.851	PASS
NVNT	Band26(824-849)	10	26840	50	#0	16QAM	8.965	9.673	PASS
NVNT	Band26(824-849)	10	26915	50	#0	QPSK	8.997	9.888	PASS
NVNT	Band26(824-849)	10	26915	50	#0	16QAM	9.006	9.892	PASS
NVNT	Band26(824-849)	10	26990	50	#0	QPSK	8.991	9.865	PASS
NVNT	Band26(824-849)	10	26990	50	#0	16QAM	8.988	9.756	PASS
NVNT	Band26(824-849)	15	26865	75	#0	QPSK	13.523	14.764	PASS
NVNT	Band26(824-849)	15	26865	75	#0	16QAM	13.447	14.857	PASS
NVNT	Band26(824-849)	15	26915	75	#0	QPSK	13.468	14.806	PASS
NVNT	Band26(824-849)	15	26915	75	#0	16QAM	13.537	14.881	PASS
NVNT	Band26(824-849)	15	26965	75	#0	QPSK	13.471	15.038	PASS
NVNT	Band26(824-849)	15	26965	75	#0	16QAM	13.474	14.815	PASS




Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=6 Position=#0 NVNT




Band26(824-849) 16QAM BW=1.4MHz Channel=26915 RB Size=6 Position=#0 NVNT




Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=6 Position=#0 NVNT




Band26(824-849) 16QAM BW=10MHz Channel=26840 RB Size=50 Position=#0 NVNT




Band26(824-849) 16QAM BW=10MHz Channel=26915 RB Size=50 Position=#0 NVNT




Band26(824-849) 16QAM BW=10MHz Channel=26990 RB Size=50 Position=#0 NVNT




Band26(824-849) 16QAM BW=15MHz Channel=26865 RB Size=75 Position=#0 NVNT




Band26(824-849) 16QAM BW=15MHz Channel=26915 RB Size=75 Position=#0 NVNT




Band26(824-849) 16QAM BW=15MHz Channel=26965 RB Size=75 Position=#0 NVNT




Band26(824-849) 16QAM BW=3MHz Channel=26805 RB Size=15 Position=#0 NVNT




Band26(824-849) 16QAM BW=3MHz Channel=26915 RB Size=15 Position=#0 NVNT




Band26(824-849) 16QAM BW=3MHz Channel=27025 RB Size=15 Position=#0 NVNT




Band26(824-849) 16QAM BW=5MHz Channel=26815 RB Size=25 Position=#0 NVNT




Band26(824-849) 16QAM BW=5MHz Channel=26915 RB Size=25 Position=#0 NVNT




Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0 NVNT




Band26(824-849) 16QAM BW=5MHz Channel=27015 RB Size=25 Position=#0 NVNT




Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=6 Position=#0 NVNT




Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0 NVNT




Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0 NVNT




Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=50 Position=#0 NVNT




Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0 NVNT




Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0 NVNT




Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=75 Position=#0 NVNT




Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0 NVNT




Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0 NVNT




Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=15 Position=#0 NVNT




Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0 NVNT



Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0 NVNT



Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=25 Position=#0 NVNT



Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0 NVNT

05 LTE BAND EDGE

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band26(824-849)	1.4	26797	1	#0	QPSK	Normal	824.00	-27.61	-13	PASS
NVNT	Band26(824-849)	1.4	26797	1	#Max	QPSK	Normal	823.29	-45.44	-13	PASS
NVNT	Band26(824-849)	1.4	26797	6	#0	QPSK	Normal	823.97	-34.20	-13	PASS
NVNT	Band26(824-849)	1.4	26797	1	#0	16QAM	Normal	824.00	-29.46	-13	PASS
NVNT	Band26(824-849)	1.4	26797	1	#Max	16QAM	Normal	823.37	-43.50	-13	PASS
NVNT	Band26(824-849)	1.4	26797	6	#0	16QAM	Normal	823.97	-34.32	-13	PASS
NVNT	Band26(824-849)	1.4	27033	1	#0	QPSK	Normal	849.69	-46.14	-13	PASS
NVNT	Band26(824-849)	1.4	27033	1	#Max	QPSK	Normal	849.00	-28.48	-13	PASS
NVNT	Band26(824-849)	1.4	27033	6	#0	QPSK	Normal	849.05	-37.24	-13	PASS
NVNT	Band26(824-849)	1.4	27033	1	#0	16QAM	Normal	849.64	-44.51	-13	PASS
NVNT	Band26(824-849)	1.4	27033	1	#Max	16QAM	Normal	849.01	-26.72	-13	PASS
NVNT	Band26(824-849)	1.4	27033	6	#0	16QAM	Normal	849.02	-36.90	-13	PASS
NVNT	Band26(824-849)	3	26805	1	#0	QPSK	Normal	824.00	-14.39	-13	PASS
NVNT	Band26(824-849)	3	26805	1	#Max	QPSK	Normal	824.00	-27.91	-13	PASS
NVNT	Band26(824-849)	3	26805	15	#0	QPSK	Normal	823.99	-24.57	-13	PASS
NVNT	Band26(824-849)	3	26805	1	#0	16QAM	Normal	823.99	-15.87	-13	PASS
NVNT	Band26(824-849)	3	26805	1	#Max	16QAM	Normal	824.00	-26.57	-13	PASS
NVNT	Band26(824-849)	3	26805	15	#0	16QAM	Normal	824.00	-26.81	-13	PASS
NVNT	Band26(824-849)	3	27025	1	#0	QPSK	Normal	849.00	-28.53	-13	PASS
NVNT	Band26(824-849)	3	27025	1	#Max	QPSK	Normal	849.00	-14.19	-13	PASS
NVNT	Band26(824-849)	3	27025	15	#0	QPSK	Normal	849.02	-27.32	-13	PASS
NVNT	Band26(824-849)	3	27025	1	#0	16QAM	Normal	849.00	-28.19	-13	PASS
NVNT	Band26(824-849)	3	27025	1	#Max	16QAM	Normal	849.00	-14.87	-13	PASS
NVNT	Band26(824-849)	3	27025	15	#0	16QAM	Normal	849.00	-27.30	-13	PASS
NVNT	Band26(824-849)	5	26815	1	#0	QPSK	Normal	824.00	-19.54	-13	PASS
NVNT	Band26(824-849)	5	26815	1	#Max	QPSK	Normal	824.00	-37.21	-13	PASS
NVNT	Band26(824-849)	5	26815	25	#0	QPSK	Normal	824.00	-32.20	-13	PASS
NVNT	Band26(824-849)	5	26815	1	#0	16QAM	Normal	824.00	-21.71	-13	PASS
NVNT	Band26(824-849)	5	26815	1	#Max	16QAM	Normal	823.98	-39.84	-13	PASS
NVNT	Band26(824-849)	5	26815	25	#0	16QAM	Normal	824.00	-31.60	-13	PASS
NVNT	Band26(824-849)	5	27015	1	#0	QPSK	Normal	849.00	-38.14	-13	PASS
NVNT	Band26(824-849)	5	27015	1	#Max	QPSK	Normal	849.00	-20.12	-13	PASS
NVNT	Band26(824-849)	5	27015	25	#0	QPSK	Normal	849.00	-30.92	-13	PASS

NVNT	Band26(824-849)	5	27015	1	#0	16QAM	Norma I	849.0 1	-38.91	-13	PASS
NVNT	Band26(824-849)	5	27015	1	#Max	16QAM	Norma I	849.0 0	-19.09	-13	PASS
NVNT	Band26(824-849)	5	27015	25	#0	16QAM	Norma I	849.0 0	-32.11	-13	PASS
NVNT	Band26(824-849)	10	26840	1	#0	QPSK	Norma I	824.0 0	-21.91	-13	PASS
NVNT	Band26(824-849)	10	26840	1	#Max	QPSK	Norma I	815.7 8	-38.02	-13	PASS
NVNT	Band26(824-849)	10	26840	50	#0	QPSK	Norma I	824.0 0	-32.15	-13	PASS
NVNT	Band26(824-849)	10	26840	1	#0	16QAM	Norma I	824.0 0	-25.01	-13	PASS
NVNT	Band26(824-849)	10	26840	1	#Max	16QAM	Norma I	815.7 6	-34.83	-13	PASS
NVNT	Band26(824-849)	10	26840	50	#0	16QAM	Norma I	823.9 6	-33.75	-13	PASS
NVNT	Band26(824-849)	10	26990	1	#0	QPSK	Norma I	849.0 0	-41.53	-13	PASS
NVNT	Band26(824-849)	10	26990	1	#Max	QPSK	Norma I	849.0 0	-21.22	-13	PASS
NVNT	Band26(824-849)	10	26990	50	#0	QPSK	Norma I	849.0 0	-35.02	-13	PASS
NVNT	Band26(824-849)	10	26990	1	#0	16QAM	Norma I	849.0 4	-41.87	-13	PASS
NVNT	Band26(824-849)	10	26990	1	#Max	16QAM	Norma I	849.0 2	-23.11	-13	PASS
NVNT	Band26(824-849)	10	26990	50	#0	16QAM	Norma I	849.0 0	-33.31	-13	PASS
NVNT	Band26(824-849)	15	26865	1	#0	QPSK	Norma I	823.9 7	-23.02	-13	PASS
NVNT	Band26(824-849)	15	26865	1	#Max	QPSK	Norma I	811.43	-38.19	-13	PASS
NVNT	Band26(824-849)	15	26865	75	#0	QPSK	Norma I	823.9 7	-33.62	-13	PASS
NVNT	Band26(824-849)	15	26865	1	#0	16QAM	Norma I	824.0 0	-22.01	-13	PASS
NVNT	Band26(824-849)	15	26865	1	#Max	16QAM	Norma I	811.55	-31.99	-13	PASS
NVNT	Band26(824-849)	15	26865	75	#0	16QAM	Norma I	824.0 0	-31.00	-13	PASS
NVNT	Band26(824-849)	15	26965	1	#0	QPSK	Norma I	849.0 6	-40.63	-13	PASS
NVNT	Band26(824-849)	15	26965	1	#Max	QPSK	Norma I	849.0 3	-24.26	-13	PASS
NVNT	Band26(824-849)	15	26965	75	#0	QPSK	Norma I	849.0 3	-32.18	-13	PASS
NVNT	Band26(824-849)	15	26965	1	#0	16QAM	Norma I	849.0 0	-41.57	-13	PASS
NVNT	Band26(824-849)	15	26965	1	#Max	16QAM	Norma I	849.0 0	-23.42	-13	PASS
NVNT	Band26(824-849)	15	26965	75	#0	16QAM	Norma I	849.0 0	-32.75	-13	PASS



Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=1 Position=#0 Normal NVNT



Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=1 Position=#Max Normal NVNT



Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=6 Position=#0 Normal NVNT




Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=1 Position=#0 Normal NVNT




Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=1 Position=#Max Normal NVNT





Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=6 Position=#0 Normal NVNT




Band26(824-849) 16QAM BW=10MHz Channel=26840 RB Size=1 Position=#0 Normal NVNT



Band26(824-849) 16QAM BW=10MHz Channel=26840 RB Size=1 Position=#Max Normal NVNT






Band26(824-849) 16QAM BW=10MHz Channel=26990 RB Size=1 Position=#Max Normal NVNT





Band26(824-849) 16QAM BW=10MHz Channel=26990 RB Size=50 Position=#0 Normal NVNT




Band26(824-849) 16QAM BW=15MHz Channel=26965 RB Size=1 Position=#Max Normal NVNT



Band26(824-849) 16QAM BW=15MHz Channel=26865 RB Size=75 Position=#0 Normal NVNT






Band26(824-849) 16QAM BW=15MHz Channel=26865 RB Size=1 Position=#Max Normal NVNT



Band26(824-849) 16QAM BW=15MHz Channel=26965 RB Size=75 Position=#0 Normal NVNT



Band26(824-849) 16QAM BW=3MHz Channel=26805 RB Size=1 Position=#0 Normal NVNT




Band26(824-849) 16QAM BW=3MHz Channel=26805 RB Size=1 Position=#Max Normal NVNT




Band26(824-849) 16QAM BW=3MHz Channel=26805 RB Size=15 Position=#0 Normal NVNT




Band26(824-849) 16QAM BW=3MHz Channel=27025 RB Size=1 Position=#0 Normal NVNT




Band26(824-849) 16QAM BW=3MHz Channel=27025 RB Size=1 Position=#Max Normal NVNT



Band26(824-849) 16QAM BW=3MHz Channel=27025 RB Size=15 Position=#0 Normal NVNT



Band26(824-849) 16QAM BW=5MHz Channel=26815 RB Size=1 Position=#0 Normal NVNT




Band26(824-849) 16QAM BW=5MHz Channel=26815 RB Size=1 Position=#Max Normal NVNT




Band26(824-849) 16QAM BW=5MHz Channel=26815 RB Size=25 Position=#0 Normal NVNT



Band26(824-849) 16QAM BW=5MHz Channel=27015 RB Size=1 Position=#0 Normal NVNT



Band26(824-849) 16QAM BW=5MHz Channel=27015 RB Size=1 Position=#Max Normal NVNT



Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0 Normal NVNT



Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=1 Position=#Max Normal NVNT



Band26(824-849) 16QAM BW=5MHz Channel=27015 RB Size=25 Position=#0 Normal NVNT



Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=1 Position=#0 Normal NVNT





Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=1 Position=#0 Normal NVNT



Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=1 Position=#Max Normal NVNT




Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0 Normal NVNT






Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0 Normal NVNT




Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=1 Position=#0 Normal NVNT




Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=1 Position=#Max Normal NVNT



Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=1 Position=#0 Normal NVNT



Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=1 Position=#Max Normal NVNT




Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0 Normal NVNT



Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0 Normal NVNT




Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=1 Position=#0 Normal NVNT



Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=1 Position=#Max Normal NVNT



Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0 Normal NVNT



Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=1 Position=#0 Normal NVNT



Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=1 Position=#Max Normal NVNT



Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0 Normal NVNT




Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=1 Position=#0 Normal NVNT




Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=1 Position=#Max Normal NVNT



Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0 Normal NVNT




Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=1 Position=#0 Normal NVNT



Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=1 Position=#Max Normal NVNT



Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0 Normal NVNT



Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=1 Position=#Max Normal NVNT



Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=1 Position=#0 Normal NVNT



Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0 Normal NVNT

06 LTE OUT-OF-BAND EMISSIONS

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band26(824-849)	1.4	26797	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	-49.15	-13	PASS
NVNT	Band26(824-849)	1.4	26797	1	#0	QPSK	0.15 MHz_30 MHz	0.15	-52.51	-13	PASS
NVNT	Band26(824-849)	1.4	26797	1	#0	QPSK	30 MHz_1000 MHz	893.57	-53.80	-13	PASS
NVNT	Band26(824-849)	1.4	26797	1	#0	QPSK	1000 MHz_10000 MHz	1648.68	-40.90	-13	PASS
NVNT	Band26(824-849)	1.4	26797	6	#0	QPSK	0.009 MHz_0.15 MHz	0.01	-51.37	-13	PASS
NVNT	Band26(824-849)	1.4	26797	6	#0	QPSK	0.15 MHz_30 MHz	0.16	-52.86	-13	PASS
NVNT	Band26(824-849)	1.4	26797	6	#0	QPSK	30 MHz_1000 MHz	919.54	-53.29	-13	PASS
NVNT	Band26(824-849)	1.4	26797	6	#0	QPSK	1000 MHz_10000 MHz	7490.58	-41.43	-13	PASS
NVNT	Band26(824-849)	1.4	26797	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	-49.89	-13	PASS
NVNT	Band26(824-849)	1.4	26797	1	#0	16QAM	0.15 MHz_30 MHz	0.15	-50.76	-13	PASS
NVNT	Band26(824-849)	1.4	26797	1	#0	16QAM	30 MHz_1000 MHz	869.97	-53.59	-13	PASS
NVNT	Band26(824-849)	1.4	26797	1	#0	16QAM	1000 MHz_10000 MHz	1648.45	-35.02	-13	PASS
NVNT	Band26(824-849)	1.4	26797	6	#0	16QAM	0.009 MHz_0.15 MHz	0.01	-49.47	-13	PASS
NVNT	Band26(824-849)	1.4	26797	6	#0	16QAM	0.15 MHz_30 MHz	0.17	-54.21	-13	PASS
NVNT	Band26(824-849)	1.4	26797	6	#0	16QAM	30 MHz_1000 MHz	812.77	-53.72	-13	PASS
NVNT	Band26(824-849)	1.4	26797	6	#0	16QAM	1000 MHz_10000 MHz	7936.75	-40.26	-13	PASS
NVNT	Band26(824-849)	1.4	27033	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	-51.72	-13	PASS
NVNT	Band26(824-849)	1.4	27033	1	#0	QPSK	0.15 MHz_30 MHz	0.15	-47.84	-13	PASS
NVNT	Band26(824-849)	1.4	27033	1	#0	QPSK	30 MHz_1000 MHz	967.00	-54.34	-13	PASS
NVNT	Band26(824-849)	1.4	27033	1	#0	QPSK	1000 MHz_10000 MHz	9559.45	-41.43	-13	PASS
NVNT	Band26(824-849)	1.4	27033	6	#0	QPSK	0.009 MHz_0.15 MHz	0.01	-51.20	-13	PASS
NVNT	Band26(824-849)	1.4	27033	6	#0	QPSK	0.15 MHz_30 MHz	0.17	-52.83	-13	PASS

NVNT	Band26(82 4-849)	1.4	27033	6	#0	QPSK	30 MHz_1000 MHz	704.51	- 54.04	-13	PASS
NVNT	Band26(82 4-849)	1.4	27033	6	#0	QPSK	1000 MHz_1000 0 MHz	6467.9 5	- 39.39	-13	PASS
NVNT	Band26(82 4-849)	1.4	27033	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 49.08	-13	PASS
NVNT	Band26(82 4-849)	1.4	27033	1	#0	16QAM	0.15 MHz_30 MHz	0.15	- 51.01	-13	PASS
NVNT	Band26(82 4-849)	1.4	27033	1	#0	16QAM	30 MHz_1000 MHz	529.11	- 53.29	-13	PASS
NVNT	Band26(82 4-849)	1.4	27033	1	#0	16QAM	1000 MHz_1000 0 MHz	2543.7 3	- 40.68	-13	PASS
NVNT	Band26(82 4-849)	1.4	27033	6	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 49.69	-13	PASS
NVNT	Band26(82 4-849)	1.4	27033	6	#0	16QAM	0.15 MHz_30 MHz	0.15	- 53.07	-13	PASS
NVNT	Band26(82 4-849)	1.4	27033	6	#0	16QAM	30 MHz_1000 MHz	814.73	- 54.15	-13	PASS
NVNT	Band26(82 4-849)	1.4	27033	6	#0	16QAM	1000 MHz_1000 0 MHz	5211.3 3	- 40.67	-13	PASS
NVNT	Band26(82 4-849)	3	26805	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 51.77	-13	PASS
NVNT	Band26(82 4-849)	3	26805	1	#0	QPSK	0.15 MHz_30 MHz	0.16	- 53.38	-13	PASS
NVNT	Band26(82 4-849)	3	26805	1	#0	QPSK	30 MHz_1000 MHz	729.05	- 54.49	-13	PASS
NVNT	Band26(82 4-849)	3	26805	1	#0	QPSK	1000 MHz_1000 0 MHz	9505.2 3	- 40.55	-13	PASS
NVNT	Band26(82 4-849)	3	26805	15	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 49.86	-13	PASS
NVNT	Band26(82 4-849)	3	26805	15	#0	QPSK	0.15 MHz_30 MHz	0.15	- 50.88	-13	PASS
NVNT	Band26(82 4-849)	3	26805	15	#0	QPSK	30 MHz_1000 MHz	753.18	- 53.45	-13	PASS
NVNT	Band26(82 4-849)	3	26805	15	#0	QPSK	1000 MHz_1000 0 MHz	7105.3 8	- 40.64	-13	PASS
NVNT	Band26(82 4-849)	3	26805	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 50.13	-13	PASS
NVNT	Band26(82 4-849)	3	26805	1	#0	16QAM	0.15 MHz_30 MHz	0.15	- 53.76	-13	PASS
NVNT	Band26(82 4-849)	3	26805	1	#0	16QAM	30 MHz_1000 MHz	738.05	- 54.29	-13	PASS
NVNT	Band26(82 4-849)	3	26805	1	#0	16QAM	1000 MHz_1000 0 MHz	6233.0 5	- 40.95	-13	PASS
NVNT	Band26(82 4-849)	3	26805	15	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 47.79	-13	PASS
NVNT	Band26(82 4-849)	3	26805	15	#0	16QAM	0.15 MHz_30 MHz	0.16	- 53.84	-13	PASS
NVNT	Band26(82 4-849)	3	26805	15	#0	16QAM	30	768.27	-	-13	PASS


	4-849)						MHz_1000 MHz		54.51		
NVNT	Band26(82 4-849)	3	26805	15	#0	16QAM	1000 MHz_1000 0 MHz	5446.4 5	- 40.14	-13	PASS
NVNT	Band26(82 4-849)	3	27025	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 49.81	-13	PASS
NVNT	Band26(82 4-849)	3	27025	1	#0	QPSK	0.15 MHz_30 MHz	0.16	- 52.84	-13	PASS
NVNT	Band26(82 4-849)	3	27025	1	#0	QPSK	30 MHz_1000 MHz	905.69	- 54.09	-13	PASS
NVNT	Band26(82 4-849)	3	27025	1	#0	QPSK	1000 MHz_1000 0 MHz	5935.6 0	- 41.08	-13	PASS
NVNT	Band26(82 4-849)	3	27025	15	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 51.32	-13	PASS
NVNT	Band26(82 4-849)	3	27025	15	#0	QPSK	0.15 MHz_30 MHz	0.16	- 49.58	-13	PASS
NVNT	Band26(82 4-849)	3	27025	15	#0	QPSK	30 MHz_1000 MHz	775.01	- 53.93	-13	PASS
NVNT	Band26(82 4-849)	3	27025	15	#0	QPSK	1000 MHz_1000 0 MHz	2648.3 5	- 40.29	-13	PASS
NVNT	Band26(82 4-849)	3	27025	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 51.55	-13	PASS
NVNT	Band26(82 4-849)	3	27025	1	#0	16QAM	0.15 MHz_30 MHz	0.16	- 53.96	-13	PASS
NVNT	Band26(82 4-849)	3	27025	1	#0	16QAM	30 MHz_1000 MHz	868.32	- 54.26	-13	PASS
NVNT	Band26(82 4-849)	3	27025	1	#0	16QAM	1000 MHz_1000 0 MHz	2539.2 3	- 40.05	-13	PASS
NVNT	Band26(82 4-849)	3	27025	15	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 48.24	-13	PASS
NVNT	Band26(82 4-849)	3	27025	15	#0	16QAM	0.15 MHz_30 MHz	0.18	- 54.60	-13	PASS
NVNT	Band26(82 4-849)	3	27025	15	#0	16QAM	30 MHz_1000 MHz	908.17	- 53.96	-13	PASS
NVNT	Band26(82 4-849)	3	27025	15	#0	16QAM	1000 MHz_1000 0 MHz	7391.8 0	- 41.24	-13	PASS
NVNT	Band26(82 4-849)	5	26815	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 50.87	-13	PASS
NVNT	Band26(82 4-849)	5	26815	1	#0	QPSK	0.15 MHz_30 MHz	0.15	- 53.19	-13	PASS
NVNT	Band26(82 4-849)	5	26815	1	#0	QPSK	30 MHz_1000 MHz	992.31	- 53.78	-13	PASS
NVNT	Band26(82 4-849)	5	26815	1	#0	QPSK	1000 MHz_1000 0 MHz	1648.9 0	- 39.37	-13	PASS
NVNT	Band26(82 4-849)	5	26815	25	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 49.11	-13	PASS
NVNT	Band26(82 4-849)	5	26815	25	#0	QPSK	0.15 MHz_30 MHz	0.16	- 53.23	-13	PASS
NVNT	Band26(82 4-849)	5	26815	25	#0	QPSK	30 MHz_1000	753.38	- 54.31	-13	PASS

NVNT	Band26(82 4-849)	5	26815	25	#0	QPSK	MHz 1000 MHz_1000 0 MHz	5669.4 3	- 41.14	-13	PASS
NVNT	Band26(82 4-849)	5	26815	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 51.61	-13	PASS
NVNT	Band26(82 4-849)	5	26815	1	#0	16QAM	0.15 MHz_30 MHz	0.15	- 52.12	-13	PASS
NVNT	Band26(82 4-849)	5	26815	1	#0	16QAM	30 MHz_1000 MHz	971.51	- 53.74	-13	PASS
NVNT	Band26(82 4-849)	5	26815	1	#0	16QAM	1000 MHz_1000 0 MHz	5845.6 0	- 41.30	-13	PASS
NVNT	Band26(82 4-849)	5	26815	25	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 49.52	-13	PASS
NVNT	Band26(82 4-849)	5	26815	25	#0	16QAM	0.15 MHz_30 MHz	0.16	- 51.26	-13	PASS
NVNT	Band26(82 4-849)	5	26815	25	#0	16QAM	30 MHz_1000 MHz	764.51	- 54.35	-13	PASS
NVNT	Band26(82 4-849)	5	26815	25	#0	16QAM	1000 MHz_1000 0 MHz	6528.0 3	- 41.04	-13	PASS
NVNT	Band26(82 4-849)	5	27015	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 49.89	-13	PASS
NVNT	Band26(82 4-849)	5	27015	1	#0	QPSK	0.15 MHz_30 MHz	0.15	- 50.20	-13	PASS
NVNT	Band26(82 4-849)	5	27015	1	#0	QPSK	30 MHz_1000 MHz	933.97	- 53.65	-13	PASS
NVNT	Band26(82 4-849)	5	27015	1	#0	QPSK	1000 MHz_1000 0 MHz	8134.3 0	- 41.13	-13	PASS
NVNT	Band26(82 4-849)	5	27015	25	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 49.76	-13	PASS
NVNT	Band26(82 4-849)	5	27015	25	#0	QPSK	0.15 MHz_30 MHz	0.18	- 51.30	-13	PASS
NVNT	Band26(82 4-849)	5	27015	25	#0	QPSK	30 MHz_1000 MHz	717.44	- 54.74	-13	PASS
NVNT	Band26(82 4-849)	5	27015	25	#0	QPSK	1000 MHz_1000 0 MHz	5945.9 5	- 40.51	-13	PASS
NVNT	Band26(82 4-849)	5	27015	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 50.45	-13	PASS
NVNT	Band26(82 4-849)	5	27015	1	#0	16QAM	0.15 MHz_30 MHz	0.15	- 52.00	-13	PASS
NVNT	Band26(82 4-849)	5	27015	1	#0	16QAM	30 MHz_1000 MHz	892.28	- 54.49	-13	PASS
NVNT	Band26(82 4-849)	5	27015	1	#0	16QAM	1000 MHz_1000 0 MHz	7448.5 0	- 40.26	-13	PASS
NVNT	Band26(82 4-849)	5	27015	25	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 48.75	-13	PASS
NVNT	Band26(82 4-849)	5	27015	25	#0	16QAM	0.15 MHz_30 MHz	0.16	- 51.49	-13	PASS
NVNT	Band26(82 4-849)	5	27015	25	#0	16QAM	30 MHz_1000 MHz	880.93	- 54.48	-13	PASS


NVNT	Band26(82 4-849)	5	27015	25	#0	16QAM	1000 MHz_1000 0 MHz	5716.4 5	- 41.00	-13	PASS
NVNT	Band26(82 4-849)	10	26840	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 49.88	-13	PASS
NVNT	Band26(82 4-849)	10	26840	1	#0	QPSK	0.15 MHz_30 MHz	0.15	- 52.83	-13	PASS
NVNT	Band26(82 4-849)	10	26840	1	#0	QPSK	30 MHz_1000 MHz	564.18	- 54.31	-13	PASS
NVNT	Band26(82 4-849)	10	26840	1	#0	QPSK	1000 MHz_1000 0 MHz	6054.6 3	- 40.83	-13	PASS
NVNT	Band26(82 4-849)	10	26840	50	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 50.02	-13	PASS
NVNT	Band26(82 4-849)	10	26840	50	#0	QPSK	0.15 MHz_30 MHz	0.15	- 49.80	-13	PASS
NVNT	Band26(82 4-849)	10	26840	50	#0	QPSK	30 MHz_1000 MHz	921.07	- 53.85	-13	PASS
NVNT	Band26(82 4-849)	10	26840	50	#0	QPSK	1000 MHz_1000 0 MHz	6495.1 7	- 40.93	-13	PASS
NVNT	Band26(82 4-849)	10	26840	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 51.14	-13	PASS
NVNT	Band26(82 4-849)	10	26840	1	#0	16QAM	0.15 MHz_30 MHz	0.17	- 51.53	-13	PASS
NVNT	Band26(82 4-849)	10	26840	1	#0	16QAM	30 MHz_1000 MHz	749.93	- 53.79	-13	PASS
NVNT	Band26(82 4-849)	10	26840	1	#0	16QAM	1000 MHz_1000 0 MHz	3277.9 0	- 41.13	-13	PASS
NVNT	Band26(82 4-849)	10	26840	50	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 51.38	-13	PASS
NVNT	Band26(82 4-849)	10	26840	50	#0	16QAM	0.15 MHz_30 MHz	0.16	- 52.84	-13	PASS
NVNT	Band26(82 4-849)	10	26840	50	#0	16QAM	30 MHz_1000 MHz	515.51	- 54.46	-13	PASS
NVNT	Band26(82 4-849)	10	26840	50	#0	16QAM	1000 MHz_1000 0 MHz	5815.2 3	- 41.40	-13	PASS
NVNT	Band26(82 4-849)	10	26990	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 49.62	-13	PASS
NVNT	Band26(82 4-849)	10	26990	1	#0	QPSK	0.15 MHz_30 MHz	0.18	- 52.54	-13	PASS
NVNT	Band26(82 4-849)	10	26990	1	#0	QPSK	30 MHz_1000 MHz	772.24	- 54.01	-13	PASS
NVNT	Band26(82 4-849)	10	26990	1	#0	QPSK	1000 MHz_1000 0 MHz	5929.9 8	- 41.46	-13	PASS
NVNT	Band26(82 4-849)	10	26990	50	#0	QPSK	0.009 MHz_0.15 MHz	0.02	- 49.28	-13	PASS
NVNT	Band26(82 4-849)	10	26990	50	#0	QPSK	0.15 MHz_30 MHz	0.18	- 54.29	-13	PASS
NVNT	Band26(82 4-849)	10	26990	50	#0	QPSK	30 MHz_1000 MHz	655.48	- 54.23	-13	PASS
NVNT	Band26(82 4-849)	10	26990	50	#0	QPSK	1000	9505.2	-	-13	PASS

	4-849)						MHz_1000 0 MHz	3	40.97		
NVNT	Band26(82 4-849)	10	26990	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 49.50	-13	PASS
NVNT	Band26(82 4-849)	10	26990	1	#0	16QAM	0.15 MHz_30 MHz	0.18	- 52.03	-13	PASS
NVNT	Band26(82 4-849)	10	26990	1	#0	16QAM	30 MHz_1000 MHz	945.97	- 53.55	-13	PASS
NVNT	Band26(82 4-849)	10	26990	1	#0	16QAM	1000 MHz_1000 0 MHz	7526.8 0	- 40.61	-13	PASS
NVNT	Band26(82 4-849)	10	26990	50	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 51.70	-13	PASS
NVNT	Band26(82 4-849)	10	26990	50	#0	16QAM	0.15 MHz_30 MHz	0.16	- 50.62	-13	PASS
NVNT	Band26(82 4-849)	10	26990	50	#0	16QAM	30 MHz_1000 MHz	754.83	- 54.22	-13	PASS
NVNT	Band26(82 4-849)	10	26990	50	#0	16QAM	1000 MHz_1000 0 MHz	6001.9 8	- 40.73	-13	PASS
NVNT	Band26(82 4-849)	15	26865	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 50.01	-13	PASS
NVNT	Band26(82 4-849)	15	26865	1	#0	QPSK	0.15 MHz_30 MHz	0.16	- 49.89	-13	PASS
NVNT	Band26(82 4-849)	15	26865	1	#0	QPSK	30 MHz_1000 MHz	541.51	- 54.24	-13	PASS
NVNT	Band26(82 4-849)	15	26865	1	#0	QPSK	1000 MHz_1000 0 MHz	5654.5 8	- 41.14	-13	PASS
NVNT	Band26(82 4-849)	15	26865	75	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 51.06	-13	PASS
NVNT	Band26(82 4-849)	15	26865	75	#0	QPSK	0.15 MHz_30 MHz	0.18	- 53.28	-13	PASS
NVNT	Band26(82 4-849)	15	26865	75	#0	QPSK	30 MHz_1000 MHz	959.41	- 53.65	-13	PASS
NVNT	Band26(82 4-849)	15	26865	75	#0	QPSK	1000 MHz_1000 0 MHz	5890.1 5	- 41.39	-13	PASS
NVNT	Band26(82 4-849)	15	26865	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 50.05	-13	PASS
NVNT	Band26(82 4-849)	15	26865	1	#0	16QAM	0.15 MHz_30 MHz	0.15	- 50.82	-13	PASS
NVNT	Band26(82 4-849)	15	26865	1	#0	16QAM	30 MHz_1000 MHz	436.21	- 54.36	-13	PASS
NVNT	Band26(82 4-849)	15	26865	1	#0	16QAM	1000 MHz_1000 0 MHz	6463.4 5	- 41.63	-13	PASS
NVNT	Band26(82 4-849)	15	26865	75	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 50.24	-13	PASS
NVNT	Band26(82 4-849)	15	26865	75	#0	16QAM	0.15 MHz_30 MHz	0.17	- 50.09	-13	PASS
NVNT	Band26(82 4-849)	15	26865	75	#0	16QAM	30 MHz_1000 MHz	953.66	- 54.59	-13	PASS
NVNT	Band26(82 4-849)	15	26865	75	#0	16QAM	1000 MHz_1000	6136.7 5	- 40.97	-13	PASS

							0 MHz				
NVNT	Band26(82 4-849)	15	26965	1	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 48.24	-13	PASS
NVNT	Band26(82 4-849)	15	26965	1	#0	QPSK	0.15 MHz_30 MHz	0.19	- 53.51	-13	PASS
NVNT	Band26(82 4-849)	15	26965	1	#0	QPSK	30 MHz_1000 MHz	736.55	- 53.61	-13	PASS
NVNT	Band26(82 4-849)	15	26965	1	#0	QPSK	1000 MHz_1000 0 MHz	1670.0 5	- 40.13	-13	PASS
NVNT	Band26(82 4-849)	15	26965	75	#0	QPSK	0.009 MHz_0.15 MHz	0.01	- 50.46	-13	PASS
NVNT	Band26(82 4-849)	15	26965	75	#0	QPSK	0.15 MHz_30 MHz	0.15	- 52.10	-13	PASS
NVNT	Band26(82 4-849)	15	26965	75	#0	QPSK	30 MHz_1000 MHz	939.62	- 55.03	-13	PASS
NVNT	Band26(82 4-849)	15	26965	75	#0	QPSK	1000 MHz_1000 0 MHz	7099.7 5	- 41.31	-13	PASS
NVNT	Band26(82 4-849)	15	26965	1	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 50.43	-13	PASS
NVNT	Band26(82 4-849)	15	26965	1	#0	16QAM	0.15 MHz_30 MHz	0.16	- 53.28	-13	PASS
NVNT	Band26(82 4-849)	15	26965	1	#0	16QAM	30 MHz_1000 MHz	734.56	- 54.47	-13	PASS
NVNT	Band26(82 4-849)	15	26965	1	#0	16QAM	1000 MHz_1000 0 MHz	5663.3 5	- 40.62	-13	PASS
NVNT	Band26(82 4-849)	15	26965	75	#0	16QAM	0.009 MHz_0.15 MHz	0.01	- 50.28	-13	PASS
NVNT	Band26(82 4-849)	15	26965	75	#0	16QAM	0.15 MHz_30 MHz	0.15	- 54.74	-13	PASS
NVNT	Band26(82 4-849)	15	26965	75	#0	16QAM	30 MHz_1000 MHz	964.09	- 53.21	-13	PASS
NVNT	Band26(82 4-849)	15	26965	75	#0	16QAM	1000 MHz_1000 0 MHz	6528.7 0	- 40.71	-13	PASS



Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=1 Position=#0 0.009 MHz 0.15 MHz NVNT



Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=1 Position=#0 0.15 MHz 30 MHz NVNT