Band4_3MHz_16QAM_MCH_1732.5MHz_RB_15_0_NTNV



Band4_3MHz_16QAM_HCH_1753.5MHz_RB_15_0_NTNV



5.3 B4_5MHz

5.3.1 Test Result

Band: 4 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	25	0	5.17	<=13	Pass
	1732.5	25	0	4.89	<=13	Pass
	1752.5	25	0	5.12	<=13	Pass
16QAM	1712.5	25	0	5.88	<=13	Pass
	1732.5	25	0	5.61	<=13	Pass
	1752.5	25	0	5.88	<=13	Pass

5.3.2 Test Graph

Band4_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV



Band4_5MHz_QPSK_MCH_1732.5MHz_RB_25_0_NTNV



Band4_5MHz_QPSK_HCH_1752.5MHz_RB_25_0_NTNV



Band4_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV



Band4_5MHz_16QAM_MCH_1732.5MHz_RB_25_0_NTNV



Band4_5MHz_16QAM_HCH_1752.5MHz_RB_25_0_NTNV



5.4 B4_10MHz

5.4.1 Test Result

Band: 4 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	50	0	4.59	<=13	Pass
	1732.5	50	0	4.60	<=13	Pass
	1750	50	0	4.55	<=13	Pass
16QAM	1715	50	0	6.00	<=13	Pass
	1732.5	50	0	5.88	<=13	Pass
	1750	50	0	6.01	<=13	Pass

5.4.2 Test Graph

Band4_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV



Band4_10MHz_QPSK_MCH_1732.5MHz_RB_50_0_NTNV



Band4_10MHz_QPSK_HCH_1750MHz_RB_50_0_NTNV



Band4_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV



Band4_10MHz_16QAM_MCH_1732.5MHz_RB_50_0_NTNV



Band4_10MHz_16QAM_HCH_1750MHz_RB_50_0_NTNV



5.5 B4_15MHz

5.5.1 Test Result

Band: 4 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	75	0	5.74	<=13	Pass
	1732.5	75	0	5.75	<=13	Pass
	1747.5	75	0	5.74	<=13	Pass
16QAM	1717.5	75	0	6.72	<=13	Pass
	1732.5	75	0	6.76	<=13	Pass
	1747.5	75	0	6.82	<=13	Pass

5.5.2 Test Graph

Band4_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV



Band4_15MHz_QPSK_MCH_1732.5MHz_RB_75_0_NTNV



Band4_15MHz_QPSK_HCH_1747.5MHz_RB_75_0_NTNV



Band4_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV



Band4_15MHz_16QAM_MCH_1732.5MHz_RB_75_0_NTNV



Band4_15MHz_16QAM_HCH_1747.5MHz_RB_75_0_NTNV



5.6 B4_20MHz

5.6.1 Test Result

Band: 4 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	100	0	6.45	<=13	Pass
	1732.5	100	0	6.46	<=13	Pass
	1745	100	0	6.44	<=13	Pass
16QAM	1720	100	0	7.17	<=13	Pass
	1732.5	100	0	7.18	<=13	Pass
	1745	100	0	7.10	<=13	Pass

5.6.2 Test Graph

Band4_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV



Band4_20MHz_QPSK_MCH_1732.5MHz_RB_100_0_NTNV



Band4_20MHz_QPSK_HCH_1745MHz_RB_100_0_NTNV



Band4_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band4_20MHz_16QAM_MCH_1732.5MHz_RB_100_0_NTNV



Band4_20MHz_16QAM_HCH_1745MHz_RB_100_0_NTNV



6. Spurious Emission

6.1 B4_1.4MHz

6.1.1 Test Result

Band: 4 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1754.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1754.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 Test Graph

Band4_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.957	-55.07	-13	Pass
1709	1710	0.003	/	2	1710.000	-23.83	-13	Pass
1710	1711.5	0.003	/	/	/	/	/	/

Band4_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV



Band4_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV



Band4_1.4MHz_QPSK_LCH_1710.7MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.983	-39.77	-13	Pass
1709	1710	0.013	/	2	1709.994	-21.49	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/

Band4_1.4MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_1.4MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_1.4MHz_QPSK_HCH_1754.3MHz_RB_1_0_NTNV



Band4_1.4MHz_QPSK_HCH_1754.3MHz_RB_1_0_NTNV



Band4_1.4MHz_QPSK_HCH_1754.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1753.5	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.003	-27.94	-13	Pass
1756	1756.5	1	/	2	1756.014	-55.31	-13	Pass

Band4_1.4MHz_QPSK_HCH_1754.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1753.5	1755	0.013	/	/	/	/	/	/
1755	1756	0.013	/	1	1755.012	-33.66	-13	Pass
1756	1756.5	1	/	2	1756.041	-41.78	-13	Pass

Band4_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.974	-56.56	-13	Pass
1709	1710	0.003	/	2	1710.000	-28.24	-13	Pass
1710	1711.5	0.003	/	/	/	/	/	/

Band4_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV



Band4_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV



Band4_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.995	-40.69	-13	Pass
1709	1710	0.013	/	2	1710.000	-25.59	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/

Band4_1.4MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV



Band4_1.4MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV



Band4_1.4MHz_16QAM_HCH_1754.3MHz_RB_1_0_NTNV



Band4_1.4MHz_16QAM_HCH_1754.3MHz_RB_1_0_NTNV



Band4_1.4MHz_16QAM_HCH_1754.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1753.5	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.003	-32.67	-13	Pass
1756	1756.5	1	/	2	1756.015	-55.84	-13	Pass

Band4_1.4MHz_16QAM_HCH_1754.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1753.5	1755	0.013	/	/	/	/	/	/
1755	1756	0.013	/	1	1755.027	-34.40	-13	Pass
1756	1756.5	1	/	2	1756.020	-42.93	-13	Pass

6.2 B4_3MHz

6.2.1 Test Result

Band: 4 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1753.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1753.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.2.2 Test Graph

Band4_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-32.60	-13	Pass
1709	1710	0.003	/	2	1710.000	-23.07	-13	Pass
1710	1713	0.003	/	/	/	/	/	/

Band4_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV



Band4_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV



Band4_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-14.72	-13	Pass
1709	1710	0.033	/	2	1709.946	-22.29	-13	Pass
1710	1713	0.033	/	/	/	/	/	/

Band4_3MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_3MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_3MHz_QPSK_HCH_1753.5MHz_RB_1_0_NTNV



Band4_3MHz_QPSK_HCH_1753.5MHz_RB_1_0_NTNV



Band4_3MHz_QPSK_HCH_1753.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-24.34	-13	Pass
1756	1758	1	CHP	2	1756.001	-33.74	-13	Pass

Band4_3MHz_QPSK_HCH_1753.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.03	/	/	/	/	/	/
1755	1756	0.03	/	1	1755.000	-29.36	-13	Pass
1756	1758	1	CHP	2	1756.002	-23.36	-13	Pass

Band4_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.498	-34.85	-13	Pass
1709	1710	0.003	/	2	1709.998	-25.03	-13	Pass
1710	1713	0.003	/	/	/	/	/	/

Band4_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV



Band4_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV



Band4_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-17.89	-13	Pass
1709	1710	0.03	/	2	1709.952	-26.23	-13	Pass
1710	1713	0.03	/	/	/	/	/	/

Band4_3MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV



Band4_3MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV



Band4_3MHz_16QAM_HCH_1753.5MHz_RB_1_0_NTNV



Band4_3MHz_16QAM_HCH_1753.5MHz_RB_1_0_NTNV



Band4_3MHz_16QAM_HCH_1753.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.000	-24.93	-13	Pass
1756	1758	1	CHP	2	1756.001	-34.33	-13	Pass

Band4_3MHz_16QAM_HCH_1753.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.03	/	/	/	/	/	/
1755	1756	0.03	/	1	1755.030	-29.90	-13	Pass
1756	1758	1	CHP	2	1756.002	-24.23	-13	Pass

6.3 B4_5MHz

6.3.1 Test Result

Band: 4 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1752.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1752.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

6.3.2 Test Graph

Band4_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.392	-31.13	-13	Pass
1709	1710	0.003	/	2	1710.000	-31.05	-13	Pass
1710	1715	0.003	/	/	/	/	/	/

Band4_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV



Band4_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV



Band4_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.490	-15.06	-13	Pass
1709	1710	0.051	/	2	1709.630	-23.71	-13	Pass
1710	1715	0.051	/	/	/	/	/	/

Band4_5MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_5MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_5MHz_QPSK_HCH_1752.5MHz_RB_1_0_NTNV



Band4_5MHz_QPSK_HCH_1752.5MHz_RB_1_0_NTNV



Band4_5MHz_QPSK_HCH_1752.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.000	-32.22	-13	Pass
1756	1760	1	CHP	2	1756.001	-34.69	-13	Pass

Band4_5MHz_QPSK_HCH_1752.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.051	/	/	/	/	/	/
1755	1756	0.051	/	1	1755.950	-33.87	-13	Pass
1756	1760	1	CHP	2	1756.150	-23.41	-13	Pass

Band4_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.384	-33.53	-13	Pass
1709	1710	0.003	/	2	1710.000	-33.36	-13	Pass
1710	1715	0.003	/	/	/	/	/	/

Band4_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV



Band4_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV



Band4_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.470	-17.09	-13	Pass
1709	1710	0.051	/	2	1709.860	-26.78	-13	Pass
1710	1715	0.051	/	/	/	/	/	/

Band4_5MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV



Band4_5MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV



Band4_5MHz_16QAM_HCH_1752.5MHz_RB_1_0_NTNV



Band4_5MHz_16QAM_HCH_1752.5MHz_RB_1_0_NTNV



Band4_5MHz_16QAM_HCH_1752.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.000	-33.79	-13	Pass
1756	1760	1	CHP	2	1756.001	-36.06	-13	Pass

Band4_5MHz_16QAM_HCH_1752.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.051	/	/	/	/	/	/
1755	1756	0.051	/	1	1755.030	-34.33	-13	Pass
1756	1760	1	CHP	2	1756.010	-24.38	-13	Pass

6.4 B4_10MHz

6.4.1 Test Result

Band: 4 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1750	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1750	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.4.2 Test Graph

Band4_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1706.288	-29.25	-13	Pass
1709	1710	0.003	/	2	1709.999	-38.91	-13	Pass
1710	1720	0.003	/	/	/	/	/	/

Band4_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV



Band4_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV



Band4_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.360	-18.09	-13	Pass
1709	1710	0.1	/	2	1709.580	-25.63	-13	Pass
1710	1720	0.1	/	/	/	/	/	/

Band4_10MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_10MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_10MHz_QPSK_HCH_1750MHz_RB_1_0_NTNV



Band4_10MHz_QPSK_HCH_1750MHz_RB_1_0_NTNV



Band4_10MHz_QPSK_HCH_1750MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1745	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.013	-40.37	-13	Pass
1756	1765	1	CHP	2	1758.752	-35.32	-13	Pass

Band4_10MHz_QPSK_HCH_1750MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1745	1755	0.1	/	/	/	/	/	/
1755	1756	0.1	/	1	1755.160	-32.97	-13	Pass
1756	1765	1	CHP	2	1756.200	-24.71	-13	Pass

Band4_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1706.261	-32.65	-13	Pass
1709	1710	0.003	/	2	1709.999	-38.01	-13	Pass
1710	1720	0.003	/	/	/	/	/	/

Band4_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV



Band4_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV



Band4_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.400	-21.04	-13	Pass
1709	1710	0.1	/	2	1709.780	-29.22	-13	Pass
1710	1720	0.1	/	/	/	/	/	/

Band4_10MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV



Band4_10MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV



Band4_10MHz_16QAM_HCH_1750MHz_RB_1_0_NTNV



Band4_10MHz_16QAM_HCH_1750MHz_RB_1_0_NTNV



Band4_10MHz_16QAM_HCH_1750MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1745	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.001	-40.55	-13	Pass
1756	1765	1	CHP	2	1758.763	-36.96	-13	Pass

Band4_10MHz_16QAM_HCH_1750MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1745	1755	0.1	/	/	/	/	/	/
1755	1756	0.1	/	1	1755.000	-32.84	-13	Pass
1756	1765	1	CHP	2	1756.300	-26.34	-13	Pass

6.5 B4_15MHz

6.5.1 Test Result

Band: 4 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1747.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1747.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

6.5.2 Test Graph

Band4_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1704.123	-27.54	-13	Pass
1709	1710	0.003	/	2	1709.997	-42.19	-13	Pass
1710	1725	0.003	/	/	/	/	/	/

Band4_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV



Band4_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV



Band4_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.380	-19.13	-13	Pass
1709	1710	0.15	/	2	1709.310	-24.70	-13	Pass
1710	1725	0.15	/	/	/	/	/	/

Band4_15MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_15MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_15MHz_QPSK_HCH_1747.5MHz_RB_1_0_NTNV



Band4_15MHz_QPSK_HCH_1747.5MHz_RB_1_0_NTNV



Band4_15MHz_QPSK_HCH_1747.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.006	-43.68	-13	Pass
1756	1770	1	CHP	2	1760.553	-33.77	-13	Pass

Band4_15MHz_QPSK_HCH_1747.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1755	0.15	/	/	/	/	/	/
1755	1756	0.15	/	1	1755.480	-29.62	-13	Pass
1756	1770	1	CHP	2	1757.340	-23.54	-13	Pass

Band4_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1704.421	-30.79	-13	Pass
1709	1710	0.003	/	2	1709.993	-43.18	-13	Pass
1710	1725	0.003	/	/	/	/	/	/

Band4_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV



Band4_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV



Band4_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.020	-21.43	-13	Pass
1709	1710	0.15	/	2	1709.610	-29.25	-13	Pass
1710	1725	0.15	/	/	/	/	/	/

Band4_15MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV



Band4_15MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV