

1. Conducted Output Power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n78(3450-3550)	30	10	630334	24@0	DFT_BPSK	25.47	PASS
n78(3450-3550)	30	10	630334	12@6	DFT_BPSK	25.90	PASS
n78(3450-3550)	30	10	630334	1@1	DFT_BPSK	25.83	PASS
n78(3450-3550)	30	10	630334	1@22	DFT_BPSK	26.05	PASS
n78(3450-3550)	30	10	630334	24@0	DFT_QPSK	25.11	PASS
n78(3450-3550)	30	10	630334	12@6	DFT_QPSK	25.96	PASS
n78(3450-3550)	30	10	630334	1@1	DFT_QPSK	25.90	PASS
n78(3450-3550)	30	10	630334	1@22	DFT_QPSK	26.18	PASS
n78(3450-3550)	30	10	630334	24@0	DFT_16QAM	24.22	PASS
n78(3450-3550)	30	10	630334	12@6	DFT_16QAM	24.98	PASS
n78(3450-3550)	30	10	630334	1@1	DFT_16QAM	24.99	PASS
n78(3450-3550)	30	10	630334	1@22	DFT_16QAM	25.21	PASS
n78(3450-3550)	30	10	630334	24@0	DFT_64QAM	23.75	PASS
n78(3450-3550)	30	10	630334	12@6	DFT_64QAM	24.13	PASS
n78(3450-3550)	30	10	630334	1@1	DFT_64QAM	24.15	PASS
n78(3450-3550)	30	10	630334	1@22	DFT_64QAM	24.35	PASS
n78(3450-3550)	30	10	630334	24@0	DFT_256QAM	21.43	PASS
n78(3450-3550)	30	10	630334	12@6	DFT_256QAM	21.87	PASS
n78(3450-3550)	30	10	630334	1@1	DFT_256QAM	21.65	PASS
n78(3450-3550)	30	10	630334	1@22	DFT_256QAM	21.89	PASS
n78(3450-3550)	30	10	630334	24@0	CP_QPSK	22.95	PASS
n78(3450-3550)	30	10	630334	12@6	CP_QPSK	24.36	PASS
n78(3450-3550)	30	10	630334	1@1	CP_QPSK	24.31	PASS
n78(3450-3550)	30	10	630334	1@22	CP_QPSK	24.67	PASS
n78(3450-3550)	30	10	630334	24@0	CP_16QAM	23.04	PASS
n78(3450-3550)	30	10	630334	12@6	CP_16QAM	24.13	PASS
n78(3450-3550)	30	10	630334	1@1	CP_16QAM	23.96	PASS
n78(3450-3550)	30	10	630334	1@22	CP_16QAM	24.19	PASS
n78(3450-3550)	30	10	630334	24@0	CP_64QAM	22.61	PASS
n78(3450-3550)	30	10	630334	12@6	CP_64QAM	23.60	PASS
n78(3450-3550)	30	10	630334	1@1	CP_64QAM	23.45	PASS
n78(3450-3550)	30	10	630334	1@22	CP_64QAM	23.69	PASS
n78(3450-3550)	30	10	630334	24@0	CP_256QAM	19.64	PASS
n78(3450-3550)	30	10	630334	12@6	CP_256QAM	20.08	PASS
n78(3450-3550)	30	10	630334	1@1	CP_256QAM	20.04	PASS
n78(3450-3550)	30	10	630334	1@22	CP_256QAM	20.31	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_BPSK	26.07	PASS
n78(3450-3550)	30	10	633334	12@6	DFT_BPSK	26.46	PASS
n78(3450-3550)	30	10	633334	1@1	DFT_BPSK	26.44	PASS
n78(3450-3550)	30	10	633334	1@22	DFT_BPSK	26.59	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_QPSK	25.63	PASS

n78(3450-3550)	30	10	633334	12@6	DFT_QPSK	26.37	PASS
n78(3450-3550)	30	10	633334	1@1	DFT_QPSK	26.38	PASS
n78(3450-3550)	30	10	633334	1@22	DFT_QPSK	26.50	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_16QAM	24.49	PASS
n78(3450-3550)	30	10	633334	12@6	DFT_16QAM	25.48	PASS
n78(3450-3550)	30	10	633334	1@1	DFT_16QAM	25.50	PASS
n78(3450-3550)	30	10	633334	1@22	DFT_16QAM	25.66	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_64QAM	24.06	PASS
n78(3450-3550)	30	10	633334	12@6	DFT_64QAM	24.42	PASS
n78(3450-3550)	30	10	633334	1@1	DFT_64QAM	24.45	PASS
n78(3450-3550)	30	10	633334	1@22	DFT_64QAM	24.60	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_256QAM	21.93	PASS
n78(3450-3550)	30	10	633334	12@6	DFT_256QAM	22.35	PASS
n78(3450-3550)	30	10	633334	1@1	DFT_256QAM	22.25	PASS
n78(3450-3550)	30	10	633334	1@22	DFT_256QAM	22.40	PASS
n78(3450-3550)	30	10	633334	24@0	CP_QPSK	23.28	PASS
n78(3450-3550)	30	10	633334	12@6	CP_QPSK	24.97	PASS
n78(3450-3550)	30	10	633334	1@1	CP_QPSK	25.00	PASS
n78(3450-3550)	30	10	633334	1@22	CP_QPSK	25.12	PASS
n78(3450-3550)	30	10	633334	24@0	CP_16QAM	23.24	PASS
n78(3450-3550)	30	10	633334	12@6	CP_16QAM	24.30	PASS
n78(3450-3550)	30	10	633334	1@1	CP_16QAM	24.24	PASS
n78(3450-3550)	30	10	633334	1@22	CP_16QAM	24.33	PASS
n78(3450-3550)	30	10	633334	24@0	CP_64QAM	22.84	PASS
n78(3450-3550)	30	10	633334	12@6	CP_64QAM	23.81	PASS
n78(3450-3550)	30	10	633334	1@1	CP_64QAM	23.73	PASS
n78(3450-3550)	30	10	633334	1@22	CP_64QAM	23.84	PASS
n78(3450-3550)	30	10	633334	24@0	CP_256QAM	20.10	PASS
n78(3450-3550)	30	10	633334	12@6	CP_256QAM	20.50	PASS
n78(3450-3550)	30	10	633334	1@1	CP_256QAM	20.55	PASS
n78(3450-3550)	30	10	633334	1@22	CP_256QAM	20.68	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_BPSK	26.28	PASS
n78(3450-3550)	30	10	636332	12@6	DFT_BPSK	26.67	PASS
n78(3450-3550)	30	10	636332	1@1	DFT_BPSK	26.74	PASS
n78(3450-3550)	30	10	636332	1@22	DFT_BPSK	26.72	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_QPSK	25.74	PASS
n78(3450-3550)	30	10	636332	12@6	DFT_QPSK	26.56	PASS
n78(3450-3550)	30	10	636332	1@1	DFT_QPSK	26.66	PASS
n78(3450-3550)	30	10	636332	1@22	DFT_QPSK	26.63	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_16QAM	24.71	PASS
n78(3450-3550)	30	10	636332	12@6	DFT_16QAM	25.61	PASS
n78(3450-3550)	30	10	636332	1@1	DFT_16QAM	25.65	PASS
n78(3450-3550)	30	10	636332	1@22	DFT_16QAM	25.64	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_64QAM	24.27	PASS

n78(3450-3550)	30	10	636332	12@6	DFT_64QAM	24.63	PASS
n78(3450-3550)	30	10	636332	1@1	DFT_64QAM	24.79	PASS
n78(3450-3550)	30	10	636332	1@22	DFT_64QAM	24.74	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_256QAM	22.20	PASS
n78(3450-3550)	30	10	636332	12@6	DFT_256QAM	22.62	PASS
n78(3450-3550)	30	10	636332	1@1	DFT_256QAM	22.53	PASS
n78(3450-3550)	30	10	636332	1@22	DFT_256QAM	22.51	PASS
n78(3450-3550)	30	10	636332	24@0	CP_QPSK	23.44	PASS
n78(3450-3550)	30	10	636332	12@6	CP_QPSK	24.96	PASS
n78(3450-3550)	30	10	636332	1@1	CP_QPSK	25.05	PASS
n78(3450-3550)	30	10	636332	1@22	CP_QPSK	25.02	PASS
n78(3450-3550)	30	10	636332	24@0	CP_16QAM	23.40	PASS
n78(3450-3550)	30	10	636332	12@6	CP_16QAM	24.41	PASS
n78(3450-3550)	30	10	636332	1@1	CP_16QAM	24.41	PASS
n78(3450-3550)	30	10	636332	1@22	CP_16QAM	24.34	PASS
n78(3450-3550)	30	10	636332	24@0	CP_64QAM	23.02	PASS
n78(3450-3550)	30	10	636332	12@6	CP_64QAM	23.91	PASS
n78(3450-3550)	30	10	636332	1@1	CP_64QAM	23.91	PASS
n78(3450-3550)	30	10	636332	1@22	CP_64QAM	23.86	PASS
n78(3450-3550)	30	10	636332	24@0	CP_256QAM	20.01	PASS
n78(3450-3550)	30	10	636332	12@6	CP_256QAM	20.41	PASS
n78(3450-3550)	30	10	636332	1@1	CP_256QAM	20.54	PASS
n78(3450-3550)	30	10	636332	1@22	CP_256QAM	20.50	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_BPSK	25.53	PASS
n78(3450-3550)	30	15	630500	18@9	DFT_BPSK	25.93	PASS
n78(3450-3550)	30	15	630500	1@1	DFT_BPSK	26.16	PASS
n78(3450-3550)	30	15	630500	1@36	DFT_BPSK	26.35	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_QPSK	25.08	PASS
n78(3450-3550)	30	15	630500	18@9	DFT_QPSK	25.86	PASS
n78(3450-3550)	30	15	630500	1@1	DFT_QPSK	26.11	PASS
n78(3450-3550)	30	15	630500	1@36	DFT_QPSK	26.31	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_16QAM	24.28	PASS
n78(3450-3550)	30	15	630500	18@9	DFT_16QAM	24.91	PASS
n78(3450-3550)	30	15	630500	1@1	DFT_16QAM	25.24	PASS
n78(3450-3550)	30	15	630500	1@36	DFT_16QAM	25.44	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_64QAM	23.77	PASS
n78(3450-3550)	30	15	630500	18@9	DFT_64QAM	24.14	PASS
n78(3450-3550)	30	15	630500	1@1	DFT_64QAM	24.38	PASS
n78(3450-3550)	30	15	630500	1@36	DFT_64QAM	24.57	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_256QAM	21.57	PASS
n78(3450-3550)	30	15	630500	18@9	DFT_256QAM	21.99	PASS
n78(3450-3550)	30	15	630500	1@1	DFT_256QAM	22.10	PASS
n78(3450-3550)	30	15	630500	1@36	DFT_256QAM	22.28	PASS
n78(3450-3550)	30	15	630500	38@0	CP_QPSK	22.95	PASS

n78(3450-3550)	30	15	630500	19@9	CP_QPSK	24.33	PASS
n78(3450-3550)	30	15	630500	1@1	CP_QPSK	24.57	PASS
n78(3450-3550)	30	15	630500	1@36	CP_QPSK	24.78	PASS
n78(3450-3550)	30	15	630500	38@0	CP_16QAM	22.99	PASS
n78(3450-3550)	30	15	630500	19@9	CP_16QAM	23.93	PASS
n78(3450-3550)	30	15	630500	1@1	CP_16QAM	24.14	PASS
n78(3450-3550)	30	15	630500	1@36	CP_16QAM	24.33	PASS
n78(3450-3550)	30	15	630500	38@0	CP_64QAM	22.50	PASS
n78(3450-3550)	30	15	630500	19@9	CP_64QAM	23.50	PASS
n78(3450-3550)	30	15	630500	1@1	CP_64QAM	23.57	PASS
n78(3450-3550)	30	15	630500	1@36	CP_64QAM	23.78	PASS
n78(3450-3550)	30	15	630500	38@0	CP_256QAM	19.56	PASS
n78(3450-3550)	30	15	630500	19@9	CP_256QAM	20.00	PASS
n78(3450-3550)	30	15	630500	1@1	CP_256QAM	20.16	PASS
n78(3450-3550)	30	15	630500	1@36	CP_256QAM	20.35	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_BPSK	25.87	PASS
n78(3450-3550)	30	15	633334	18@9	DFT_BPSK	26.23	PASS
n78(3450-3550)	30	15	633334	1@1	DFT_BPSK	26.47	PASS
n78(3450-3550)	30	15	633334	1@36	DFT_BPSK	26.66	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_QPSK	25.45	PASS
n78(3450-3550)	30	15	633334	18@9	DFT_QPSK	26.14	PASS
n78(3450-3550)	30	15	633334	1@1	DFT_QPSK	26.40	PASS
n78(3450-3550)	30	15	633334	1@36	DFT_QPSK	26.59	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_16QAM	24.34	PASS
n78(3450-3550)	30	15	633334	18@9	DFT_16QAM	25.24	PASS
n78(3450-3550)	30	15	633334	1@1	DFT_16QAM	25.55	PASS
n78(3450-3550)	30	15	633334	1@36	DFT_16QAM	25.74	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_64QAM	23.84	PASS
n78(3450-3550)	30	15	633334	18@9	DFT_64QAM	24.18	PASS
n78(3450-3550)	30	15	633334	1@1	DFT_64QAM	24.45	PASS
n78(3450-3550)	30	15	633334	1@36	DFT_64QAM	24.62	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_256QAM	21.67	PASS
n78(3450-3550)	30	15	633334	18@9	DFT_256QAM	22.08	PASS
n78(3450-3550)	30	15	633334	1@1	DFT_256QAM	22.16	PASS
n78(3450-3550)	30	15	633334	1@36	DFT_256QAM	22.35	PASS
n78(3450-3550)	30	15	633334	38@0	CP_QPSK	23.03	PASS
n78(3450-3550)	30	15	633334	19@9	CP_QPSK	24.64	PASS
n78(3450-3550)	30	15	633334	1@1	CP_QPSK	24.91	PASS
n78(3450-3550)	30	15	633334	1@36	CP_QPSK	25.05	PASS
n78(3450-3550)	30	15	633334	38@0	CP_16QAM	23.07	PASS
n78(3450-3550)	30	15	633334	19@9	CP_16QAM	23.96	PASS
n78(3450-3550)	30	15	633334	1@1	CP_16QAM	24.23	PASS
n78(3450-3550)	30	15	633334	1@36	CP_16QAM	24.35	PASS
n78(3450-3550)	30	15	633334	38@0	CP_64QAM	22.58	PASS

n78(3450-3550)	30	15	633334	19@9	CP_64QAM	23.54	PASS
n78(3450-3550)	30	15	633334	1@1	CP_64QAM	23.68	PASS
n78(3450-3550)	30	15	633334	1@36	CP_64QAM	23.80	PASS
n78(3450-3550)	30	15	633334	38@0	CP_256QAM	19.80	PASS
n78(3450-3550)	30	15	633334	19@9	CP_256QAM	20.22	PASS
n78(3450-3550)	30	15	633334	1@1	CP_256QAM	20.42	PASS
n78(3450-3550)	30	15	633334	1@36	CP_256QAM	20.59	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_BPSK	26.04	PASS
n78(3450-3550)	30	15	636166	18@9	DFT_BPSK	26.37	PASS
n78(3450-3550)	30	15	636166	1@1	DFT_BPSK	26.75	PASS
n78(3450-3550)	30	15	636166	1@36	DFT_BPSK	26.70	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_QPSK	25.52	PASS
n78(3450-3550)	30	15	636166	18@9	DFT_QPSK	26.29	PASS
n78(3450-3550)	30	15	636166	1@1	DFT_QPSK	26.69	PASS
n78(3450-3550)	30	15	636166	1@36	DFT_QPSK	26.64	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_16QAM	24.53	PASS
n78(3450-3550)	30	15	636166	18@9	DFT_16QAM	25.31	PASS
n78(3450-3550)	30	15	636166	1@1	DFT_16QAM	25.76	PASS
n78(3450-3550)	30	15	636166	1@36	DFT_16QAM	25.69	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_64QAM	24.06	PASS
n78(3450-3550)	30	15	636166	18@9	DFT_64QAM	24.38	PASS
n78(3450-3550)	30	15	636166	1@1	DFT_64QAM	24.77	PASS
n78(3450-3550)	30	15	636166	1@36	DFT_64QAM	24.70	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_256QAM	21.94	PASS
n78(3450-3550)	30	15	636166	18@9	DFT_256QAM	22.33	PASS
n78(3450-3550)	30	15	636166	1@1	DFT_256QAM	22.57	PASS
n78(3450-3550)	30	15	636166	1@36	DFT_256QAM	22.52	PASS
n78(3450-3550)	30	15	636166	38@0	CP_QPSK	23.31	PASS
n78(3450-3550)	30	15	636166	19@9	CP_QPSK	24.73	PASS
n78(3450-3550)	30	15	636166	1@1	CP_QPSK	25.04	PASS
n78(3450-3550)	30	15	636166	1@36	CP_QPSK	25.00	PASS
n78(3450-3550)	30	15	636166	38@0	CP_16QAM	23.34	PASS
n78(3450-3550)	30	15	636166	19@9	CP_16QAM	24.17	PASS
n78(3450-3550)	30	15	636166	1@1	CP_16QAM	24.49	PASS
n78(3450-3550)	30	15	636166	1@36	CP_16QAM	24.44	PASS
n78(3450-3550)	30	15	636166	38@0	CP_64QAM	22.87	PASS
n78(3450-3550)	30	15	636166	19@9	CP_64QAM	23.75	PASS
n78(3450-3550)	30	15	636166	1@1	CP_64QAM	23.93	PASS
n78(3450-3550)	30	15	636166	1@36	CP_64QAM	23.89	PASS
n78(3450-3550)	30	15	636166	38@0	CP_256QAM	19.82	PASS
n78(3450-3550)	30	15	636166	19@9	CP_256QAM	20.25	PASS
n78(3450-3550)	30	15	636166	1@1	CP_256QAM	20.55	PASS
n78(3450-3550)	30	15	636166	1@36	CP_256QAM	20.50	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_BPSK	25.96	PASS

n78(3450-3550)	30	20	630668	25@12	DFT_BPSK	26.23	PASS
n78(3450-3550)	30	20	630668	1@1	DFT_BPSK	26.65	PASS
n78(3450-3550)	30	20	630668	1@49	DFT_BPSK	26.90	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_QPSK	25.47	PASS
n78(3450-3550)	30	20	630668	25@12	DFT_QPSK	26.16	PASS
n78(3450-3550)	30	20	630668	1@1	DFT_QPSK	26.59	PASS
n78(3450-3550)	30	20	630668	1@49	DFT_QPSK	26.82	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_16QAM	24.50	PASS
n78(3450-3550)	30	20	630668	25@12	DFT_16QAM	25.24	PASS
n78(3450-3550)	30	20	630668	1@1	DFT_16QAM	25.74	PASS
n78(3450-3550)	30	20	630668	1@49	DFT_16QAM	25.98	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_64QAM	24.04	PASS
n78(3450-3550)	30	20	630668	25@12	DFT_64QAM	24.33	PASS
n78(3450-3550)	30	20	630668	1@1	DFT_64QAM	24.76	PASS
n78(3450-3550)	30	20	630668	1@49	DFT_64QAM	24.98	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_256QAM	21.90	PASS
n78(3450-3550)	30	20	630668	25@12	DFT_256QAM	22.18	PASS
n78(3450-3550)	30	20	630668	1@1	DFT_256QAM	22.52	PASS
n78(3450-3550)	30	20	630668	1@49	DFT_256QAM	22.75	PASS
n78(3450-3550)	30	20	630668	51@0	CP_QPSK	23.23	PASS
n78(3450-3550)	30	20	630668	25@12	CP_QPSK	24.63	PASS
n78(3450-3550)	30	20	630668	1@1	CP_QPSK	25.07	PASS
n78(3450-3550)	30	20	630668	1@49	CP_QPSK	25.32	PASS
n78(3450-3550)	30	20	630668	51@0	CP_16QAM	23.24	PASS
n78(3450-3550)	30	20	630668	25@12	CP_16QAM	24.10	PASS
n78(3450-3550)	30	20	630668	1@1	CP_16QAM	24.40	PASS
n78(3450-3550)	30	20	630668	1@49	CP_16QAM	24.66	PASS
n78(3450-3550)	30	20	630668	51@0	CP_64QAM	22.80	PASS
n78(3450-3550)	30	20	630668	25@12	CP_64QAM	23.67	PASS
n78(3450-3550)	30	20	630668	1@1	CP_64QAM	23.90	PASS
n78(3450-3550)	30	20	630668	1@49	CP_64QAM	24.17	PASS
n78(3450-3550)	30	20	630668	51@0	CP_256QAM	19.89	PASS
n78(3450-3550)	30	20	630668	25@12	CP_256QAM	20.16	PASS
n78(3450-3550)	30	20	630668	1@1	CP_256QAM	20.61	PASS
n78(3450-3550)	30	20	630668	1@49	CP_256QAM	20.84	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_BPSK	26.07	PASS
n78(3450-3550)	30	20	633334	25@12	DFT_BPSK	26.34	PASS
n78(3450-3550)	30	20	633334	1@1	DFT_BPSK	26.73	PASS
n78(3450-3550)	30	20	633334	1@49	DFT_BPSK	26.94	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_QPSK	25.63	PASS
n78(3450-3550)	30	20	633334	25@12	DFT_QPSK	26.26	PASS
n78(3450-3550)	30	20	633334	1@1	DFT_QPSK	26.65	PASS
n78(3450-3550)	30	20	633334	1@49	DFT_QPSK	26.86	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_16QAM	24.48	PASS

n78(3450-3550)	30	20	633334	25@12	DFT_16QAM	25.40	PASS
n78(3450-3550)	30	20	633334	1@1	DFT_16QAM	25.80	PASS
n78(3450-3550)	30	20	633334	1@49	DFT_16QAM	26.02	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_64QAM	24.03	PASS
n78(3450-3550)	30	20	633334	25@12	DFT_64QAM	24.32	PASS
n78(3450-3550)	30	20	633334	1@1	DFT_64QAM	24.73	PASS
n78(3450-3550)	30	20	633334	1@49	DFT_64QAM	24.89	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_256QAM	21.89	PASS
n78(3450-3550)	30	20	633334	25@12	DFT_256QAM	22.18	PASS
n78(3450-3550)	30	20	633334	1@1	DFT_256QAM	22.47	PASS
n78(3450-3550)	30	20	633334	1@49	DFT_256QAM	22.69	PASS
n78(3450-3550)	30	20	633334	51@0	CP_QPSK	23.18	PASS
n78(3450-3550)	30	20	633334	25@12	CP_QPSK	24.75	PASS
n78(3450-3550)	30	20	633334	1@1	CP_QPSK	25.22	PASS
n78(3450-3550)	30	20	633334	1@49	CP_QPSK	25.39	PASS
n78(3450-3550)	30	20	633334	51@0	CP_16QAM	23.18	PASS
n78(3450-3550)	30	20	633334	25@12	CP_16QAM	24.05	PASS
n78(3450-3550)	30	20	633334	1@1	CP_16QAM	24.42	PASS
n78(3450-3550)	30	20	633334	1@49	CP_16QAM	24.54	PASS
n78(3450-3550)	30	20	633334	51@0	CP_64QAM	22.75	PASS
n78(3450-3550)	30	20	633334	25@12	CP_64QAM	23.63	PASS
n78(3450-3550)	30	20	633334	1@1	CP_64QAM	23.94	PASS
n78(3450-3550)	30	20	633334	1@49	CP_64QAM	24.16	PASS
n78(3450-3550)	30	20	633334	51@0	CP_256QAM	20.02	PASS
n78(3450-3550)	30	20	633334	25@12	CP_256QAM	20.31	PASS
n78(3450-3550)	30	20	633334	1@1	CP_256QAM	20.74	PASS
n78(3450-3550)	30	20	633334	1@49	CP_256QAM	20.89	PASS
n78(3450-3550)	30	20	636000	50@0	DFT_BPSK	26.26	PASS
n78(3450-3550)	30	20	636000	25@12	DFT_BPSK	26.54	PASS
n78(3450-3550)	30	20	636000	1@1	DFT_BPSK	27.11	PASS
n78(3450-3550)	30	20	636000	1@49	DFT_BPSK	27.12	PASS
n78(3450-3550)	30	20	636000	50@0	DFT_QPSK	25.88	PASS
n78(3450-3550)	30	20	636000	25@12	DFT_QPSK	26.56	PASS
n78(3450-3550)	30	20	636000	1@1	DFT_QPSK	27.01	PASS
n78(3450-3550)	30	20	636000	1@49	DFT_QPSK	27.01	PASS
n78(3450-3550)	30	20	636000	50@0	DFT_16QAM	24.81	PASS
n78(3450-3550)	30	20	636000	25@12	DFT_16QAM	25.65	PASS
n78(3450-3550)	30	20	636000	1@1	DFT_16QAM	26.12	PASS
n78(3450-3550)	30	20	636000	1@49	DFT_16QAM	26.11	PASS
n78(3450-3550)	30	20	636000	50@0	DFT_64QAM	24.36	PASS
n78(3450-3550)	30	20	636000	25@12	DFT_64QAM	24.66	PASS
n78(3450-3550)	30	20	636000	1@1	DFT_64QAM	25.04	PASS
n78(3450-3550)	30	20	636000	1@49	DFT_64QAM	25.03	PASS
n78(3450-3550)	30	20	636000	50@0	DFT_256QAM	22.35	PASS

n78(3450-3550)	30	20	636000	25@12	DFT_256QAM	22.66	PASS
n78(3450-3550)	30	20	636000	1@1	DFT_256QAM	23.00	PASS
n78(3450-3550)	30	20	636000	1@49	DFT_256QAM	23.01	PASS
n78(3450-3550)	30	20	636000	51@0	CP_QPSK	23.53	PASS
n78(3450-3550)	30	20	636000	25@12	CP_QPSK	25.01	PASS
n78(3450-3550)	30	20	636000	1@1	CP_QPSK	25.44	PASS
n78(3450-3550)	30	20	636000	1@49	CP_QPSK	25.46	PASS
n78(3450-3550)	30	20	636000	51@0	CP_16QAM	23.53	PASS
n78(3450-3550)	30	20	636000	25@12	CP_16QAM	24.38	PASS
n78(3450-3550)	30	20	636000	1@1	CP_16QAM	24.79	PASS
n78(3450-3550)	30	20	636000	1@49	CP_16QAM	24.77	PASS
n78(3450-3550)	30	20	636000	51@0	CP_64QAM	23.12	PASS
n78(3450-3550)	30	20	636000	25@12	CP_64QAM	23.98	PASS
n78(3450-3550)	30	20	636000	1@1	CP_64QAM	24.29	PASS
n78(3450-3550)	30	20	636000	1@49	CP_64QAM	24.29	PASS
n78(3450-3550)	30	20	636000	51@0	CP_256QAM	20.17	PASS
n78(3450-3550)	30	20	636000	25@12	CP_256QAM	20.47	PASS
n78(3450-3550)	30	20	636000	1@1	CP_256QAM	20.93	PASS
n78(3450-3550)	30	20	636000	1@49	CP_256QAM	20.94	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_BPSK	23.15	PASS
n78(3450-3550)	30	40	631334	50@25	DFT_BPSK	23.26	PASS
n78(3450-3550)	30	40	631334	1@1	DFT_BPSK	23.18	PASS
n78(3450-3550)	30	40	631334	1@104	DFT_BPSK	23.14	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_QPSK	23.15	PASS
n78(3450-3550)	30	40	631334	50@25	DFT_QPSK	23.29	PASS
n78(3450-3550)	30	40	631334	1@1	DFT_QPSK	23.15	PASS
n78(3450-3550)	30	40	631334	1@104	DFT_QPSK	23.04	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_16QAM	23.28	PASS
n78(3450-3550)	30	40	631334	50@25	DFT_16QAM	23.29	PASS
n78(3450-3550)	30	40	631334	1@1	DFT_16QAM	22.86	PASS
n78(3450-3550)	30	40	631334	1@104	DFT_16QAM	22.87	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_64QAM	23.30	PASS
n78(3450-3550)	30	40	631334	50@25	DFT_64QAM	23.37	PASS
n78(3450-3550)	30	40	631334	1@1	DFT_64QAM	23.29	PASS
n78(3450-3550)	30	40	631334	1@104	DFT_64QAM	23.24	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_256QAM	21.76	PASS
n78(3450-3550)	30	40	631334	50@25	DFT_256QAM	22.41	PASS
n78(3450-3550)	30	40	631334	1@1	DFT_256QAM	22.80	PASS
n78(3450-3550)	30	40	631334	1@104	DFT_256QAM	22.78	PASS
n78(3450-3550)	30	40	631334	106@0	CP_QPSK	23.36	PASS
n78(3450-3550)	30	40	631334	53@26	CP_QPSK	23.43	PASS
n78(3450-3550)	30	40	631334	1@1	CP_QPSK	23.46	PASS
n78(3450-3550)	30	40	631334	1@104	CP_QPSK	23.38	PASS
n78(3450-3550)	30	40	631334	106@0	CP_16QAM	23.33	PASS

n78(3450-3550)	30	40	631334	53@26	CP_16QAM	23.50	PASS
n78(3450-3550)	30	40	631334	1@1	CP_16QAM	23.34	PASS
n78(3450-3550)	30	40	631334	1@104	CP_16QAM	23.11	PASS
n78(3450-3550)	30	40	631334	106@0	CP_64QAM	22.91	PASS
n78(3450-3550)	30	40	631334	53@26	CP_64QAM	23.52	PASS
n78(3450-3550)	30	40	631334	1@1	CP_64QAM	22.92	PASS
n78(3450-3550)	30	40	631334	1@104	CP_64QAM	22.92	PASS
n78(3450-3550)	30	40	631334	106@0	CP_256QAM	18.84	PASS
n78(3450-3550)	30	40	631334	53@26	CP_256QAM	19.47	PASS
n78(3450-3550)	30	40	631334	1@1	CP_256QAM	18.94	PASS
n78(3450-3550)	30	40	631334	1@104	CP_256QAM	19.19	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_BPSK	23.30	PASS
n78(3450-3550)	30	40	633334	50@25	DFT_BPSK	23.26	PASS
n78(3450-3550)	30	40	633334	1@1	DFT_BPSK	23.32	PASS
n78(3450-3550)	30	40	633334	1@104	DFT_BPSK	23.27	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_QPSK	23.25	PASS
n78(3450-3550)	30	40	633334	50@25	DFT_QPSK	23.32	PASS
n78(3450-3550)	30	40	633334	1@1	DFT_QPSK	23.34	PASS
n78(3450-3550)	30	40	633334	1@104	DFT_QPSK	23.12	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_16QAM	23.39	PASS
n78(3450-3550)	30	40	633334	50@25	DFT_16QAM	23.36	PASS
n78(3450-3550)	30	40	633334	1@1	DFT_16QAM	23.52	PASS
n78(3450-3550)	30	40	633334	1@104	DFT_16QAM	23.45	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_64QAM	23.34	PASS
n78(3450-3550)	30	40	633334	50@25	DFT_64QAM	23.36	PASS
n78(3450-3550)	30	40	633334	1@1	DFT_64QAM	23.12	PASS
n78(3450-3550)	30	40	633334	1@104	DFT_64QAM	23.12	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_256QAM	21.87	PASS
n78(3450-3550)	30	40	633334	50@25	DFT_256QAM	22.49	PASS
n78(3450-3550)	30	40	633334	1@1	DFT_256QAM	22.87	PASS
n78(3450-3550)	30	40	633334	1@104	DFT_256QAM	22.79	PASS
n78(3450-3550)	30	40	633334	106@0	CP_QPSK	23.49	PASS
n78(3450-3550)	30	40	633334	53@26	CP_QPSK	23.49	PASS
n78(3450-3550)	30	40	633334	1@1	CP_QPSK	23.73	PASS
n78(3450-3550)	30	40	633334	1@104	CP_QPSK	23.54	PASS
n78(3450-3550)	30	40	633334	106@0	CP_16QAM	23.47	PASS
n78(3450-3550)	30	40	633334	53@26	CP_16QAM	23.58	PASS
n78(3450-3550)	30	40	633334	1@1	CP_16QAM	23.38	PASS
n78(3450-3550)	30	40	633334	1@104	CP_16QAM	23.40	PASS
n78(3450-3550)	30	40	633334	106@0	CP_64QAM	22.94	PASS
n78(3450-3550)	30	40	633334	53@26	CP_64QAM	23.47	PASS
n78(3450-3550)	30	40	633334	1@1	CP_64QAM	23.14	PASS
n78(3450-3550)	30	40	633334	1@104	CP_64QAM	23.07	PASS
n78(3450-3550)	30	40	633334	106@0	CP_256QAM	19.01	PASS

n78(3450-3550)	30	40	633334	53@26	CP_256QAM	19.61	PASS
n78(3450-3550)	30	40	633334	1@1	CP_256QAM	19.55	PASS
n78(3450-3550)	30	40	633334	1@104	CP_256QAM	19.42	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_BPSK	23.38	PASS
n78(3450-3550)	30	40	635332	50@25	DFT_BPSK	23.40	PASS
n78(3450-3550)	30	40	635332	1@1	DFT_BPSK	23.42	PASS
n78(3450-3550)	30	40	635332	1@104	DFT_BPSK	23.34	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_QPSK	23.35	PASS
n78(3450-3550)	30	40	635332	50@25	DFT_QPSK	23.40	PASS
n78(3450-3550)	30	40	635332	1@1	DFT_QPSK	23.41	PASS
n78(3450-3550)	30	40	635332	1@104	DFT_QPSK	23.35	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_16QAM	23.40	PASS
n78(3450-3550)	30	40	635332	50@25	DFT_16QAM	23.43	PASS
n78(3450-3550)	30	40	635332	1@1	DFT_16QAM	23.57	PASS
n78(3450-3550)	30	40	635332	1@104	DFT_16QAM	23.45	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_64QAM	23.45	PASS
n78(3450-3550)	30	40	635332	50@25	DFT_64QAM	23.44	PASS
n78(3450-3550)	30	40	635332	1@1	DFT_64QAM	23.24	PASS
n78(3450-3550)	30	40	635332	1@104	DFT_64QAM	23.23	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_256QAM	21.97	PASS
n78(3450-3550)	30	40	635332	50@25	DFT_256QAM	22.51	PASS
n78(3450-3550)	30	40	635332	1@1	DFT_256QAM	23.20	PASS
n78(3450-3550)	30	40	635332	1@104	DFT_256QAM	22.96	PASS
n78(3450-3550)	30	40	635332	106@0	CP_QPSK	23.53	PASS
n78(3450-3550)	30	40	635332	53@26	CP_QPSK	23.63	PASS
n78(3450-3550)	30	40	635332	1@1	CP_QPSK	23.74	PASS
n78(3450-3550)	30	40	635332	1@104	CP_QPSK	23.69	PASS
n78(3450-3550)	30	40	635332	106@0	CP_16QAM	23.52	PASS
n78(3450-3550)	30	40	635332	53@26	CP_16QAM	23.68	PASS
n78(3450-3550)	30	40	635332	1@1	CP_16QAM	23.43	PASS
n78(3450-3550)	30	40	635332	1@104	CP_16QAM	23.40	PASS
n78(3450-3550)	30	40	635332	106@0	CP_64QAM	23.06	PASS
n78(3450-3550)	30	40	635332	53@26	CP_64QAM	23.57	PASS
n78(3450-3550)	30	40	635332	1@1	CP_64QAM	23.25	PASS
n78(3450-3550)	30	40	635332	1@104	CP_64QAM	23.21	PASS
n78(3450-3550)	30	40	635332	106@0	CP_256QAM	19.18	PASS
n78(3450-3550)	30	40	635332	53@26	CP_256QAM	19.75	PASS
n78(3450-3550)	30	40	635332	1@1	CP_256QAM	19.69	PASS
n78(3450-3550)	30	40	635332	1@104	CP_256QAM	19.50	PASS
n78(3450-3550)	30	50	631668	128@0	DFT_BPSK	23.09	PASS
n78(3450-3550)	30	50	631668	64@32	DFT_BPSK	23.19	PASS
n78(3450-3550)	30	50	631668	1@1	DFT_BPSK	23.09	PASS
n78(3450-3550)	30	50	631668	1@131	DFT_BPSK	23.16	PASS
n78(3450-3550)	30	50	631668	128@0	DFT_QPSK	23.27	PASS

n78(3450-3550)	30	50	631668	64@32	DFT_QPSK	23.27	PASS
n78(3450-3550)	30	50	631668	1@1	DFT_QPSK	23.09	PASS
n78(3450-3550)	30	50	631668	1@131	DFT_QPSK	23.13	PASS
n78(3450-3550)	30	50	631668	128@0	DFT_16QAM	23.21	PASS
n78(3450-3550)	30	50	631668	64@32	DFT_16QAM	23.21	PASS
n78(3450-3550)	30	50	631668	1@1	DFT_16QAM	22.86	PASS
n78(3450-3550)	30	50	631668	1@131	DFT_16QAM	22.87	PASS
n78(3450-3550)	30	50	631668	128@0	DFT_64QAM	23.31	PASS
n78(3450-3550)	30	50	631668	64@32	DFT_64QAM	23.35	PASS
n78(3450-3550)	30	50	631668	1@1	DFT_64QAM	23.31	PASS
n78(3450-3550)	30	50	631668	1@131	DFT_64QAM	23.28	PASS
n78(3450-3550)	30	50	631668	128@0	DFT_256QAM	21.83	PASS
n78(3450-3550)	30	50	631668	64@32	DFT_256QAM	22.30	PASS
n78(3450-3550)	30	50	631668	1@1	DFT_256QAM	22.77	PASS
n78(3450-3550)	30	50	631668	1@131	DFT_256QAM	22.77	PASS
n78(3450-3550)	30	50	631668	133@0	CP_QPSK	23.31	PASS
n78(3450-3550)	30	50	631668	67@33	CP_QPSK	23.38	PASS
n78(3450-3550)	30	50	631668	1@1	CP_QPSK	23.19	PASS
n78(3450-3550)	30	50	631668	1@131	CP_QPSK	23.15	PASS
n78(3450-3550)	30	50	631668	133@0	CP_16QAM	23.35	PASS
n78(3450-3550)	30	50	631668	67@33	CP_16QAM	23.41	PASS
n78(3450-3550)	30	50	631668	1@1	CP_16QAM	23.25	PASS
n78(3450-3550)	30	50	631668	1@131	CP_16QAM	23.21	PASS
n78(3450-3550)	30	50	631668	133@0	CP_64QAM	22.81	PASS
n78(3450-3550)	30	50	631668	67@33	CP_64QAM	23.44	PASS
n78(3450-3550)	30	50	631668	1@1	CP_64QAM	22.77	PASS
n78(3450-3550)	30	50	631668	1@131	CP_64QAM	22.81	PASS
n78(3450-3550)	30	50	631668	133@0	CP_256QAM	18.77	PASS
n78(3450-3550)	30	50	631668	67@33	CP_256QAM	19.54	PASS
n78(3450-3550)	30	50	631668	1@1	CP_256QAM	17.94	PASS
n78(3450-3550)	30	50	631668	1@131	CP_256QAM	18.43	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_BPSK	23.22	PASS
n78(3450-3550)	30	50	633334	64@32	DFT_BPSK	23.25	PASS
n78(3450-3550)	30	50	633334	1@1	DFT_BPSK	23.36	PASS
n78(3450-3550)	30	50	633334	1@131	DFT_BPSK	23.28	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_QPSK	23.29	PASS
n78(3450-3550)	30	50	633334	64@32	DFT_QPSK	23.35	PASS
n78(3450-3550)	30	50	633334	1@1	DFT_QPSK	23.28	PASS
n78(3450-3550)	30	50	633334	1@131	DFT_QPSK	23.23	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_16QAM	23.38	PASS
n78(3450-3550)	30	50	633334	64@32	DFT_16QAM	23.33	PASS
n78(3450-3550)	30	50	633334	1@1	DFT_16QAM	22.95	PASS
n78(3450-3550)	30	50	633334	1@131	DFT_16QAM	22.84	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_64QAM	23.36	PASS

n78(3450-3550)	30	50	633334	64@32	DFT_64QAM	23.43	PASS
n78(3450-3550)	30	50	633334	1@1	DFT_64QAM	23.47	PASS
n78(3450-3550)	30	50	633334	1@131	DFT_64QAM	23.33	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_256QAM	21.83	PASS
n78(3450-3550)	30	50	633334	64@32	DFT_256QAM	22.42	PASS
n78(3450-3550)	30	50	633334	1@1	DFT_256QAM	22.93	PASS
n78(3450-3550)	30	50	633334	1@131	DFT_256QAM	22.86	PASS
n78(3450-3550)	30	50	633334	133@0	CP_QPSK	23.42	PASS
n78(3450-3550)	30	50	633334	67@33	CP_QPSK	23.43	PASS
n78(3450-3550)	30	50	633334	1@1	CP_QPSK	23.74	PASS
n78(3450-3550)	30	50	633334	1@131	CP_QPSK	23.63	PASS
n78(3450-3550)	30	50	633334	133@0	CP_16QAM	23.41	PASS
n78(3450-3550)	30	50	633334	67@33	CP_16QAM	23.49	PASS
n78(3450-3550)	30	50	633334	1@1	CP_16QAM	23.50	PASS
n78(3450-3550)	30	50	633334	1@131	CP_16QAM	23.33	PASS
n78(3450-3550)	30	50	633334	133@0	CP_64QAM	22.94	PASS
n78(3450-3550)	30	50	633334	67@33	CP_64QAM	23.49	PASS
n78(3450-3550)	30	50	633334	1@1	CP_64QAM	23.12	PASS
n78(3450-3550)	30	50	633334	1@131	CP_64QAM	23.02	PASS
n78(3450-3550)	30	50	633334	133@0	CP_256QAM	18.97	PASS
n78(3450-3550)	30	50	633334	67@33	CP_256QAM	19.73	PASS
n78(3450-3550)	30	50	633334	1@1	CP_256QAM	18.56	PASS
n78(3450-3550)	30	50	633334	1@131	CP_256QAM	18.58	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_BPSK	23.36	PASS
n78(3450-3550)	30	50	635000	64@32	DFT_BPSK	23.30	PASS
n78(3450-3550)	30	50	635000	1@1	DFT_BPSK	23.41	PASS
n78(3450-3550)	30	50	635000	1@131	DFT_BPSK	23.21	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_QPSK	23.39	PASS
n78(3450-3550)	30	50	635000	64@32	DFT_QPSK	23.35	PASS
n78(3450-3550)	30	50	635000	1@1	DFT_QPSK	23.40	PASS
n78(3450-3550)	30	50	635000	1@131	DFT_QPSK	23.20	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_16QAM	23.45	PASS
n78(3450-3550)	30	50	635000	64@32	DFT_16QAM	23.37	PASS
n78(3450-3550)	30	50	635000	1@1	DFT_16QAM	23.12	PASS
n78(3450-3550)	30	50	635000	1@131	DFT_16QAM	22.96	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_64QAM	23.47	PASS
n78(3450-3550)	30	50	635000	64@32	DFT_64QAM	23.43	PASS
n78(3450-3550)	30	50	635000	1@1	DFT_64QAM	23.50	PASS
n78(3450-3550)	30	50	635000	1@131	DFT_64QAM	23.35	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_256QAM	21.97	PASS
n78(3450-3550)	30	50	635000	64@32	DFT_256QAM	22.44	PASS
n78(3450-3550)	30	50	635000	1@1	DFT_256QAM	23.08	PASS
n78(3450-3550)	30	50	635000	1@131	DFT_256QAM	22.84	PASS
n78(3450-3550)	30	50	635000	133@0	CP_QPSK	23.52	PASS

n78(3450-3550)	30	50	635000	67@33	CP_QPSK	23.53	PASS
n78(3450-3550)	30	50	635000	1@1	CP_QPSK	23.83	PASS
n78(3450-3550)	30	50	635000	1@131	CP_QPSK	23.56	PASS
n78(3450-3550)	30	50	635000	133@0	CP_16QAM	23.54	PASS
n78(3450-3550)	30	50	635000	67@33	CP_16QAM	23.59	PASS
n78(3450-3550)	30	50	635000	1@1	CP_16QAM	23.56	PASS
n78(3450-3550)	30	50	635000	1@131	CP_16QAM	23.26	PASS
n78(3450-3550)	30	50	635000	133@0	CP_64QAM	22.99	PASS
n78(3450-3550)	30	50	635000	67@33	CP_64QAM	23.62	PASS
n78(3450-3550)	30	50	635000	1@1	CP_64QAM	23.22	PASS
n78(3450-3550)	30	50	635000	1@131	CP_64QAM	22.89	PASS
n78(3450-3550)	30	50	635000	133@0	CP_256QAM	19.10	PASS
n78(3450-3550)	30	50	635000	67@33	CP_256QAM	19.80	PASS
n78(3450-3550)	30	50	635000	1@1	CP_256QAM	18.70	PASS
n78(3450-3550)	30	50	635000	1@131	CP_256QAM	18.75	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_BPSK	23.27	PASS
n78(3450-3550)	30	60	632000	81@40	DFT_BPSK	23.26	PASS
n78(3450-3550)	30	60	632000	1@1	DFT_BPSK	23.34	PASS
n78(3450-3550)	30	60	632000	1@160	DFT_BPSK	23.31	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_QPSK	23.33	PASS
n78(3450-3550)	30	60	632000	81@40	DFT_QPSK	23.34	PASS
n78(3450-3550)	30	60	632000	1@1	DFT_QPSK	23.20	PASS
n78(3450-3550)	30	60	632000	1@160	DFT_QPSK	23.22	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_16QAM	23.37	PASS
n78(3450-3550)	30	60	632000	81@40	DFT_16QAM	23.33	PASS
n78(3450-3550)	30	60	632000	1@1	DFT_16QAM	23.17	PASS
n78(3450-3550)	30	60	632000	1@160	DFT_16QAM	23.11	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_64QAM	23.36	PASS
n78(3450-3550)	30	60	632000	81@40	DFT_64QAM	23.42	PASS
n78(3450-3550)	30	60	632000	1@1	DFT_64QAM	23.42	PASS
n78(3450-3550)	30	60	632000	1@160	DFT_64QAM	23.42	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_256QAM	21.95	PASS
n78(3450-3550)	30	60	632000	81@40	DFT_256QAM	22.37	PASS
n78(3450-3550)	30	60	632000	1@1	DFT_256QAM	23.08	PASS
n78(3450-3550)	30	60	632000	1@160	DFT_256QAM	22.97	PASS
n78(3450-3550)	30	60	632000	162@0	CP_QPSK	23.49	PASS
n78(3450-3550)	30	60	632000	81@40	CP_QPSK	23.51	PASS
n78(3450-3550)	30	60	632000	1@1	CP_QPSK	23.28	PASS
n78(3450-3550)	30	60	632000	1@160	CP_QPSK	23.26	PASS
n78(3450-3550)	30	60	632000	162@0	CP_16QAM	23.43	PASS
n78(3450-3550)	30	60	632000	81@40	CP_16QAM	23.47	PASS
n78(3450-3550)	30	60	632000	1@1	CP_16QAM	23.31	PASS
n78(3450-3550)	30	60	632000	1@160	CP_16QAM	23.24	PASS
n78(3450-3550)	30	60	632000	162@0	CP_64QAM	22.96	PASS

n78(3450-3550)	30	60	632000	81@40	CP_64QAM	23.55	PASS
n78(3450-3550)	30	60	632000	1@1	CP_64QAM	23.01	PASS
n78(3450-3550)	30	60	632000	1@160	CP_64QAM	23.02	PASS
n78(3450-3550)	30	60	632000	162@0	CP_256QAM	19.20	PASS
n78(3450-3550)	30	60	632000	81@40	CP_256QAM	19.70	PASS
n78(3450-3550)	30	60	632000	1@1	CP_256QAM	19.71	PASS
n78(3450-3550)	30	60	632000	1@160	CP_256QAM	19.71	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_BPSK	23.24	PASS
n78(3450-3550)	30	60	633334	81@40	DFT_BPSK	23.26	PASS
n78(3450-3550)	30	60	633334	1@1	DFT_BPSK	23.55	PASS
n78(3450-3550)	30	60	633334	1@160	DFT_BPSK	23.36	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_QPSK	23.28	PASS
n78(3450-3550)	30	60	633334	81@40	DFT_QPSK	23.27	PASS
n78(3450-3550)	30	60	633334	1@1	DFT_QPSK	23.46	PASS
n78(3450-3550)	30	60	633334	1@160	DFT_QPSK	23.35	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_16QAM	23.31	PASS
n78(3450-3550)	30	60	633334	81@40	DFT_16QAM	23.32	PASS
n78(3450-3550)	30	60	633334	1@1	DFT_16QAM	23.33	PASS
n78(3450-3550)	30	60	633334	1@160	DFT_16QAM	23.20	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_64QAM	23.31	PASS
n78(3450-3550)	30	60	633334	81@40	DFT_64QAM	23.38	PASS
n78(3450-3550)	30	60	633334	1@1	DFT_64QAM	23.57	PASS
n78(3450-3550)	30	60	633334	1@160	DFT_64QAM	23.48	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_256QAM	21.94	PASS
n78(3450-3550)	30	60	633334	81@40	DFT_256QAM	22.44	PASS
n78(3450-3550)	30	60	633334	1@1	DFT_256QAM	23.14	PASS
n78(3450-3550)	30	60	633334	1@160	DFT_256QAM	22.97	PASS
n78(3450-3550)	30	60	633334	162@0	CP_QPSK	23.45	PASS
n78(3450-3550)	30	60	633334	81@40	CP_QPSK	23.44	PASS
n78(3450-3550)	30	60	633334	1@1	CP_QPSK	23.75	PASS
n78(3450-3550)	30	60	633334	1@160	CP_QPSK	23.48	PASS
n78(3450-3550)	30	60	633334	162@0	CP_16QAM	23.44	PASS
n78(3450-3550)	30	60	633334	81@40	CP_16QAM	23.44	PASS
n78(3450-3550)	30	60	633334	1@1	CP_16QAM	23.51	PASS
n78(3450-3550)	30	60	633334	1@160	CP_16QAM	23.30	PASS
n78(3450-3550)	30	60	633334	162@0	CP_64QAM	22.91	PASS
n78(3450-3550)	30	60	633334	81@40	CP_64QAM	23.52	PASS
n78(3450-3550)	30	60	633334	1@1	CP_64QAM	23.32	PASS
n78(3450-3550)	30	60	633334	1@160	CP_64QAM	23.07	PASS
n78(3450-3550)	30	60	633334	162@0	CP_256QAM	19.45	PASS
n78(3450-3550)	30	60	633334	81@40	CP_256QAM	19.92	PASS
n78(3450-3550)	30	60	633334	1@1	CP_256QAM	20.39	PASS
n78(3450-3550)	30	60	633334	1@160	CP_256QAM	19.96	PASS
n78(3450-3550)	30	60	634666	162@0	DFT_BPSK	23.37	PASS

n78(3450-3550)	30	60	634666	81@40	DFT_BPSK	23.33	PASS
n78(3450-3550)	30	60	634666	1@1	DFT_BPSK	23.40	PASS
n78(3450-3550)	30	60	634666	1@160	DFT_BPSK	23.28	PASS
n78(3450-3550)	30	60	634666	162@0	DFT_QPSK	23.35	PASS
n78(3450-3550)	30	60	634666	81@40	DFT_QPSK	23.32	PASS
n78(3450-3550)	30	60	634666	1@1	DFT_QPSK	23.35	PASS
n78(3450-3550)	30	60	634666	1@160	DFT_QPSK	23.31	PASS
n78(3450-3550)	30	60	634666	162@0	DFT_16QAM	23.43	PASS
n78(3450-3550)	30	60	634666	81@40	DFT_16QAM	23.36	PASS
n78(3450-3550)	30	60	634666	1@1	DFT_16QAM	23.65	PASS
n78(3450-3550)	30	60	634666	1@160	DFT_16QAM	23.58	PASS
n78(3450-3550)	30	60	634666	162@0	DFT_64QAM	23.37	PASS
n78(3450-3550)	30	60	634666	81@40	DFT_64QAM	23.45	PASS
n78(3450-3550)	30	60	634666	1@1	DFT_64QAM	23.46	PASS
n78(3450-3550)	30	60	634666	1@160	DFT_64QAM	23.41	PASS
n78(3450-3550)	30	60	634666	162@0	DFT_256QAM	22.00	PASS
n78(3450-3550)	30	60	634666	81@40	DFT_256QAM	22.43	PASS
n78(3450-3550)	30	60	634666	1@1	DFT_256QAM	23.01	PASS
n78(3450-3550)	30	60	634666	1@160	DFT_256QAM	22.92	PASS
n78(3450-3550)	30	60	634666	162@0	CP_QPSK	23.55	PASS
n78(3450-3550)	30	60	634666	81@40	CP_QPSK	23.51	PASS
n78(3450-3550)	30	60	634666	1@1	CP_QPSK	23.56	PASS
n78(3450-3550)	30	60	634666	1@160	CP_QPSK	23.39	PASS
n78(3450-3550)	30	60	634666	162@0	CP_16QAM	23.50	PASS
n78(3450-3550)	30	60	634666	81@40	CP_16QAM	23.49	PASS
n78(3450-3550)	30	60	634666	1@1	CP_16QAM	23.32	PASS
n78(3450-3550)	30	60	634666	1@160	CP_16QAM	23.25	PASS
n78(3450-3550)	30	60	634666	162@0	CP_64QAM	23.05	PASS
n78(3450-3550)	30	60	634666	81@40	CP_64QAM	23.57	PASS
n78(3450-3550)	30	60	634666	1@1	CP_64QAM	23.12	PASS
n78(3450-3550)	30	60	634666	1@160	CP_64QAM	22.96	PASS
n78(3450-3550)	30	60	634666	162@0	CP_256QAM	19.45	PASS
n78(3450-3550)	30	60	634666	81@40	CP_256QAM	19.89	PASS
n78(3450-3550)	30	60	634666	1@1	CP_256QAM	20.26	PASS
n78(3450-3550)	30	60	634666	1@160	CP_256QAM	19.86	PASS
n78(3450-3550)	30	70	632334	180@0	DFT_BPSK	23.23	PASS
n78(3450-3550)	30	70	632334	90@45	DFT_BPSK	23.20	PASS
n78(3450-3550)	30	70	632334	1@1	DFT_BPSK	23.38	PASS
n78(3450-3550)	30	70	632334	1@187	DFT_BPSK	23.22	PASS
n78(3450-3550)	30	70	632334	180@0	DFT_QPSK	23.29	PASS
n78(3450-3550)	30	70	632334	90@45	DFT_QPSK	23.27	PASS
n78(3450-3550)	30	70	632334	1@1	DFT_QPSK	23.24	PASS
n78(3450-3550)	30	70	632334	1@187	DFT_QPSK	23.12	PASS
n78(3450-3550)	30	70	632334	180@0	DFT_16QAM	23.32	PASS

n78(3450-3550)	30	70	632334	90@45	DFT_16QAM	23.36	PASS
n78(3450-3550)	30	70	632334	1@1	DFT_16QAM	23.58	PASS
n78(3450-3550)	30	70	632334	1@187	DFT_16QAM	23.55	PASS
n78(3450-3550)	30	70	632334	180@0	DFT_64QAM	23.32	PASS
n78(3450-3550)	30	70	632334	90@45	DFT_64QAM	23.35	PASS
n78(3450-3550)	30	70	632334	1@1	DFT_64QAM	23.37	PASS
n78(3450-3550)	30	70	632334	1@187	DFT_64QAM	23.32	PASS
n78(3450-3550)	30	70	632334	180@0	DFT_256QAM	21.88	PASS
n78(3450-3550)	30	70	632334	90@45	DFT_256QAM	22.30	PASS
n78(3450-3550)	30	70	632334	1@1	DFT_256QAM	22.97	PASS
n78(3450-3550)	30	70	632334	1@187	DFT_256QAM	22.86	PASS
n78(3450-3550)	30	70	632334	189@0	CP_QPSK	23.41	PASS
n78(3450-3550)	30	70	632334	95@47	CP_QPSK	23.50	PASS
n78(3450-3550)	30	70	632334	1@1	CP_QPSK	23.32	PASS
n78(3450-3550)	30	70	632334	1@187	CP_QPSK	23.09	PASS
n78(3450-3550)	30	70	632334	189@0	CP_16QAM	23.38	PASS
n78(3450-3550)	30	70	632334	95@47	CP_16QAM	23.48	PASS
n78(3450-3550)	30	70	632334	1@1	CP_16QAM	23.31	PASS
n78(3450-3550)	30	70	632334	1@187	CP_16QAM	23.08	PASS
n78(3450-3550)	30	70	632334	189@0	CP_64QAM	22.93	PASS
n78(3450-3550)	30	70	632334	95@47	CP_64QAM	23.50	PASS
n78(3450-3550)	30	70	632334	1@1	CP_64QAM	23.01	PASS
n78(3450-3550)	30	70	632334	1@187	CP_64QAM	22.89	PASS
n78(3450-3550)	30	70	632334	189@0	CP_256QAM	19.51	PASS
n78(3450-3550)	30	70	632334	95@47	CP_256QAM	19.97	PASS
n78(3450-3550)	30	70	632334	1@1	CP_256QAM	21.02	PASS
n78(3450-3550)	30	70	632334	1@187	CP_256QAM	20.81	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_BPSK	23.29	PASS
n78(3450-3550)	30	70	633334	90@45	DFT_BPSK	23.23	PASS
n78(3450-3550)	30	70	633334	1@1	DFT_BPSK	23.67	PASS
n78(3450-3550)	30	70	633334	1@187	DFT_BPSK	23.41	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_QPSK	23.31	PASS
n78(3450-3550)	30	70	633334	90@45	DFT_QPSK	23.31	PASS
n78(3450-3550)	30	70	633334	1@1	DFT_QPSK	23.57	PASS
n78(3450-3550)	30	70	633334	1@187	DFT_QPSK	23.37	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_16QAM	23.40	PASS
n78(3450-3550)	30	70	633334	90@45	DFT_16QAM	23.33	PASS
n78(3450-3550)	30	70	633334	1@1	DFT_16QAM	23.26	PASS
n78(3450-3550)	30	70	633334	1@187	DFT_16QAM	23.16	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_64QAM	23.32	PASS
n78(3450-3550)	30	70	633334	90@45	DFT_64QAM	23.32	PASS
n78(3450-3550)	30	70	633334	1@1	DFT_64QAM	23.54	PASS
n78(3450-3550)	30	70	633334	1@187	DFT_64QAM	23.38	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_256QAM	21.88	PASS

n78(3450-3550)	30	70	633334	90@45	DFT_256QAM	22.37	PASS
n78(3450-3550)	30	70	633334	1@1	DFT_256QAM	23.11	PASS
n78(3450-3550)	30	70	633334	1@187	DFT_256QAM	23.12	PASS
n78(3450-3550)	30	70	633334	189@0	CP_QPSK	23.46	PASS
n78(3450-3550)	30	70	633334	95@47	CP_QPSK	23.46	PASS
n78(3450-3550)	30	70	633334	1@1	CP_QPSK	23.63	PASS
n78(3450-3550)	30	70	633334	1@187	CP_QPSK	23.31	PASS
n78(3450-3550)	30	70	633334	189@0	CP_16QAM	23.43	PASS
n78(3450-3550)	30	70	633334	95@47	CP_16QAM	23.48	PASS
n78(3450-3550)	30	70	633334	1@1	CP_16QAM	23.60	PASS
n78(3450-3550)	30	70	633334	1@187	CP_16QAM	23.30	PASS
n78(3450-3550)	30	70	633334	189@0	CP_64QAM	22.98	PASS
n78(3450-3550)	30	70	633334	95@47	CP_64QAM	23.44	PASS
n78(3450-3550)	30	70	633334	1@1	CP_64QAM	23.25	PASS
n78(3450-3550)	30	70	633334	1@187	CP_64QAM	23.05	PASS
n78(3450-3550)	30	70	633334	189@0	CP_256QAM	19.50	PASS
n78(3450-3550)	30	70	633334	95@47	CP_256QAM	19.91	PASS
n78(3450-3550)	30	70	633334	1@1	CP_256QAM	21.45	PASS
n78(3450-3550)	30	70	633334	1@187	CP_256QAM	20.86	PASS
n78(3450-3550)	30	70	634332	180@0	DFT_BPSK	23.35	PASS
n78(3450-3550)	30	70	634332	90@45	DFT_BPSK	23.35	PASS
n78(3450-3550)	30	70	634332	1@1	DFT_BPSK	23.47	PASS
n78(3450-3550)	30	70	634332	1@187	DFT_BPSK	23.38	PASS
n78(3450-3550)	30	70	634332	180@0	DFT_QPSK	23.40	PASS
n78(3450-3550)	30	70	634332	90@45	DFT_QPSK	23.34	PASS
n78(3450-3550)	30	70	634332	1@1	DFT_QPSK	23.36	PASS
n78(3450-3550)	30	70	634332	1@187	DFT_QPSK	23.27	PASS
n78(3450-3550)	30	70	634332	180@0	DFT_16QAM	23.45	PASS
n78(3450-3550)	30	70	634332	90@45	DFT_16QAM	23.38	PASS
n78(3450-3550)	30	70	634332	1@1	DFT_16QAM	23.06	PASS
n78(3450-3550)	30	70	634332	1@187	DFT_16QAM	23.05	PASS
n78(3450-3550)	30	70	634332	180@0	DFT_64QAM	23.38	PASS
n78(3450-3550)	30	70	634332	90@45	DFT_64QAM	23.38	PASS
n78(3450-3550)	30	70	634332	1@1	DFT_64QAM	23.31	PASS
n78(3450-3550)	30	70	634332	1@187	DFT_64QAM	23.35	PASS
n78(3450-3550)	30	70	634332	180@0	DFT_256QAM	21.98	PASS
n78(3450-3550)	30	70	634332	90@45	DFT_256QAM	22.39	PASS
n78(3450-3550)	30	70	634332	1@1	DFT_256QAM	22.97	PASS
n78(3450-3550)	30	70	634332	1@187	DFT_256QAM	22.95	PASS
n78(3450-3550)	30	70	634332	189@0	CP_QPSK	23.50	PASS
n78(3450-3550)	30	70	634332	95@47	CP_QPSK	23.56	PASS
n78(3450-3550)	30	70	634332	1@1	CP_QPSK	23.46	PASS
n78(3450-3550)	30	70	634332	1@187	CP_QPSK	23.24	PASS
n78(3450-3550)	30	70	634332	189@0	CP_16QAM	23.53	PASS

n78(3450-3550)	30	70	634332	95@47	CP_16QAM	23.53	PASS
n78(3450-3550)	30	70	634332	1@1	CP_16QAM	23.41	PASS
n78(3450-3550)	30	70	634332	1@187	CP_16QAM	23.24	PASS
n78(3450-3550)	30	70	634332	189@0	CP_64QAM	23.05	PASS
n78(3450-3550)	30	70	634332	95@47	CP_64QAM	23.56	PASS
n78(3450-3550)	30	70	634332	1@1	CP_64QAM	23.15	PASS
n78(3450-3550)	30	70	634332	1@187	CP_64QAM	23.05	PASS
n78(3450-3550)	30	70	634332	189@0	CP_256QAM	19.52	PASS
n78(3450-3550)	30	70	634332	95@47	CP_256QAM	19.92	PASS
n78(3450-3550)	30	70	634332	1@1	CP_256QAM	21.31	PASS
n78(3450-3550)	30	70	634332	1@187	CP_256QAM	20.80	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_BPSK	23.32	PASS
n78(3450-3550)	30	80	632668	108@54	DFT_BPSK	23.22	PASS
n78(3450-3550)	30	80	632668	1@1	DFT_BPSK	23.29	PASS
n78(3450-3550)	30	80	632668	1@215	DFT_BPSK	23.32	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_QPSK	23.33	PASS
n78(3450-3550)	30	80	632668	108@54	DFT_QPSK	23.28	PASS
n78(3450-3550)	30	80	632668	1@1	DFT_QPSK	23.19	PASS
n78(3450-3550)	30	80	632668	1@215	DFT_QPSK	23.31	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_16QAM	23.30	PASS
n78(3450-3550)	30	80	632668	108@54	DFT_16QAM	23.32	PASS
n78(3450-3550)	30	80	632668	1@1	DFT_16QAM	23.18	PASS
n78(3450-3550)	30	80	632668	1@215	DFT_16QAM	23.17	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_64QAM	23.34	PASS
n78(3450-3550)	30	80	632668	108@54	DFT_64QAM	23.31	PASS
n78(3450-3550)	30	80	632668	1@1	DFT_64QAM	23.37	PASS
n78(3450-3550)	30	80	632668	1@215	DFT_64QAM	23.44	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_256QAM	21.92	PASS
n78(3450-3550)	30	80	632668	108@54	DFT_256QAM	22.28	PASS
n78(3450-3550)	30	80	632668	1@1	DFT_256QAM	23.00	PASS
n78(3450-3550)	30	80	632668	1@215	DFT_256QAM	22.96	PASS
n78(3450-3550)	30	80	632668	217@0	CP_QPSK	23.40	PASS
n78(3450-3550)	30	80	632668	109@54	CP_QPSK	23.46	PASS
n78(3450-3550)	30	80	632668	1@1	CP_QPSK	23.26	PASS
n78(3450-3550)	30	80	632668	1@215	CP_QPSK	23.32	PASS
n78(3450-3550)	30	80	632668	217@0	CP_16QAM	23.41	PASS
n78(3450-3550)	30	80	632668	109@54	CP_16QAM	23.41	PASS
n78(3450-3550)	30	80	632668	1@1	CP_16QAM	23.28	PASS
n78(3450-3550)	30	80	632668	1@215	CP_16QAM	23.30	PASS
n78(3450-3550)	30	80	632668	217@0	CP_64QAM	22.96	PASS
n78(3450-3550)	30	80	632668	109@54	CP_64QAM	23.45	PASS
n78(3450-3550)	30	80	632668	1@1	CP_64QAM	23.00	PASS
n78(3450-3550)	30	80	632668	1@215	CP_64QAM	23.12	PASS
n78(3450-3550)	30	80	632668	217@0	CP_256QAM	19.42	PASS

n78(3450-3550)	30	80	632668	109@54	CP_256QAM	19.91	PASS
n78(3450-3550)	30	80	632668	1@1	CP_256QAM	19.93	PASS
n78(3450-3550)	30	80	632668	1@215	CP_256QAM	19.87	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_BPSK	23.31	PASS
n78(3450-3550)	30	80	633334	108@54	DFT_BPSK	23.27	PASS
n78(3450-3550)	30	80	633334	1@1	DFT_BPSK	23.51	PASS
n78(3450-3550)	30	80	633334	1@215	DFT_BPSK	23.49	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_QPSK	23.35	PASS
n78(3450-3550)	30	80	633334	108@54	DFT_QPSK	23.31	PASS
n78(3450-3550)	30	80	633334	1@1	DFT_QPSK	23.53	PASS
n78(3450-3550)	30	80	633334	1@215	DFT_QPSK	23.52	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_16QAM	23.39	PASS
n78(3450-3550)	30	80	633334	108@54	DFT_16QAM	23.36	PASS
n78(3450-3550)	30	80	633334	1@1	DFT_16QAM	23.63	PASS
n78(3450-3550)	30	80	633334	1@215	DFT_16QAM	23.64	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_64QAM	23.39	PASS
n78(3450-3550)	30	80	633334	108@54	DFT_64QAM	23.34	PASS
n78(3450-3550)	30	80	633334	1@1	DFT_64QAM	23.41	PASS
n78(3450-3550)	30	80	633334	1@215	DFT_64QAM	23.45	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_256QAM	22.01	PASS
n78(3450-3550)	30	80	633334	108@54	DFT_256QAM	22.33	PASS
n78(3450-3550)	30	80	633334	1@1	DFT_256QAM	23.22	PASS
n78(3450-3550)	30	80	633334	1@215	DFT_256QAM	23.17	PASS
n78(3450-3550)	30	80	633334	217@0	CP_QPSK	23.46	PASS
n78(3450-3550)	30	80	633334	109@54	CP_QPSK	23.40	PASS
n78(3450-3550)	30	80	633334	1@1	CP_QPSK	23.66	PASS
n78(3450-3550)	30	80	633334	1@215	CP_QPSK	23.68	PASS
n78(3450-3550)	30	80	633334	217@0	CP_16QAM	23.46	PASS
n78(3450-3550)	30	80	633334	109@54	CP_16QAM	23.41	PASS
n78(3450-3550)	30	80	633334	1@1	CP_16QAM	23.61	PASS
n78(3450-3550)	30	80	633334	1@215	CP_16QAM	23.67	PASS
n78(3450-3550)	30	80	633334	217@0	CP_64QAM	22.95	PASS
n78(3450-3550)	30	80	633334	109@54	CP_64QAM	23.45	PASS
n78(3450-3550)	30	80	633334	1@1	CP_64QAM	23.19	PASS
n78(3450-3550)	30	80	633334	1@215	CP_64QAM	23.22	PASS
n78(3450-3550)	30	80	633334	217@0	CP_256QAM	19.65	PASS
n78(3450-3550)	30	80	633334	109@54	CP_256QAM	20.07	PASS
n78(3450-3550)	30	80	633334	1@1	CP_256QAM	20.59	PASS
n78(3450-3550)	30	80	633334	1@215	CP_256QAM	20.10	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_BPSK	23.36	PASS
n78(3450-3550)	30	80	634000	108@54	DFT_BPSK	23.30	PASS
n78(3450-3550)	30	80	634000	1@1	DFT_BPSK	23.59	PASS
n78(3450-3550)	30	80	634000	1@215	DFT_BPSK	23.29	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_QPSK	23.37	PASS

n78(3450-3550)	30	80	634000	108@54	DFT_QPSK	23.28	PASS
n78(3450-3550)	30	80	634000	1@1	DFT_QPSK	23.53	PASS
n78(3450-3550)	30	80	634000	1@215	DFT_QPSK	23.30	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_16QAM	23.37	PASS
n78(3450-3550)	30	80	634000	108@54	DFT_16QAM	23.36	PASS
n78(3450-3550)	30	80	634000	1@1	DFT_16QAM	23.72	PASS
n78(3450-3550)	30	80	634000	1@215	DFT_16QAM	23.43	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_64QAM	23.38	PASS
n78(3450-3550)	30	80	634000	108@54	DFT_64QAM	23.35	PASS
n78(3450-3550)	30	80	634000	1@1	DFT_64QAM	23.49	PASS
n78(3450-3550)	30	80	634000	1@215	DFT_64QAM	23.25	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_256QAM	21.99	PASS
n78(3450-3550)	30	80	634000	108@54	DFT_256QAM	22.36	PASS
n78(3450-3550)	30	80	634000	1@1	DFT_256QAM	23.08	PASS
n78(3450-3550)	30	80	634000	1@215	DFT_256QAM	22.84	PASS
n78(3450-3550)	30	80	634000	217@0	CP_QPSK	23.53	PASS
n78(3450-3550)	30	80	634000	109@54	CP_QPSK	23.45	PASS
n78(3450-3550)	30	80	634000	1@1	CP_QPSK	23.75	PASS
n78(3450-3550)	30	80	634000	1@215	CP_QPSK	23.46	PASS
n78(3450-3550)	30	80	634000	217@0	CP_16QAM	23.44	PASS
n78(3450-3550)	30	80	634000	109@54	CP_16QAM	23.47	PASS
n78(3450-3550)	30	80	634000	1@1	CP_16QAM	23.64	PASS
n78(3450-3550)	30	80	634000	1@215	CP_16QAM	23.43	PASS
n78(3450-3550)	30	80	634000	217@0	CP_64QAM	22.99	PASS
n78(3450-3550)	30	80	634000	109@54	CP_64QAM	23.50	PASS
n78(3450-3550)	30	80	634000	1@1	CP_64QAM	23.28	PASS
n78(3450-3550)	30	80	634000	1@215	CP_64QAM	22.98	PASS
n78(3450-3550)	30	80	634000	217@0	CP_256QAM	19.54	PASS
n78(3450-3550)	30	80	634000	109@54	CP_256QAM	19.97	PASS
n78(3450-3550)	30	80	634000	1@1	CP_256QAM	20.46	PASS
n78(3450-3550)	30	80	634000	1@215	CP_256QAM	19.92	PASS
n78(3450-3550)	30	90	633000	243@0	DFT_BPSK	23.25	PASS
n78(3450-3550)	30	90	633000	120@60	DFT_BPSK	23.25	PASS
n78(3450-3550)	30	90	633000	1@1	DFT_BPSK	23.36	PASS
n78(3450-3550)	30	90	633000	1@243	DFT_BPSK	23.43	PASS
n78(3450-3550)	30	90	633000	243@0	DFT_QPSK	23.31	PASS
n78(3450-3550)	30	90	633000	120@60	DFT_QPSK	23.28	PASS
n78(3450-3550)	30	90	633000	1@1	DFT_QPSK	23.25	PASS
n78(3450-3550)	30	90	633000	1@243	DFT_QPSK	23.40	PASS
n78(3450-3550)	30	90	633000	243@0	DFT_16QAM	23.34	PASS
n78(3450-3550)	30	90	633000	120@60	DFT_16QAM	23.32	PASS
n78(3450-3550)	30	90	633000	1@1	DFT_16QAM	23.44	PASS
n78(3450-3550)	30	90	633000	1@243	DFT_16QAM	23.55	PASS
n78(3450-3550)	30	90	633000	243@0	DFT_64QAM	23.34	PASS

n78(3450-3550)	30	90	633000	120@60	DFT_64QAM	23.31	PASS
n78(3450-3550)	30	90	633000	1@1	DFT_64QAM	23.16	PASS
n78(3450-3550)	30	90	633000	1@243	DFT_64QAM	23.25	PASS
n78(3450-3550)	30	90	633000	243@0	DFT_256QAM	21.93	PASS
n78(3450-3550)	30	90	633000	120@60	DFT_256QAM	22.33	PASS
n78(3450-3550)	30	90	633000	1@1	DFT_256QAM	23.00	PASS
n78(3450-3550)	30	90	633000	1@243	DFT_256QAM	23.02	PASS
n78(3450-3550)	30	90	633000	245@0	CP_QPSK	23.35	PASS
n78(3450-3550)	30	90	633000	123@61	CP_QPSK	23.42	PASS
n78(3450-3550)	30	90	633000	1@1	CP_QPSK	23.30	PASS
n78(3450-3550)	30	90	633000	1@243	CP_QPSK	23.41	PASS
n78(3450-3550)	30	90	633000	245@0	CP_16QAM	23.43	PASS
n78(3450-3550)	30	90	633000	123@61	CP_16QAM	23.43	PASS
n78(3450-3550)	30	90	633000	1@1	CP_16QAM	23.33	PASS
n78(3450-3550)	30	90	633000	1@243	CP_16QAM	23.33	PASS
n78(3450-3550)	30	90	633000	245@0	CP_64QAM	23.00	PASS
n78(3450-3550)	30	90	633000	123@61	CP_64QAM	23.42	PASS
n78(3450-3550)	30	90	633000	1@1	CP_64QAM	22.98	PASS
n78(3450-3550)	30	90	633000	1@243	CP_64QAM	23.09	PASS
n78(3450-3550)	30	90	633000	245@0	CP_256QAM	19.35	PASS
n78(3450-3550)	30	90	633000	123@61	CP_256QAM	19.84	PASS
n78(3450-3550)	30	90	633000	1@1	CP_256QAM	19.58	PASS
n78(3450-3550)	30	90	633000	1@243	CP_256QAM	19.63	PASS
n78(3450-3550)	30	90	633334	243@0	DFT_BPSK	23.31	PASS
n78(3450-3550)	30	90	633334	120@60	DFT_BPSK	23.21	PASS
n78(3450-3550)	30	90	633334	1@1	DFT_BPSK	23.47	PASS
n78(3450-3550)	30	90	633334	1@243	DFT_BPSK	23.42	PASS
n78(3450-3550)	30	90	633334	243@0	DFT_QPSK	23.37	PASS
n78(3450-3550)	30	90	633334	120@60	DFT_QPSK	23.31	PASS
n78(3450-3550)	30	90	633334	1@1	DFT_QPSK	23.42	PASS
n78(3450-3550)	30	90	633334	1@243	DFT_QPSK	23.43	PASS
n78(3450-3550)	30	90	633334	243@0	DFT_16QAM	23.38	PASS
n78(3450-3550)	30	90	633334	120@60	DFT_16QAM	23.36	PASS
n78(3450-3550)	30	90	633334	1@1	DFT_16QAM	23.64	PASS
n78(3450-3550)	30	90	633334	1@243	DFT_16QAM	23.52	PASS
n78(3450-3550)	30	90	633334	243@0	DFT_64QAM	23.37	PASS
n78(3450-3550)	30	90	633334	120@60	DFT_64QAM	23.31	PASS
n78(3450-3550)	30	90	633334	1@1	DFT_64QAM	23.34	PASS
n78(3450-3550)	30	90	633334	1@243	DFT_64QAM	23.40	PASS
n78(3450-3550)	30	90	633334	243@0	DFT_256QAM	21.96	PASS
n78(3450-3550)	30	90	633334	120@60	DFT_256QAM	22.36	PASS
n78(3450-3550)	30	90	633334	1@1	DFT_256QAM	22.98	PASS
n78(3450-3550)	30	90	633334	1@243	DFT_256QAM	22.95	PASS
n78(3450-3550)	30	90	633334	245@0	CP_QPSK	23.41	PASS

n78(3450-3550)	30	90	633334	123@61	CP_QPSK	23.45	PASS
n78(3450-3550)	30	90	633334	1@1	CP_QPSK	23.59	PASS
n78(3450-3550)	30	90	633334	1@243	CP_QPSK	23.53	PASS
n78(3450-3550)	30	90	633334	245@0	CP_16QAM	23.43	PASS
n78(3450-3550)	30	90	633334	123@61	CP_16QAM	23.46	PASS
n78(3450-3550)	30	90	633334	1@1	CP_16QAM	23.54	PASS
n78(3450-3550)	30	90	633334	1@243	CP_16QAM	23.47	PASS
n78(3450-3550)	30	90	633334	245@0	CP_64QAM	23.04	PASS
n78(3450-3550)	30	90	633334	123@61	CP_64QAM	23.46	PASS
n78(3450-3550)	30	90	633334	1@1	CP_64QAM	23.10	PASS
n78(3450-3550)	30	90	633334	1@243	CP_64QAM	23.12	PASS
n78(3450-3550)	30	90	633334	245@0	CP_256QAM	19.57	PASS
n78(3450-3550)	30	90	633334	123@61	CP_256QAM	20.03	PASS
n78(3450-3550)	30	90	633334	1@1	CP_256QAM	19.77	PASS
n78(3450-3550)	30	90	633334	1@243	CP_256QAM	19.80	PASS
n78(3450-3550)	30	90	633666	243@0	DFT_BPSK	23.32	PASS
n78(3450-3550)	30	90	633666	120@60	DFT_BPSK	23.28	PASS
n78(3450-3550)	30	90	633666	1@1	DFT_BPSK	23.50	PASS
n78(3450-3550)	30	90	633666	1@243	DFT_BPSK	23.25	PASS
n78(3450-3550)	30	90	633666	243@0	DFT_QPSK	23.34	PASS
n78(3450-3550)	30	90	633666	120@60	DFT_QPSK	23.33	PASS
n78(3450-3550)	30	90	633666	1@1	DFT_QPSK	23.45	PASS
n78(3450-3550)	30	90	633666	1@243	DFT_QPSK	23.22	PASS
n78(3450-3550)	30	90	633666	243@0	DFT_16QAM	23.38	PASS
n78(3450-3550)	30	90	633666	120@60	DFT_16QAM	23.37	PASS
n78(3450-3550)	30	90	633666	1@1	DFT_16QAM	23.29	PASS
n78(3450-3550)	30	90	633666	1@243	DFT_16QAM	23.06	PASS
n78(3450-3550)	30	90	633666	243@0	DFT_64QAM	23.37	PASS
n78(3450-3550)	30	90	633666	120@60	DFT_64QAM	23.37	PASS
n78(3450-3550)	30	90	633666	1@1	DFT_64QAM	23.49	PASS
n78(3450-3550)	30	90	633666	1@243	DFT_64QAM	23.30	PASS
n78(3450-3550)	30	90	633666	243@0	DFT_256QAM	21.98	PASS
n78(3450-3550)	30	90	633666	120@60	DFT_256QAM	22.35	PASS
n78(3450-3550)	30	90	633666	1@1	DFT_256QAM	23.11	PASS
n78(3450-3550)	30	90	633666	1@243	DFT_256QAM	22.87	PASS
n78(3450-3550)	30	90	633666	245@0	CP_QPSK	23.47	PASS
n78(3450-3550)	30	90	633666	123@61	CP_QPSK	23.44	PASS
n78(3450-3550)	30	90	633666	1@1	CP_QPSK	23.68	PASS
n78(3450-3550)	30	90	633666	1@243	CP_QPSK	23.38	PASS
n78(3450-3550)	30	90	633666	245@0	CP_16QAM	23.50	PASS
n78(3450-3550)	30	90	633666	123@61	CP_16QAM	23.44	PASS
n78(3450-3550)	30	90	633666	1@1	CP_16QAM	23.63	PASS
n78(3450-3550)	30	90	633666	1@243	CP_16QAM	23.36	PASS
n78(3450-3550)	30	90	633666	245@0	CP_64QAM	23.05	PASS


n78(3450-3550)	30	90	633666	123@61	CP_64QAM	23.49	PASS
n78(3450-3550)	30	90	633666	1@1	CP_64QAM	23.20	PASS
n78(3450-3550)	30	90	633666	1@243	CP_64QAM	22.87	PASS
n78(3450-3550)	30	90	633666	245@0	CP_256QAM	19.63	PASS
n78(3450-3550)	30	90	633666	123@61	CP_256QAM	20.06	PASS
n78(3450-3550)	30	90	633666	1@1	CP_256QAM	20.24	PASS
n78(3450-3550)	30	90	633666	1@243	CP_256QAM	19.85	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_BPSK	23.32	PASS
n78(3450-3550)	30	100	633334	135@67	DFT_BPSK	23.24	PASS
n78(3450-3550)	30	100	633334	1@1	DFT_BPSK	23.27	PASS
n78(3450-3550)	30	100	633334	1@271	DFT_BPSK	23.16	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_QPSK	23.33	PASS
n78(3450-3550)	30	100	633334	135@67	DFT_QPSK	23.28	PASS
n78(3450-3550)	30	100	633334	1@1	DFT_QPSK	23.25	PASS
n78(3450-3550)	30	100	633334	1@271	DFT_QPSK	23.26	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_16QAM	23.39	PASS
n78(3450-3550)	30	100	633334	135@67	DFT_16QAM	23.34	PASS
n78(3450-3550)	30	100	633334	1@1	DFT_16QAM	23.12	PASS
n78(3450-3550)	30	100	633334	1@271	DFT_16QAM	22.99	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_64QAM	23.44	PASS
n78(3450-3550)	30	100	633334	135@67	DFT_64QAM	23.35	PASS
n78(3450-3550)	30	100	633334	1@1	DFT_64QAM	23.36	PASS
n78(3450-3550)	30	100	633334	1@271	DFT_64QAM	23.30	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_256QAM	21.93	PASS
n78(3450-3550)	30	100	633334	135@67	DFT_256QAM	22.33	PASS
n78(3450-3550)	30	100	633334	1@1	DFT_256QAM	23.13	PASS
n78(3450-3550)	30	100	633334	1@271	DFT_256QAM	22.99	PASS
n78(3450-3550)	30	100	633334	273@0	CP_QPSK	23.42	PASS
n78(3450-3550)	30	100	633334	137@68	CP_QPSK	23.39	PASS
n78(3450-3550)	30	100	633334	1@1	CP_QPSK	23.28	PASS
n78(3450-3550)	30	100	633334	1@271	CP_QPSK	23.20	PASS
n78(3450-3550)	30	100	633334	273@0	CP_16QAM	23.43	PASS
n78(3450-3550)	30	100	633334	137@68	CP_16QAM	23.40	PASS
n78(3450-3550)	30	100	633334	1@1	CP_16QAM	23.44	PASS
n78(3450-3550)	30	100	633334	1@271	CP_16QAM	23.26	PASS
n78(3450-3550)	30	100	633334	273@0	CP_64QAM	23.02	PASS
n78(3450-3550)	30	100	633334	137@68	CP_64QAM	23.38	PASS
n78(3450-3550)	30	100	633334	1@1	CP_64QAM	23.00	PASS
n78(3450-3550)	30	100	633334	1@271	CP_64QAM	22.89	PASS
n78(3450-3550)	30	100	633334	273@0	CP_256QAM	19.41	PASS
n78(3450-3550)	30	100	633334	137@68	CP_256QAM	19.96	PASS
n78(3450-3550)	30	100	633334	1@1	CP_256QAM	18.91	PASS
n78(3450-3550)	30	100	633334	1@271	CP_256QAM	18.95	PASS

3. Peak-to-average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	High Limit (dB)	Verdict
n78(3450-3550)	30	10	633334	24@0	DFT_BPSK	4.38	13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_QPSK	5.37	13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_16QAM	5.85	13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_64QAM	5.85	13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_256QAM	6.30	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_BPSK	4.46	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_QPSK	5.33	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_16QAM	5.96	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_64QAM	5.77	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_256QAM	6.45	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_BPSK	4.44	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_QPSK	5.38	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_16QAM	5.88	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_64QAM	5.90	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_256QAM	6.41	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_BPSK	4.32	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_QPSK	5.34	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_16QAM	5.76	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_64QAM	5.84	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_256QAM	6.54	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_BPSK	4.85	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_QPSK	5.69	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_16QAM	6.31	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_64QAM	6.38	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_256QAM	6.54	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_BPSK	4.42	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_QPSK	5.48	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_16QAM	5.88	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_64QAM	5.94	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_256QAM	6.53	13	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_BPSK	4.61	13	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_QPSK	5.54	13	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_16QAM	5.94	13	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_64QAM	6.01	13	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_256QAM	6.57	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_BPSK	5.00	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_QPSK	5.53	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_16QAM	6.01	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_64QAM	6.07	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_256QAM	6.53	13	PASS
n78(3450-3550)	30	90	633334	243@0	DFT_BPSK	4.49	13	PASS

n78(3450-3550)	30	90	633334	243@0	DFT_QPSK	5.53	13	PASS
n78(3450-3550)	30	90	633334	243@0	DFT_16QAM	6.00	13	PASS
n78(3450-3550)	30	90	633334	243@0	DFT_64QAM	6.09	13	PASS
n78(3450-3550)	30	90	633334	243@0	DFT_256QAM	6.53	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_BPSK	5.03	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_QPSK	5.51	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_16QAM	6.01	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_64QAM	6.08	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_256QAM	6.52	13	PASS


n78(3450-3550) SCS=30kHz DFT_16QAM BW=100MHz Channel=633334 RB=270@0




n78(3450-3550) SCS=30kHz DFT_16QAM BW=10MHz Channel=633334 RB=24@0




n78(3450-3550) SCS=30kHz DFT_16QAM BW=15MHz Channel=633334 RB=36@0




n78(3450-3550) SCS=30kHz DFT_16QAM BW=20MHz Channel=633334 RB=50@0




n78(3450-3550) SCS=30kHz DFT_16QAM BW=40MHz Channel=633334 RB=100@0




n78(3450-3550) SCS=30kHz DFT_16QAM BW=50MHz Channel=633334 RB=128@0




n78(3450-3550) SCS=30kHz DFT_16QAM BW=60MHz Channel=633334 RB=162@0




n78(3450-3550) SCS=30kHz DFT_16QAM BW=70MHz Channel=633334 RB=180@0




n78(3450-3550) SCS=30kHz DFT_16QAM BW=80MHz Channel=633334 RB=216@0




n78(3450-3550) SCS=30kHz DFT_16QAM BW=90MHz Channel=633334 RB=243@0




n78(3450-3550) SCS=30kHz DFT_256QAM BW=100MHz Channel=633334 RB=270@0



n78(3450-3550) SCS=30kHz DFT_256QAM BW=10MHz Channel=633334 RB=24@0




n78(3450-3550) SCS=30kHz DFT_256QAM BW=15MHz Channel=633334 RB=36@0




n78(3450-3550) SCS=30kHz DFT_256QAM BW=20MHz Channel=633334 RB=50@0




n78(3450-3550) SCS=30kHz DFT_256QAM BW=40MHz Channel=633334 RB=100@0



n78(3450-3550) SCS=30kHz DFT_256QAM BW=50MHz Channel=633334 RB=128@0



n78(3450-3550) SCS=30kHz DFT_256QAM BW=60MHz Channel=633334 RB=162@0



n78(3450-3550) SCS=30kHz DFT_256QAM BW=70MHz Channel=633334 RB=180@0