

1. Conducted Output Power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n5	15	5	165300	25@0	DFT_BPSK	20.25	PASS
n5	15	5	165300	12@6	DFT_BPSK	20.79	PASS
n5	15	5	165300	1@1	DFT_BPSK	20.78	PASS
n5	15	5	165300	1@23	DFT_BPSK	21.01	PASS
n5	15	5	165300	25@0	DFT_QPSK	20.19	PASS
n5	15	5	165300	12@6	DFT_QPSK	20.61	PASS
n5	15	5	165300	1@1	DFT_QPSK	20.76	PASS
n5	15	5	165300	1@23	DFT_QPSK	21.04	PASS
n5	15	5	165300	25@0	DFT_16QAM	19.38	PASS
n5	15	5	165300	12@6	DFT_16QAM	19.81	PASS
n5	15	5	165300	1@1	DFT_16QAM	20.01	PASS
n5	15	5	165300	1@23	DFT_16QAM	20.29	PASS
n5	15	5	165300	25@0	DFT_64QAM	18.94	PASS
n5	15	5	165300	12@6	DFT_64QAM	18.88	PASS
n5	15	5	165300	1@1	DFT_64QAM	19.01	PASS
n5	15	5	165300	1@23	DFT_64QAM	19.32	PASS
n5	15	5	165300	25@0	DFT_256QAM	17.51	PASS
n5	15	5	165300	12@6	DFT_256QAM	17.44	PASS
n5	15	5	165300	1@1	DFT_256QAM	17.48	PASS
n5	15	5	165300	1@23	DFT_256QAM	17.65	PASS
n5	15	5	165300	25@0	CP_QPSK	19.03	PASS
n5	15	5	165300	13@6	CP_QPSK	19.49	PASS
n5	15	5	165300	1@1	CP_QPSK	19.47	PASS
n5	15	5	165300	1@23	CP_QPSK	19.72	PASS
n5	15	5	165300	25@0	CP_16QAM	18.69	PASS
n5	15	5	165300	13@6	CP_16QAM	19.19	PASS
n5	15	5	165300	1@1	CP_16QAM	19.16	PASS
n5	15	5	165300	1@23	CP_16QAM	19.44	PASS
n5	15	5	165300	25@0	CP_64QAM	18.12	PASS
n5	15	5	165300	13@6	CP_64QAM	19.03	PASS
n5	15	5	165300	1@1	CP_64QAM	19.03	PASS
n5	15	5	165300	1@23	CP_64QAM	19.27	PASS
n5	15	5	165300	25@0	CP_256QAM	15.70	PASS
n5	15	5	165300	13@6	CP_256QAM	15.71	PASS
n5	15	5	165300	1@1	CP_256QAM	15.87	PASS
n5	15	5	165300	1@23	CP_256QAM	16.12	PASS
n5	15	5	167300	25@0	DFT_BPSK	20.58	PASS
n5	15	5	167300	12@6	DFT_BPSK	21.06	PASS

n5	15	5	167300	1@1	DFT_BPSK	21.03	PASS
n5	15	5	167300	1@23	DFT_BPSK	21.39	PASS
n5	15	5	167300	25@0	DFT_QPSK	20.57	PASS
n5	15	5	167300	12@6	DFT_QPSK	20.99	PASS
n5	15	5	167300	1@1	DFT_QPSK	20.92	PASS
n5	15	5	167300	1@23	DFT_QPSK	21.31	PASS
n5	15	5	167300	25@0	DFT_16QAM	19.54	PASS
n5	15	5	167300	12@6	DFT_16QAM	19.98	PASS
n5	15	5	167300	1@1	DFT_16QAM	20.16	PASS
n5	15	5	167300	1@23	DFT_16QAM	20.57	PASS
n5	15	5	167300	25@0	DFT_64QAM	19.09	PASS
n5	15	5	167300	12@6	DFT_64QAM	18.93	PASS
n5	15	5	167300	1@1	DFT_64QAM	19.43	PASS
n5	15	5	167300	1@23	DFT_64QAM	19.43	PASS
n5	15	5	167300	25@0	DFT_256QAM	17.55	PASS
n5	15	5	167300	12@6	DFT_256QAM	17.52	PASS
n5	15	5	167300	1@1	DFT_256QAM	17.51	PASS
n5	15	5	167300	1@23	DFT_256QAM	17.75	PASS
n5	15	5	167300	25@0	CP_QPSK	19.03	PASS
n5	15	5	167300	13@6	CP_QPSK	19.46	PASS
n5	15	5	167300	1@1	CP_QPSK	19.44	PASS
n5	15	5	167300	1@23	CP_QPSK	19.88	PASS
n5	15	5	167300	25@0	CP_16QAM	18.52	PASS
n5	15	5	167300	13@6	CP_16QAM	19.13	PASS
n5	15	5	167300	1@1	CP_16QAM	19.04	PASS
n5	15	5	167300	1@23	CP_16QAM	19.64	PASS
n5	15	5	167300	25@0	CP_64QAM	18.18	PASS
n5	15	5	167300	13@6	CP_64QAM	19.00	PASS
n5	15	5	167300	1@1	CP_64QAM	18.93	PASS
n5	15	5	167300	1@23	CP_64QAM	19.30	PASS
n5	15	5	167300	25@0	CP_256QAM	15.68	PASS
n5	15	5	167300	13@6	CP_256QAM	15.69	PASS
n5	15	5	167300	1@1	CP_256QAM	15.71	PASS
n5	15	5	167300	1@23	CP_256QAM	16.25	PASS
n5	15	5	169300	25@0	DFT_BPSK	20.52	PASS
n5	15	5	169300	12@6	DFT_BPSK	21.24	PASS
n5	15	5	169300	1@1	DFT_BPSK	21.29	PASS
n5	15	5	169300	1@23	DFT_BPSK	19.78	PASS
n5	15	5	169300	25@0	DFT_QPSK	20.42	PASS
n5	15	5	169300	12@6	DFT_QPSK	21.16	PASS
n5	15	5	169300	1@1	DFT_QPSK	21.24	PASS
n5	15	5	169300	1@23	DFT_QPSK	19.76	PASS
n5	15	5	169300	25@0	DFT_16QAM	19.39	PASS

n5	15	5	169300	12@6	DFT_16QAM	20.15	PASS
n5	15	5	169300	1@1	DFT_16QAM	20.29	PASS
n5	15	5	169300	1@23	DFT_16QAM	18.98	PASS
n5	15	5	169300	25@0	DFT_64QAM	19.01	PASS
n5	15	5	169300	12@6	DFT_64QAM	19.20	PASS
n5	15	5	169300	1@1	DFT_64QAM	19.67	PASS
n5	15	5	169300	1@23	DFT_64QAM	18.24	PASS
n5	15	5	169300	25@0	DFT_256QAM	17.44	PASS
n5	15	5	169300	12@6	DFT_256QAM	17.71	PASS
n5	15	5	169300	1@1	DFT_256QAM	17.81	PASS
n5	15	5	169300	1@23	DFT_256QAM	16.36	PASS
n5	15	5	169300	25@0	CP_QPSK	18.91	PASS
n5	15	5	169300	13@6	CP_QPSK	19.68	PASS
n5	15	5	169300	1@1	CP_QPSK	19.79	PASS
n5	15	5	169300	1@23	CP_QPSK	18.35	PASS
n5	15	5	169300	25@0	CP_16QAM	18.52	PASS
n5	15	5	169300	13@6	CP_16QAM	19.29	PASS
n5	15	5	169300	1@1	CP_16QAM	19.54	PASS
n5	15	5	169300	1@23	CP_16QAM	17.95	PASS
n5	15	5	169300	25@0	CP_64QAM	18.06	PASS
n5	15	5	169300	13@6	CP_64QAM	19.15	PASS
n5	15	5	169300	1@1	CP_64QAM	19.20	PASS
n5	15	5	169300	1@23	CP_64QAM	17.83	PASS
n5	15	5	169300	25@0	CP_256QAM	15.64	PASS
n5	15	5	169300	13@6	CP_256QAM	15.92	PASS
n5	15	5	169300	1@1	CP_256QAM	16.17	PASS
n5	15	5	169300	1@23	CP_256QAM	14.77	PASS
n5	15	10	165800	50@0	DFT_BPSK	21.01	PASS
n5	15	10	165800	25@12	DFT_BPSK	21.44	PASS
n5	15	10	165800	1@1	DFT_BPSK	21.75	PASS
n5	15	10	165800	1@50	DFT_BPSK	21.21	PASS
n5	15	10	165800	50@0	DFT_QPSK	20.90	PASS
n5	15	10	165800	25@12	DFT_QPSK	21.35	PASS
n5	15	10	165800	1@1	DFT_QPSK	21.70	PASS
n5	15	10	165800	1@50	DFT_QPSK	21.20	PASS
n5	15	10	165800	50@0	DFT_16QAM	19.83	PASS
n5	15	10	165800	25@12	DFT_16QAM	20.35	PASS
n5	15	10	165800	1@1	DFT_16QAM	20.86	PASS
n5	15	10	165800	1@50	DFT_16QAM	20.32	PASS
n5	15	10	165800	50@0	DFT_64QAM	19.25	PASS
n5	15	10	165800	25@12	DFT_64QAM	19.41	PASS
n5	15	10	165800	1@1	DFT_64QAM	19.88	PASS
n5	15	10	165800	1@50	DFT_64QAM	19.59	PASS

n5	15	10	165800	50@0	DFT_256QAM	17.81	PASS
n5	15	10	165800	25@12	DFT_256QAM	17.81	PASS
n5	15	10	165800	1@1	DFT_256QAM	18.18	PASS
n5	15	10	165800	1@50	DFT_256QAM	17.62	PASS
n5	15	10	165800	52@0	CP_QPSK	19.33	PASS
n5	15	10	165800	26@13	CP_QPSK	19.80	PASS
n5	15	10	165800	1@1	CP_QPSK	20.10	PASS
n5	15	10	165800	1@50	CP_QPSK	19.63	PASS
n5	15	10	165800	52@0	CP_16QAM	18.87	PASS
n5	15	10	165800	26@13	CP_16QAM	19.27	PASS
n5	15	10	165800	1@1	CP_16QAM	19.70	PASS
n5	15	10	165800	1@50	CP_16QAM	19.16	PASS
n5	15	10	165800	52@0	CP_64QAM	18.39	PASS
n5	15	10	165800	26@13	CP_64QAM	19.26	PASS
n5	15	10	165800	1@1	CP_64QAM	19.60	PASS
n5	15	10	165800	1@50	CP_64QAM	19.08	PASS
n5	15	10	165800	52@0	CP_256QAM	16.07	PASS
n5	15	10	165800	26@13	CP_256QAM	16.04	PASS
n5	15	10	165800	1@1	CP_256QAM	16.64	PASS
n5	15	10	165800	1@50	CP_256QAM	16.02	PASS
n5	15	10	167300	50@0	DFT_BPSK	20.77	PASS
n5	15	10	167300	25@12	DFT_BPSK	21.07	PASS
n5	15	10	167300	1@1	DFT_BPSK	20.98	PASS
n5	15	10	167300	1@50	DFT_BPSK	21.88	PASS
n5	15	10	167300	50@0	DFT_QPSK	20.70	PASS
n5	15	10	167300	25@12	DFT_QPSK	21.14	PASS
n5	15	10	167300	1@1	DFT_QPSK	20.98	PASS
n5	15	10	167300	1@50	DFT_QPSK	21.93	PASS
n5	15	10	167300	50@0	DFT_16QAM	19.71	PASS
n5	15	10	167300	25@12	DFT_16QAM	20.07	PASS
n5	15	10	167300	1@1	DFT_16QAM	20.11	PASS
n5	15	10	167300	1@50	DFT_16QAM	21.04	PASS
n5	15	10	167300	50@0	DFT_64QAM	19.22	PASS
n5	15	10	167300	25@12	DFT_64QAM	19.06	PASS
n5	15	10	167300	1@1	DFT_64QAM	19.35	PASS
n5	15	10	167300	1@50	DFT_64QAM	20.33	PASS
n5	15	10	167300	50@0	DFT_256QAM	17.76	PASS
n5	15	10	167300	25@12	DFT_256QAM	17.59	PASS
n5	15	10	167300	1@1	DFT_256QAM	17.29	PASS
n5	15	10	167300	1@50	DFT_256QAM	18.44	PASS
n5	15	10	167300	52@0	CP_QPSK	19.21	PASS
n5	15	10	167300	26@13	CP_QPSK	19.65	PASS
n5	15	10	167300	1@1	CP_QPSK	19.48	PASS

n5	15	10	167300	1@50	CP_QPSK	20.51	PASS
n5	15	10	167300	52@0	CP_16QAM	18.70	PASS
n5	15	10	167300	26@13	CP_16QAM	19.19	PASS
n5	15	10	167300	1@1	CP_16QAM	19.25	PASS
n5	15	10	167300	1@50	CP_16QAM	20.29	PASS
n5	15	10	167300	52@0	CP_64QAM	18.25	PASS
n5	15	10	167300	26@13	CP_64QAM	19.02	PASS
n5	15	10	167300	1@1	CP_64QAM	18.80	PASS
n5	15	10	167300	1@50	CP_64QAM	20.00	PASS
n5	15	10	167300	52@0	CP_256QAM	15.93	PASS
n5	15	10	167300	26@13	CP_256QAM	15.79	PASS
n5	15	10	167300	1@1	CP_256QAM	15.76	PASS
n5	15	10	167300	1@50	CP_256QAM	16.94	PASS
n5	15	10	168800	50@0	DFT_BPSK	21.03	PASS
n5	15	10	168800	25@12	DFT_BPSK	21.51	PASS
n5	15	10	168800	1@1	DFT_BPSK	21.63	PASS
n5	15	10	168800	1@50	DFT_BPSK	20.17	PASS
n5	15	10	168800	50@0	DFT_QPSK	21.11	PASS
n5	15	10	168800	25@12	DFT_QPSK	21.60	PASS
n5	15	10	168800	1@1	DFT_QPSK	21.69	PASS
n5	15	10	168800	1@50	DFT_QPSK	20.24	PASS
n5	15	10	168800	50@0	DFT_16QAM	19.95	PASS
n5	15	10	168800	25@12	DFT_16QAM	20.47	PASS
n5	15	10	168800	1@1	DFT_16QAM	20.73	PASS
n5	15	10	168800	1@50	DFT_16QAM	19.29	PASS
n5	15	10	168800	50@0	DFT_64QAM	19.49	PASS
n5	15	10	168800	25@12	DFT_64QAM	19.55	PASS
n5	15	10	168800	1@1	DFT_64QAM	19.80	PASS
n5	15	10	168800	1@50	DFT_64QAM	18.71	PASS
n5	15	10	168800	50@0	DFT_256QAM	17.95	PASS
n5	15	10	168800	25@12	DFT_256QAM	18.00	PASS
n5	15	10	168800	1@1	DFT_256QAM	18.15	PASS
n5	15	10	168800	1@50	DFT_256QAM	16.78	PASS
n5	15	10	168800	52@0	CP_QPSK	19.47	PASS
n5	15	10	168800	26@13	CP_QPSK	19.98	PASS
n5	15	10	168800	1@1	CP_QPSK	20.13	PASS
n5	15	10	168800	1@50	CP_QPSK	18.81	PASS
n5	15	10	168800	52@0	CP_16QAM	19.02	PASS
n5	15	10	168800	26@13	CP_16QAM	19.55	PASS
n5	15	10	168800	1@1	CP_16QAM	19.55	PASS
n5	15	10	168800	1@50	CP_16QAM	18.35	PASS
n5	15	10	168800	52@0	CP_64QAM	18.52	PASS
n5	15	10	168800	26@13	CP_64QAM	19.56	PASS

n5	15	10	168800	1@1	CP_64QAM	19.58	PASS
n5	15	10	168800	1@50	CP_64QAM	18.25	PASS
n5	15	10	168800	52@0	CP_256QAM	16.23	PASS
n5	15	10	168800	26@13	CP_256QAM	16.33	PASS
n5	15	10	168800	1@1	CP_256QAM	16.62	PASS
n5	15	10	168800	1@50	CP_256QAM	15.29	PASS
n5	15	15	166300	75@0	DFT_BPSK	20.70	PASS
n5	15	15	166300	36@18	DFT_BPSK	20.86	PASS
n5	15	15	166300	1@1	DFT_BPSK	22.20	PASS
n5	15	15	166300	1@77	DFT_BPSK	21.89	PASS
n5	15	15	166300	75@0	DFT_QPSK	20.73	PASS
n5	15	15	166300	36@18	DFT_QPSK	20.78	PASS
n5	15	15	166300	1@1	DFT_QPSK	22.26	PASS
n5	15	15	166300	1@77	DFT_QPSK	21.99	PASS
n5	15	15	166300	75@0	DFT_16QAM	19.60	PASS
n5	15	15	166300	36@18	DFT_16QAM	19.79	PASS
n5	15	15	166300	1@1	DFT_16QAM	21.33	PASS
n5	15	15	166300	1@77	DFT_16QAM	21.02	PASS
n5	15	15	166300	75@0	DFT_64QAM	19.14	PASS
n5	15	15	166300	36@18	DFT_64QAM	18.91	PASS
n5	15	15	166300	1@1	DFT_64QAM	20.66	PASS
n5	15	15	166300	1@77	DFT_64QAM	20.03	PASS
n5	15	15	166300	75@0	DFT_256QAM	17.66	PASS
n5	15	15	166300	36@18	DFT_256QAM	17.38	PASS
n5	15	15	166300	1@1	DFT_256QAM	18.61	PASS
n5	15	15	166300	1@77	DFT_256QAM	18.32	PASS
n5	15	15	166300	79@0	CP_QPSK	19.26	PASS
n5	15	15	166300	39@19	CP_QPSK	19.32	PASS
n5	15	15	166300	1@1	CP_QPSK	20.69	PASS
n5	15	15	166300	1@77	CP_QPSK	20.19	PASS
n5	15	15	166300	79@0	CP_16QAM	18.61	PASS
n5	15	15	166300	39@19	CP_16QAM	18.76	PASS
n5	15	15	166300	1@1	CP_16QAM	20.34	PASS
n5	15	15	166300	1@77	CP_16QAM	19.78	PASS
n5	15	15	166300	79@0	CP_64QAM	18.17	PASS
n5	15	15	166300	39@19	CP_64QAM	18.77	PASS
n5	15	15	166300	1@1	CP_64QAM	20.04	PASS
n5	15	15	166300	1@77	CP_64QAM	19.77	PASS
n5	15	15	166300	79@0	CP_256QAM	15.82	PASS
n5	15	15	166300	39@19	CP_256QAM	15.48	PASS
n5	15	15	166300	1@1	CP_256QAM	17.00	PASS
n5	15	15	166300	1@77	CP_256QAM	16.68	PASS
n5	15	15	167300	75@0	DFT_BPSK	20.84	PASS

n5	15	15	167300	36@18	DFT_BPSK	20.93	PASS
n5	15	15	167300	1@1	DFT_BPSK	21.95	PASS
n5	15	15	167300	1@77	DFT_BPSK	21.95	PASS
n5	15	15	167300	75@0	DFT_QPSK	20.88	PASS
n5	15	15	167300	36@18	DFT_QPSK	21.00	PASS
n5	15	15	167300	1@1	DFT_QPSK	22.06	PASS
n5	15	15	167300	1@77	DFT_QPSK	21.91	PASS
n5	15	15	167300	75@0	DFT_16QAM	19.75	PASS
n5	15	15	167300	36@18	DFT_16QAM	19.88	PASS
n5	15	15	167300	1@1	DFT_16QAM	21.10	PASS
n5	15	15	167300	1@77	DFT_16QAM	20.96	PASS
n5	15	15	167300	75@0	DFT_64QAM	19.26	PASS
n5	15	15	167300	36@18	DFT_64QAM	18.99	PASS
n5	15	15	167300	1@1	DFT_64QAM	20.41	PASS
n5	15	15	167300	1@77	DFT_64QAM	20.29	PASS
n5	15	15	167300	75@0	DFT_256QAM	17.83	PASS
n5	15	15	167300	36@18	DFT_256QAM	17.48	PASS
n5	15	15	167300	1@1	DFT_256QAM	18.59	PASS
n5	15	15	167300	1@77	DFT_256QAM	18.38	PASS
n5	15	15	167300	79@0	CP_QPSK	19.39	PASS
n5	15	15	167300	39@19	CP_QPSK	19.52	PASS
n5	15	15	167300	1@1	CP_QPSK	20.47	PASS
n5	15	15	167300	1@77	CP_QPSK	20.37	PASS
n5	15	15	167300	79@0	CP_16QAM	18.93	PASS
n5	15	15	167300	39@19	CP_16QAM	19.05	PASS
n5	15	15	167300	1@1	CP_16QAM	20.05	PASS
n5	15	15	167300	1@77	CP_16QAM	19.96	PASS
n5	15	15	167300	79@0	CP_64QAM	18.44	PASS
n5	15	15	167300	39@19	CP_64QAM	19.07	PASS
n5	15	15	167300	1@1	CP_64QAM	19.91	PASS
n5	15	15	167300	1@77	CP_64QAM	19.82	PASS
n5	15	15	167300	79@0	CP_256QAM	16.05	PASS
n5	15	15	167300	39@19	CP_256QAM	15.64	PASS
n5	15	15	167300	1@1	CP_256QAM	16.81	PASS
n5	15	15	167300	1@77	CP_256QAM	16.81	PASS
n5	15	15	168300	75@0	DFT_BPSK	21.13	PASS
n5	15	15	168300	36@18	DFT_BPSK	21.57	PASS
n5	15	15	168300	1@1	DFT_BPSK	21.70	PASS
n5	15	15	168300	1@77	DFT_BPSK	21.06	PASS
n5	15	15	168300	75@0	DFT_QPSK	21.18	PASS
n5	15	15	168300	36@18	DFT_QPSK	21.62	PASS
n5	15	15	168300	1@1	DFT_QPSK	21.84	PASS
n5	15	15	168300	1@77	DFT_QPSK	21.10	PASS

n5	15	15	168300	75@0	DFT_16QAM	20.11	PASS
n5	15	15	168300	36@18	DFT_16QAM	20.61	PASS
n5	15	15	168300	1@1	DFT_16QAM	20.87	PASS
n5	15	15	168300	1@77	DFT_16QAM	20.24	PASS
n5	15	15	168300	75@0	DFT_64QAM	19.52	PASS
n5	15	15	168300	36@18	DFT_64QAM	19.54	PASS
n5	15	15	168300	1@1	DFT_64QAM	20.06	PASS
n5	15	15	168300	1@77	DFT_64QAM	19.50	PASS
n5	15	15	168300	75@0	DFT_256QAM	18.07	PASS
n5	15	15	168300	36@18	DFT_256QAM	18.12	PASS
n5	15	15	168300	1@1	DFT_256QAM	18.22	PASS
n5	15	15	168300	1@77	DFT_256QAM	17.70	PASS
n5	15	15	168300	79@0	CP_QPSK	19.58	PASS
n5	15	15	168300	39@19	CP_QPSK	20.13	PASS
n5	15	15	168300	1@1	CP_QPSK	20.35	PASS
n5	15	15	168300	1@77	CP_QPSK	19.80	PASS
n5	15	15	168300	79@0	CP_16QAM	19.07	PASS
n5	15	15	168300	39@19	CP_16QAM	19.55	PASS
n5	15	15	168300	1@1	CP_16QAM	19.94	PASS
n5	15	15	168300	1@77	CP_16QAM	19.42	PASS
n5	15	15	168300	79@0	CP_64QAM	18.63	PASS
n5	15	15	168300	39@19	CP_64QAM	19.56	PASS
n5	15	15	168300	1@1	CP_64QAM	19.48	PASS
n5	15	15	168300	1@77	CP_64QAM	19.16	PASS
n5	15	15	168300	79@0	CP_256QAM	16.35	PASS
n5	15	15	168300	39@19	CP_256QAM	16.24	PASS
n5	15	15	168300	1@1	CP_256QAM	16.25	PASS
n5	15	15	168300	1@77	CP_256QAM	15.91	PASS
n5	15	20	166800	100@0	DFT_BPSK	20.83	PASS
n5	15	20	166800	50@25	DFT_BPSK	20.80	PASS
n5	15	20	166800	1@1	DFT_BPSK	22.51	PASS
n5	15	20	166800	1@104	DFT_BPSK	22.08	PASS
n5	15	20	166800	100@0	DFT_QPSK	20.88	PASS
n5	15	20	166800	50@25	DFT_QPSK	20.74	PASS
n5	15	20	166800	1@1	DFT_QPSK	22.42	PASS
n5	15	20	166800	1@104	DFT_QPSK	21.98	PASS
n5	15	20	166800	100@0	DFT_16QAM	19.73	PASS
n5	15	20	166800	50@25	DFT_16QAM	19.61	PASS
n5	15	20	166800	1@1	DFT_16QAM	21.50	PASS
n5	15	20	166800	1@104	DFT_16QAM	21.00	PASS
n5	15	20	166800	100@0	DFT_64QAM	19.25	PASS
n5	15	20	166800	50@25	DFT_64QAM	18.68	PASS
n5	15	20	166800	1@1	DFT_64QAM	20.85	PASS

n5	15	20	166800	1@104	DFT_64QAM	20.12	PASS
n5	15	20	166800	100@0	DFT_256QAM	17.85	PASS
n5	15	20	166800	50@25	DFT_256QAM	17.22	PASS
n5	15	20	166800	1@1	DFT_256QAM	19.03	PASS
n5	15	20	166800	1@104	DFT_256QAM	18.61	PASS
n5	15	20	166800	106@0	CP_QPSK	19.42	PASS
n5	15	20	166800	53@26	CP_QPSK	19.27	PASS
n5	15	20	166800	1@1	CP_QPSK	20.75	PASS
n5	15	20	166800	1@104	CP_QPSK	20.31	PASS
n5	15	20	166800	106@0	CP_16QAM	18.95	PASS
n5	15	20	166800	53@26	CP_16QAM	18.80	PASS
n5	15	20	166800	1@1	CP_16QAM	20.52	PASS
n5	15	20	166800	1@104	CP_16QAM	20.26	PASS
n5	15	20	166800	106@0	CP_64QAM	18.49	PASS
n5	15	20	166800	53@26	CP_64QAM	18.84	PASS
n5	15	20	166800	1@1	CP_64QAM	20.38	PASS
n5	15	20	166800	1@104	CP_64QAM	19.92	PASS
n5	15	20	166800	106@0	CP_256QAM	16.15	PASS
n5	15	20	166800	53@26	CP_256QAM	15.41	PASS
n5	15	20	166800	1@1	CP_256QAM	17.34	PASS
n5	15	20	166800	1@104	CP_256QAM	16.87	PASS
n5	15	20	167300	100@0	DFT_BPSK	21.21	PASS
n5	15	20	167300	50@25	DFT_BPSK	21.20	PASS
n5	15	20	167300	1@1	DFT_BPSK	22.59	PASS
n5	15	20	167300	1@104	DFT_BPSK	22.43	PASS
n5	15	20	167300	100@0	DFT_QPSK	21.22	PASS
n5	15	20	167300	50@25	DFT_QPSK	21.24	PASS
n5	15	20	167300	1@1	DFT_QPSK	22.62	PASS
n5	15	20	167300	1@104	DFT_QPSK	22.37	PASS
n5	15	20	167300	100@0	DFT_16QAM	20.07	PASS
n5	15	20	167300	50@25	DFT_16QAM	20.11	PASS
n5	15	20	167300	1@1	DFT_16QAM	21.60	PASS
n5	15	20	167300	1@104	DFT_16QAM	21.32	PASS
n5	15	20	167300	100@0	DFT_64QAM	19.57	PASS
n5	15	20	167300	50@25	DFT_64QAM	19.10	PASS
n5	15	20	167300	1@1	DFT_64QAM	20.97	PASS
n5	15	20	167300	1@104	DFT_64QAM	20.68	PASS
n5	15	20	167300	100@0	DFT_256QAM	18.15	PASS
n5	15	20	167300	50@25	DFT_256QAM	17.69	PASS
n5	15	20	167300	1@1	DFT_256QAM	19.16	PASS
n5	15	20	167300	1@104	DFT_256QAM	18.89	PASS
n5	15	20	167300	106@0	CP_QPSK	19.73	PASS
n5	15	20	167300	53@26	CP_QPSK	19.71	PASS

n5	15	20	167300	1@1	CP_QPSK	21.02	PASS
n5	15	20	167300	1@104	CP_QPSK	20.77	PASS
n5	15	20	167300	106@0	CP_16QAM	19.19	PASS
n5	15	20	167300	53@26	CP_16QAM	19.18	PASS
n5	15	20	167300	1@1	CP_16QAM	20.57	PASS
n5	15	20	167300	1@104	CP_16QAM	20.33	PASS
n5	15	20	167300	106@0	CP_64QAM	18.77	PASS
n5	15	20	167300	53@26	CP_64QAM	19.24	PASS
n5	15	20	167300	1@1	CP_64QAM	20.44	PASS
n5	15	20	167300	1@104	CP_64QAM	20.20	PASS
n5	15	20	167300	106@0	CP_256QAM	16.41	PASS
n5	15	20	167300	53@26	CP_256QAM	15.94	PASS
n5	15	20	167300	1@1	CP_256QAM	17.54	PASS
n5	15	20	167300	1@104	CP_256QAM	17.16	PASS
n5	15	20	167800	100@0	DFT_BPSK	21.10	PASS
n5	15	20	167800	50@25	DFT_BPSK	21.28	PASS
n5	15	20	167800	1@1	DFT_BPSK	22.33	PASS
n5	15	20	167800	1@104	DFT_BPSK	20.89	PASS
n5	15	20	167800	100@0	DFT_QPSK	21.00	PASS
n5	15	20	167800	50@25	DFT_QPSK	21.21	PASS
n5	15	20	167800	1@1	DFT_QPSK	22.29	PASS
n5	15	20	167800	1@104	DFT_QPSK	20.80	PASS
n5	15	20	167800	100@0	DFT_16QAM	19.96	PASS
n5	15	20	167800	50@25	DFT_16QAM	20.20	PASS
n5	15	20	167800	1@1	DFT_16QAM	21.39	PASS
n5	15	20	167800	1@104	DFT_16QAM	19.94	PASS
n5	15	20	167800	100@0	DFT_64QAM	19.49	PASS
n5	15	20	167800	50@25	DFT_64QAM	19.23	PASS
n5	15	20	167800	1@1	DFT_64QAM	20.48	PASS
n5	15	20	167800	1@104	DFT_64QAM	19.06	PASS
n5	15	20	167800	100@0	DFT_256QAM	17.93	PASS
n5	15	20	167800	50@25	DFT_256QAM	17.69	PASS
n5	15	20	167800	1@1	DFT_256QAM	18.79	PASS
n5	15	20	167800	1@104	DFT_256QAM	17.47	PASS
n5	15	20	167800	106@0	CP_QPSK	19.47	PASS
n5	15	20	167800	53@26	CP_QPSK	19.81	PASS
n5	15	20	167800	1@1	CP_QPSK	20.72	PASS
n5	15	20	167800	1@104	CP_QPSK	19.33	PASS
n5	15	20	167800	106@0	CP_16QAM	19.01	PASS
n5	15	20	167800	53@26	CP_16QAM	19.19	PASS
n5	15	20	167800	1@1	CP_16QAM	20.30	PASS
n5	15	20	167800	1@104	CP_16QAM	18.95	PASS
n5	15	20	167800	106@0	CP_64QAM	18.55	PASS

n5	15	20	167800	53@26	CP_64QAM	19.27	PASS
n5	15	20	167800	1@1	CP_64QAM	20.19	PASS
n5	15	20	167800	1@104	CP_64QAM	18.88	PASS
n5	15	20	167800	106@0	CP_256QAM	16.25	PASS
n5	15	20	167800	53@26	CP_256QAM	15.88	PASS
n5	15	20	167800	1@1	CP_256QAM	16.95	PASS
n5	15	20	167800	1@104	CP_256QAM	15.65	PASS
n5	30	10	165800	24@0	DFT_BPSK	21.12	PASS
n5	30	10	165800	12@6	DFT_BPSK	21.51	PASS
n5	30	10	165800	1@1	DFT_BPSK	21.95	PASS
n5	30	10	165800	1@22	DFT_BPSK	21.43	PASS
n5	30	10	165800	24@0	DFT_QPSK	21.08	PASS
n5	30	10	165800	12@6	DFT_QPSK	21.48	PASS
n5	30	10	165800	1@1	DFT_QPSK	22.04	PASS
n5	30	10	165800	1@22	DFT_QPSK	21.54	PASS
n5	30	10	165800	24@0	DFT_16QAM	20.10	PASS
n5	30	10	165800	12@6	DFT_16QAM	20.42	PASS
n5	30	10	165800	1@1	DFT_16QAM	20.89	PASS
n5	30	10	165800	1@22	DFT_16QAM	20.37	PASS
n5	30	10	165800	24@0	DFT_64QAM	19.61	PASS
n5	30	10	165800	12@6	DFT_64QAM	19.54	PASS
n5	30	10	165800	1@1	DFT_64QAM	19.87	PASS
n5	30	10	165800	1@22	DFT_64QAM	19.20	PASS
n5	30	10	165800	24@0	DFT_256QAM	18.08	PASS
n5	30	10	165800	12@6	DFT_256QAM	18.01	PASS
n5	30	10	165800	1@1	DFT_256QAM	18.64	PASS
n5	30	10	165800	1@22	DFT_256QAM	17.90	PASS
n5	30	10	165800	24@0	CP_QPSK	19.64	PASS
n5	30	10	165800	12@6	CP_QPSK	20.06	PASS
n5	30	10	165800	1@1	CP_QPSK	20.45	PASS
n5	30	10	165800	1@22	CP_QPSK	19.97	PASS
n5	30	10	165800	24@0	CP_16QAM	19.14	PASS
n5	30	10	165800	12@6	CP_16QAM	19.50	PASS
n5	30	10	165800	1@1	CP_16QAM	19.91	PASS
n5	30	10	165800	1@22	CP_16QAM	19.40	PASS
n5	30	10	165800	24@0	CP_64QAM	18.51	PASS
n5	30	10	165800	12@6	CP_64QAM	19.59	PASS
n5	30	10	165800	1@1	CP_64QAM	19.80	PASS
n5	30	10	165800	1@22	CP_64QAM	19.27	PASS
n5	30	10	165800	24@0	CP_256QAM	16.28	PASS
n5	30	10	165800	12@6	CP_256QAM	16.20	PASS
n5	30	10	165800	1@1	CP_256QAM	16.88	PASS
n5	30	10	165800	1@22	CP_256QAM	16.30	PASS

n5	30	10	167300	24@0	DFT_BPSK	21.25	PASS
n5	30	10	167300	12@6	DFT_BPSK	21.58	PASS
n5	30	10	167300	1@1	DFT_BPSK	21.57	PASS
n5	30	10	167300	1@22	DFT_BPSK	22.31	PASS
n5	30	10	167300	24@0	DFT_QPSK	21.21	PASS
n5	30	10	167300	12@6	DFT_QPSK	21.54	PASS
n5	30	10	167300	1@1	DFT_QPSK	21.49	PASS
n5	30	10	167300	1@22	DFT_QPSK	22.21	PASS
n5	30	10	167300	24@0	DFT_16QAM	20.16	PASS
n5	30	10	167300	12@6	DFT_16QAM	20.53	PASS
n5	30	10	167300	1@1	DFT_16QAM	20.47	PASS
n5	30	10	167300	1@22	DFT_16QAM	21.21	PASS
n5	30	10	167300	24@0	DFT_64QAM	19.51	PASS
n5	30	10	167300	12@6	DFT_64QAM	19.36	PASS
n5	30	10	167300	1@1	DFT_64QAM	19.23	PASS
n5	30	10	167300	1@22	DFT_64QAM	20.03	PASS
n5	30	10	167300	24@0	DFT_256QAM	18.08	PASS
n5	30	10	167300	12@6	DFT_256QAM	17.90	PASS
n5	30	10	167300	1@1	DFT_256QAM	18.02	PASS
n5	30	10	167300	1@22	DFT_256QAM	18.80	PASS
n5	30	10	167300	24@0	CP_QPSK	19.64	PASS
n5	30	10	167300	12@6	CP_QPSK	20.08	PASS
n5	30	10	167300	1@1	CP_QPSK	20.07	PASS
n5	30	10	167300	1@22	CP_QPSK	20.78	PASS
n5	30	10	167300	24@0	CP_16QAM	19.11	PASS
n5	30	10	167300	12@6	CP_16QAM	19.40	PASS
n5	30	10	167300	1@1	CP_16QAM	19.41	PASS
n5	30	10	167300	1@22	CP_16QAM	20.15	PASS
n5	30	10	167300	24@0	CP_64QAM	18.65	PASS
n5	30	10	167300	12@6	CP_64QAM	19.49	PASS
n5	30	10	167300	1@1	CP_64QAM	19.27	PASS
n5	30	10	167300	1@22	CP_64QAM	19.99	PASS
n5	30	10	167300	24@0	CP_256QAM	16.19	PASS
n5	30	10	167300	12@6	CP_256QAM	16.00	PASS
n5	30	10	167300	1@1	CP_256QAM	16.24	PASS
n5	30	10	167300	1@22	CP_256QAM	17.08	PASS
n5	30	10	168800	24@0	DFT_BPSK	21.56	PASS
n5	30	10	168800	12@6	DFT_BPSK	21.91	PASS
n5	30	10	168800	1@1	DFT_BPSK	22.35	PASS
n5	30	10	168800	1@22	DFT_BPSK	21.82	PASS
n5	30	10	168800	24@0	DFT_QPSK	21.49	PASS
n5	30	10	168800	12@6	DFT_QPSK	21.85	PASS
n5	30	10	168800	1@1	DFT_QPSK	22.25	PASS

n5	30	10	168800	1@22	DFT_QPSK	21.73	PASS
n5	30	10	168800	24@0	DFT_16QAM	20.33	PASS
n5	30	10	168800	12@6	DFT_16QAM	20.72	PASS
n5	30	10	168800	1@1	DFT_16QAM	21.08	PASS
n5	30	10	168800	1@22	DFT_16QAM	20.58	PASS
n5	30	10	168800	24@0	DFT_64QAM	19.84	PASS
n5	30	10	168800	12@6	DFT_64QAM	19.73	PASS
n5	30	10	168800	1@1	DFT_64QAM	20.04	PASS
n5	30	10	168800	1@22	DFT_64QAM	19.55	PASS
n5	30	10	168800	24@0	DFT_256QAM	18.32	PASS
n5	30	10	168800	12@6	DFT_256QAM	18.19	PASS
n5	30	10	168800	1@1	DFT_256QAM	18.77	PASS
n5	30	10	168800	1@22	DFT_256QAM	18.31	PASS
n5	30	10	168800	24@0	CP_QPSK	19.92	PASS
n5	30	10	168800	12@6	CP_QPSK	20.28	PASS
n5	30	10	168800	1@1	CP_QPSK	20.67	PASS
n5	30	10	168800	1@22	CP_QPSK	20.19	PASS
n5	30	10	168800	24@0	CP_16QAM	19.42	PASS
n5	30	10	168800	12@6	CP_16QAM	19.74	PASS
n5	30	10	168800	1@1	CP_16QAM	20.16	PASS
n5	30	10	168800	1@22	CP_16QAM	19.66	PASS
n5	30	10	168800	24@0	CP_64QAM	18.83	PASS
n5	30	10	168800	12@6	CP_64QAM	19.81	PASS
n5	30	10	168800	1@1	CP_64QAM	20.01	PASS
n5	30	10	168800	1@22	CP_64QAM	19.51	PASS
n5	30	10	168800	24@0	CP_256QAM	16.67	PASS
n5	30	10	168800	12@6	CP_256QAM	16.53	PASS
n5	30	10	168800	1@1	CP_256QAM	17.19	PASS
n5	30	10	168800	1@22	CP_256QAM	16.74	PASS
n5	30	15	166300	36@0	DFT_BPSK	21.02	PASS
n5	30	15	166300	18@9	DFT_BPSK	21.25	PASS
n5	30	15	166300	1@1	DFT_BPSK	22.25	PASS
n5	30	15	166300	1@36	DFT_BPSK	22.11	PASS
n5	30	15	166300	36@0	DFT_QPSK	20.98	PASS
n5	30	15	166300	18@9	DFT_QPSK	21.20	PASS
n5	30	15	166300	1@1	DFT_QPSK	22.15	PASS
n5	30	15	166300	1@36	DFT_QPSK	22.03	PASS
n5	30	15	166300	36@0	DFT_16QAM	19.93	PASS
n5	30	15	166300	18@9	DFT_16QAM	20.18	PASS
n5	30	15	166300	1@1	DFT_16QAM	21.12	PASS
n5	30	15	166300	1@36	DFT_16QAM	20.97	PASS
n5	30	15	166300	36@0	DFT_64QAM	19.41	PASS
n5	30	15	166300	18@9	DFT_64QAM	19.09	PASS

n5	30	15	166300	1@1	DFT_64QAM	20.00	PASS
n5	30	15	166300	1@36	DFT_64QAM	19.85	PASS
n5	30	15	166300	36@0	DFT_256QAM	17.96	PASS
n5	30	15	166300	18@9	DFT_256QAM	17.72	PASS
n5	30	15	166300	1@1	DFT_256QAM	18.83	PASS
n5	30	15	166300	1@36	DFT_256QAM	18.62	PASS
n5	30	15	166300	38@0	CP_QPSK	19.51	PASS
n5	30	15	166300	19@9	CP_QPSK	19.74	PASS
n5	30	15	166300	1@1	CP_QPSK	20.68	PASS
n5	30	15	166300	1@36	CP_QPSK	20.53	PASS
n5	30	15	166300	38@0	CP_16QAM	19.01	PASS
n5	30	15	166300	19@9	CP_16QAM	19.19	PASS
n5	30	15	166300	1@1	CP_16QAM	20.16	PASS
n5	30	15	166300	1@36	CP_16QAM	19.99	PASS
n5	30	15	166300	38@0	CP_64QAM	18.61	PASS
n5	30	15	166300	19@9	CP_64QAM	19.23	PASS
n5	30	15	166300	1@1	CP_64QAM	20.00	PASS
n5	30	15	166300	1@36	CP_64QAM	19.82	PASS
n5	30	15	166300	38@0	CP_256QAM	16.18	PASS
n5	30	15	166300	19@9	CP_256QAM	15.87	PASS
n5	30	15	166300	1@1	CP_256QAM	17.08	PASS
n5	30	15	166300	1@36	CP_256QAM	16.75	PASS
n5	30	15	167300	36@0	DFT_BPSK	20.97	PASS
n5	30	15	167300	18@9	DFT_BPSK	21.08	PASS
n5	30	15	167300	1@1	DFT_BPSK	21.92	PASS
n5	30	15	167300	1@36	DFT_BPSK	22.18	PASS
n5	30	15	167300	36@0	DFT_QPSK	20.90	PASS
n5	30	15	167300	18@9	DFT_QPSK	21.18	PASS
n5	30	15	167300	1@1	DFT_QPSK	21.96	PASS
n5	30	15	167300	1@36	DFT_QPSK	22.20	PASS
n5	30	15	167300	36@0	DFT_16QAM	19.93	PASS
n5	30	15	167300	18@9	DFT_16QAM	20.06	PASS
n5	30	15	167300	1@1	DFT_16QAM	20.87	PASS
n5	30	15	167300	1@36	DFT_16QAM	21.15	PASS
n5	30	15	167300	36@0	DFT_64QAM	19.47	PASS
n5	30	15	167300	18@9	DFT_64QAM	19.05	PASS
n5	30	15	167300	1@1	DFT_64QAM	19.77	PASS
n5	30	15	167300	1@36	DFT_64QAM	20.07	PASS
n5	30	15	167300	36@0	DFT_256QAM	17.98	PASS
n5	30	15	167300	18@9	DFT_256QAM	17.60	PASS
n5	30	15	167300	1@1	DFT_256QAM	18.48	PASS
n5	30	15	167300	1@36	DFT_256QAM	18.79	PASS
n5	30	15	167300	38@0	CP_QPSK	19.48	PASS

n5	30	15	167300	19@9	CP_QPSK	19.62	PASS
n5	30	15	167300	1@1	CP_QPSK	20.34	PASS
n5	30	15	167300	1@36	CP_QPSK	20.60	PASS
n5	30	15	167300	38@0	CP_16QAM	18.95	PASS
n5	30	15	167300	19@9	CP_16QAM	19.04	PASS
n5	30	15	167300	1@1	CP_16QAM	19.76	PASS
n5	30	15	167300	1@36	CP_16QAM	20.03	PASS
n5	30	15	167300	38@0	CP_64QAM	18.61	PASS
n5	30	15	167300	19@9	CP_64QAM	19.22	PASS
n5	30	15	167300	1@1	CP_64QAM	19.72	PASS
n5	30	15	167300	1@36	CP_64QAM	19.98	PASS
n5	30	15	167300	38@0	CP_256QAM	16.13	PASS
n5	30	15	167300	19@9	CP_256QAM	15.74	PASS
n5	30	15	167300	1@1	CP_256QAM	16.63	PASS
n5	30	15	167300	1@36	CP_256QAM	16.99	PASS
n5	30	15	168300	36@0	DFT_BPSK	21.05	PASS
n5	30	15	168300	18@9	DFT_BPSK	21.50	PASS
n5	30	15	168300	1@1	DFT_BPSK	21.56	PASS
n5	30	15	168300	1@36	DFT_BPSK	21.85	PASS
n5	30	15	168300	36@0	DFT_QPSK	20.99	PASS
n5	30	15	168300	18@9	DFT_QPSK	21.43	PASS
n5	30	15	168300	1@1	DFT_QPSK	21.47	PASS
n5	30	15	168300	1@36	DFT_QPSK	21.75	PASS
n5	30	15	168300	36@0	DFT_16QAM	19.82	PASS
n5	30	15	168300	18@9	DFT_16QAM	20.30	PASS
n5	30	15	168300	1@1	DFT_16QAM	20.32	PASS
n5	30	15	168300	1@36	DFT_16QAM	20.61	PASS
n5	30	15	168300	36@0	DFT_64QAM	19.35	PASS
n5	30	15	168300	18@9	DFT_64QAM	19.45	PASS
n5	30	15	168300	1@1	DFT_64QAM	19.35	PASS
n5	30	15	168300	1@36	DFT_64QAM	19.69	PASS
n5	30	15	168300	36@0	DFT_256QAM	18.03	PASS
n5	30	15	168300	18@9	DFT_256QAM	18.01	PASS
n5	30	15	168300	1@1	DFT_256QAM	18.03	PASS
n5	30	15	168300	1@36	DFT_256QAM	18.45	PASS
n5	30	15	168300	38@0	CP_QPSK	19.52	PASS
n5	30	15	168300	19@9	CP_QPSK	19.95	PASS
n5	30	15	168300	1@1	CP_QPSK	19.99	PASS
n5	30	15	168300	1@36	CP_QPSK	20.26	PASS
n5	30	15	168300	38@0	CP_16QAM	19.01	PASS
n5	30	15	168300	19@9	CP_16QAM	19.43	PASS
n5	30	15	168300	1@1	CP_16QAM	19.42	PASS
n5	30	15	168300	1@36	CP_16QAM	19.73	PASS


n5	30	15	168300	38@0	CP_64QAM	18.55	PASS
n5	30	15	168300	19@9	CP_64QAM	19.47	PASS
n5	30	15	168300	1@1	CP_64QAM	19.26	PASS
n5	30	15	168300	1@36	CP_64QAM	19.59	PASS
n5	30	15	168300	38@0	CP_256QAM	16.20	PASS
n5	30	15	168300	19@9	CP_256QAM	16.07	PASS
n5	30	15	168300	1@1	CP_256QAM	16.11	PASS
n5	30	15	168300	1@36	CP_256QAM	16.56	PASS
n5	30	20	166800	50@0	DFT_BPSK	20.94	PASS
n5	30	20	166800	25@12	DFT_BPSK	20.88	PASS
n5	30	20	166800	1@1	DFT_BPSK	22.18	PASS
n5	30	20	166800	1@49	DFT_BPSK	22.33	PASS
n5	30	20	166800	50@0	DFT_QPSK	20.96	PASS
n5	30	20	166800	25@12	DFT_QPSK	20.92	PASS
n5	30	20	166800	1@1	DFT_QPSK	22.19	PASS
n5	30	20	166800	1@49	DFT_QPSK	22.24	PASS
n5	30	20	166800	50@0	DFT_16QAM	20.00	PASS
n5	30	20	166800	25@12	DFT_16QAM	20.02	PASS
n5	30	20	166800	1@1	DFT_16QAM	21.33	PASS
n5	30	20	166800	1@49	DFT_16QAM	21.39	PASS
n5	30	20	166800	50@0	DFT_64QAM	19.52	PASS
n5	30	20	166800	25@12	DFT_64QAM	18.93	PASS
n5	30	20	166800	1@1	DFT_64QAM	20.19	PASS
n5	30	20	166800	1@49	DFT_64QAM	20.23	PASS
n5	30	20	166800	50@0	DFT_256QAM	18.07	PASS
n5	30	20	166800	25@12	DFT_256QAM	17.41	PASS
n5	30	20	166800	1@1	DFT_256QAM	18.91	PASS
n5	30	20	166800	1@49	DFT_256QAM	18.96	PASS
n5	30	20	166800	51@0	CP_QPSK	19.57	PASS
n5	30	20	166800	25@12	CP_QPSK	19.50	PASS
n5	30	20	166800	1@1	CP_QPSK	20.88	PASS
n5	30	20	166800	1@49	CP_QPSK	20.94	PASS
n5	30	20	166800	51@0	CP_16QAM	19.15	PASS
n5	30	20	166800	25@12	CP_16QAM	19.06	PASS
n5	30	20	166800	1@1	CP_16QAM	20.33	PASS
n5	30	20	166800	1@49	CP_16QAM	20.39	PASS
n5	30	20	166800	51@0	CP_64QAM	18.67	PASS
n5	30	20	166800	25@12	CP_64QAM	19.05	PASS
n5	30	20	166800	1@1	CP_64QAM	20.20	PASS
n5	30	20	166800	1@49	CP_64QAM	20.24	PASS
n5	30	20	166800	51@0	CP_256QAM	16.30	PASS
n5	30	20	166800	25@12	CP_256QAM	15.54	PASS
n5	30	20	166800	1@1	CP_256QAM	17.28	PASS

n5	30	20	166800	1@49	CP_256QAM	17.18	PASS
n5	30	20	167300	50@0	DFT_BPSK	21.21	PASS
n5	30	20	167300	25@12	DFT_BPSK	21.23	PASS
n5	30	20	167300	1@1	DFT_BPSK	22.33	PASS
n5	30	20	167300	1@49	DFT_BPSK	22.35	PASS
n5	30	20	167300	50@0	DFT_QPSK	21.13	PASS
n5	30	20	167300	25@12	DFT_QPSK	21.18	PASS
n5	30	20	167300	1@1	DFT_QPSK	22.22	PASS
n5	30	20	167300	1@49	DFT_QPSK	22.41	PASS
n5	30	20	167300	50@0	DFT_16QAM	20.31	PASS
n5	30	20	167300	25@12	DFT_16QAM	20.30	PASS
n5	30	20	167300	1@1	DFT_16QAM	21.37	PASS
n5	30	20	167300	1@49	DFT_16QAM	21.42	PASS
n5	30	20	167300	50@0	DFT_64QAM	19.75	PASS
n5	30	20	167300	25@12	DFT_64QAM	19.21	PASS
n5	30	20	167300	1@1	DFT_64QAM	20.27	PASS
n5	30	20	167300	1@49	DFT_64QAM	20.30	PASS
n5	30	20	167300	50@0	DFT_256QAM	18.25	PASS
n5	30	20	167300	25@12	DFT_256QAM	17.76	PASS
n5	30	20	167300	1@1	DFT_256QAM	19.01	PASS
n5	30	20	167300	1@49	DFT_256QAM	19.03	PASS
n5	30	20	167300	51@0	CP_QPSK	19.82	PASS
n5	30	20	167300	25@12	CP_QPSK	19.85	PASS
n5	30	20	167300	1@1	CP_QPSK	20.91	PASS
n5	30	20	167300	1@49	CP_QPSK	20.94	PASS
n5	30	20	167300	51@0	CP_16QAM	19.29	PASS
n5	30	20	167300	25@12	CP_16QAM	19.29	PASS
n5	30	20	167300	1@1	CP_16QAM	20.52	PASS
n5	30	20	167300	1@49	CP_16QAM	20.56	PASS
n5	30	20	167300	51@0	CP_64QAM	18.79	PASS
n5	30	20	167300	25@12	CP_64QAM	19.29	PASS
n5	30	20	167300	1@1	CP_64QAM	20.20	PASS
n5	30	20	167300	1@49	CP_64QAM	20.38	PASS
n5	30	20	167300	51@0	CP_256QAM	16.39	PASS
n5	30	20	167300	25@12	CP_256QAM	15.91	PASS
n5	30	20	167300	1@1	CP_256QAM	17.26	PASS
n5	30	20	167300	1@49	CP_256QAM	17.25	PASS
n5	30	20	167800	50@0	DFT_BPSK	21.18	PASS
n5	30	20	167800	25@12	DFT_BPSK	21.39	PASS
n5	30	20	167800	1@1	DFT_BPSK	22.22	PASS
n5	30	20	167800	1@49	DFT_BPSK	22.03	PASS
n5	30	20	167800	50@0	DFT_QPSK	21.27	PASS
n5	30	20	167800	25@12	DFT_QPSK	21.51	PASS


n5	30	20	167800	1@1	DFT_QPSK	22.28	PASS
n5	30	20	167800	1@49	DFT_QPSK	21.93	PASS
n5	30	20	167800	50@0	DFT_16QAM	20.29	PASS
n5	30	20	167800	25@12	DFT_16QAM	20.49	PASS
n5	30	20	167800	1@1	DFT_16QAM	21.29	PASS
n5	30	20	167800	1@49	DFT_16QAM	20.94	PASS
n5	30	20	167800	50@0	DFT_64QAM	19.75	PASS
n5	30	20	167800	25@12	DFT_64QAM	19.41	PASS
n5	30	20	167800	1@1	DFT_64QAM	20.16	PASS
n5	30	20	167800	1@49	DFT_64QAM	19.84	PASS
n5	30	20	167800	50@0	DFT_256QAM	18.25	PASS
n5	30	20	167800	25@12	DFT_256QAM	17.98	PASS
n5	30	20	167800	1@1	DFT_256QAM	18.90	PASS
n5	30	20	167800	1@49	DFT_256QAM	18.63	PASS
n5	30	20	167800	51@0	CP_QPSK	19.85	PASS
n5	30	20	167800	25@12	CP_QPSK	20.04	PASS
n5	30	20	167800	1@1	CP_QPSK	20.83	PASS
n5	30	20	167800	1@49	CP_QPSK	20.51	PASS
n5	30	20	167800	51@0	CP_16QAM	19.29	PASS
n5	30	20	167800	25@12	CP_16QAM	19.51	PASS
n5	30	20	167800	1@1	CP_16QAM	20.29	PASS
n5	30	20	167800	1@49	CP_16QAM	19.97	PASS
n5	30	20	167800	51@0	CP_64QAM	18.82	PASS
n5	30	20	167800	25@12	CP_64QAM	19.51	PASS
n5	30	20	167800	1@1	CP_64QAM	20.14	PASS
n5	30	20	167800	1@49	CP_64QAM	19.83	PASS
n5	30	20	167800	51@0	CP_256QAM	16.41	PASS
n5	30	20	167800	25@12	CP_256QAM	16.15	PASS
n5	30	20	167800	1@1	CP_256QAM	17.02	PASS
n5	30	20	167800	1@49	CP_256QAM	16.80	PASS

2. Peak-to-average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	High Limit (dB)	Verdict
n5	15	20	167300	100@0	DFT_BPSK	4.80	13	PASS
n5	15	20	167300	100@0	DFT_QPSK	5.72	13	PASS
n5	15	20	167300	100@0	DFT_16QAM	6.34	13	PASS
n5	15	20	167300	100@0	DFT_64QAM	6.58	13	PASS
n5	15	20	167300	100@0	DFT_256QAM	6.60	13	PASS
n5	30	20	167300	50@0	DFT_BPSK	4.70	13	PASS
n5	30	20	167300	50@0	DFT_QPSK	5.68	13	PASS
n5	30	20	167300	50@0	DFT_16QAM	6.57	13	PASS
n5	30	20	167300	50@0	DFT_64QAM	6.50	13	PASS
n5	30	20	167300	50@0	DFT_256QAM	6.69	13	PASS




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_16QAM BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_64QAM BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_256QAM BW=20MHz Channel=167300 RB=100@0




n5 SCS=30kHz DFT_BPSK BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=167300 RB=50@0



n5 SCS=30kHz DFT_16QAM BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_64QAM BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_256QAM BW=20MHz Channel=167300 RB=50@0

3. Occupied Bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	UL Frequency (MHz)	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n5	15	5	167300	836.5	25@0	DFT_BPSK	4.514	4.967	PASS
n5	15	5	167300	836.5	25@0	CP_QPSK	4.538	5.020	PASS
n5	15	5	167300	836.5	25@0	CP_16QAM	4.520	4.973	PASS
n5	15	5	167300	836.5	25@0	CP_64QAM	4.528	4.995	PASS
n5	15	5	167300	836.5	25@0	CP_256QAM	4.514	4.984	PASS
n5	15	10	167300	836.5	50@0	DFT_BPSK	9.080	9.874	PASS
n5	15	10	167300	836.5	52@0	CP_QPSK	9.360	10.007	PASS
n5	15	10	167300	836.5	52@0	CP_16QAM	9.348	10.031	PASS
n5	15	10	167300	836.5	52@0	CP_64QAM	9.369	10.018	PASS
n5	15	10	167300	836.5	52@0	CP_256QAM	9.349	9.992	PASS
n5	15	15	167300	836.5	75@0	DFT_BPSK	13.569	14.596	PASS
n5	15	15	167300	836.5	79@0	CP_QPSK	14.196	15.148	PASS
n5	15	15	167300	836.5	79@0	CP_16QAM	14.209	15.082	PASS
n5	15	15	167300	836.5	79@0	CP_64QAM	14.212	15.110	PASS
n5	15	15	167300	836.5	79@0	CP_256QAM	14.212	15.136	PASS
n5	15	20	167300	836.5	100@0	DFT_BPSK	18.056	19.241	PASS
n5	15	20	167300	836.5	106@0	CP_QPSK	19.058	20.123	PASS
n5	15	20	167300	836.5	106@0	CP_16QAM	19.025	20.153	PASS
n5	15	20	167300	836.5	106@0	CP_64QAM	19.063	20.088	PASS
n5	15	20	167300	836.5	106@0	CP_256QAM	19.053	20.237	PASS
n5	30	10	167300	836.5	24@0	DFT_BPSK	8.713	9.875	PASS
n5	30	10	167300	836.5	24@0	CP_QPSK	8.684	9.824	PASS
n5	30	10	167300	836.5	24@0	CP_16QAM	8.686	9.816	PASS
n5	30	10	167300	836.5	24@0	CP_64QAM	8.637	9.736	PASS
n5	30	10	167300	836.5	24@0	CP_256QAM	8.710	9.824	PASS
n5	30	15	167300	836.5	36@0	DFT_BPSK	13.081	14.682	PASS
n5	30	15	167300	836.5	38@0	CP_QPSK	13.742	14.980	PASS
n5	30	15	167300	836.5	38@0	CP_16QAM	13.648	14.878	PASS
n5	30	15	167300	836.5	38@0	CP_64QAM	13.710	14.939	PASS
n5	30	15	167300	836.5	38@0	CP_256QAM	13.743	14.968	PASS
n5	30	20	167300	836.5	50@0	DFT_BPSK	18.103	19.781	PASS
n5	30	20	167300	836.5	51@0	CP_QPSK	18.338	19.803	PASS
n5	30	20	167300	836.5	51@0	CP_16QAM	18.415	19.938	PASS
n5	30	20	167300	836.5	51@0	CP_64QAM	18.389	19.795	PASS
n5	30	20	167300	836.5	51@0	CP_256QAM	18.382	19.900	PASS




n5 SCS=15kHz DFT_BPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz CP_QPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz CP_16QAM BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz CP_64QAM BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz CP_256QAM BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_BPSK BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz CP_QPSK BW=10MHz Channel=167300 RB=52@0




n5 SCS=15kHz CP_16QAM BW=10MHz Channel=167300 RB=52@0




n5 SCS=15kHz CP_64QAM BW=10MHz Channel=167300 RB=52@0




n5 SCS=15kHz CP_256QAM BW=10MHz Channel=167300 RB=52@0




n5 SCS=15kHz DFT_BPSK BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz CP_QPSK BW=15MHz Channel=167300 RB=79@0




n5 SCS=15kHz CP_16QAM BW=15MHz Channel=167300 RB=79@0




n5 SCS=15kHz CP_64QAM BW=15MHz Channel=167300 RB=79@0




n5 SCS=15kHz CP_256QAM BW=15MHz Channel=167300 RB=79@0




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz CP_QPSK BW=20MHz Channel=167300 RB=106@0




n5 SCS=15kHz CP_16QAM BW=20MHz Channel=167300 RB=106@0




n5 SCS=15kHz CP_64QAM BW=20MHz Channel=167300 RB=106@0




n5 SCS=15kHz CP_256QAM BW=20MHz Channel=167300 RB=106@0




n5 SCS=30kHz DFT_BPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz CP_QPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz CP_16QAM BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz CP_64QAM BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz CP_256QAM BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_BPSK BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz CP_QPSK BW=15MHz Channel=167300 RB=38@0




n5 SCS=30kHz CP_16QAM BW=15MHz Channel=167300 RB=38@0




n5 SCS=30kHz CP_64QAM BW=15MHz Channel=167300 RB=38@0




n5 SCS=30kHz CP_256QAM BW=15MHz Channel=167300 RB=38@0




n5 SCS=30kHz DFT_BPSK BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz CP_QPSK BW=20MHz Channel=167300 RB=51@0



n5 SCS=30kHz CP_16QAM BW=20MHz Channel=167300 RB=51@0



n5 SCS=30kHz CP_64QAM BW=20MHz Channel=167300 RB=51@0



4. Conducted Band Edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n5	15	5	165300	1@0	DFT_BPSK	824.00	-22.97	-13	PASS
n5	15	5	165300	25@0	DFT_BPSK	823.99	-33.52	-13	PASS
n5	15	5	165300	1@0	DFT_QPSK	824.00	-21.98	-13	PASS
n5	15	5	165300	25@0	DFT_QPSK	823.99	-33.23	-13	PASS
n5	15	5	165300	1@0	DFT_16QAM	824.00	-23.49	-13	PASS
n5	15	5	165300	25@0	DFT_16QAM	823.99	-34.07	-13	PASS
n5	15	5	165300	1@0	DFT_64QAM	824.00	-22.77	-13	PASS
n5	15	5	165300	25@0	DFT_64QAM	824.00	-32.71	-13	PASS
n5	15	5	165300	1@0	DFT_256QAM	824.00	-25.49	-13	PASS
n5	15	5	165300	25@0	DFT_256QAM	823.99	-35.54	-13	PASS
n5	15	5	165300	25@0	CP_QPSK	824.00	-32.64	-13	PASS
n5	15	5	169300	1@24	DFT_BPSK	849.01	-24.77	-13	PASS
n5	15	5	169300	25@0	DFT_BPSK	849.00	-35.99	-13	PASS
n5	15	5	169300	1@24	DFT_QPSK	849.01	-25.90	-13	PASS
n5	15	5	169300	25@0	DFT_QPSK	849.01	-37.26	-13	PASS
n5	15	5	169300	1@24	DFT_16QAM	849.01	-25.65	-13	PASS
n5	15	5	169300	25@0	DFT_16QAM	849.02	-36.27	-13	PASS
n5	15	5	169300	1@24	DFT_64QAM	849.01	-27.06	-13	PASS
n5	15	5	169300	25@0	DFT_64QAM	849.00	-38.76	-13	PASS
n5	15	5	169300	1@24	DFT_256QAM	849.01	-28.21	-13	PASS
n5	15	5	169300	25@0	DFT_256QAM	849.00	-38.93	-13	PASS
n5	15	5	169300	25@0	CP_QPSK	849.00	-37.14	-13	PASS
n5	15	10	165800	1@0	DFT_BPSK	823.99	-19.78	-13	PASS
n5	15	10	165800	50@0	DFT_BPSK	824.00	-33.36	-13	PASS
n5	15	10	165800	1@0	DFT_QPSK	823.98	-21.65	-13	PASS
n5	15	10	165800	50@0	DFT_QPSK	823.98	-35.79	-13	PASS
n5	15	10	165800	1@0	DFT_16QAM	823.99	-20.61	-13	PASS
n5	15	10	165800	50@0	DFT_16QAM	824.00	-36.14	-13	PASS
n5	15	10	165800	1@0	DFT_64QAM	823.98	-20.28	-13	PASS
n5	15	10	165800	50@0	DFT_64QAM	823.99	-36.55	-13	PASS
n5	15	10	165800	1@0	DFT_256QAM	823.99	-23.24	-13	PASS
n5	15	10	165800	50@0	DFT_256QAM	823.99	-36.85	-13	PASS
n5	15	10	165800	52@0	CP_QPSK	824.00	-33.49	-13	PASS
n5	15	10	168800	1@51	DFT_BPSK	849.00	-23.56	-13	PASS
n5	15	10	168800	50@0	DFT_BPSK	849.01	-39.97	-13	PASS
n5	15	10	168800	1@51	DFT_QPSK	849.01	-23.61	-13	PASS
n5	15	10	168800	50@0	DFT_QPSK	849.20	-38.22	-13	PASS
n5	15	10	168800	1@51	DFT_16QAM	849.01	-25.64	-13	PASS
n5	15	10	168800	50@0	DFT_16QAM	849.14	-39.19	-13	PASS

n5	15	10	168800	1@51	DFT_64QAM	849.00	-25.37	-13	PASS
n5	15	10	168800	50@0	DFT_64QAM	849.06	-40.97	-13	PASS
n5	15	10	168800	1@51	DFT_256QAM	849.01	-28.74	-13	PASS
n5	15	10	168800	50@0	DFT_256QAM	849.04	-41.78	-13	PASS
n5	15	10	168800	52@0	CP_QPSK	849.02	-35.83	-13	PASS
n5	15	15	166300	1@0	DFT_BPSK	823.98	-17.98	-13	PASS
n5	15	15	166300	75@0	DFT_BPSK	824.00	-32.78	-13	PASS
n5	15	15	166300	1@0	DFT_QPSK	823.96	-18.77	-13	PASS
n5	15	15	166300	75@0	DFT_QPSK	824.00	-32.93	-13	PASS
n5	15	15	166300	1@0	DFT_16QAM	823.98	-19.44	-13	PASS
n5	15	15	166300	75@0	DFT_16QAM	823.98	-32.19	-13	PASS
n5	15	15	166300	1@0	DFT_64QAM	823.97	-18.63	-13	PASS
n5	15	15	166300	75@0	DFT_64QAM	823.98	-34.48	-13	PASS
n5	15	15	166300	1@0	DFT_256QAM	823.99	-19.53	-13	PASS
n5	15	15	166300	75@0	DFT_256QAM	823.96	-36.93	-13	PASS
n5	15	15	166300	79@0	CP_QPSK	823.97	-34.89	-13	PASS
n5	15	15	168300	1@78	DFT_BPSK	849.03	-20.54	-13	PASS
n5	15	15	168300	75@0	DFT_BPSK	849.04	-40.77	-13	PASS
n5	15	15	168300	1@78	DFT_QPSK	849.01	-19.62	-13	PASS
n5	15	15	168300	75@0	DFT_QPSK	849.03	-38.77	-13	PASS
n5	15	15	168300	1@78	DFT_16QAM	849.01	-20.51	-13	PASS
n5	15	15	168300	75@0	DFT_16QAM	849.08	-39.73	-13	PASS
n5	15	15	168300	1@78	DFT_64QAM	849.03	-22.42	-13	PASS
n5	15	15	168300	75@0	DFT_64QAM	849.05	-39.69	-13	PASS
n5	15	15	168300	1@78	DFT_256QAM	849.00	-23.25	-13	PASS
n5	15	15	168300	75@0	DFT_256QAM	849.11	-42.01	-13	PASS
n5	15	15	168300	79@0	CP_QPSK	849.01	-35.72	-13	PASS
n5	15	20	166800	1@0	DFT_BPSK	823.99	-19.35	-13	PASS
n5	15	20	166800	100@0	DFT_BPSK	823.99	-34.31	-13	PASS
n5	15	20	166800	1@0	DFT_QPSK	823.99	-18.01	-13	PASS
n5	15	20	166800	100@0	DFT_QPSK	823.96	-35.74	-13	PASS
n5	15	20	166800	1@0	DFT_16QAM	823.97	-20.95	-13	PASS
n5	15	20	166800	100@0	DFT_16QAM	823.97	-37.60	-13	PASS
n5	15	20	166800	1@0	DFT_64QAM	823.98	-20.43	-13	PASS
n5	15	20	166800	100@0	DFT_64QAM	823.99	-35.62	-13	PASS
n5	15	20	166800	1@0	DFT_256QAM	824.00	-20.02	-13	PASS
n5	15	20	166800	100@0	DFT_256QAM	824.00	-37.99	-13	PASS
n5	15	20	166800	106@0	CP_QPSK	824.00	-34.08	-13	PASS
n5	15	20	167800	1@105	DFT_BPSK	849.01	-22.80	-13	PASS
n5	15	20	167800	100@0	DFT_BPSK	831.32	2.07	30	PASS
n5	15	20	167800	1@105	DFT_QPSK	849.01	-21.42	-13	PASS
n5	15	20	167800	100@0	DFT_QPSK	849.02	-39.87	-13	PASS
n5	15	20	167800	1@105	DFT_16QAM	849.03	-22.56	-13	PASS

n5	15	20	167800	100@0	DFT_16QAM	849.07	-40.10	-13	PASS
n5	15	20	167800	1@105	DFT_64QAM	849.02	-24.70	-13	PASS
n5	15	20	167800	100@0	DFT_64QAM	849.66	-40.88	-13	PASS
n5	15	20	167800	1@105	DFT_256QAM	849.05	-25.99	-13	PASS
n5	15	20	167800	100@0	DFT_256QAM	849.43	-42.21	-13	PASS
n5	15	20	167800	106@0	CP_QPSK	849.49	-36.89	-13	PASS
n5	30	10	165800	1@0	DFT_BPSK	823.99	-25.49	-13	PASS
n5	30	10	165800	24@0	DFT_BPSK	823.99	-34.99	-13	PASS
n5	30	10	165800	1@0	DFT_QPSK	823.99	-25.68	-13	PASS
n5	30	10	165800	24@0	DFT_QPSK	824.00	-35.75	-13	PASS
n5	30	10	165800	1@0	DFT_16QAM	823.99	-27.53	-13	PASS
n5	30	10	165800	24@0	DFT_16QAM	823.98	-37.59	-13	PASS
n5	30	10	165800	1@0	DFT_64QAM	824.00	-26.11	-13	PASS
n5	30	10	165800	24@0	DFT_64QAM	823.99	-38.29	-13	PASS
n5	30	10	165800	1@0	DFT_256QAM	824.00	-27.21	-13	PASS
n5	30	10	165800	24@0	DFT_256QAM	824.00	-41.28	-13	PASS
n5	30	10	165800	24@0	CP_QPSK	824.00	-35.54	-13	PASS
n5	30	10	168800	1@23	DFT_BPSK	849.02	-28.36	-13	PASS
n5	30	10	168800	24@0	DFT_BPSK	849.01	-34.97	-13	PASS
n5	30	10	168800	1@23	DFT_QPSK	849.00	-27.57	-13	PASS
n5	30	10	168800	24@0	DFT_QPSK	849.01	-36.07	-13	PASS
n5	30	10	168800	1@23	DFT_16QAM	849.01	-28.13	-13	PASS
n5	30	10	168800	24@0	DFT_16QAM	849.01	-36.78	-13	PASS
n5	30	10	168800	1@23	DFT_64QAM	849.00	-30.04	-13	PASS
n5	30	10	168800	24@0	DFT_64QAM	849.01	-37.96	-13	PASS
n5	30	10	168800	1@23	DFT_256QAM	849.01	-30.06	-13	PASS
n5	30	10	168800	24@0	DFT_256QAM	849.01	-39.46	-13	PASS
n5	30	10	168800	24@0	CP_QPSK	849.01	-35.79	-13	PASS
n5	30	15	166300	1@0	DFT_BPSK	823.97	-21.74	-13	PASS
n5	30	15	166300	36@0	DFT_BPSK	823.98	-33.16	-13	PASS
n5	30	15	166300	1@0	DFT_QPSK	824.00	-20.40	-13	PASS
n5	30	15	166300	36@0	DFT_QPSK	823.99	-34.12	-13	PASS
n5	30	15	166300	1@0	DFT_16QAM	823.99	-20.86	-13	PASS
n5	30	15	166300	36@0	DFT_16QAM	823.99	-33.78	-13	PASS
n5	30	15	166300	1@0	DFT_64QAM	823.97	-20.67	-13	PASS
n5	30	15	166300	36@0	DFT_64QAM	823.99	-34.15	-13	PASS
n5	30	15	166300	1@0	DFT_256QAM	824.00	-21.66	-13	PASS
n5	30	15	166300	36@0	DFT_256QAM	823.99	-36.11	-13	PASS
n5	30	15	166300	38@0	CP_QPSK	823.98	-33.66	-13	PASS
n5	30	15	168300	1@37	DFT_BPSK	849.01	-21.53	-13	PASS
n5	30	15	168300	36@0	DFT_BPSK	841.77	2.30	30	PASS
n5	30	15	168300	1@37	DFT_QPSK	849.01	-20.29	-13	PASS
n5	30	15	168300	36@0	DFT_QPSK	849.01	-39.06	-13	PASS