

1. Conducted Output Power for EN DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	ERP Limit (mW)	Verdict
n5	15	5	165300	25@0	DFT_BPSK	23.67	7000	PASS
n5	15	5	165300	12@6	DFT_BPSK	24.14	7000	PASS
n5	15	5	165300	1@1	DFT_BPSK	24.04	7000	PASS
n5	15	5	165300	1@23	DFT_BPSK	24.14	7000	PASS
n5	15	5	165300	25@0	DFT_QPSK	23.25	7000	PASS
n5	15	5	165300	12@6	DFT_QPSK	24.19	7000	PASS
n5	15	5	165300	1@1	DFT_QPSK	24.06	7000	PASS
n5	15	5	165300	1@23	DFT_QPSK	24.19	7000	PASS
n5	15	5	165300	25@0	DFT_16QAM	22.16	7000	PASS
n5	15	5	165300	12@6	DFT_16QAM	23.18	7000	PASS
n5	15	5	165300	1@1	DFT_16QAM	23.31	7000	PASS
n5	15	5	165300	1@23	DFT_16QAM	23.38	7000	PASS
n5	15	5	165300	25@0	DFT_64QAM	21.68	7000	PASS
n5	15	5	165300	12@6	DFT_64QAM	21.75	7000	PASS
n5	15	5	165300	1@1	DFT_64QAM	21.70	7000	PASS
n5	15	5	165300	1@23	DFT_64QAM	21.92	7000	PASS
n5	15	5	165300	25@0	DFT_256QAM	19.71	7000	PASS
n5	15	5	165300	12@6	DFT_256QAM	19.73	7000	PASS
n5	15	5	165300	1@1	DFT_256QAM	19.76	7000	PASS
n5	15	5	165300	1@23	DFT_256QAM	19.93	7000	PASS
n5	15	5	165300	25@0	CP_QPSK	21.25	7000	PASS
n5	15	5	165300	13@6	CP_QPSK	22.63	7000	PASS
n5	15	5	165300	1@1	CP_QPSK	22.51	7000	PASS
n5	15	5	165300	1@23	CP_QPSK	22.57	7000	PASS
n5	15	5	165300	25@0	CP_16QAM	21.15	7000	PASS
n5	15	5	165300	13@6	CP_16QAM	22.15	7000	PASS
n5	15	5	165300	1@1	CP_16QAM	22.19	7000	PASS
n5	15	5	165300	1@23	CP_16QAM	22.41	7000	PASS
n5	15	5	165300	25@0	CP_64QAM	20.66	7000	PASS
n5	15	5	165300	13@6	CP_64QAM	20.75	7000	PASS
n5	15	5	165300	1@1	CP_64QAM	20.72	7000	PASS
n5	15	5	165300	1@23	CP_64QAM	20.86	7000	PASS
n5	15	5	165300	25@0	CP_256QAM	-37.45	7000	PASS
n5	15	5	165300	13@6	CP_256QAM	17.58	7000	PASS
n5	15	5	165300	1@1	CP_256QAM	17.82	7000	PASS
n5	15	5	165300	1@23	CP_256QAM	17.95	7000	PASS
n5	15	5	167300	25@0	DFT_BPSK	23.65	7000	PASS
n5	15	5	167300	12@6	DFT_BPSK	24.12	7000	PASS

n5	15	5	167300	1@1	DFT_BPSK	24.15	7000	PASS
n5	15	5	167300	1@23	DFT_BPSK	23.94	7000	PASS
n5	15	5	167300	25@0	DFT_QPSK	23.20	7000	PASS
n5	15	5	167300	12@6	DFT_QPSK	24.20	7000	PASS
n5	15	5	167300	1@1	DFT_QPSK	24.22	7000	PASS
n5	15	5	167300	1@23	DFT_QPSK	24.02	7000	PASS
n5	15	5	167300	25@0	DFT_16QAM	22.09	7000	PASS
n5	15	5	167300	12@6	DFT_16QAM	23.15	7000	PASS
n5	15	5	167300	1@1	DFT_16QAM	23.43	7000	PASS
n5	15	5	167300	1@23	DFT_16QAM	23.23	7000	PASS
n5	15	5	167300	25@0	DFT_64QAM	21.66	7000	PASS
n5	15	5	167300	12@6	DFT_64QAM	21.73	7000	PASS
n5	15	5	167300	1@1	DFT_64QAM	21.89	7000	PASS
n5	15	5	167300	1@23	DFT_64QAM	21.69	7000	PASS
n5	15	5	167300	25@0	DFT_256QAM	19.63	7000	PASS
n5	15	5	167300	12@6	DFT_256QAM	19.69	7000	PASS
n5	15	5	167300	1@1	DFT_256QAM	20.01	7000	PASS
n5	15	5	167300	1@23	DFT_256QAM	19.80	7000	PASS
n5	15	5	167300	25@0	CP_QPSK	21.25	7000	PASS
n5	15	5	167300	13@6	CP_QPSK	22.56	7000	PASS
n5	15	5	167300	1@1	CP_QPSK	22.57	7000	PASS
n5	15	5	167300	1@23	CP_QPSK	22.38	7000	PASS
n5	15	5	167300	25@0	CP_16QAM	21.17	7000	PASS
n5	15	5	167300	13@6	CP_16QAM	22.11	7000	PASS
n5	15	5	167300	1@1	CP_16QAM	21.91	7000	PASS
n5	15	5	167300	1@23	CP_16QAM	21.72	7000	PASS
n5	15	5	167300	25@0	CP_64QAM	20.61	7000	PASS
n5	15	5	167300	13@6	CP_64QAM	20.73	7000	PASS
n5	15	5	167300	1@1	CP_64QAM	20.93	7000	PASS
n5	15	5	167300	1@23	CP_64QAM	20.70	7000	PASS
n5	15	5	167300	25@0	CP_256QAM	17.58	7000	PASS
n5	15	5	167300	13@6	CP_256QAM	17.62	7000	PASS
n5	15	5	167300	1@1	CP_256QAM	17.99	7000	PASS
n5	15	5	167300	1@23	CP_256QAM	17.84	7000	PASS
n5	15	5	169300	25@0	DFT_BPSK	23.36	7000	PASS
n5	15	5	169300	12@6	DFT_BPSK	23.82	7000	PASS
n5	15	5	169300	1@1	DFT_BPSK	23.84	7000	PASS
n5	15	5	169300	1@23	DFT_BPSK	23.74	7000	PASS
n5	15	5	169300	25@0	DFT_QPSK	22.88	7000	PASS
n5	15	5	169300	12@6	DFT_QPSK	23.87	7000	PASS
n5	15	5	169300	1@1	DFT_QPSK	23.82	7000	PASS
n5	15	5	169300	1@23	DFT_QPSK	23.75	7000	PASS
n5	15	5	169300	25@0	DFT_16QAM	21.81	7000	PASS
n5	15	5	169300	12@6	DFT_16QAM	22.80	7000	PASS

n5	15	5	169300	1@1	DFT_16QAM	23.06	7000	PASS
n5	15	5	169300	1@23	DFT_16QAM	22.96	7000	PASS
n5	15	5	169300	25@0	DFT_64QAM	21.29	7000	PASS
n5	15	5	169300	12@6	DFT_64QAM	21.43	7000	PASS
n5	15	5	169300	1@1	DFT_64QAM	21.50	7000	PASS
n5	15	5	169300	1@23	DFT_64QAM	21.38	7000	PASS
n5	15	5	169300	25@0	DFT_256QAM	19.33	7000	PASS
n5	15	5	169300	12@6	DFT_256QAM	19.43	7000	PASS
n5	15	5	169300	1@1	DFT_256QAM	19.63	7000	PASS
n5	15	5	169300	1@23	DFT_256QAM	19.49	7000	PASS
n5	15	5	169300	25@0	CP_QPSK	20.80	7000	PASS
n5	15	5	169300	13@6	CP_QPSK	22.21	7000	PASS
n5	15	5	169300	1@1	CP_QPSK	22.22	7000	PASS
n5	15	5	169300	1@23	CP_QPSK	22.10	7000	PASS
n5	15	5	169300	25@0	CP_16QAM	20.73	7000	PASS
n5	15	5	169300	13@6	CP_16QAM	21.81	7000	PASS
n5	15	5	169300	1@1	CP_16QAM	21.50	7000	PASS
n5	15	5	169300	1@23	CP_16QAM	21.44	7000	PASS
n5	15	5	169300	25@0	CP_64QAM	20.29	7000	PASS
n5	15	5	169300	13@6	CP_64QAM	20.40	7000	PASS
n5	15	5	169300	1@1	CP_64QAM	20.46	7000	PASS
n5	15	5	169300	1@23	CP_64QAM	20.44	7000	PASS
n5	15	5	169300	25@0	CP_256QAM	17.28	7000	PASS
n5	15	5	169300	13@6	CP_256QAM	17.26	7000	PASS
n5	15	5	169300	1@1	CP_256QAM	17.62	7000	PASS
n5	15	5	169300	1@23	CP_256QAM	17.58	7000	PASS
n5	15	10	165800	50@0	DFT_BPSK	23.49	7000	PASS
n5	15	10	165800	25@12	DFT_BPSK	24.10	7000	PASS
n5	15	10	165800	1@1	DFT_BPSK	23.84	7000	PASS
n5	15	10	165800	1@50	DFT_BPSK	23.90	7000	PASS
n5	15	10	165800	50@0	DFT_QPSK	23.07	7000	PASS
n5	15	10	165800	25@12	DFT_QPSK	24.19	7000	PASS
n5	15	10	165800	1@1	DFT_QPSK	23.87	7000	PASS
n5	15	10	165800	1@50	DFT_QPSK	24.01	7000	PASS
n5	15	10	165800	50@0	DFT_16QAM	22.02	7000	PASS
n5	15	10	165800	25@12	DFT_16QAM	23.07	7000	PASS
n5	15	10	165800	1@1	DFT_16QAM	23.07	7000	PASS
n5	15	10	165800	1@50	DFT_16QAM	23.23	7000	PASS
n5	15	10	165800	50@0	DFT_64QAM	21.52	7000	PASS
n5	15	10	165800	25@12	DFT_64QAM	21.53	7000	PASS
n5	15	10	165800	1@1	DFT_64QAM	21.49	7000	PASS
n5	15	10	165800	1@50	DFT_64QAM	21.60	7000	PASS
n5	15	10	165800	50@0	DFT_256QAM	19.56	7000	PASS
n5	15	10	165800	25@12	DFT_256QAM	19.59	7000	PASS

n5	15	10	165800	1@1	DFT_256QAM	19.66	7000	PASS
n5	15	10	165800	1@50	DFT_256QAM	19.74	7000	PASS
n5	15	10	165800	52@0	CP_QPSK	21.11	7000	PASS
n5	15	10	165800	26@13	CP_QPSK	22.55	7000	PASS
n5	15	10	165800	1@1	CP_QPSK	22.25	7000	PASS
n5	15	10	165800	1@50	CP_QPSK	22.35	7000	PASS
n5	15	10	165800	52@0	CP_16QAM	21.04	7000	PASS
n5	15	10	165800	26@13	CP_16QAM	22.09	7000	PASS
n5	15	10	165800	1@1	CP_16QAM	21.47	7000	PASS
n5	15	10	165800	1@50	CP_16QAM	21.61	7000	PASS
n5	15	10	165800	52@0	CP_64QAM	20.55	7000	PASS
n5	15	10	165800	26@13	CP_64QAM	20.57	7000	PASS
n5	15	10	165800	1@1	CP_64QAM	20.50	7000	PASS
n5	15	10	165800	1@50	CP_64QAM	20.62	7000	PASS
n5	15	10	165800	52@0	CP_256QAM	17.55	7000	PASS
n5	15	10	165800	26@13	CP_256QAM	17.49	7000	PASS
n5	15	10	165800	1@1	CP_256QAM	17.68	7000	PASS
n5	15	10	165800	1@50	CP_256QAM	17.77	7000	PASS
n5	15	10	167300	50@0	DFT_BPSK	23.53	7000	PASS
n5	15	10	167300	25@12	DFT_BPSK	24.07	7000	PASS
n5	15	10	167300	1@1	DFT_BPSK	23.95	7000	PASS
n5	15	10	167300	1@50	DFT_BPSK	23.75	7000	PASS
n5	15	10	167300	50@0	DFT_QPSK	23.05	7000	PASS
n5	15	10	167300	25@12	DFT_QPSK	24.07	7000	PASS
n5	15	10	167300	1@1	DFT_QPSK	23.98	7000	PASS
n5	15	10	167300	1@50	DFT_QPSK	23.79	7000	PASS
n5	15	10	167300	50@0	DFT_16QAM	22.01	7000	PASS
n5	15	10	167300	25@12	DFT_16QAM	23.00	7000	PASS
n5	15	10	167300	1@1	DFT_16QAM	23.25	7000	PASS
n5	15	10	167300	1@50	DFT_16QAM	22.99	7000	PASS
n5	15	10	167300	50@0	DFT_64QAM	21.55	7000	PASS
n5	15	10	167300	25@12	DFT_64QAM	21.49	7000	PASS
n5	15	10	167300	1@1	DFT_64QAM	21.62	7000	PASS
n5	15	10	167300	1@50	DFT_64QAM	21.40	7000	PASS
n5	15	10	167300	50@0	DFT_256QAM	19.56	7000	PASS
n5	15	10	167300	25@12	DFT_256QAM	19.53	7000	PASS
n5	15	10	167300	1@1	DFT_256QAM	19.77	7000	PASS
n5	15	10	167300	1@50	DFT_256QAM	19.55	7000	PASS
n5	15	10	167300	52@0	CP_QPSK	21.09	7000	PASS
n5	15	10	167300	26@13	CP_QPSK	22.50	7000	PASS
n5	15	10	167300	1@1	CP_QPSK	22.49	7000	PASS
n5	15	10	167300	1@50	CP_QPSK	22.32	7000	PASS
n5	15	10	167300	52@0	CP_16QAM	21.04	7000	PASS
n5	15	10	167300	26@13	CP_16QAM	22.04	7000	PASS

n5	15	10	167300	1@1	CP_16QAM	22.13	7000	PASS
n5	15	10	167300	1@50	CP_16QAM	21.92	7000	PASS
n5	15	10	167300	52@0	CP_64QAM	20.59	7000	PASS
n5	15	10	167300	26@13	CP_64QAM	20.51	7000	PASS
n5	15	10	167300	1@1	CP_64QAM	20.66	7000	PASS
n5	15	10	167300	1@50	CP_64QAM	20.41	7000	PASS
n5	15	10	167300	52@0	CP_256QAM	17.52	7000	PASS
n5	15	10	167300	26@13	CP_256QAM	17.48	7000	PASS
n5	15	10	167300	1@1	CP_256QAM	17.81	7000	PASS
n5	15	10	167300	1@50	CP_256QAM	17.56	7000	PASS
n5	15	10	168800	50@0	DFT_BPSK	23.25	7000	PASS
n5	15	10	168800	25@12	DFT_BPSK	23.76	7000	PASS
n5	15	10	168800	1@1	DFT_BPSK	23.72	7000	PASS
n5	15	10	168800	1@50	DFT_BPSK	23.49	7000	PASS
n5	15	10	168800	50@0	DFT_QPSK	22.73	7000	PASS
n5	15	10	168800	25@12	DFT_QPSK	23.81	7000	PASS
n5	15	10	168800	1@1	DFT_QPSK	23.82	7000	PASS
n5	15	10	168800	1@50	DFT_QPSK	23.59	7000	PASS
n5	15	10	168800	50@0	DFT_16QAM	21.79	7000	PASS
n5	15	10	168800	25@12	DFT_16QAM	22.76	7000	PASS
n5	15	10	168800	1@1	DFT_16QAM	23.00	7000	PASS
n5	15	10	168800	1@50	DFT_16QAM	22.73	7000	PASS
n5	15	10	168800	50@0	DFT_64QAM	21.28	7000	PASS
n5	15	10	168800	25@12	DFT_64QAM	21.21	7000	PASS
n5	15	10	168800	1@1	DFT_64QAM	21.44	7000	PASS
n5	15	10	168800	1@50	DFT_64QAM	21.19	7000	PASS
n5	15	10	168800	50@0	DFT_256QAM	19.32	7000	PASS
n5	15	10	168800	25@12	DFT_256QAM	19.21	7000	PASS
n5	15	10	168800	1@1	DFT_256QAM	19.58	7000	PASS
n5	15	10	168800	1@50	DFT_256QAM	19.35	7000	PASS
n5	15	10	168800	52@0	CP_QPSK	20.70	7000	PASS
n5	15	10	168800	26@13	CP_QPSK	22.26	7000	PASS
n5	15	10	168800	1@1	CP_QPSK	22.19	7000	PASS
n5	15	10	168800	1@50	CP_QPSK	21.92	7000	PASS
n5	15	10	168800	52@0	CP_16QAM	20.65	7000	PASS
n5	15	10	168800	26@13	CP_16QAM	21.80	7000	PASS
n5	15	10	168800	1@1	CP_16QAM	21.45	7000	PASS
n5	15	10	168800	1@50	CP_16QAM	21.22	7000	PASS
n5	15	10	168800	52@0	CP_64QAM	20.28	7000	PASS
n5	15	10	168800	26@13	CP_64QAM	20.28	7000	PASS
n5	15	10	168800	1@1	CP_64QAM	20.40	7000	PASS
n5	15	10	168800	1@50	CP_64QAM	20.20	7000	PASS
n5	15	10	168800	52@0	CP_256QAM	17.22	7000	PASS
n5	15	10	168800	26@13	CP_256QAM	17.21	7000	PASS

n5	15	10	168800	1@1	CP_256QAM	17.59	7000	PASS
n5	15	10	168800	1@50	CP_256QAM	17.38	7000	PASS
n5	15	15	166300	75@0	DFT_BPSK	23.72	7000	PASS
n5	15	15	166300	36@18	DFT_BPSK	24.27	7000	PASS
n5	15	15	166300	1@1	DFT_BPSK	23.94	7000	PASS
n5	15	15	166300	1@77	DFT_BPSK	23.99	7000	PASS
n5	15	15	166300	75@0	DFT_QPSK	23.26	7000	PASS
n5	15	15	166300	36@18	DFT_QPSK	24.27	7000	PASS
n5	15	15	166300	1@1	DFT_QPSK	24.04	7000	PASS
n5	15	15	166300	1@77	DFT_QPSK	24.02	7000	PASS
n5	15	15	166300	75@0	DFT_16QAM	22.24	7000	PASS
n5	15	15	166300	36@18	DFT_16QAM	23.28	7000	PASS
n5	15	15	166300	1@1	DFT_16QAM	23.19	7000	PASS
n5	15	15	166300	1@77	DFT_16QAM	23.20	7000	PASS
n5	15	15	166300	75@0	DFT_64QAM	21.74	7000	PASS
n5	15	15	166300	36@18	DFT_64QAM	21.82	7000	PASS
n5	15	15	166300	1@1	DFT_64QAM	21.61	7000	PASS
n5	15	15	166300	1@77	DFT_64QAM	21.62	7000	PASS
n5	15	15	166300	75@0	DFT_256QAM	19.69	7000	PASS
n5	15	15	166300	36@18	DFT_256QAM	19.76	7000	PASS
n5	15	15	166300	1@1	DFT_256QAM	19.78	7000	PASS
n5	15	15	166300	1@77	DFT_256QAM	19.78	7000	PASS
n5	15	15	166300	79@0	CP_QPSK	21.21	7000	PASS
n5	15	15	166300	39@19	CP_QPSK	22.72	7000	PASS
n5	15	15	166300	1@1	CP_QPSK	22.31	7000	PASS
n5	15	15	166300	1@77	CP_QPSK	22.36	7000	PASS
n5	15	15	166300	79@0	CP_16QAM	21.17	7000	PASS
n5	15	15	166300	39@19	CP_16QAM	22.22	7000	PASS
n5	15	15	166300	1@1	CP_16QAM	21.67	7000	PASS
n5	15	15	166300	1@77	CP_16QAM	21.69	7000	PASS
n5	15	15	166300	79@0	CP_64QAM	20.74	7000	PASS
n5	15	15	166300	39@19	CP_64QAM	20.74	7000	PASS
n5	15	15	166300	1@1	CP_64QAM	20.65	7000	PASS
n5	15	15	166300	1@77	CP_64QAM	20.68	7000	PASS
n5	15	15	166300	79@0	CP_256QAM	17.64	7000	PASS
n5	15	15	166300	39@19	CP_256QAM	17.73	7000	PASS
n5	15	15	166300	1@1	CP_256QAM	17.80	7000	PASS
n5	15	15	166300	1@77	CP_256QAM	17.83	7000	PASS
n5	15	15	167300	75@0	DFT_BPSK	23.67	7000	PASS
n5	15	15	167300	36@18	DFT_BPSK	24.25	7000	PASS
n5	15	15	167300	1@1	DFT_BPSK	24.02	7000	PASS
n5	15	15	167300	1@77	DFT_BPSK	23.76	7000	PASS
n5	15	15	167300	75@0	DFT_QPSK	23.15	7000	PASS
n5	15	15	167300	36@18	DFT_QPSK	24.27	7000	PASS

n5	15	15	167300	1@1	DFT_QPSK	24.16	7000	PASS
n5	15	15	167300	1@77	DFT_QPSK	23.84	7000	PASS
n5	15	15	167300	75@0	DFT_16QAM	22.21	7000	PASS
n5	15	15	167300	36@18	DFT_16QAM	23.25	7000	PASS
n5	15	15	167300	1@1	DFT_16QAM	23.31	7000	PASS
n5	15	15	167300	1@77	DFT_16QAM	22.98	7000	PASS
n5	15	15	167300	75@0	DFT_64QAM	21.67	7000	PASS
n5	15	15	167300	36@18	DFT_64QAM	21.79	7000	PASS
n5	15	15	167300	1@1	DFT_64QAM	21.81	7000	PASS
n5	15	15	167300	1@77	DFT_64QAM	21.39	7000	PASS
n5	15	15	167300	75@0	DFT_256QAM	19.69	7000	PASS
n5	15	15	167300	36@18	DFT_256QAM	19.79	7000	PASS
n5	15	15	167300	1@1	DFT_256QAM	19.84	7000	PASS
n5	15	15	167300	1@77	DFT_256QAM	19.54	7000	PASS
n5	15	15	167300	79@0	CP_QPSK	21.17	7000	PASS
n5	15	15	167300	39@19	CP_QPSK	22.72	7000	PASS
n5	15	15	167300	1@1	CP_QPSK	22.39	7000	PASS
n5	15	15	167300	1@77	CP_QPSK	22.15	7000	PASS
n5	15	15	167300	79@0	CP_16QAM	21.19	7000	PASS
n5	15	15	167300	39@19	CP_16QAM	22.17	7000	PASS
n5	15	15	167300	1@1	CP_16QAM	21.74	7000	PASS
n5	15	15	167300	1@77	CP_16QAM	21.52	7000	PASS
n5	15	15	167300	79@0	CP_64QAM	20.77	7000	PASS
n5	15	15	167300	39@19	CP_64QAM	20.70	7000	PASS
n5	15	15	167300	1@1	CP_64QAM	20.75	7000	PASS
n5	15	15	167300	1@77	CP_64QAM	20.50	7000	PASS
n5	15	15	167300	79@0	CP_256QAM	17.67	7000	PASS
n5	15	15	167300	39@19	CP_256QAM	17.69	7000	PASS
n5	15	15	167300	1@1	CP_256QAM	17.93	7000	PASS
n5	15	15	167300	1@77	CP_256QAM	17.64	7000	PASS
n5	15	15	168300	75@0	DFT_BPSK	23.49	7000	PASS
n5	15	15	168300	36@18	DFT_BPSK	24.05	7000	PASS
n5	15	15	168300	1@1	DFT_BPSK	24.13	7000	PASS
n5	15	15	168300	1@77	DFT_BPSK	23.60	7000	PASS
n5	15	15	168300	75@0	DFT_QPSK	23.06	7000	PASS
n5	15	15	168300	36@18	DFT_QPSK	24.06	7000	PASS
n5	15	15	168300	1@1	DFT_QPSK	24.14	7000	PASS
n5	15	15	168300	1@77	DFT_QPSK	23.69	7000	PASS
n5	15	15	168300	75@0	DFT_16QAM	22.02	7000	PASS
n5	15	15	168300	36@18	DFT_16QAM	23.06	7000	PASS
n5	15	15	168300	1@1	DFT_16QAM	23.30	7000	PASS
n5	15	15	168300	1@77	DFT_16QAM	22.84	7000	PASS
n5	15	15	168300	75@0	DFT_64QAM	21.50	7000	PASS
n5	15	15	168300	36@18	DFT_64QAM	21.57	7000	PASS


n5	15	15	168300	1@1	DFT_64QAM	21.82	7000	PASS
n5	15	15	168300	1@77	DFT_64QAM	21.26	7000	PASS
n5	15	15	168300	75@0	DFT_256QAM	19.51	7000	PASS
n5	15	15	168300	36@18	DFT_256QAM	19.50	7000	PASS
n5	15	15	168300	1@1	DFT_256QAM	19.99	7000	PASS
n5	15	15	168300	1@77	DFT_256QAM	19.47	7000	PASS
n5	15	15	168300	79@0	CP_QPSK	20.92	7000	PASS
n5	15	15	168300	39@19	CP_QPSK	22.44	7000	PASS
n5	15	15	168300	1@1	CP_QPSK	22.66	7000	PASS
n5	15	15	168300	1@77	CP_QPSK	22.16	7000	PASS
n5	15	15	168300	79@0	CP_16QAM	20.88	7000	PASS
n5	15	15	168300	39@19	CP_16QAM	21.96	7000	PASS
n5	15	15	168300	1@1	CP_16QAM	21.86	7000	PASS
n5	15	15	168300	1@77	CP_16QAM	21.38	7000	PASS
n5	15	15	168300	79@0	CP_64QAM	20.54	7000	PASS
n5	15	15	168300	39@19	CP_64QAM	20.50	7000	PASS
n5	15	15	168300	1@1	CP_64QAM	20.84	7000	PASS
n5	15	15	168300	1@77	CP_64QAM	20.32	7000	PASS
n5	15	15	168300	79@0	CP_256QAM	17.43	7000	PASS
n5	15	15	168300	39@19	CP_256QAM	17.47	7000	PASS
n5	15	15	168300	1@1	CP_256QAM	17.97	7000	PASS
n5	15	15	168300	1@77	CP_256QAM	17.51	7000	PASS
n5	15	20	166800	100@0	DFT_BPSK	23.63	7000	PASS
n5	15	20	166800	50@25	DFT_BPSK	24.25	7000	PASS
n5	15	20	166800	1@1	DFT_BPSK	23.93	7000	PASS
n5	15	20	166800	1@104	DFT_BPSK	23.69	7000	PASS
n5	15	20	166800	100@0	DFT_QPSK	23.15	7000	PASS
n5	15	20	166800	50@25	DFT_QPSK	24.26	7000	PASS
n5	15	20	166800	1@1	DFT_QPSK	23.93	7000	PASS
n5	15	20	166800	1@104	DFT_QPSK	23.71	7000	PASS
n5	15	20	166800	100@0	DFT_16QAM	22.15	7000	PASS
n5	15	20	166800	50@25	DFT_16QAM	23.30	7000	PASS
n5	15	20	166800	1@1	DFT_16QAM	23.19	7000	PASS
n5	15	20	166800	1@104	DFT_16QAM	22.92	7000	PASS
n5	15	20	166800	100@0	DFT_64QAM	21.62	7000	PASS
n5	15	20	166800	50@25	DFT_64QAM	21.68	7000	PASS
n5	15	20	166800	1@1	DFT_64QAM	21.59	7000	PASS
n5	15	20	166800	1@104	DFT_64QAM	21.39	7000	PASS
n5	15	20	166800	100@0	DFT_256QAM	19.60	7000	PASS
n5	15	20	166800	50@25	DFT_256QAM	19.80	7000	PASS
n5	15	20	166800	1@1	DFT_256QAM	19.69	7000	PASS
n5	15	20	166800	1@104	DFT_256QAM	19.50	7000	PASS
n5	15	20	166800	106@0	CP_QPSK	21.12	7000	PASS
n5	15	20	166800	53@26	CP_QPSK	22.70	7000	PASS

n5	15	20	166800	1@1	CP_QPSK	22.46	7000	PASS
n5	15	20	166800	1@104	CP_QPSK	22.26	7000	PASS
n5	15	20	166800	106@0	CP_16QAM	21.07	7000	PASS
n5	15	20	166800	53@26	CP_16QAM	22.24	7000	PASS
n5	15	20	166800	1@1	CP_16QAM	21.68	7000	PASS
n5	15	20	166800	1@104	CP_16QAM	21.39	7000	PASS
n5	15	20	166800	106@0	CP_64QAM	20.63	7000	PASS
n5	15	20	166800	53@26	CP_64QAM	20.77	7000	PASS
n5	15	20	166800	1@1	CP_64QAM	20.62	7000	PASS
n5	15	20	166800	1@104	CP_64QAM	20.36	7000	PASS
n5	15	20	166800	106@0	CP_256QAM	17.57	7000	PASS
n5	15	20	166800	53@26	CP_256QAM	17.67	7000	PASS
n5	15	20	166800	1@1	CP_256QAM	17.74	7000	PASS
n5	15	20	166800	1@104	CP_256QAM	17.48	7000	PASS
n5	15	20	167300	100@0	DFT_BPSK	23.60	7000	PASS
n5	15	20	167300	50@25	DFT_BPSK	24.15	7000	PASS
n5	15	20	167300	1@1	DFT_BPSK	24.00	7000	PASS
n5	15	20	167300	1@104	DFT_BPSK	23.69	7000	PASS
n5	15	20	167300	100@0	DFT_QPSK	23.10	7000	PASS
n5	15	20	167300	50@25	DFT_QPSK	24.23	7000	PASS
n5	15	20	167300	1@1	DFT_QPSK	24.00	7000	PASS
n5	15	20	167300	1@104	DFT_QPSK	23.68	7000	PASS
n5	15	20	167300	100@0	DFT_16QAM	22.12	7000	PASS
n5	15	20	167300	50@25	DFT_16QAM	23.22	7000	PASS
n5	15	20	167300	1@1	DFT_16QAM	23.20	7000	PASS
n5	15	20	167300	1@104	DFT_16QAM	22.85	7000	PASS
n5	15	20	167300	100@0	DFT_64QAM	21.60	7000	PASS
n5	15	20	167300	50@25	DFT_64QAM	21.63	7000	PASS
n5	15	20	167300	1@1	DFT_64QAM	21.71	7000	PASS
n5	15	20	167300	1@104	DFT_64QAM	21.31	7000	PASS
n5	15	20	167300	100@0	DFT_256QAM	19.58	7000	PASS
n5	15	20	167300	50@25	DFT_256QAM	19.70	7000	PASS
n5	15	20	167300	1@1	DFT_256QAM	19.74	7000	PASS
n5	15	20	167300	1@104	DFT_256QAM	19.41	7000	PASS
n5	15	20	167300	106@0	CP_QPSK	21.13	7000	PASS
n5	15	20	167300	53@26	CP_QPSK	22.69	7000	PASS
n5	15	20	167300	1@1	CP_QPSK	22.43	7000	PASS
n5	15	20	167300	1@104	CP_QPSK	22.22	7000	PASS
n5	15	20	167300	106@0	CP_16QAM	21.11	7000	PASS
n5	15	20	167300	53@26	CP_16QAM	22.27	7000	PASS
n5	15	20	167300	1@1	CP_16QAM	22.22	7000	PASS
n5	15	20	167300	1@104	CP_16QAM	21.75	7000	PASS
n5	15	20	167300	106@0	CP_64QAM	20.63	7000	PASS
n5	15	20	167300	53@26	CP_64QAM	20.74	7000	PASS


n5	15	20	167300	1@1	CP_64QAM	20.67	7000	PASS
n5	15	20	167300	1@104	CP_64QAM	20.28	7000	PASS
n5	15	20	167300	106@0	CP_256QAM	-32.23	7000	PASS
n5	15	20	167300	53@26	CP_256QAM	17.64	7000	PASS
n5	15	20	167300	1@1	CP_256QAM	17.81	7000	PASS
n5	15	20	167300	1@104	CP_256QAM	17.44	7000	PASS
n5	15	20	167800	100@0	DFT_BPSK	23.57	7000	PASS
n5	15	20	167800	50@25	DFT_BPSK	24.13	7000	PASS
n5	15	20	167800	1@1	DFT_BPSK	23.97	7000	PASS
n5	15	20	167800	1@104	DFT_BPSK	23.57	7000	PASS
n5	15	20	167800	100@0	DFT_QPSK	23.08	7000	PASS
n5	15	20	167800	50@25	DFT_QPSK	24.18	7000	PASS
n5	15	20	167800	1@1	DFT_QPSK	24.05	7000	PASS
n5	15	20	167800	1@104	DFT_QPSK	23.70	7000	PASS
n5	15	20	167800	100@0	DFT_16QAM	22.10	7000	PASS
n5	15	20	167800	50@25	DFT_16QAM	23.19	7000	PASS
n5	15	20	167800	1@1	DFT_16QAM	23.23	7000	PASS
n5	15	20	167800	1@104	DFT_16QAM	22.87	7000	PASS
n5	15	20	167800	100@0	DFT_64QAM	21.60	7000	PASS
n5	15	20	167800	50@25	DFT_64QAM	21.64	7000	PASS
n5	15	20	167800	1@1	DFT_64QAM	21.78	7000	PASS
n5	15	20	167800	1@104	DFT_64QAM	21.33	7000	PASS
n5	15	20	167800	100@0	DFT_256QAM	19.63	7000	PASS
n5	15	20	167800	50@25	DFT_256QAM	19.70	7000	PASS
n5	15	20	167800	1@1	DFT_256QAM	19.80	7000	PASS
n5	15	20	167800	1@104	DFT_256QAM	19.39	7000	PASS
n5	15	20	167800	106@0	CP_QPSK	21.00	7000	PASS
n5	15	20	167800	53@26	CP_QPSK	22.60	7000	PASS
n5	15	20	167800	1@1	CP_QPSK	22.40	7000	PASS
n5	15	20	167800	1@104	CP_QPSK	22.05	7000	PASS
n5	15	20	167800	106@0	CP_16QAM	20.99	7000	PASS
n5	15	20	167800	53@26	CP_16QAM	22.11	7000	PASS
n5	15	20	167800	1@1	CP_16QAM	21.71	7000	PASS
n5	15	20	167800	1@104	CP_16QAM	21.37	7000	PASS
n5	15	20	167800	106@0	CP_64QAM	20.60	7000	PASS
n5	15	20	167800	53@26	CP_64QAM	20.65	7000	PASS
n5	15	20	167800	1@1	CP_64QAM	20.68	7000	PASS
n5	15	20	167800	1@104	CP_64QAM	20.29	7000	PASS
n5	15	20	167800	106@0	CP_256QAM	17.50	7000	PASS
n5	15	20	167800	53@26	CP_256QAM	17.58	7000	PASS
n5	15	20	167800	1@1	CP_256QAM	17.79	7000	PASS
n5	15	20	167800	1@104	CP_256QAM	17.44	7000	PASS

2. Peak-to-average Ratio for EN DC


<i>Band</i>	<i>SCS (kHz)</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Allocation</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>High Limit (dB)</i>	<i>Verdict</i>
n5	15	20	167300	100@0	DFT_BPSK	3.78	13	PASS
n5	15	20	167300	100@0	DFT_QPSK	4.93	13	PASS
n5	15	20	167300	100@0	DFT_16QAM	5.66	13	PASS
n5	15	20	167300	100@0	DFT_64QAM	5.93	13	PASS
n5	15	20	167300	100@0	DFT_256QAM	6.38	13	PASS




n5 SCS=15kHz DFT_16QAM BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_256QAM BW=20MHz Channel=167300 RB=100@0



n5 SCS=15kHz DFT_64QAM BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300 RB=100@0




3. Occupied Bandwidth for EN DC


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	UL Frequency (MHz)	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n5	15	5	167300	836.5	25@0	DFT_BPSK	4.501	4.989	PASS
n5	15	5	167300	836.5	25@0	CP_QPSK	4.489	4.946	PASS
n5	15	5	167300	836.5	25@0	CP_16QAM	4.498	4.927	PASS
n5	15	5	167300	836.5	25@0	CP_64QAM	4.506	4.997	PASS
n5	15	5	167300	836.5	25@0	CP_256QAM	4.499	4.976	PASS
n5	15	10	167300	836.5	50@0	DFT_BPSK	8.971	9.680	PASS
n5	15	10	167300	836.5	52@0	CP_QPSK	9.327	10.043	PASS
n5	15	10	167300	836.5	52@0	CP_16QAM	9.324	10.102	PASS
n5	15	10	167300	836.5	52@0	CP_64QAM	9.326	10.011	PASS
n5	15	10	167300	836.5	52@0	CP_256QAM	9.340	10.090	PASS
n5	15	15	167300	836.5	75@0	DFT_BPSK	13.434	14.309	PASS
n5	15	15	167300	836.5	79@0	CP_QPSK	14.122	15.018	PASS
n5	15	15	167300	836.5	79@0	CP_16QAM	14.175	15.052	PASS
n5	15	15	167300	836.5	79@0	CP_64QAM	14.149	15.050	PASS
n5	15	15	167300	836.5	79@0	CP_256QAM	14.188	15.062	PASS
n5	15	20	167300	836.5	100@0	DFT_BPSK	17.996	19.404	PASS
n5	15	20	167300	836.5	106@0	CP_QPSK	18.980	20.305	PASS
n5	15	20	167300	836.5	106@0	CP_16QAM	19.017	20.330	PASS
n5	15	20	167300	836.5	106@0	CP_64QAM	18.996	20.339	PASS
n5	15	20	167300	836.5	106@0	CP_256QAM	18.985	20.249	PASS




n5 SCS=15kHz CP_16QAM BW=10MHz Channel=167300 RB=52@0




n5 SCS=15kHz CP_16QAM BW=15MHz Channel=167300 RB=79@0




n5 SCS=15kHz CP_16QAM BW=20MHz Channel=167300 RB=106@0




n5 SCS=15kHz CP_16QAM BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz CP_256QAM BW=10MHz Channel=167300 RB=52@0




n5 SCS=15kHz CP_256QAM BW=15MHz Channel=167300 RB=79@0




n5 SCS=15kHz CP_256QAM BW=20MHz Channel=167300 RB=106@0




n5 SCS=15kHz CP_256QAM BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz CP_64QAM BW=10MHz Channel=167300 RB=52@0




n5 SCS=15kHz CP_64QAM BW=15MHz Channel=167300 RB=79@0




n5 SCS=15kHz CP_64QAM BW=20MHz Channel=167300 RB=106@0




n5 SCS=15kHz CP_64QAM BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz CP_QPSK BW=10MHz Channel=167300 RB=52@0




n5 SCS=15kHz CP_QPSK BW=15MHz Channel=167300 RB=79@0




n5 SCS=15kHz CP_QPSK BW=20MHz Channel=167300 RB=106@0




n5 SCS=15kHz CP_QPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_BPSK BW=10MHz Channel=167300 RB=50@0



n5 SCS=15kHz DFT_BPSK BW=15MHz Channel=167300 RB=75@0



n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_BPSK BW=5MHz Channel=167300 RB=25@0

4. Conducted Band Edge for EN DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n5	30	10	165800	1@0	DFT_BPSK	823.97	-22.51	-13	PASS
n5	30	10	165800	24@0	DFT_BPSK	823.89	-29.00	-13	PASS
n5	30	10	165800	1@0	DFT_QPSK	823.99	-23.16	-13	PASS
n5	30	10	165800	24@0	DFT_QPSK	823.81	-27.68	-13	PASS
n5	30	10	165800	1@0	DFT_16QAM	823.99	-22.53	-13	PASS
n5	30	10	165800	24@0	DFT_16QAM	823.96	-29.96	-13	PASS
n5	30	10	165800	1@0	DFT_64QAM	823.97	-25.17	-13	PASS
n5	30	10	165800	24@0	DFT_64QAM	824.00	-30.71	-13	PASS
n5	30	10	165800	1@0	DFT_256QAM	823.96	-26.25	-13	PASS
n5	30	10	165800	24@0	DFT_256QAM	823.99	-36.21	-13	PASS
n5	30	10	165800	24@0	CP_QPSK	823.69	-26.39	-13	PASS
n5	30	10	168800	1@23	DFT_BPSK	849.00	-21.20	-13	PASS
n5	30	10	168800	24@0	DFT_BPSK	849.02	-31.82	-13	PASS
n5	30	10	168800	1@23	DFT_QPSK	849.00	-23.37	-13	PASS
n5	30	10	168800	24@0	DFT_QPSK	849.03	-31.94	-13	PASS
n5	30	10	168800	1@23	DFT_16QAM	848.06	12.65	30	PASS
n5	30	10	168800	24@0	DFT_16QAM	849.00	-34.28	-13	PASS
n5	30	10	168800	1@23	DFT_64QAM	849.00	-24.18	-13	PASS
n5	30	10	168800	24@0	DFT_64QAM	849.01	-34.14	-13	PASS
n5	30	10	168800	1@23	DFT_256QAM	849.01	-27.41	-13	PASS
n5	30	10	168800	24@0	DFT_256QAM	849.02	-37.68	-13	PASS
n5	30	10	168800	24@0	CP_QPSK	849.08	-31.14	-13	PASS
n5	30	15	166300	1@0	DFT_BPSK	823.99	-17.28	-13	PASS
n5	30	15	166300	36@0	DFT_BPSK	823.90	-28.86	-13	PASS
n5	30	15	166300	1@0	DFT_QPSK	823.97	-18.98	-13	PASS
n5	30	15	166300	36@0	DFT_QPSK	823.97	-28.46	-13	PASS
n5	30	15	166300	1@0	DFT_16QAM	823.98	-18.77	-13	PASS
n5	30	15	166300	36@0	DFT_16QAM	823.95	-29.96	-13	PASS
n5	30	15	166300	1@0	DFT_64QAM	824.00	-18.90	-13	PASS
n5	30	15	166300	36@0	DFT_64QAM	824.00	-30.46	-13	PASS
n5	30	15	166300	1@0	DFT_256QAM	823.99	-19.60	-13	PASS
n5	30	15	166300	38@0	CP_QPSK	823.59	-28.68	-13	PASS
n5	30	15	168300	1@37	DFT_BPSK	849.02	-20.15	-13	PASS
n5	30	15	168300	36@0	DFT_BPSK	849.03	-35.34	-13	PASS
n5	30	15	168300	1@37	DFT_QPSK	849.01	-20.54	-13	PASS
n5	30	15	168300	36@0	DFT_QPSK	849.01	-33.40	-13	PASS
n5	30	15	168300	1@37	DFT_16QAM	849.02	-19.57	-13	PASS
n5	30	15	168300	36@0	DFT_16QAM	849.01	-34.96	-13	PASS
n5	30	15	168300	1@37	DFT_64QAM	848.16	16.52	30	PASS
n5	30	15	168300	36@0	DFT_64QAM	849.02	-36.54	-13	PASS


n5	30	15	168300	1@37	DFT_256QAM	849.01	-21.06	-13	PASS
n5	30	15	168300	36@0	DFT_256QAM	849.03	-41.18	-13	PASS
n5	30	15	168300	38@0	CP_QPSK	849.00	-31.19	-13	PASS
n5	30	20	166800	1@0	DFT_BPSK	823.98	-18.18	-13	PASS
n5	30	20	166800	50@0	DFT_BPSK	823.88	-30.72	-13	PASS
n5	30	20	166800	50@0	DFT_QPSK	823.97	-29.28	-13	PASS
n5	30	20	166800	1@0	DFT_16QAM	823.98	-18.14	-13	PASS
n5	30	20	166800	50@0	DFT_16QAM	823.96	-32.15	-13	PASS
n5	30	20	166800	1@0	DFT_64QAM	823.98	-21.05	-13	PASS
n5	30	20	166800	50@0	DFT_64QAM	823.99	-31.49	-13	PASS
n5	30	20	166800	1@0	DFT_256QAM	823.99	-21.66	-13	PASS
n5	30	20	166800	50@0	DFT_256QAM	823.99	-35.34	-13	PASS
n5	30	20	166800	51@0	CP_QPSK	823.99	-29.44	-13	PASS
n5	30	20	167800	1@50	DFT_BPSK	849.02	-19.16	-13	PASS
n5	30	20	167800	50@0	DFT_BPSK	849.03	-32.76	-13	PASS
n5	30	20	167800	1@50	DFT_QPSK	849.01	-19.92	-13	PASS
n5	30	20	167800	50@0	DFT_QPSK	849.03	-32.21	-13	PASS
n5	30	20	167800	1@50	DFT_16QAM	849.03	-22.11	-13	PASS
n5	30	20	167800	50@0	DFT_16QAM	849.10	-33.46	-13	PASS
n5	30	20	167800	1@50	DFT_64QAM	849.03	-20.56	-13	PASS
n5	30	20	167800	50@0	DFT_64QAM	836.18	0.54	30	PASS
n5	30	20	167800	1@50	DFT_256QAM	849.01	-23.54	-13	PASS
n5	30	20	167800	50@0	DFT_256QAM	849.26	-39.91	-13	PASS
n5	30	20	167800	51@0	CP_QPSK	849.18	-32.04	-13	PASS




n5 SCS=30kHz CP_QPSK BW=10MHz HighChannel=168800 RB=24@0




n5 SCS=30kHz CP_QPSK BW=10MHz LowChannel=165800 RB=24@0




n5 SCS=30kHz CP_QPSK BW=15MHz HighChannel=168300 RB=38@0




n5 SCS=30kHz CP_QPSK BW=15MHz LowChannel=166300 RB=38@0




n5 SCS=30kHz CP_QPSK BW=20MHz HighChannel=167800 RB=51@0




n5 SCS=30kHz CP_QPSK BW=20MHz LowChannel=166800 RB=51@0




n5 SCS=30kHz DFT_16QAM BW=10MHz HighChannel=168800 RB=1@23




n5 SCS=30kHz DFT_16QAM BW=10MHz HighChannel=168800 RB=24@0




n5 SCS=30kHz DFT_16QAM BW=10MHz LowChannel=165800 RB=1@0




n5 SCS=30kHz DFT_16QAM BW=10MHz LowChannel=165800 RB=24@0




n5 SCS=30kHz DFT_16QAM BW=15MHz HighChannel=168300 RB=1@37




n5 SCS=30kHz DFT_16QAM BW=15MHz HighChannel=168300 RB=36@0




n5 SCS=30kHz DFT_16QAM BW=15MHz LowChannel=166300 RB=1@0




n5 SCS=30kHz DFT_16QAM BW=15MHz LowChannel=166300 RB=36@0




n5 SCS=30kHz DFT_16QAM BW=20MHz HighChannel=167800 RB=1@50




n5 SCS=30kHz DFT_16QAM BW=20MHz HighChannel=167800 RB=50@0




n5 SCS=30kHz DFT_16QAM BW=20MHz LowChannel=166800 RB=1@0




n5 SCS=30kHz DFT_16QAM BW=20MHz LowChannel=166800 RB=50@0




n5 SCS=30kHz DFT_256QAM BW=10MHz HighChannel=168800 RB=1@23




n5 SCS=30kHz DFT_256QAM BW=10MHz HighChannel=168800 RB=24@0




n5 SCS=30kHz DFT_256QAM BW=10MHz LowChannel=165800 RB=1@0




n5 SCS=30kHz DFT_256QAM BW=10MHz LowChannel=165800 RB=24@0




n5 SCS=30kHz DFT_256QAM BW=15MHz HighChannel=168300 RB=1@37




n5 SCS=30kHz DFT_256QAM BW=15MHz HighChannel=168300 RB=36@0




n5 SCS=30kHz DFT_256QAM BW=15MHz LowChannel=166300 RB=1@0




n5 SCS=30kHz DFT_256QAM BW=20MHz HighChannel=167800 RB=1@50




n5 SCS=30kHz DFT_256QAM BW=20MHz HighChannel=167800 RB=50@0




n5 SCS=30kHz DFT_256QAM BW=20MHz LowChannel=166800 RB=1@0




n5 SCS=30kHz DFT_256QAM BW=20MHz LowChannel=166800 RB=50@0




n5 SCS=30kHz DFT_64QAM BW=10MHz HighChannel=168800 RB=1@23




n5 SCS=30kHz DFT_64QAM BW=10MHz HighChannel=168800 RB=24@0




n5 SCS=30kHz DFT_64QAM BW=10MHz LowChannel=165800 RB=1@0




n5 SCS=30kHz DFT_64QAM BW=10MHz LowChannel=165800 RB=24@0




n5 SCS=30kHz DFT_64QAM BW=15MHz HighChannel=168300 RB=1@37




n5 SCS=30kHz DFT_64QAM BW=15MHz HighChannel=168300 RB=36@0




n5 SCS=30kHz DFT_64QAM BW=15MHz LowChannel=166300 RB=1@0




n5 SCS=30kHz DFT_64QAM BW=15MHz LowChannel=166300 RB=36@0




n5 SCS=30kHz DFT_64QAM BW=20MHz HighChannel=167800 RB=1@50




n5 SCS=30kHz DFT_64QAM BW=20MHz HighChannel=167800 RB=50@0




n5 SCS=30kHz DFT_64QAM BW=20MHz LowChannel=166800 RB=1@0




n5 SCS=30kHz DFT_64QAM BW=20MHz LowChannel=166800 RB=50@0




n5 SCS=30kHz DFT_BPSK BW=10MHz HighChannel=168800 RB=1@23




n5 SCS=30kHz DFT_BPSK BW=10MHz HighChannel=168800 RB=24@0




n5 SCS=30kHz DFT_BPSK BW=10MHz LowChannel=165800 RB=1@0




n5 SCS=30kHz DFT_BPSK BW=10MHz LowChannel=165800 RB=24@0




n5 SCS=30kHz DFT_BPSK BW=15MHz HighChannel=168300 RB=1@37




n5 SCS=30kHz DFT_BPSK BW=15MHz HighChannel=168300 RB=36@0




n5 SCS=30kHz DFT_BPSK BW=15MHz LowChannel=166300 RB=1@0




n5 SCS=30kHz DFT_BPSK BW=15MHz LowChannel=166300 RB=36@0




n5 SCS=30kHz DFT_BPSK BW=20MHz HighChannel=167800 RB=1@50




n5 SCS=30kHz DFT_BPSK BW=20MHz HighChannel=167800 RB=50@0




n5 SCS=30kHz DFT_BPSK BW=20MHz LowChannel=166800 RB=1@0




n5 SCS=30kHz DFT_BPSK BW=20MHz LowChannel=166800 RB=50@0




n5 SCS=30kHz DFT_QPSK BW=10MHz HighChannel=168800 RB=1@23




n5 SCS=30kHz DFT_QPSK BW=10MHz HighChannel=168800 RB=24@0




n5 SCS=30kHz DFT_QPSK BW=10MHz LowChannel=165800 RB=1@0




n5 SCS=30kHz DFT_QPSK BW=10MHz LowChannel=165800 RB=24@0




n5 SCS=30kHz DFT_QPSK BW=15MHz HighChannel=168300 RB=1@37




n5 SCS=30kHz DFT_QPSK BW=15MHz HighChannel=168300 RB=36@0




n5 SCS=30kHz DFT_QPSK BW=15MHz LowChannel=166300 RB=1@0




n5 SCS=30kHz DFT_QPSK BW=15MHz LowChannel=166300 RB=36@0



n5 SCS=30kHz DFT_QPSK BW=20MHz HighChannel=167800 RB=1@50




n5 SCS=30kHz DFT_QPSK BW=20MHz HighChannel=167800 RB=50@0



n5 SCS=30kHz DFT_QPSK BW=20MHz LowChannel=166800 RB=50@0


5. Conducted Spurious Emissions for EN DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n5	15	20	166800	1@0	DFT_BPSK	2475.33	-41.16	-13	PASS
n5	15	20	166800	1@105	DFT_BPSK	3155.50	-42.19	-13	PASS
n5	15	20	166800	100@0	DFT_BPSK	2475.10	-38.92	-13	PASS
n5	15	20	167300	1@0	DFT_BPSK	2481.85	-40.78	-13	PASS
n5	15	20	167300	1@105	DFT_BPSK	2482.08	-39.29	-13	PASS
n5	15	20	167300	100@0	DFT_BPSK	2482.30	-40.89	-13	PASS
n5	15	20	167800	1@0	DFT_BPSK	2490.40	-39.63	-13	PASS
n5	15	20	167800	1@105	DFT_BPSK	2489.73	-39.72	-13	PASS
n5	15	20	167800	100@0	DFT_BPSK	2489.73	-38.23	-13	PASS




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	975.36	-55.56	-13
2	1000	10000	1000	2475.10	-38.92	-13

n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=166800 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	941.32	-55.13	-13
2	1000	10000	1000	2475.33	-41.16	-13

n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=166800 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	971.24	-55.03	-13
2	1000	10000	1000	3155.50	-42.19	-13

n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=166800 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	742.42	-55.48	-13
2	1000	10000	1000	2482.30	-40.89	-13

n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	981.96	-55.44	-13
2	1000	10000	1000	2481.85	-40.78	-13

n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	935.98	-54.85	-13
2	1000	10000	1000	2482.08	-39.29	-13

n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	972.36	-55.65	-13
2	1000	10000	1000	2489.73	-38.23	-13

n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167800 RB=100@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	962.32	-55.79	-13
2	1000	10000	1000	2490.40	-39.63	-13

n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167800 RB=1@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	973.76	-55.47	-13
2	1000	10000	1000	2489.73	-39.72	-13

n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167800 RB=1@105

