



Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1267.454	49.43	25.10	2.44	38.33	38.64	68.20	-29.56	VERTICAL	Peak
2	1551.677	50.17	25.54	2.80	38.03	40.48	74.00	-33.52	VERTICAL	Peak
3	2990.531	50.92	28.39	3.79	37.25	45.85	68.20	-22.35	VERTICAL	Peak
4	4157.664	50.69	30.06	4.60	36.80	48.55	74.00	-25.45	VERTICAL	Peak
5	10360.000	43.17	39.28	7.29	37.37	52.37	68.20	-15.83	VERTICAL	Peak
6	15540.000	38.64	39.05	9.88	35.39	52.18	74.00	-21.82	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	49.21	24.88	2.31	38.37	38.03	74.00	-35.97	HORIZONTAL Peak
2	1625.121	49.14	25.61	2.80	37.95	39.60	74.00	-34.40	HORIZONTAL Peak
3	3096.075	50.85	28.47	3.90	37.16	46.06	68.20	-22.14	HORIZONTAL Peak
4	4430.628	50.76	30.72	4.78	36.81	49.45	68.20	-18.75	HORIZONTAL Peak
5	10400.000	42.25	39.33	7.32	37.36	51.54	68.20	-16.66	HORIZONTAL Peak
6	15600.000	39.00	38.99	9.88	35.39	52.48	74.00	-21.52	HORIZONTAL Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1300.858	49.38	25.20	2.60	38.31	38.87	74.00	-35.13	VERTICAL	Peak
2	1597.181	49.40	25.58	2.80	37.98	39.80	74.00	-34.20	VERTICAL	Peak
3	3405.929	50.33	28.85	4.11	36.98	46.31	68.20	-21.89	VERTICAL	Peak
4	4392.376	50.28	30.66	4.70	36.81	48.83	74.00	-25.17	VERTICAL	Peak
5	10400.000	41.88	39.33	7.32	37.36	51.17	68.20	-17.03	VERTICAL	Peak
6	15600.000	38.72	38.99	9.88	35.39	52.20	74.00	-21.80	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation: 802.11a; Bandwidth: 20MHz; Channel: High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1206.682	49.73	24.72	2.33	38.39	38.39	74.00	-35.61	HORIZONTAL	Peak
2	1606.441	50.32	25.59	2.80	37.98	40.73	74.00	-33.27	HORIZONTAL	Peak
3	3485.601	50.60	28.89	4.27	36.95	46.81	68.20	-21.39	HORIZONTAL	Peak
4	4181.768	51.42	30.12	4.60	36.80	49.34	74.00	-24.66	HORIZONTAL	Peak
5	10480.000	43.32	39.46	7.40	37.36	52.82	68.20	-15.38	HORIZONTAL	Peak
6	15720.000	39.22	38.78	9.87	35.39	52.48	74.00	-21.52	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	49.49	24.50	2.36	38.42	37.93	74.00	-36.07	VERTICAL	Peak
2	1620.431	49.66	25.60	2.80	37.95	40.11	74.00	-33.89	VERTICAL	Peak
3	2990.531	52.36	28.39	3.79	37.25	47.29	68.20	-20.91	VERTICAL	Peak
4	4443.453	49.73	30.73	4.83	36.81	48.48	68.20	-19.72	VERTICAL	Peak
5	10480.000	42.27	39.46	7.40	37.36	51.77	68.20	-16.43	VERTICAL	Peak
6	15720.000	39.36	38.78	9.87	35.39	52.62	74.00	-21.38	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1231.345	49.28	24.91	2.31	38.37	38.13	74.00	-35.87	HORIZONTAL Peak
2	1542.733	49.68	25.53	2.80	38.03	39.98	74.00	-34.02	HORIZONTAL Peak
3	3465.510	50.68	28.88	4.22	36.95	46.83	68.20	-21.37	HORIZONTAL Peak
4	4098.010	50.91	29.94	4.60	36.80	48.65	74.00	-25.35	HORIZONTAL Peak
5	10360.000	42.89	39.28	7.29	37.37	52.09	68.20	-16.11	HORIZONTAL Peak
6	15540.000	39.41	39.05	9.88	35.39	52.95	74.00	-21.05	HORIZONTAL Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




	ReadAntenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1220.714	48.89	24.82	2.32	38.37	37.66	74.00	-36.34	VERTICAL Peak
2	1634.543	49.39	25.62	2.80	37.95	39.86	68.20	-28.34	VERTICAL Peak
3	3366.778	50.37	28.82	4.09	36.99	46.29	68.20	-21.91	VERTICAL Peak
4	4181.768	50.82	30.12	4.60	36.80	48.74	74.00	-25.26	VERTICAL Peak
5	10360.000	42.48	39.28	7.29	37.37	51.68	68.20	-16.52	VERTICAL Peak
6	15540.000	39.09	39.05	9.88	35.39	52.63	74.00	-21.37	VERTICAL Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1297.103	49.11	25.19	2.58	38.31	38.57	68.20	-29.63	HORIZONTAL	Peak
2	1697.129	49.20	25.71	2.80	37.89	39.82	74.00	-34.18	HORIZONTAL	Peak
3	3425.675	50.15	28.86	4.15	36.97	46.19	68.20	-22.01	HORIZONTAL	Peak
4	4242.641	50.15	30.30	4.62	36.81	48.26	74.00	-25.74	HORIZONTAL	Peak
5	10400.000	42.79	39.33	7.32	37.36	52.08	68.20	-16.12	HORIZONTAL	Peak
6	15600.000	38.68	38.99	9.88	35.39	52.16	74.00	-21.84	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1168.920	49.44	24.55	2.39	38.40	37.98	74.00	-36.02	VERTICAL	Peak
2	1625.121	49.93	25.61	2.80	37.95	40.39	74.00	-33.61	VERTICAL	Peak
3	3415.787	50.43	28.85	4.13	36.97	46.44	68.20	-21.76	VERTICAL	Peak
4	4443.453	49.58	30.73	4.83	36.81	48.33	68.20	-19.87	VERTICAL	Peak
5	10400.000	42.59	39.33	7.32	37.36	51.88	68.20	-16.32	VERTICAL	Peak
6	15600.000	39.36	38.99	9.88	35.39	52.84	74.00	-21.16	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation: 802.11n; Bandwidth: 20MHz; Channel: High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1245.663	49.04	25.00	2.33	38.35	38.02	68.20	-30.18	HORIZONTAL	Peak
2	1490.142	50.35	25.49	2.79	38.10	40.53	74.00	-33.47	HORIZONTAL	Peak
3	3475.541	49.77	28.89	4.25	36.95	45.96	68.20	-22.24	HORIZONTAL	Peak
4	4417.841	49.24	30.70	4.74	36.81	47.87	68.20	-20.33	HORIZONTAL	Peak
5	10480.000	43.21	39.46	7.40	37.36	52.71	68.20	-15.49	HORIZONTAL	Peak
6	15720.000	39.61	38.78	9.87	35.39	52.87	74.00	-21.13	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	49.94	24.88	2.31	38.37	38.76	74.00	-35.24	VERTICAL	Peak
2	1583.392	49.62	25.56	2.80	38.00	39.98	74.00	-34.02	VERTICAL	Peak
3	3328.077	50.43	28.78	4.07	37.02	46.26	68.20	-21.94	VERTICAL	Peak
4	4430.628	50.80	30.72	4.78	36.81	49.49	68.20	-18.71	VERTICAL	Peak
5	10480.000	42.57	39.46	7.40	37.36	52.07	68.20	-16.13	VERTICAL	Peak
6	15720.000	39.70	38.78	9.87	35.39	52.96	74.00	-21.04	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1267.454	49.72	25.10	2.44	38.33	38.93	68.20	-29.27	HORIZONTAL	Peak
2	1697.129	50.01	25.71	2.80	37.89	40.63	74.00	-33.37	HORIZONTAL	Peak
3	3405.929	49.85	28.85	4.11	36.98	45.83	68.20	-22.37	HORIZONTAL	Peak
4	4254.921	50.86	30.34	4.62	36.81	49.01	74.00	-24.99	HORIZONTAL	Peak
5	10380.000	42.66	39.33	7.32	37.37	51.94	68.20	-16.26	HORIZONTAL	Peak
6	15570.000	39.33	38.99	9.88	35.39	52.81	74.00	-21.19	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	49.13	25.02	2.34	38.35	38.14	68.20	-30.06	VERTICAL	Peak
2	1560.673	49.48	25.54	2.80	38.03	39.79	74.00	-34.21	VERTICAL	Peak
3	3495.691	50.39	28.90	4.30	36.94	46.65	68.20	-21.55	VERTICAL	Peak
4	4279.589	50.65	30.42	4.63	36.81	48.89	74.00	-25.11	VERTICAL	Peak
5	10380.000	42.45	39.33	7.32	37.37	51.73	68.20	-16.47	VERTICAL	Peak
6	15570.000	39.29	38.99	9.88	35.39	52.77	74.00	-21.23	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




	ReadAntenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	49.57	24.88	2.31	38.37	38.39	74.00	-35.61	HORIZONTAL Peak
2	1520.598	49.81	25.51	2.80	38.07	40.05	74.00	-33.95	HORIZONTAL Peak
3	3376.523	50.23	28.83	4.09	36.99	46.16	68.20	-22.04	HORIZONTAL Peak
4	4133.699	50.49	30.01	4.60	36.80	48.30	74.00	-25.70	HORIZONTAL Peak
5	10460.000	41.92	39.42	7.37	37.36	51.35	68.20	-16.85	HORIZONTAL Peak
6	15690.000	39.26	38.86	9.87	35.39	52.60	74.00	-21.40	HORIZONTAL Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	49.76	25.02	2.34	38.35	38.77	68.20	-29.43	VERTICAL	Peak
2	1625.121	50.10	25.61	2.80	37.95	40.56	74.00	-33.44	VERTICAL	Peak
3	3475.541	50.68	28.89	4.25	36.95	46.87	68.20	-21.33	VERTICAL	Peak
4	4430.628	50.22	30.72	4.78	36.81	48.91	68.20	-19.29	VERTICAL	Peak
5	10460.000	42.36	39.42	7.37	37.36	51.79	68.20	-16.41	VERTICAL	Peak
6	15690.000	39.08	38.86	9.87	35.39	52.42	74.00	-21.58	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	49.93	24.96	2.30	38.35	38.84	74.00	-35.16	HORIZONTAL Peak
2	1529.414	49.70	25.52	2.80	38.07	39.95	74.00	-34.05	HORIZONTAL Peak
3	3386.297	49.86	28.83	4.10	36.99	45.80	68.20	-22.40	HORIZONTAL Peak
4	4443.453	50.47	30.73	4.83	36.81	49.22	68.20	-18.98	HORIZONTAL Peak
5	10360.000	42.80	39.28	7.29	37.37	52.00	68.20	-16.20	HORIZONTAL Peak
6	15540.000	39.24	39.05	9.88	35.39	52.78	74.00	-21.22	HORIZONTAL Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	49.23	24.96	2.30	38.35	38.14	74.00	-35.86	VERTICAL	Peak
2	1520.598	50.60	25.51	2.80	38.07	40.84	74.00	-33.16	VERTICAL	Peak
3	3475.541	50.33	28.89	4.25	36.95	46.52	68.20	-21.68	VERTICAL	Peak
4	4392.376	49.67	30.66	4.70	36.81	48.22	74.00	-25.78	VERTICAL	Peak
5	10360.000	42.62	39.28	7.29	37.37	51.82	68.20	-16.38	VERTICAL	Peak
6	15540.000	38.68	39.05	9.88	35.39	52.22	74.00	-21.78	VERTICAL	Peak


Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



race: (Discrete)


		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1135.617	49.67	24.45	2.25	38.43	37.94	74.00	-36.06	HORIZONTAL	Peak
2	1551.677	50.51	25.54	2.80	38.03	40.82	74.00	-33.18	HORIZONTAL	Peak
3	3223.928	50.47	28.63	4.01	37.07	46.04	68.20	-22.16	HORIZONTAL	Peak
4	4279.589	49.64	30.42	4.63	36.81	47.88	74.00	-26.12	HORIZONTAL	Peak
5	10400.000	41.50	39.33	7.32	37.36	50.79	68.20	-17.41	HORIZONTAL	Peak
6	15600.000	39.10	38.99	9.88	35.39	52.58	74.00	-21.42	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	50.17	24.50	2.36	38.42	38.61	74.00	-35.39	VERTICAL	Peak
2	1574.265	50.83	25.56	2.80	38.00	41.19	74.00	-32.81	VERTICAL	Peak
3	3337.710	50.17	28.79	4.08	37.01	46.03	74.00	-27.97	VERTICAL	Peak
4	4443.453	50.02	30.73	4.83	36.81	48.77	68.20	-19.43	VERTICAL	Peak
5	10400.000	41.53	39.33	7.32	37.36	50.82	68.20	-17.38	VERTICAL	Peak
6	15600.000	39.47	38.99	9.88	35.39	52.95	74.00	-21.05	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1103.264	50.65	24.37	2.29	38.45	38.86	74.00	-35.14	HORIZONTAL	Peak
2	1587.975	49.98	25.57	2.80	37.98	40.37	74.00	-33.63	HORIZONTAL	Peak
3	3386.297	50.31	28.83	4.10	36.99	46.25	68.20	-21.95	HORIZONTAL	Peak
4	4456.315	49.84	30.75	4.88	36.81	48.66	68.20	-19.54	HORIZONTAL	Peak
5	10480.000	41.45	39.46	7.40	37.36	50.95	68.20	-17.25	HORIZONTAL	Peak
6	15720.000	39.36	38.78	9.87	35.39	52.62	74.00	-21.38	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	49.44	24.93	2.30	38.37	38.30	74.00	-35.70	VERTICAL	Peak
2	1606.441	49.80	25.59	2.80	37.98	40.21	74.00	-33.79	VERTICAL	Peak
3	3475.541	50.50	28.89	4.25	36.95	46.69	68.20	-21.51	VERTICAL	Peak
4	4417.841	50.03	30.70	4.74	36.81	48.66	68.20	-19.54	VERTICAL	Peak
5	10480.000	42.57	39.46	7.40	37.36	52.07	68.20	-16.13	VERTICAL	Peak
6	15720.000	39.18	38.78	9.87	35.39	52.44	74.00	-21.56	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1135.617	49.20	24.45	2.25	38.43	37.47	74.00	-36.53	HORIZONTAL	Peak
2	1569.721	49.29	25.55	2.80	38.00	39.64	74.00	-34.36	HORIZONTAL	Peak
3	3485.601	49.46	28.89	4.27	36.95	45.67	68.20	-22.53	HORIZONTAL	Peak
4	4456.315	49.63	30.75	4.88	36.81	48.45	68.20	-19.75	HORIZONTAL	Peak
5	10380.000	42.47	39.33	7.32	37.37	51.75	68.20	-16.45	HORIZONTAL	Peak
6	15570.000	39.84	38.99	9.88	35.39	53.32	74.00	-20.68	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




	ReadAntenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1148.823	50.32	24.49	2.34	38.42	38.73	74.00	-35.27	VERTICAL Peak
2	1667.951	50.29	25.66	2.80	37.91	40.84	74.00	-33.16	VERTICAL Peak
3	2990.531	51.52	28.39	3.79	37.25	46.45	68.20	-21.75	VERTICAL Peak
4	4482.150	48.63	30.78	4.99	36.81	47.59	68.20	-20.61	VERTICAL Peak
5	10380.000	42.05	39.33	7.32	37.37	51.33	68.20	-16.87	VERTICAL Peak
6	15570.000	39.79	38.99	9.88	35.39	53.27	74.00	-20.73	VERTICAL Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	49.50	24.93	2.30	38.37	38.36	74.00	-35.64	HORIZONTAL Peak
2	1697.129	50.87	25.71	2.80	37.89	41.49	74.00	-32.51	HORIZONTAL Peak
3	3445.535	49.51	28.87	4.18	36.96	45.60	68.20	-22.60	HORIZONTAL Peak
4	4430.628	49.70	30.72	4.78	36.81	48.39	68.20	-19.81	HORIZONTAL Peak
5	10460.000	42.19	39.42	7.37	37.36	51.62	68.20	-16.58	HORIZONTAL Peak
6	15690.000	38.22	38.86	9.87	35.39	51.56	74.00	-22.44	HORIZONTAL Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	49.80	24.88	2.31	38.37	38.62	74.00	-35.38	VERTICAL	Peak
2	1574.265	49.46	25.56	2.80	38.00	39.82	74.00	-34.18	VERTICAL	Peak
3	2990.531	50.58	28.39	3.79	37.25	45.51	68.20	-22.69	VERTICAL	Peak
4	4354.454	50.26	30.59	4.68	36.81	48.72	74.00	-25.28	VERTICAL	Peak
5	10460.000	42.18	39.42	7.37	37.36	51.61	68.20	-16.59	VERTICAL	Peak
6	15690.000	39.86	38.86	9.87	35.39	53.20	74.00	-20.80	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1129.072	49.25	24.43	2.20	38.43	37.45	74.00	-36.55	HORIZONTAL	Peak
2	1538.281	49.84	25.53	2.80	38.03	40.14	74.00	-33.86	HORIZONTAL	Peak
3	3495.691	49.82	28.90	4.30	36.94	46.08	68.20	-22.12	HORIZONTAL	Peak
4	4456.315	49.76	30.75	4.88	36.81	48.58	68.20	-19.62	HORIZONTAL	Peak
5	10420.000	41.82	39.38	7.35	37.36	51.19	68.20	-17.01	HORIZONTAL	Peak
6	15630.000	39.73	38.92	9.87	35.39	53.13	74.00	-20.87	HORIZONTAL	Peak


Test Mode: 01; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 80MHz; Channel: middle



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1297.103	48.79	25.19	2.58	38.31	38.25	68.20	-29.95	VERTICAL	Peak
2	1697.129	49.27	25.71	2.80	37.89	39.89	74.00	-34.11	VERTICAL	Peak
3	3455.508	49.47	28.88	4.20	36.96	45.59	68.20	-22.61	VERTICAL	Peak
4	4279.589	50.16	30.42	4.63	36.81	48.40	74.00	-25.60	VERTICAL	Peak
5	10420.000	42.61	39.38	7.35	37.36	51.98	68.20	-16.22	VERTICAL	Peak
6	15630.000	39.17	38.92	9.87	35.39	52.57	74.00	-21.43	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1158.828	50.73	24.52	2.40	38.42	39.23	74.00	-34.77	HORIZONTAL	Peak
2	1687.347	50.67	25.69	2.80	37.91	41.25	74.00	-32.75	HORIZONTAL	Peak
3	3376.523	49.94	28.83	4.09	36.99	45.87	68.20	-22.33	HORIZONTAL	Peak
4	4242.641	50.19	30.30	4.62	36.81	48.30	74.00	-25.70	HORIZONTAL	Peak
5	10520.000	42.49	39.50	7.42	37.35	52.06	68.20	-16.14	HORIZONTAL	Peak
6	15780.000	38.38	38.70	9.86	35.39	51.55	74.00	-22.45	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1220.714	50.12	24.82	2.32	38.37	38.89	74.00	-35.11	VERTICAL	Peak
2	1606.441	49.34	25.59	2.80	37.98	39.75	74.00	-34.25	VERTICAL	Peak
3	3465.510	50.58	28.88	4.22	36.95	46.73	68.20	-21.47	VERTICAL	Peak
4	4417.841	49.31	30.70	4.74	36.81	47.94	68.20	-20.26	VERTICAL	Peak
5	10520.000	42.46	39.50	7.42	37.35	52.03	68.20	-16.17	VERTICAL	Peak
6	15780.000	38.13	38.70	9.86	35.39	51.30	74.00	-22.70	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1289.627	48.79	25.17	2.55	38.31	38.20	68.20	-30.00	HORIZONTAL	Peak
2	1697.129	50.15	25.71	2.80	37.89	40.77	74.00	-33.23	HORIZONTAL	Peak
3	3357.061	50.49	28.81	4.09	37.01	46.38	74.00	-27.62	HORIZONTAL	Peak
4	4417.841	49.88	30.70	4.74	36.81	48.51	68.20	-19.69	HORIZONTAL	Peak
5	10600.000	41.41	39.59	7.46	37.34	51.12	68.20	-17.08	HORIZONTAL	Peak
6	15900.000	38.99	38.44	9.86	35.40	51.89	74.00	-22.11	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1138.904	50.20	24.46	2.27	38.42	38.51	74.00	-35.49	VERTICAL	Peak
2	1583.392	49.88	25.56	2.80	38.00	40.24	74.00	-33.76	VERTICAL	Peak
3	3435.590	50.45	28.87	4.16	36.97	46.51	68.20	-21.69	VERTICAL	Peak
4	4417.841	49.40	30.70	4.74	36.81	48.03	68.20	-20.17	VERTICAL	Peak
5	10600.000	41.39	39.59	7.46	37.34	51.10	68.20	-17.10	VERTICAL	Peak
6	15900.000	38.40	38.44	9.86	35.40	51.30	74.00	-22.70	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11a; Bandwidth: 20MHz; Channel: High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1256.512	48.58	25.05	2.38	38.35	37.66	68.20	-30.54	HORIZONTAL	Peak
2	1606.441	50.61	25.59	2.80	37.98	41.02	74.00	-32.98	HORIZONTAL	Peak
3	3475.541	49.35	28.89	4.25	36.95	45.54	68.20	-22.66	HORIZONTAL	Peak
4	4329.354	49.54	30.54	4.67	36.81	47.94	74.00	-26.06	HORIZONTAL	Peak
5	10640.000	43.48	39.63	7.48	37.33	53.26	74.00	-20.74	HORIZONTAL	Peak
6	15960.000	38.11	38.37	9.85	35.40	50.93	74.00	-23.07	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	49.47	24.96	2.30	38.35	38.38	74.00	-35.62	VERTICAL	Peak
2	1606.441	49.81	25.59	2.80	37.98	40.22	74.00	-33.78	VERTICAL	Peak
3	3347.371	49.57	28.80	4.08	37.01	45.44	74.00	-28.56	VERTICAL	Peak
4	4267.237	50.16	30.38	4.63	36.81	48.36	74.00	-25.64	VERTICAL	Peak
5	10640.000	43.07	39.63	7.48	37.33	52.85	74.00	-21.15	VERTICAL	Peak
6	15960.000	38.46	38.37	9.85	35.40	51.28	74.00	-22.72	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1210.174	49.34	24.74	2.33	38.39	38.02	74.00	-35.98	HORIZONTAL	Peak
2	1551.677	50.35	25.54	2.80	38.03	40.66	74.00	-33.34	HORIZONTAL	Peak
3	3455.508	49.89	28.88	4.20	36.96	46.01	68.20	-22.19	HORIZONTAL	Peak
4	4254.921	50.92	30.34	4.62	36.81	49.07	74.00	-24.93	HORIZONTAL	Peak
5	10520.000	42.29	39.50	7.42	37.35	51.86	68.20	-16.34	HORIZONTAL	Peak
6	15780.000	38.75	38.70	9.86	35.39	51.92	74.00	-22.08	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1138.904	50.17	24.46	2.27	38.42	38.48	74.00	-35.52	VERTICAL Peak
2	1677.621	48.63	25.68	2.80	37.91	39.20	74.00	-34.80	VERTICAL Peak
3	3366.778	49.76	28.82	4.09	36.99	45.68	68.20	-22.52	VERTICAL Peak
4	4405.090	50.49	30.68	4.70	36.81	49.06	68.20	-19.14	VERTICAL Peak
5	10520.000	43.06	39.50	7.42	37.35	52.63	68.20	-15.57	VERTICAL Peak
6	15780.000	39.25	38.70	9.86	35.39	52.42	74.00	-21.58	VERTICAL Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1182.513	49.44	24.60	2.37	38.40	38.01	74.00	-35.99	HORIZONTAL Peak
2	1583.392	49.15	25.56	2.80	38.00	39.51	74.00	-34.49	HORIZONTAL Peak
3	3465.510	49.57	28.88	4.22	36.95	45.72	68.20	-22.48	HORIZONTAL Peak
4	4341.886	50.03	30.57	4.67	36.81	48.46	74.00	-25.54	HORIZONTAL Peak
5	10600.000	41.26	39.59	7.46	37.34	50.97	68.20	-17.23	HORIZONTAL Peak
6	15900.000	38.57	38.44	9.86	35.40	51.47	74.00	-22.53	HORIZONTAL Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	49.17	25.02	2.34	38.35	38.18	68.20	-30.02	VERTICAL	Peak
2	1629.825	49.22	25.61	2.80	37.95	39.68	68.20	-28.52	VERTICAL	Peak
3	3150.237	50.77	28.52	3.96	37.12	46.13	68.20	-22.07	VERTICAL	Peak
4	4341.886	50.13	30.57	4.67	36.81	48.56	74.00	-25.44	VERTICAL	Peak
5	10600.000	43.08	39.59	7.46	37.34	52.79	68.20	-15.41	VERTICAL	Peak
6	15900.000	39.20	38.44	9.86	35.40	52.10	74.00	-21.90	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11n; Bandwidth: 20MHz; Channel: High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	49.19	24.96	2.30	38.35	38.10	74.00	-35.90	HORIZONTAL	Peak
2	1697.129	48.96	25.71	2.80	37.89	39.58	74.00	-34.42	HORIZONTAL	Peak
3	3405.929	50.00	28.85	4.11	36.98	45.98	68.20	-22.22	HORIZONTAL	Peak
4	4267.237	49.89	30.38	4.63	36.81	48.09	74.00	-25.91	HORIZONTAL	Peak
5	10640.000	41.78	39.63	7.48	37.33	51.56	74.00	-22.44	HORIZONTAL	Peak
6	15960.000	38.89	38.37	9.85	35.40	51.71	74.00	-22.29	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1206.682	50.06	24.72	2.33	38.39	38.72	74.00	-35.28	VERTICAL	Peak
2	1658.337	50.05	25.65	2.80	37.93	40.57	68.20	-27.63	VERTICAL	Peak
3	3425.675	49.91	28.86	4.15	36.97	45.95	68.20	-22.25	VERTICAL	Peak
4	3981.257	50.32	29.78	4.60	36.81	47.89	74.00	-26.11	VERTICAL	Peak
5	10640.000	42.25	39.63	7.48	37.33	52.03	74.00	-21.97	VERTICAL	Peak
6	15960.000	38.29	38.37	9.85	35.40	51.11	74.00	-22.89	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	48.65	24.88	2.31	38.37	37.47	74.00	-36.53	HORIZONTAL Peak
2	1697.129	49.01	25.71	2.80	37.89	39.63	74.00	-34.37	HORIZONTAL Peak
3	3289.821	50.15	28.74	4.05	37.03	45.91	68.20	-22.29	HORIZONTAL Peak
4	4086.182	50.67	29.92	4.60	36.80	48.39	74.00	-25.61	HORIZONTAL Peak
5	10540.000	42.21	39.53	7.43	37.35	51.82	68.20	-16.38	HORIZONTAL Peak
6	15810.000	38.83	38.61	9.86	35.39	51.91	74.00	-22.09	HORIZONTAL Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1300.858	48.81	25.20	2.60	38.31	38.30	74.00	-35.70	VERTICAL	Peak
2	1644.019	48.78	25.63	2.80	37.93	39.28	68.20	-28.92	VERTICAL	Peak
3	3242.619	49.59	28.67	4.02	37.06	45.22	68.20	-22.98	VERTICAL	Peak
4	4417.841	49.30	30.70	4.74	36.81	47.93	68.20	-20.27	VERTICAL	Peak
5	10540.000	42.09	39.53	7.43	37.35	51.70	68.20	-16.50	VERTICAL	Peak
6	15810.000	38.27	38.61	9.86	35.39	51.35	74.00	-22.65	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1252.885	49.45	25.03	2.36	38.35	38.49	68.20	-29.71	HORIZONTAL	Peak
2	1597.181	50.20	25.58	2.80	37.98	40.60	74.00	-33.40	HORIZONTAL	Peak
3	3328.077	50.19	28.78	4.07	37.02	46.02	68.20	-22.18	HORIZONTAL	Peak
4	4405.090	49.29	30.68	4.70	36.81	47.86	68.20	-20.34	HORIZONTAL	Peak
5	10620.000	42.32	39.59	7.46	37.34	52.03	74.00	-21.97	HORIZONTAL	Peak
6	15930.000	38.12	38.37	9.85	35.40	50.94	74.00	-23.06	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1256.512	48.56	25.05	2.38	38.35	37.64	68.20	-30.56	VERTICAL	Peak
2	1629.825	49.56	25.61	2.80	37.95	40.02	68.20	-28.18	VERTICAL	Peak
3	3465.510	49.67	28.88	4.22	36.95	45.82	68.20	-22.38	VERTICAL	Peak
4	4443.453	49.78	30.73	4.83	36.81	48.53	68.20	-19.67	VERTICAL	Peak
5	10620.000	43.52	39.59	7.46	37.34	53.23	74.00	-20.77	VERTICAL	Peak
6	15930.000	38.43	38.37	9.85	35.40	51.25	74.00	-22.75	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1185.936	49.23	24.62	2.37	38.40	37.82	74.00	-36.18	HORIZONTAL	Peak
2	1644.019	50.76	25.63	2.80	37.93	41.26	68.20	-26.94	HORIZONTAL	Peak
3	3435.590	49.63	28.87	4.16	36.97	45.69	68.20	-22.51	HORIZONTAL	Peak
4	4157.664	50.19	30.06	4.60	36.80	48.05	74.00	-25.95	HORIZONTAL	Peak
5	10520.000	43.66	39.50	7.42	37.35	53.23	68.20	-14.97	HORIZONTAL	Peak
6	15780.000	38.44	38.70	9.86	35.39	51.61	74.00	-22.39	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	49.68	24.50	2.36	38.42	38.12	74.00	-35.88	VERTICAL	Peak
2	1697.129	49.32	25.71	2.80	37.89	39.94	74.00	-34.06	VERTICAL	Peak
3	2990.531	50.70	28.39	3.79	37.25	45.63	68.20	-22.57	VERTICAL	Peak
4	4230.396	50.90	30.26	4.61	36.81	48.96	74.00	-25.04	VERTICAL	Peak
5	10520.000	43.09	39.50	7.42	37.35	52.66	68.20	-15.54	VERTICAL	Peak
6	15780.000	38.11	38.70	9.86	35.39	51.28	74.00	-22.72	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	49.44	24.93	2.30	38.37	38.30	74.00	-35.70	HORIZONTAL	Peak
2	1615.754	49.72	25.60	2.80	37.95	40.17	74.00	-33.83	HORIZONTAL	Peak
3	3376.523	49.48	28.83	4.09	36.99	45.41	68.20	-22.79	HORIZONTAL	Peak
4	4279.589	50.06	30.42	4.63	36.81	48.30	74.00	-25.70	HORIZONTAL	Peak
5	10600.000	41.83	39.59	7.46	37.34	51.54	68.20	-16.66	HORIZONTAL	Peak
6	15900.000	38.03	38.44	9.86	35.40	50.93	74.00	-23.07	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	48.87	24.93	2.30	38.37	37.73	74.00	-36.27	VERTICAL	Peak
2	1565.191	49.56	25.55	2.80	38.00	39.91	74.00	-34.09	VERTICAL	Peak
3	2990.531	51.39	28.39	3.79	37.25	46.32	68.20	-21.88	VERTICAL	Peak
4	4367.058	49.69	30.62	4.68	36.81	48.18	74.00	-25.82	VERTICAL	Peak
5	10600.000	41.80	39.59	7.46	37.34	51.51	68.20	-16.69	VERTICAL	Peak
6	15900.000	38.70	38.44	9.86	35.40	51.60	74.00	-22.40	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: High



		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1263.796	49.09	25.08	2.42	38.33	38.26	68.20	-29.94	HORIZONTAL	Peak
2	1625.121	48.98	25.61	2.80	37.95	39.44	74.00	-34.56	HORIZONTAL	Peak
3	3465.510	49.79	28.88	4.22	36.95	45.94	68.20	-22.26	HORIZONTAL	Peak
4	4367.058	49.59	30.62	4.68	36.81	48.08	74.00	-25.92	HORIZONTAL	Peak
5	10640.000	42.44	39.63	7.48	37.33	52.22	74.00	-21.78	HORIZONTAL	Peak
6	15960.000	38.58	38.37	9.85	35.40	51.40	74.00	-22.60	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1138.904	50.84	24.46	2.27	38.42	39.15	74.00	-34.85	VERTICAL	Peak
2	1697.129	49.30	25.71	2.80	37.89	39.92	74.00	-34.08	VERTICAL	Peak
3	3495.691	49.56	28.90	4.30	36.94	45.82	68.20	-22.38	VERTICAL	Peak
4	4443.453	49.04	30.73	4.83	36.81	47.79	68.20	-20.41	VERTICAL	Peak
5	10640.000	42.97	39.63	7.48	37.33	52.75	74.00	-21.25	VERTICAL	Peak
6	15960.000	38.34	38.37	9.85	35.40	51.16	74.00	-22.84	VERTICAL	Peak