


Band Edge

3. n7


3.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.374	-45.37	-25	20.37	Pass	401
2490.5	2496	1	RMS	2495.904	-43.63	-13	30.63	Pass	401
2496	2499	1	RMS	2499	-34.81	-10	24.81	Pass	4
2499	2500	0.051	RMS	2499.998	-18.04	-10	8.04	Pass	401
2500	2505	1	RMS	2500.325	19.48	30	10.52	Pass	401




3.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.476	-44.5	-25	19.5	Pass	401
2490.5	2496	1	RMS	2495.986	-31.88	-13	18.88	Pass	401
2496	2498.5	1	RMS	2498.494	-23.2	-10	13.2	Pass	401
2499	2500	0.1	RMS	2499.998	-27.49	-10	17.49	Pass	401
2500	2505	1	RMS	2503.763	13.31	30	16.69	Pass	401




3.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2569.625	19.37	30	10.63	Pass	401
2570	2571	0.051	RMS	2570.003	-20.95	-10	10.95	Pass	401
2571.5	2575	1	RMS	2571.5	-31.31	-10	21.31	Pass	401
2575	2576	1	RMS	2575.078	-43.9	-13	30.9	Pass	401
2576	2580	1	RMS	2576.25	-44.75	-25	19.75	Pass	401




3.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2566.275	13.06	30	16.94	Pass	401
2570	2571	0.1	RMS	2570	-28.08	-10	18.08	Pass	401
2571	2575	1	RMS	2571	-17.88	-10	7.88	Pass	401
2575	2576	1	RMS	2575.003	-38.19	-13	25.19	Pass	401
2576	2580	1	RMS	2576	-40.05	-25	15.05	Pass	401




3.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2480	2490.5	1	RMS	2490.474	-45.19	-25	20.19	Pass	401
2490.5	2496	1	RMS	2495.986	-43.91	-13	30.91	Pass	401
2496	2498.5	1	RMS	2498.494	-36.51	-10	26.51	Pass	401
2499	2500	0.051	RMS	2499.995	-22.99	-10	12.99	Pass	401
2500	2515	1	RMS	2500.488	19.44	30	10.56	Pass	401




3.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2480	2490.5	1	RMS	2490.5	-35.92	-25	10.92	Pass	401
2490.5	2496	1	RMS	2496	-30.09	-13	17.09	Pass	401
2496	2499	1	RMS	2499	-24.45	-10	14.45	Pass	401
2499	2500	0.3	RMS	2500	-24.87	-10	14.87	Pass	401
2500	2515	1	RMS	2506.038	8.24	30	21.76	Pass	401




3.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	1	RMS	2569.475	19.33	30	10.67	Pass	401
2570	2571	0.051	RMS	2570	-25.08	-10	15.08	Pass	401
2571.5	2575	1	RMS	2571.5	-35.92	-10	25.92	Pass	401
2575	2585	1	RMS	2575.025	-44	-13	31	Pass	401
2585	2590	1	RMS	2585.375	-45.18	-25	20.18	Pass	401




3.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	1	RMS	2556.425	8.71	30	21.29	Pass	401
2570	2571	0.3	RMS	2570	-27.33	-10	17.33	Pass	401
2571	2575	1	RMS	2571	-27.37	-10	17.37	Pass	401
2575	2585	1	RMS	2575	-35.4	-13	22.4	Pass	401
2585	2590	1	RMS	2585.025	-42.72	-25	17.72	Pass	401



3.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490.5	1	RMS	2490.151	-45	-25	20	Pass	401
2490.5	2496	1	RMS	2495.808	-44.02	-13	31.02	Pass	401
2496	2498.5	1	RMS	2498.438	-37.53	-10	27.53	Pass	401
2499	2500	0.051	RMS	2499.993	-25.93	-10	15.93	Pass	401
2500	2520	1	RMS	2500.5	19.46	30	10.54	Pass	401




3.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490.5	1	RMS	2490.5	-36.24	-25	11.24	Pass	401
2490.5	2496	1	RMS	2495.986	-30.03	-13	17.03	Pass	401
2496	2499	1	RMS	2499	-25.13	-10	15.13	Pass	401
2499	2500	0.39	RMS	2500	-22	-10	12	Pass	401
2500	2520	1	RMS	2505.95	7.16	30	22.84	Pass	401




3.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	19.4	30	10.6	Pass	401
2570	2571	0.051	RMS	2570	-27.68	-10	17.68	Pass	401
2571.5	2575	1	RMS	2571.78	-37.23	-10	27.23	Pass	401
2575	2590	1	RMS	2575	-44.01	-13	31.01	Pass	401
2590	2595	1	RMS	2590.288	-45.16	-25	20.16	Pass	401



3.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	1	RMS	2551.55	7.59	30	22.41	Pass	401
2570	2571	0.39	RMS	2570	-24.33	-10	14.33	Pass	401
2571	2575	1	RMS	2571	-26.86	-10	16.86	Pass	401
2575	2590	1	RMS	2575	-34.07	-13	21.07	Pass	401
2590	2595	1	RMS	2590.025	-43.71	-25	18.71	Pass	401



4. n12 15kHz


4.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-19.77	-13	6.77	Pass	401
698.9	699	0.03	RMS	699	-19.35	-13	6.35	Pass	401
699	704	0.1	RMS	699.338	18.33	30	11.67	Pass	401




4.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-32.76	-13	19.76	Pass	401
698.9	699	0.03	RMS	698.997	-33.7	-13	20.7	Pass	401
699	704	0.1	RMS	702.788	5.53	30	24.47	Pass	401




4.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.638	18.58	30	11.42	Pass	401
716	716.1	0.03	RMS	716	-21.91	-13	8.91	Pass	401
716.1	726	0.1	RMS	716.1	-22.64	-13	9.64	Pass	401




4.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.05	5.67	30	24.33	Pass	401
716	716.1	0.03	RMS	716.001	-34.53	-13	21.53	Pass	401
716.1	726	0.1	RMS	716.1	-31.42	-13	18.42	Pass	401




4.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-21.11	-13	8.11	Pass	401
698.9	699	0.03	RMS	699	-21.88	-13	8.88	Pass	401
699	709	0.1	RMS	699.4	18.41	30	11.59	Pass	401




4.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-35.43	-13	22.43	Pass	401
698.9	699	0.03	RMS	698.999	-38.08	-13	25.08	Pass	401
699	709	0.1	RMS	706.325	2.78	30	27.22	Pass	401




4.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.575	18.59	30	11.41	Pass	401
716	716.1	0.03	RMS	716.001	-23.76	-13	10.76	Pass	401
716.1	731	0.1	RMS	716.1	-23.7	-13	10.7	Pass	401




4.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	707.35	2.68	30	27.32	Pass	401
716	716.1	0.03	RMS	716.001	-34.81	-13	21.81	Pass	401
716.1	731	0.1	RMS	716.1	-33.74	-13	20.74	Pass	401




4.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-24.55	-13	11.55	Pass	401
698.9	699	0.03	RMS	698.999	-25.03	-13	12.03	Pass	401
699	714	0.1	RMS	699.488	18.27	30	11.73	Pass	401




4.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-37.57	-13	24.57	Pass	401
698.9	699	0.03	RMS	698.999	-40.82	-13	27.82	Pass	401
699	714	0.1	RMS	706.838	0.86	30	29.14	Pass	401




4.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	715.513	18.47	30	11.53	Pass	401
716	716.1	0.03	RMS	716.001	-26.71	-13	13.71	Pass	401
716.1	736	0.1	RMS	716.1	-26.61	-13	13.61	Pass	401



4.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	706.55	0.91	30	29.09	Pass	401
716	716.1	0.03	RMS	716.021	-38.42	-13	25.42	Pass	401
716.1	736	0.1	RMS	716.1	-34.21	-13	21.21	Pass	401



5. n14 15kHz


5.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-20.74	-13	7.74	Pass	401
787.9	788	0.051	RMS	787.999	-17.85	-13	4.85	Pass*	401
788	793	0.1	RMS	788.325	17.71	30	12.29	Pass	401




5.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-30.73	-13	17.73	Pass	401
787.9	788	0.051	RMS	787.999	-30.07	-13	17.07	Pass	401
788	793	0.1	RMS	789.338	5.08	30	24.92	Pass	401




5.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	797.65	17.14	30	12.86	Pass	401
798	798.1	0.051	RMS	798	-20.63	-13	7.63	Pass	401
798.1	808	0.1	RMS	798.1	-23.62	-13	10.62	Pass	401




5.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	793.775	4.84	30	25.16	Pass	401
798	798.1	0.051	RMS	798	-30.91	-13	17.91	Pass	401
798.1	808	0.1	RMS	798.1	-30.42	-13	17.42	Pass	401



5.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:5, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




5.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:6, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




5.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:7, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.019	-62.51	-35	27.51	Pass	1130




5.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:8, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




5.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-22.16	-13	9.16	Pass	401
787.9	788	0.1	RMS	787.999	-16.97	-13	3.97	Pass*	401
788	798	0.1	RMS	788.4	17.76	30	12.24	Pass	401




5.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-32.31	-13	19.31	Pass	401
787.9	788	0.1	RMS	788	-30.08	-13	17.08	Pass	401
788	798	0.1	RMS	790	1.94	30	28.06	Pass	401




5.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.575	17.22	30	12.78	Pass	401
798	798.1	0.1	RMS	798	-19.38	-13	6.38	Pass	401
798.1	813	0.1	RMS	798.1	-24.59	-13	11.59	Pass	401




5.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




5.13 Band Edge for SA_Part22-24-27(NTNV)(Subtest:5, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	769.862	-69.36	-35	34.36	Pass	968




5.14 Band Edge for SA_Part22-24-27(NTNV)(Subtest:6, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	774.584	-69.32	-35	34.32	Pass	968




5.15 Band Edge for SA_Part22-24-27(NTNV)(Subtest:7, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)



5.16 Band Edge for SA_Part22-24-27(NTNV)(Subtest:8, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.087	-45.25	-35	10.25	Pass	1130



6. n25 15kHz


6.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-30.02	-13	17.02	Pass	401
1849	1850	0.051	RMS	1850	-19.3	-13	6.3	Pass	401
1850	1855	1	RMS	1850.325	19.53	30	10.47	Pass	401




6.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-33.81	-13	20.81	Pass	401
1849	1850	0.051	RMS	1850	-33.98	-13	20.98	Pass	401
1850	1855	1	RMS	1853.6	13.3	30	16.7	Pass	401




6.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1914.638	19.07	30	10.93	Pass	401
1915	1916	0.051	RMS	1915	-21.62	-13	8.62	Pass	401
1916.5	1925	1	RMS	1916.5	-32.87	-13	19.87	Pass	401




6.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1911.038	13.46	30	16.54	Pass	401
1915	1916	0.051	RMS	1915	-34.42	-13	21.42	Pass	401
1916.5	1925	1	RMS	1916.5	-32.47	-13	19.47	Pass	401




6.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848.5	1	RMS	1848.5	-37.55	-13	24.55	Pass	401
1849	1850	0.15	RMS	1850	-18.85	-13	5.85	Pass*	401
1850	1865	1	RMS	1850.45	19.65	30	10.35	Pass	401




6.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-26.17	-13	13.17	Pass	401
1849	1850	0.15	RMS	1849.998	-34.25	-13	21.25	Pass	401
1850	1865	1	RMS	1862.188	8.69	30	21.31	Pass	401




6.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	1	RMS	1914.513	19.19	30	10.81	Pass	401
1915	1916	0.15	RMS	1915.005	-21.07	-13	8.07	Pass	401
1916.5	1935	1	RMS	1916.5	-39.81	-13	26.81	Pass	401



6.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	1	RMS	1909.825	8.41	30	21.59	Pass	401
1915	1916	0.15	RMS	1915	-35.57	-13	22.57	Pass	401
1916	1935	1	RMS	1916	-29.23	-13	16.23	Pass	401



7. n26 15kHz_Part22


7.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-49.63	-13	36.63	Pass	401
823	824	0.05	RMS	824	-18.32	-13	5.32	Pass*	21
824	829	0.1	RMS	824.325	18.08	30	11.92	Pass	401




7.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.933	-35.92	-13	22.92	Pass	401
823	824	0.051	RMS	824	-29.88	-13	16.88	Pass	401
824	829	0.1	RMS	824.788	4.76	30	25.24	Pass	401




7.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	18.33	30	11.67	Pass	401
849	850	0.051	RMS	849	-19.38	-13	6.38	Pass	401
850	859	0.1	RMS	850.023	-50.25	-13	37.25	Pass	401




7.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.775	4.87	30	25.13	Pass	401
849	850	0.051	RMS	849	-31.91	-13	18.91	Pass	401
850	859	0.1	RMS	850.023	-36.35	-13	23.35	Pass	401




7.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	823	-49.97	-13	36.97	Pass	401
823	824	0.15	RMS	824	-18.27	-13	5.27	Pass*	8
824	839	0.1	RMS	824.488	18.21	30	11.79	Pass	401




7.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)




7.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	18.22	30	11.78	Pass	401
849	850	0.15	RMS	849	-19.3	-13	6.3	Pass	401
850	869	0.1	RMS	850	-51.01	-13	38.01	Pass	401




7.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	839.775	0.17	30	29.83	Pass	401
849	850	0.15	RMS	849.003	-33.88	-13	20.88	Pass	401
850	869	0.1	RMS	850.048	-38.59	-13	25.59	Pass	401




7.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	823	-50.09	-13	37.09	Pass	401
823	824	0.2	RMS	824	-18.42	-13	5.42	Pass*	401
824	844	0.1	RMS	824.55	18.22	30	11.78	Pass	401




7.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-34.56	-13	21.56	Pass	401
823	824	0.2	RMS	823.993	-31.53	-13	18.53	Pass	401
824	844	0.1	RMS	837.4	-1.31	30	31.31	Pass	401




7.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.15	30	11.85	Pass	401
849	850	0.2	RMS	849	-20.66	-13	7.66	Pass	401
850	874	0.1	RMS	850	-50.96	-13	37.96	Pass	401



7.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	839.15	-0.77	30	30.77	Pass	401
849	850	0.2	RMS	849	-32.27	-13	19.27	Pass	401
850	874	0.1	RMS	850	-37.22	-13	24.22	Pass	401



8. n30 15kHz


8.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2201.32	-46.05	-40	6.05	Pass	401
2288	2292	1	RMS	2290.6	-45.94	-37	8.94	Pass	401
2292	2296	1	RMS	2295.98	-44.91	-31	13.91	Pass	401
2296	2300	1	RMS	2300	-35.6	-25	10.6	Pass	401
2300	2304	1	RMS	2304	-17.23	-13	4.23	Pass*	401
2304	2305	0.1	RMS	2304.993	-29.03	-13	16.03	Pass	401
2305	2315	0.1	RMS	2305.85	3.21	60	56.79	Pass	401
2315	2316	0.1	RMS	2315.02	-46.68	-13	33.68	Pass	401
2316	2320	1	RMS	2316	-39.91	-13	26.91	Pass	401
2320	2324	1	RMS	2320.17	-44.58	-25	19.58	Pass	401
2324	2328	1	RMS	2324.09	-45.59	-31	14.59	Pass	401
2328	2337	1	RMS	2334.323	-46.14	-37	9.14	Pass	401
2337	2341	1	RMS	2338.95	-45.91	-31	14.91	Pass	401
2341	2345	1	RMS	2341.51	-45.9	-25	20.9	Pass	401
2345	2360	1	RMS	2352.725	-45.34	-13	32.34	Pass	401
2360	2365	1	RMS	2364.413	-46.17	-13	33.17	Pass	401
2365	2395	1	RMS	2394.175	-46	-40	6	Pass*	401




8.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2203.96	-46.16	-40	6.16	Pass	401
2288	2292	1	RMS	2291.92	-44.84	-37	7.84	Pass	401
2292	2296	1	RMS	2295.93	-39.59	-31	8.59	Pass	401
2296	2300	1	RMS	2299.99	-34.08	-25	9.08	Pass	401
2300	2304	1	RMS	2304	-22.08	-13	9.08	Pass	401
2304	2305	0.1	RMS	2304.998	-32.01	-13	19.01	Pass	401
2305	2315	0.1	RMS	2306.275	0.4	60	59.6	Pass	401
2315	2316	0.1	RMS	2315.013	-34.07	-13	21.07	Pass	401
2316	2320	1	RMS	2316	-24	-13	11	Pass	401
2320	2324	1	RMS	2320.02	-34.89	-25	9.89	Pass	401
2324	2328	1	RMS	2324.04	-39.33	-31	8.33	Pass	401
2328	2337	1	RMS	2328.045	-44.19	-37	7.19	Pass	401
2337	2341	1	RMS	2340.37	-45.88	-31	14.88	Pass	401
2341	2345	1	RMS	2342.7	-45.91	-25	20.91	Pass	401
2345	2360	1	RMS	2352.05	-45.17	-13	32.17	Pass	401
2360	2365	1	RMS	2364.913	-46.12	-13	33.12	Pass	401
2365	2395	1	RMS	2392	-46.05	-40	6.05	Pass	401




8.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.88	-46.09	-40	6.09	Pass	401
2288	2292	1	RMS	2289.47	-45.95	-37	8.95	Pass	401
2292	2296	1	RMS	2295.27	-45.94	-31	14.94	Pass	401
2296	2300	1	RMS	2299.8	-45.9	-25	20.9	Pass	401
2300	2304	1	RMS	2304	-45.5	-13	32.5	Pass	401
2304	2305	0.01	RMS	2304.978	-63.23	-13	50.23	Pass	401
2305	2315	0.1	RMS	2314.6	16.68	60	43.32	Pass	401
2315	2316	0.01	RMS	2315	-29.38	-13	16.38	Pass	401
2316.5	2320	1	RMS	2316.509	-34.62	-13	21.62	Pass	401
2320	2324	1	RMS	2320.12	-43.6	-25	18.6	Pass	401
2324	2328	1	RMS	2324.07	-45.59	-31	14.59	Pass	401
2328	2337	1	RMS	2330.925	-46.12	-37	9.12	Pass	401
2337	2341	1	RMS	2339.09	-45.91	-31	14.91	Pass	401
2341	2345	1	RMS	2341.6	-45.87	-25	20.87	Pass	401
2345	2360	1	RMS	2353.513	-45.6	-13	32.6	Pass	401
2360	2365	1	RMS	2363.763	-46.06	-13	33.06	Pass	401
2365	2395	1	RMS	2389.375	-45.99	-40	5.99	Pass*	401



8.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.22	-46.09	-40	6.09	Pass	401
2288	2292	1	RMS	2291.99	-44.8	-37	7.8	Pass	401
2292	2296	1	RMS	2296	-39.48	-31	8.48	Pass	401
2296	2300	1	RMS	2299.94	-33.91	-25	8.91	Pass	401
2300	2304	1	RMS	2304	-22.09	-13	9.09	Pass	401
2304	2305	0.1	RMS	2305	-31.84	-13	18.84	Pass	401
2305	2315	0.1	RMS	2305.75	0.51	60	59.49	Pass	401
2315	2316	0.1	RMS	2315	-33.63	-13	20.63	Pass	401
2316	2320	1	RMS	2316	-23.9	-13	10.9	Pass	401
2320	2324	1	RMS	2320.01	-34.96	-25	9.96	Pass	401
2324	2328	1	RMS	2324	-39.29	-31	8.29	Pass	401
2328	2337	1	RMS	2328.045	-44.26	-37	7.26	Pass	401
2337	2341	1	RMS	2337.35	-45.9	-31	14.9	Pass	401
2341	2345	1	RMS	2342.53	-45.9	-25	20.9	Pass	401
2345	2360	1	RMS	2351.563	-45.38	-13	32.38	Pass	401
2360	2365	1	RMS	2362.625	-46.15	-13	33.15	Pass	401
2365	2395	1	RMS	2390.5	-46.03	-40	6.03	Pass	401



8.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.34	-46.15	-40	6.15	Pass	401
2288	2292	1	RMS	2290.95	-45.97	-37	8.97	Pass	401
2292	2296	1	RMS	2294.82	-45.97	-31	14.97	Pass	401
2296	2300	1	RMS	2299.92	-45.9	-25	20.9	Pass	401
2300	2304	1	RMS	2302	-45.84	-13	32.84	Pass	401
2304	2305	0.01	RMS	2304.688	-64.43	-13	51.43	Pass	401
2305	2315	0.1	RMS	2310.325	16.55	60	43.45	Pass	401
2315	2316	0.01	RMS	2315.038	-63.52	-13	50.52	Pass	401
2316	2320	1	RMS	2319.18	-45.15	-13	32.15	Pass	401
2320	2324	1	RMS	2321.36	-45.77	-25	20.77	Pass	401
2324	2328	1	RMS	2324.45	-45.84	-31	14.84	Pass	401
2328	2337	1	RMS	2332.32	-46.16	-37	9.16	Pass	401
2337	2341	1	RMS	2338.35	-45.95	-31	14.95	Pass	401
2341	2345	1	RMS	2343.39	-45.91	-25	20.91	Pass	401
2345	2360	1	RMS	2356.925	-45.29	-13	32.29	Pass	401
2360	2365	1	RMS	2362.725	-46.17	-13	33.17	Pass	401
2365	2395	1	RMS	2392.3	-46.05	-40	6.05	Pass	401

