


Band Edge


8.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2201.98	-46.16	-40	6.16	Pass	401
2288	2292	1	RMS	2288.44	-45.97	-37	8.97	Pass	401
2292	2296	1	RMS	2295.8	-45.75	-31	14.75	Pass	401
2296	2300	1	RMS	2299.99	-44.12	-25	19.12	Pass	401
2300	2304	1	RMS	2304	-37.74	-13	24.74	Pass	401
2304	2305	0.1	RMS	2304.97	-44.84	-13	31.84	Pass	401
2305	2315	0.1	RMS	2310.55	3.23	60	56.77	Pass	401
2315	2316	0.1	RMS	2315.005	-30.64	-13	17.64	Pass	401
2316	2320	1	RMS	2316	-18.56	-13	5.56	Pass*	401
2320	2324	1	RMS	2320.03	-36.68	-25	11.68	Pass	401
2324	2328	1	RMS	2324.02	-43.53	-31	12.53	Pass	401
2328	2337	1	RMS	2328.113	-45.89	-37	8.89	Pass	401
2337	2341	1	RMS	2340.92	-45.89	-31	14.89	Pass	401
2341	2345	1	RMS	2344.6	-45.86	-25	20.86	Pass	401
2345	2360	1	RMS	2356.738	-45.68	-13	32.68	Pass	401
2360	2365	1	RMS	2361.088	-46.17	-13	33.17	Pass	401
2365	2395	1	RMS	2395	-46.04	-40	6.04	Pass	401




8.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200	-46.18	-40	6.18	Pass	401
2288	2292	1	RMS	2290.85	-45.89	-37	8.89	Pass	401
2292	2296	1	RMS	2292.74	-45.99	-31	14.99	Pass	401
2296	2300	1	RMS	2299.89	-45.86	-25	20.86	Pass	401
2300	2304	1	RMS	2304	-38.86	-13	25.86	Pass	5
2304	2305	0.01	RMS	2305	-26.71	-13	13.71	Pass	401
2305	2315	0.1	RMS	2305.35	16.52	60	43.48	Pass	401
2315	2316	0.01	RMS	2315.81	-64.71	-13	51.71	Pass	401
2316	2320	1	RMS	2316.94	-45.84	-13	32.84	Pass	401
2320	2324	1	RMS	2322.72	-45.83	-25	20.83	Pass	401
2324	2328	1	RMS	2324.07	-45.95	-31	14.95	Pass	401
2328	2337	1	RMS	2330.43	-46.17	-37	9.17	Pass	401
2337	2341	1	RMS	2339.5	-45.99	-31	14.99	Pass	401
2341	2345	1	RMS	2343.15	-45.91	-25	20.91	Pass	401
2345	2360	1	RMS	2351.9	-45.56	-13	32.56	Pass	401
2360	2365	1	RMS	2361.838	-46.18	-13	33.18	Pass	401
2365	2395	1	RMS	2392	-46.04	-40	6.04	Pass	401



8.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2201.98	-46.07	-40	6.07	Pass	401
2288	2292	1	RMS	2291.1	-46.05	-37	9.05	Pass	401
2292	2296	1	RMS	2295.92	-45.86	-31	14.86	Pass	401
2296	2300	1	RMS	2299.98	-44.54	-25	19.54	Pass	401
2300	2304	1	RMS	2304	-35.48	-13	22.48	Pass	5
2304	2305	0.01	RMS	2305	-28.14	-13	15.14	Pass	401
2305	2315	0.1	RMS	2305.4	16.57	60	43.43	Pass	401
2315	2316	0.01	RMS	2315.295	-63.85	-13	50.85	Pass	401
2316	2320	1	RMS	2316.76	-45.68	-13	32.68	Pass	401
2320	2324	1	RMS	2320.28	-45.83	-25	20.83	Pass	401
2324	2328	1	RMS	2325.33	-45.94	-31	14.94	Pass	401
2328	2337	1	RMS	2335.223	-46.18	-37	9.18	Pass	401
2337	2341	1	RMS	2337.63	-45.93	-31	14.93	Pass	401
2341	2345	1	RMS	2342.24	-45.92	-25	20.92	Pass	401
2345	2360	1	RMS	2352.65	-45.43	-13	32.43	Pass	401
2360	2365	1	RMS	2362.65	-46.18	-13	33.18	Pass	401
2365	2395	1	RMS	2385.1	-46.03	-40	6.03	Pass	401



9. n66 15kHz


9.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-30.01	-13	17.01	Pass	401
1709	1710	0.051	RMS	1709.998	-17.52	-13	4.52	Pass*	401
1710	1715	1	RMS	1710.35	19.61	30	10.39	Pass	401




9.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-33.27	-13	20.27	Pass	401
1709	1710	0.051	RMS	1710	-31.86	-13	18.86	Pass	401
1710	1715	1	RMS	1713.763	13.5	30	16.5	Pass	401



9.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.675	19.99	30	10.01	Pass	401
1780	1781	0.051	RMS	1780	-20.23	-13	7.23	Pass	401
1781.5	1790	1	RMS	1781.5	-32.42	-13	19.42	Pass	401




9.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1778.663	13.62	30	16.38	Pass	401
1780	1781	0.051	RMS	1780	-32.48	-13	19.48	Pass	401
1781.5	1790	1	RMS	1781.5	-32.38	-13	19.38	Pass	401




9.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708.5	1	RMS	1708.5	-37.69	-13	24.69	Pass	401
1709	1710	0.15	RMS	1710	-17.02	-13	4.02	Pass*	401
1710	1725	1	RMS	1710.413	19.65	30	10.35	Pass	401




9.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1709	1	RMS	1709	-26.62	-13	13.62	Pass	401
1709	1710	0.15	RMS	1710	-34.25	-13	21.25	Pass	401
1710	1725	1	RMS	1723.463	9.17	30	20.83	Pass	401




9.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	1	RMS	1779.475	19.94	30	10.06	Pass	401
1780	1781	0.15	RMS	1780	-18.43	-13	5.43	Pass*	401
1781.5	1800	1	RMS	1781.5	-40.89	-13	27.89	Pass	401




9.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	1	RMS	1766.35	9.04	30	20.96	Pass	401
1780	1781	0.15	RMS	1780	-34.8	-13	21.8	Pass	401
1781	1800	1	RMS	1781	-28.48	-13	15.48	Pass	401




9.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-40.75	-13	27.75	Pass	401
1709	1710	0.2	RMS	1710	-18.42	-13	5.42	Pass*	401
1710	1730	1	RMS	1710.55	19.68	30	10.32	Pass	401




9.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-31.63	-13	18.63	Pass	401
1709	1710	0.2	RMS	1709.993	-34.79	-13	21.79	Pass	401
1710	1730	1	RMS	1727.2	7.89	30	22.11	Pass	401




9.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	19.95	30	10.05	Pass	401
1780	1781	0.2	RMS	1780	-20.21	-13	7.21	Pass	401
1781.5	1805	1	RMS	1781.5	-43.23	-13	30.23	Pass	401



9.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1761.5	8.05	30	21.95	Pass	401
1780	1781	0.2	RMS	1780	-32.29	-13	19.29	Pass	401
1781.5	1805	1	RMS	1781.559	-28.76	-13	15.76	Pass	401



10. n71 15kHz


10.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-19.7	-13	6.7	Pass	401
662.9	663	0.03	RMS	663	-19.34	-13	6.34	Pass	401
663	668	0.1	RMS	663.338	19.13	30	10.87	Pass	401




10.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-30.85	-13	17.85	Pass	401
662.9	663	0.03	RMS	663	-32.56	-13	19.56	Pass	401
663	668	0.1	RMS	664.125	5.4	30	24.6	Pass	401




10.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.65	17.77	30	12.23	Pass	401
698	698.1	0.03	RMS	698	-22.78	-13	9.78	Pass	401
698.1	708	0.1	RMS	698.1	-23.56	-13	10.56	Pass	401




10.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	694.25	4.4	30	25.6	Pass	401
698	698.1	0.03	RMS	698	-33.54	-13	20.54	Pass	401
698.1	708	0.1	RMS	698.1	-29.93	-13	16.93	Pass	401




10.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-23.52	-13	10.52	Pass	401
662.9	663	0.03	RMS	663	-24.12	-13	11.12	Pass	401
663	678	0.1	RMS	663.488	18.97	30	11.03	Pass	401




10.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-35.02	-13	22.02	Pass	401
662.9	663	0.03	RMS	663	-38.6	-13	25.6	Pass	401
663	678	0.1	RMS	677.288	0.26	30	29.74	Pass	401




10.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.513	17.81	30	12.19	Pass	401
698	698.1	0.03	RMS	698.001	-27.48	-13	14.48	Pass	401
698.1	718	0.1	RMS	698.1	-27.95	-13	14.95	Pass	401




10.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	694.138	-0.58	30	30.58	Pass	401
698	698.1	0.03	RMS	698.056	-40.12	-13	27.12	Pass	401
698.1	718	0.1	RMS	698.1	-35.81	-13	22.81	Pass	401




10.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-27.23	-13	14.23	Pass	401
662.9	663	0.03	RMS	662.999	-27.49	-13	14.49	Pass	401
663	683	0.1	RMS	663.55	19.09	30	10.91	Pass	401




10.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-33.39	-13	20.39	Pass	401
662.9	663	0.03	RMS	662.94	-37.7	-13	24.7	Pass	401
663	683	0.1	RMS	676.4	-0.88	30	30.88	Pass	401




10.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.45	17.66	30	12.34	Pass	401
698	698.1	0.03	RMS	698	-30.9	-13	17.9	Pass	401
698.1	723	0.1	RMS	698.1	-31.59	-13	18.59	Pass	401



10.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	693.1	-1.91	30	31.91	Pass	401
698	698.1	0.03	RMS	698.037	-39.18	-13	26.18	Pass	401
698.1	723	0.1	RMS	698.1	-34.98	-13	21.98	Pass	401



11. n38_PC3


11.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2547.413	-45.35	-25	20.35	Pass	401
2550	2565	1	RMS	2561.963	-43.91	-13	30.91	Pass	401
2565	2569	1	RMS	2569	-28.56	-10	18.56	Pass	401
2569	2570	0.051	RMS	2570	-27.55	-10	17.55	Pass	401
2570	2590	1	RMS	2570.95	19.38	30	10.62	Pass	401




11.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-40.29	-25	15.29	Pass	401
2550	2565	1	RMS	2565	-32.12	-13	19.12	Pass	401
2565	2569	1	RMS	2569	-27.78	-10	17.78	Pass	401
2569	2570	0.39	RMS	2570	-28.66	-10	18.66	Pass	401
2570	2590	1	RMS	2573.05	7.39	30	22.61	Pass	401




11.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2619	19.9	30	10.1	Pass	401
2620	2621	0.051	RMS	2620.005	-27.75	-10	17.75	Pass	401
2621	2625	1	RMS	2621	-28.5	-10	18.5	Pass	401
2625	2640	1	RMS	2627.925	-42.78	-13	29.78	Pass	401
2640	2645	1	RMS	2641.35	-45.07	-25	20.07	Pass	401




11.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2617.05	7.77	30	22.23	Pass	401
2620	2621	0.39	RMS	2620	-25.77	-10	15.77	Pass	401
2621	2625	1	RMS	2621.04	-23.16	-10	13.16	Pass	401
2625	2640	1	RMS	2625	-26.76	-13	13.76	Pass	401
2640	2645	1	RMS	2640	-36.67	-25	11.67	Pass	401




11.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2537.8	-45.27	-25	20.27	Pass	401
2540	2565	1	RMS	2557.188	-43.83	-13	30.83	Pass	401
2565	2569	1	RMS	2569	-31.56	-10	21.56	Pass	401
2569	2570	0.051	RMS	2569.988	-30.67	-10	20.67	Pass	401
2570	2600	1	RMS	2571.125	19.57	30	10.43	Pass	401




11.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2540	-40.73	-25	15.73	Pass	401
2540	2565	1	RMS	2565	-31.69	-13	18.69	Pass	401
2565	2569	1	RMS	2568.98	-25.78	-10	15.78	Pass	401
2569	2570	0.62	RMS	2569.315	-27.5	-10	17.5	Pass	401
2570	2600	1	RMS	2572.25	5.58	30	24.42	Pass	401




11.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2618.8	19.82	30	10.18	Pass	401
2620	2621	0.051	RMS	2620.008	-34.02	-10	24.02	Pass	401
2621	2625	1	RMS	2621.01	-34.08	-10	24.08	Pass	401
2625	2650	1	RMS	2632.813	-43.31	-13	30.31	Pass	401
2650	2655	1	RMS	2650.025	-44.97	-25	19.97	Pass	401




11.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2618.05	6.13	30	23.87	Pass	401
2620	2621	0.62	RMS	2620.013	-24.53	-10	14.53	Pass	401
2621	2625	1	RMS	2621.06	-23.72	-10	13.72	Pass	401
2625	2650	1	RMS	2625.063	-27.99	-13	14.99	Pass	401
2650	2655	1	RMS	2650	-37.91	-25	12.91	Pass	401




11.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2525.475	-45.26	-25	20.26	Pass	401
2530	2565	1	RMS	2552.05	-43.73	-13	30.73	Pass	401
2565	2569	1	RMS	2569	-32.3	-10	22.3	Pass	401
2569	2570	0.051	RMS	2569.998	-31.7	-10	21.7	Pass	401
2570	2610	1	RMS	2571.1	19.52	30	10.48	Pass	401




11.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.988	-41.51	-25	16.51	Pass	401
2530	2565	1	RMS	2564.913	-33.64	-13	20.64	Pass	401
2565	2569	1	RMS	2568.99	-31.08	-10	21.08	Pass	401
2569	2570	0.82	RMS	2570	-20.74	-10	10.74	Pass	401
2570	2610	1	RMS	2608	4.54	30	25.46	Pass	401




11.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	19.81	30	10.19	Pass	401
2620	2621	0.051	RMS	2620	-31.76	-10	21.76	Pass	401
2621	2625	1	RMS	2621	-32.29	-10	22.29	Pass	401
2625	2660	1	RMS	2637.688	-43.24	-13	30.24	Pass	401
2660	2665	1	RMS	2664.313	-45.11	-25	20.11	Pass	401



11.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2617.7	4.97	30	25.03	Pass	401
2620	2621	0.82	RMS	2620	-20.56	-10	10.56	Pass	401
2621	2625	1	RMS	2621.04	-27.86	-10	17.86	Pass	401
2625	2660	1	RMS	2625	-30.69	-13	17.69	Pass	401
2660	2665	1	RMS	2660.088	-38.6	-25	13.6	Pass	401



12. n41


12.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2488.014	-43.19	-25	18.19	Pass	401
2490.5	2495	1	RMS	2495	-27.76	-13	14.76	Pass	401
2495	2496	0.051	RMS	2495.998	-27.01	-13	14.01	Pass	401
2496	2516	1	RMS	2497	21.37	40	18.63	Pass	401




12.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2490.451	-31.85	-25	6.85	Pass	401
2490.5	2495	1	RMS	2494.989	-26.91	-13	13.91	Pass	401
2495	2496	0.39	RMS	2495.993	-28.44	-13	15.44	Pass	401
2496	2516	1	RMS	2513.85	9.9	40	30.1	Pass	401




12.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2688.95	21.59	40	18.41	Pass	401
2690	2691	0.051	RMS	2690.025	-26.28	-10	16.28	Pass	401
2691	2695	1	RMS	2691	-27.81	-10	17.81	Pass	401
2695	2710	1	RMS	2697.813	-43.43	-13	30.43	Pass	401
2710	2715	1	RMS	2713.125	-44.76	-25	19.76	Pass	401




12.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2673.15	9.54	40	30.46	Pass	401
2690	2691	0.39	RMS	2690.005	-26.43	-10	16.43	Pass	401
2691	2695	1	RMS	2691.03	-23.94	-10	13.94	Pass	401
2695	2710	1	RMS	2695	-29.15	-13	16.15	Pass	401
2710	2715	1	RMS	2710.088	-39.66	-25	14.66	Pass	401




12.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490.5	1	RMS	2488.566	-45.02	-25	20.02	Pass	401
2490.5	2495	1	RMS	2495	-27.62	-13	14.62	Pass	401
2495	2496	0.051	RMS	2495.988	-27.26	-13	14.26	Pass	401
2496	2556	1	RMS	2497.05	21.14	40	18.86	Pass	401




12.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490.5	1	RMS	2490.5	-35.57	-25	10.57	Pass	401
2490.5	2495	1	RMS	2494.989	-33.27	-13	20.27	Pass	401
2495	2495.4	1.2	RMS	2495.4	-22.93	-13	9.93	Pass	401
2496	2556	1	RMS	2526.3	4.53	40	35.47	Pass	401




12.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2688.95	21.48	40	18.52	Pass	401
2690	2691	0.051	RMS	2690.008	-28.01	-10	18.01	Pass	401
2691	2695	1	RMS	2691	-29.17	-10	19.17	Pass	401
2695	2750	1	RMS	2717.825	-43.06	-13	30.06	Pass	401
2750	2755	1	RMS	2751.488	-44.39	-25	19.39	Pass	401




12.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2654.9	4.25	40	35.75	Pass	401
2690.6	2691	1.2	RMS	2690.601	-22.32	-10	12.32	Pass	401
2691	2695	1	RMS	2691.02	-27.34	-10	17.34	Pass	401
2695	2750	1	RMS	2695.138	-28.94	-13	15.94	Pass	401
2750	2755	1	RMS	2750.188	-41.19	-25	16.19	Pass	401



12.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.251	-45.13	-25	20.13	Pass	401
2490.5	2495	1	RMS	2495	-28.83	-13	15.83	Pass	401
2495	2496	0.051	RMS	2495.995	-27.93	-13	14.93	Pass	401
2496	2596	1	RMS	2497	20.99	40	19.01	Pass	401




12.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-36.15	-25	11.15	Pass	401
2490.5	2495	1	RMS	2490.646	-35.96	-13	22.96	Pass	401
2495	2495.5	1	RMS	2495.5	-31.89	-13	18.89	Pass	401
2496	2596	1	RMS	2519.75	3.36	40	36.64	Pass	401



12.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.18	40	18.82	Pass	401
2690	2691	0.051	RMS	2690	-27.81	-10	17.81	Pass	401
2691	2695	1	RMS	2691	-29.06	-10	19.06	Pass	401
2695	2790	1	RMS	2737.988	-44.06	-13	31.06	Pass	401
2790	2795	1	RMS	2794.663	-44.33	-25	19.33	Pass	401



12.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2661.5	3.02	40	36.98	Pass	401
2690	2691	1	RMS	2690.913	-35.57	-10	25.57	Pass	401
2691	2695	1	RMS	2694.57	-35.25	-10	25.25	Pass	401
2695	2790	1	RMS	2695	-35.6	-13	22.6	Pass	401
2790	2795	1	RMS	2794.5	-44.33	-25	19.33	Pass	401



13. n77 30kHz(3450-3550)


13.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3432.95	-43.05	-13	30.05	Pass	401
3445	3449	0.62	RMS	3449	-36.19	-13	23.19	Pass	401
3449	3450	0.051	RMS	3449.988	-29.13	-13	16.13	Pass	401
3450	3470	1	RMS	3451	18.79	40	21.21	Pass	401




13.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-31.94	-13	18.94	Pass	401
3445	3449	0.62	RMS	3448.98	-29.82	-13	16.82	Pass	401
3449	3450	0.2	RMS	3449.998	-32.78	-13	19.78	Pass	401
3450	3470	1	RMS	3464.3	7.29	40	32.71	Pass	401




13.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3548.95	19.72	40	20.28	Pass	401
3550	3551	0.051	RMS	3550.005	-27.52	-13	14.52	Pass	401
3551	3555	0.62	RMS	3551.02	-36.29	-13	23.29	Pass	401
3555	3575	1	RMS	3555.1	-42.44	-13	29.44	Pass	401




13.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3545.2	7.81	40	32.19	Pass	401
3550	3551	0.2	RMS	3550.018	-29.98	-13	16.98	Pass	401
3551	3555	0.62	RMS	3551.03	-26.87	-13	13.87	Pass	401
3555	3575	1	RMS	3555	-28.93	-13	15.93	Pass	401




13.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3444.1	-43.36	-13	30.36	Pass	401
3445	3449	0.62	RMS	3448.99	-36.79	-13	23.79	Pass	401
3449	3450	0.2	RMS	3449.995	-23.38	-13	10.38	Pass	401
3450	3510	1	RMS	3451.05	18.46	40	21.54	Pass	401




13.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3445	-34.96	-13	21.96	Pass	401
3445	3449	0.62	RMS	3449	-35.06	-13	22.06	Pass	401
3449	3450	0.2	RMS	3449.755	-38.79	-13	25.79	Pass	401
3450	3510	1	RMS	3502.35	2.33	40	37.67	Pass	401




13.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3548.95	19.36	40	20.64	Pass	401
3550	3551	0.2	RMS	3550.005	-21.79	-13	8.79	Pass	401
3551	3555	0.62	RMS	3551	-36.84	-13	23.84	Pass	401
3555	3615	1	RMS	3606.9	-41.87	-13	28.87	Pass	401




13.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3545.05	2.47	40	37.53	Pass	401
3550	3551	0.2	RMS	3550.013	-35.81	-13	22.81	Pass	401
3551	3555	0.62	RMS	3551.01	-31.77	-13	18.77	Pass	401
3555	3615	1	RMS	3555.15	-31.49	-13	18.49	Pass	401




13.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3353.25	-42.91	-13	29.91	Pass	401
3445	3449	0.62	RMS	3449	-37.19	-13	24.19	Pass	401
3449	3450	0.051	RMS	3449.998	-30.05	-13	17.05	Pass	401
3450	3550	1	RMS	3451	18.27	40	21.73	Pass	401




13.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-36.07	-13	23.07	Pass	401
3445	3449	0.62	RMS	3448.82	-37.21	-13	24.21	Pass	401
3449	3450	0.2	RMS	3449.998	-40.19	-13	27.19	Pass	401
3450	3550	1	RMS	3531.5	0.17	40	39.83	Pass	401




13.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	19.18	40	20.82	Pass	401
3550	3551	0.2	RMS	3550	-25.36	-13	12.36	Pass	401
3551	3555	0.62	RMS	3551	-38.24	-13	25.24	Pass	401
3555	3655	1	RMS	3646.75	-40.88	-13	27.88	Pass	401



13.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3550	3551	0.2	RMS	3550.175	-38.61	-13	25.61	Pass	401
3551	3555	0.62	RMS	3551	-34.95	-13	21.95	Pass	401
3555	3655	1	RMS	3555	-33.96	-13	20.96	Pass	401



14. n78 30kHz(3450-3550)


14.1 Band Edge for SA_Part22-24-27(NTLV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3432.95	-42.97	-13	29.97	Pass	401
3445	3449	0.62	RMS	3449	-37.69	-13	24.69	Pass	401
3449	3450	0.051	RMS	3449.998	-29.15	-13	16.15	Pass	401
3450	3470	1	RMS	3450.95	18.78	40	21.22	Pass	401




14.2 Band Edge for SA_Part22-24-27(NTLV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-31.59	-13	18.59	Pass	401
3445	3449	0.62	RMS	3448.98	-29.58	-13	16.58	Pass	401
3449	3450	0.2	RMS	3449.995	-32.48	-13	19.48	Pass	401
3450	3470	1	RMS	3461.1	7.37	40	32.63	Pass	401



14.3 Band Edge for SA_Part22-24-27(NTLV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3549	19.69	40	20.31	Pass	401
3550	3551	0.051	RMS	3550.005	-27.67	-13	14.67	Pass	401
3551	3555	0.62	RMS	3551.02	-36.26	-13	23.26	Pass	401
3555	3575	1	RMS	3557.95	-42.41	-13	29.41	Pass	401



14.4 Band Edge for SA_Part22-24-27(NTLV)(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3545.1	7.82	40	32.18	Pass	401
3550	3551	0.2	RMS	3550.03	-28.5	-13	15.5	Pass	401
3551	3555	0.62	RMS	3551.06	-25.58	-13	12.58	Pass	401
3555	3575	1	RMS	3555	-28.81	-13	15.81	Pass	401

