


Band Edge


2.22 LTE Band Edge_Part22-24-27(NTLV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.488	1.84	30	28.16	Pass	401
1755	1756	0.051	RMS	1755	-29.99	-13	16.99	Pass	401
1756	1757	1	RMS	1756	-27.64	-13	14.64	Pass	2
1757	1765	1	RMS	1757.02	-28.92	-13	15.92	Pass	401



2.23 LTE Band Edge_Part22-24-27(NTLV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.713	15.34	30	14.66	Pass	401
1755	1756	0.05	RMS	1755	-22.95	-13	9.95	Pass	21
1756	1757	1	RMS	1756	-44.05	-13	31.05	Pass	2
1757	1765	1	RMS	1757.02	-48.92	-13	35.92	Pass	401




2.24 LTE Band Edge_Part22-24-27(NTLV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.5	0.84	30	29.16	Pass	401
1755	1756	0.051	RMS	1755	-30.73	-13	17.73	Pass	401
1756	1757	1	RMS	1756	-27.09	-13	14.09	Pass	2
1757	1765	1	RMS	1757	-28.4	-13	15.4	Pass	401




2.25 LTE Band Edge_Part22-24-27(NTLV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-49.73	-13	36.73	Pass	401
1708	1709	1	RMS	1709	-47.09	-13	34.09	Pass	2
1709	1710	0.1	RMS	1710	-41.89	-13	28.89	Pass	401
1710	1720	0.1	RMS	1710.65	15.92	30	14.08	Pass	401




2.26 LTE Band Edge_Part22-24-27(NTLV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.61	-13	19.61	Pass	401
1708	1709	1	RMS	1709	-31.51	-13	18.51	Pass	2
1709	1710	0.1	RMS	1710	-38.65	-13	25.65	Pass	401
1710	1720	0.1	RMS	1719.425	-1.15	30	31.15	Pass	401




2.27 LTE Band Edge_Part22-24-27(NTLV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.44	-49.83	-13	36.83	Pass	401
1708	1709	1	RMS	1709	-47.45	-13	34.45	Pass	2
1709	1710	0.1	RMS	1710	-43.16	-13	30.16	Pass	401
1710	1720	0.1	RMS	1710.65	15.16	30	14.84	Pass	401




2.28 LTE Band Edge_Part22-24-27(NTLV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.42	-13	18.42	Pass	401
1708	1709	1	RMS	1709	-30.67	-13	17.67	Pass	2
1709	1710	0.1	RMS	1710	-38.69	-13	25.69	Pass	401
1710	1720	0.1	RMS	1718.425	-2.21	30	32.21	Pass	401




2.29 LTE Band Edge_Part22-24-27(NTLV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.475	16	30	14	Pass	401
1755	1756	0.1	RMS	1755	-32.3	-13	19.3	Pass	401
1756	1757	1	RMS	1756	-45.67	-13	32.67	Pass	2
1757	1765	1	RMS	1757	-49.62	-13	36.62	Pass	401




2.30 LTE Band Edge_Part22-24-27(NTLV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1752.625	-1.16	30	31.16	Pass	401
1755	1756	0.1	RMS	1755.003	-35.68	-13	22.68	Pass	401
1756	1757	1	RMS	1756	-29.26	-13	16.26	Pass	2
1757	1765	1	RMS	1757.02	-30.35	-13	17.35	Pass	401




2.31 LTE Band Edge_Part22-24-27(NTLV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.475	15.03	30	14.97	Pass	401
1755	1756	0.1	RMS	1755.003	-34.01	-13	21.01	Pass	401
1756	1757	1	RMS	1756	-46.4	-13	33.4	Pass	2
1757	1765	1	RMS	1757	-49.85	-13	36.85	Pass	401




2.32 LTE Band Edge_Part22-24-27(NTLV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1753.675	-2.13	30	32.13	Pass	401
1755	1756	0.1	RMS	1755.003	-36.08	-13	23.08	Pass	401
1756	1757	1	RMS	1756	-28.9	-13	15.9	Pass	2
1757	1765	1	RMS	1757	-29.65	-13	16.65	Pass	401




2.33 LTE Band Edge_Part22-24-27(NTLV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-49.99	-13	36.99	Pass	401
1708	1709	1	RMS	1709	-47.91	-13	34.91	Pass	2
1709	1710	0.15	RMS	1710	-40.3	-13	27.3	Pass	401
1710	1725	0.1	RMS	1710.9	15.71	30	14.29	Pass	401




2.34 LTE Band Edge_Part22-24-27(NTLV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.4	-13	19.4	Pass	401
1708	1709	1	RMS	1708	-32.54	-13	19.54	Pass	2
1709	1710	0.15	RMS	1710	-39.6	-13	26.6	Pass	401
1710	1725	0.1	RMS	1723.2	-2.76	30	32.76	Pass	401




2.35 LTE Band Edge_Part22-24-27(NTLV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-50.19	-13	37.19	Pass	401
1708	1709	1	RMS	1709	-48.34	-13	35.34	Pass	2
1709	1710	0.15	RMS	1710	-40.43	-13	27.43	Pass	401
1710	1725	0.1	RMS	1710.9	15.14	30	14.86	Pass	401




2.36 LTE Band Edge_Part22-24-27(NTLV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.68	-31.76	-13	18.76	Pass	401
1708	1709	1	RMS	1708	-31.97	-13	18.97	Pass	2
1709	1710	0.15	RMS	1709.995	-39.64	-13	26.64	Pass	401
1710	1725	0.1	RMS	1723.238	-3.76	30	33.76	Pass	401




2.37 LTE Band Edge_Part22-24-27(NTLV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.213	15.89	30	14.11	Pass	401
1755	1756	0.15	RMS	1755.003	-32.91	-13	19.91	Pass	401
1756	1757	1	RMS	1756	-46.95	-13	33.95	Pass	2
1757	1765	1	RMS	1757	-49.93	-13	36.93	Pass	401




2.38 LTE Band Edge_Part22-24-27(NTLV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1740.975	-3.12	30	33.12	Pass	401
1755	1756	0.15	RMS	1755.005	-36.71	-13	23.71	Pass	401
1756	1757	1	RMS	1756	-30.07	-13	17.07	Pass	2
1757	1765	1	RMS	1757.6	-30.17	-13	17.17	Pass	401




2.39 LTE Band Edge_Part22-24-27(NTLV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.213	15.07	30	14.93	Pass	401
1755	1756	0.15	RMS	1755	-33.27	-13	20.27	Pass	401
1756	1757	1	RMS	1756	-47.56	-13	34.56	Pass	2
1757	1765	1	RMS	1757.02	-50.1	-13	37.1	Pass	401




2.40 LTE Band Edge_Part22-24-27(NTLV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1752.863	-4.13	30	34.13	Pass	401
1755	1756	0.15	RMS	1755.005	-37.1	-13	24.1	Pass	401
1756	1757	1	RMS	1756	-29.93	-13	16.93	Pass	2
1757	1765	1	RMS	1757.56	-29.8	-13	16.8	Pass	401




2.41 LTE Band Edge_Part22-24-27(NTLV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-50.08	-13	37.08	Pass	401
1708	1709	1	RMS	1709	-48.3	-13	35.3	Pass	2
1709	1710	0.2	RMS	1710	-40.19	-13	27.19	Pass	401
1710	1730	0.1	RMS	1711.15	15.8	30	14.2	Pass	401




2.42 LTE Band Edge_Part22-24-27(NTLV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.25	-13	22.25	Pass	401
1708	1709	1	RMS	1709	-34.18	-13	21.18	Pass	2
1709	1710	0.2	RMS	1709.993	-39.37	-13	26.37	Pass	401
1710	1730	0.1	RMS	1728.4	-3.59	30	33.59	Pass	401




2.43 LTE Band Edge_Part22-24-27(NTLV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-50.21	-13	37.21	Pass	401
1708	1709	1	RMS	1709	-48.47	-13	35.47	Pass	2
1709	1710	0.2	RMS	1710	-40.1	-13	27.1	Pass	401
1710	1730	0.1	RMS	1711.15	15.09	30	14.91	Pass	401




2.44 LTE Band Edge_Part22-24-27(NTLV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.26	-13	21.26	Pass	401
1708	1709	1	RMS	1709	-33.49	-13	20.49	Pass	2
1709	1710	0.2	RMS	1710	-38.99	-13	25.99	Pass	401
1710	1730	0.1	RMS	1728.7	-4.62	30	34.62	Pass	401




2.45 LTE Band Edge_Part22-24-27(NTLV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.95	15.82	30	14.18	Pass	401
1755	1756	0.2	RMS	1755.003	-34.61	-13	21.61	Pass	401
1756	1757	1	RMS	1756	-47.29	-13	34.29	Pass	2
1757	1765	1	RMS	1757	-50	-13	37	Pass	401




2.46 LTE Band Edge_Part22-24-27(NTLV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1736.9	-4.18	30	34.18	Pass	401
1755	1756	0.2	RMS	1755.005	-36.9	-13	23.9	Pass	401
1756	1757	1	RMS	1756	-31.51	-13	18.51	Pass	2
1757	1765	1	RMS	1757.02	-32.39	-13	19.39	Pass	401




2.47 LTE Band Edge_Part22-24-27(NTLV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.95	14.75	30	15.25	Pass	401
1755	1756	0.2	RMS	1755.003	-35.04	-13	22.04	Pass	401
1756	1757	1	RMS	1756	-47.86	-13	34.86	Pass	2
1757	1765	1	RMS	1757.46	-50.01	-13	37.01	Pass	401



2.48 LTE Band Edge_Part22-24-27(NTLV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1739.7	-5.24	30	35.24	Pass	401
1755	1756	0.2	RMS	1755.018	-37.07	-13	24.07	Pass	401
1756	1757	1	RMS	1756	-31.35	-13	18.35	Pass	2
1757	1765	1	RMS	1757	-32	-13	19	Pass	401



3. LTE_Band5

3.1 LTE Band Edge_Part22-24-27(NTLV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-54.93	-13	41.93	Pass	401
823	824	0.02	RMS	824	-38.83	-13	25.83	Pass	401
824	826	0.1	RMS	824.275	16.24	30	13.76	Pass	401




3.2 LTE Band Edge_Part22-24-27(NTLV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-41.39	-13	28.39	Pass	401
823	824	0.02	RMS	823.988	-38.99	-13	25.99	Pass	401
824	826	0.1	RMS	824.56	7.77	30	22.23	Pass	401




3.3 LTE Band Edge_Part22-24-27(NTLV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-55.79	-13	42.79	Pass	401
823	824	0.02	RMS	823.99	-37.88	-13	24.88	Pass	401
824	826	0.1	RMS	824.275	15.08	30	14.92	Pass	401




3.4 LTE Band Edge_Part22-24-27(NTLV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-43.93	-13	30.93	Pass	401
823	824	0.02	RMS	823.95	-40.84	-13	27.84	Pass	401
824	826	0.1	RMS	824.92	6.77	30	23.23	Pass	401




3.5 LTE Band Edge_Part22-24-27(NTLV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.775	16.35	30	13.65	Pass	401
849	850	0.02	RMS	849.01	-32.51	-13	19.51	Pass	401
850	860	0.1	RMS	850	-54.4	-13	41.4	Pass	401




3.6 LTE Band Edge_Part22-24-27(NTLV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.99	8.02	30	21.98	Pass	401
849	850	0.02	RMS	849.005	-39.24	-13	26.24	Pass	401
850	860	0.1	RMS	850	-38.13	-13	25.13	Pass	401




3.7 LTE Band Edge_Part22-24-27(NTLV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.77	15.47	30	14.53	Pass	401
849	850	0.02	RMS	849.005	-32.64	-13	19.64	Pass	401
850	860	0.1	RMS	850	-55.03	-13	42.03	Pass	401




3.8 LTE Band Edge_Part22-24-27(NTLV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.36	7.09	30	22.91	Pass	401
849	850	0.02	RMS	849	-38.51	-13	25.51	Pass	401
850	860	0.1	RMS	850	-40.87	-13	27.87	Pass	401




3.9 LTE Band Edge_Part22-24-27(NTLV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.73	-13	34.73	Pass	401
823	824	0.002	RMS	823.998	-36.68	-13	23.68	Pass	501
824	827	0.1	RMS	824.263	16.38	30	13.62	Pass	401




3.10 LTE Band Edge_Part22-24-27(NTLV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.86	-38.37	-13	25.37	Pass	401
823	824	0.03	RMS	824	-34.02	-13	21.02	Pass	401
824	827	0.1	RMS	824.3	4.12	30	25.88	Pass	401




3.11 LTE Band Edge_Part22-24-27(NTLV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-48.86	-13	35.86	Pass	401
823	824	0.03	RMS	824	-29.83	-13	16.83	Pass	35
824	827	0.1	RMS	824.27	15.41	30	14.59	Pass	401




3.12 LTE Band Edge_Part22-24-27(NTLV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-40.21	-13	27.21	Pass	401
823	824	0.03	RMS	824	-35.72	-13	22.72	Pass	401
824	827	0.1	RMS	825.185	3.15	30	26.85	Pass	401




3.13 LTE Band Edge_Part22-24-27(NTLV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.783	16.5	30	13.5	Pass	401
849	850	0.002	RMS	849.002	-31.19	-13	18.19	Pass	501
850	860	0.1	RMS	850.025	-49.82	-13	36.82	Pass	401




3.14 LTE Band Edge_Part22-24-27(NTLV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.095	4.22	30	25.78	Pass	401
849	850	0.03	RMS	849	-30.21	-13	17.21	Pass	401
850	860	0.1	RMS	850.3	-39.68	-13	26.68	Pass	401




3.15 LTE Band Edge_Part22-24-27(NTLV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.783	15.48	30	14.52	Pass	401
849	850	0.002	RMS	849.004	-32.15	-13	19.15	Pass	501
850	860	0.1	RMS	850.05	-51.07	-13	38.07	Pass	401




3.16 LTE Band Edge_Part22-24-27(NTLV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.503	3.15	30	26.85	Pass	401
849	850	0.03	RMS	849	-30.63	-13	17.63	Pass	401
850	860	0.1	RMS	850	-39.03	-13	26.03	Pass	401



3.17 LTE Band Edge_Part22-24-27(NTLV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.2	-45.65	-13	32.65	Pass	401
823	824	0.051	RMS	824	-31.78	-13	18.78	Pass	401
824	829	0.1	RMS	824.363	16.13	30	13.87	Pass	401




3.18 LTE Band Edge_Part22-24-27(NTLV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-41.34	-13	28.34	Pass	401
823	824	0.051	RMS	823.998	-36.87	-13	23.87	Pass	401
824	829	0.1	RMS	825.7	2.09	30	27.91	Pass	401




3.19 LTE Band Edge_Part22-24-27(NTLV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.22	-46.77	-13	33.77	Pass	401
823	824	0.051	RMS	823.998	-32.73	-13	19.73	Pass	401
824	829	0.1	RMS	824.375	15.44	30	14.56	Pass	401




3.20 LTE Band Edge_Part22-24-27(NTLV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.88	-41.28	-13	28.28	Pass	401
823	824	0.051	RMS	824	-37.57	-13	24.57	Pass	401
824	829	0.1	RMS	825.688	0.99	30	29.01	Pass	401




3.21 LTE Band Edge_Part22-24-27(NTLV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.675	16.3	30	13.7	Pass	401
849	850	0.051	RMS	849	-24.19	-13	11.19	Pass	401
850	860	0.1	RMS	850	-54.84	-13	41.84	Pass	401




3.22 LTE Band Edge_Part22-24-27(NTLV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.888	1.98	30	28.02	Pass	401
849	850	0.051	RMS	849	-33.41	-13	20.41	Pass	401
850	860	0.1	RMS	850.1	-40.82	-13	27.82	Pass	401




3.23 LTE Band Edge_Part22-24-27(NTLV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.675	15.59	30	14.41	Pass	401
849	850	0.051	RMS	849	-24.79	-13	11.79	Pass	401
850	860	0.1	RMS	850	-55.48	-13	42.48	Pass	401




3.24 LTE Band Edge_Part22-24-27(NTLV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.638	1.02	30	28.98	Pass	401
849	850	0.051	RMS	849	-34.22	-13	21.22	Pass	401
850	860	0.1	RMS	850.075	-40.72	-13	27.72	Pass	401




3.25 LTE Band Edge_Part22-24-27(NTLV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-56.86	-13	43.86	Pass	401
823	824	0.1	RMS	823.998	-40.87	-13	27.87	Pass	401
824	834	0.1	RMS	824.6	16.08	30	13.92	Pass	401




3.26 LTE Band Edge_Part22-24-27(NTLV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-42.84	-13	29.84	Pass	401
823	824	0.1	RMS	823.998	-38.28	-13	25.28	Pass	401
824	834	0.1	RMS	825.95	-0.52	30	30.52	Pass	401




3.27 LTE Band Edge_Part22-24-27(NTLV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-56.84	-13	43.84	Pass	401
823	824	0.1	RMS	823.998	-41.14	-13	28.14	Pass	401
824	834	0.1	RMS	824.625	15.45	30	14.55	Pass	401




3.28 LTE Band Edge_Part22-24-27(NTLV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-42.74	-13	29.74	Pass	401
823	824	0.1	RMS	823.995	-39.49	-13	26.49	Pass	401
824	834	0.1	RMS	825.35	-1.72	30	31.72	Pass	401




3.29 LTE Band Edge_Part22-24-27(NTLV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	16.43	30	13.57	Pass	401
849	850	0.1	RMS	849	-35.87	-13	22.87	Pass	401
850	860	0.1	RMS	850	-56.59	-13	43.59	Pass	401




3.30 LTE Band Edge_Part22-24-27(NTLV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	841.475	-0.52	30	30.52	Pass	401
849	850	0.1	RMS	849	-38.37	-13	25.37	Pass	401
850	860	0.1	RMS	850.05	-43.51	-13	30.51	Pass	401




3.31 LTE Band Edge_Part22-24-27(NTLV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.45	15.49	30	14.51	Pass	401
849	850	0.1	RMS	849.003	-37.34	-13	24.34	Pass	401
850	860	0.1	RMS	850	-57.06	-13	44.06	Pass	401



3.32 LTE Band Edge_Part22-24-27(NTLV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	840.225	-1.54	30	31.54	Pass	401
849	850	0.1	RMS	849	-39.36	-13	26.36	Pass	401
850	860	0.1	RMS	850.05	-43.51	-13	30.51	Pass	401



4. LTE_Band7


4.1 LTE Band Edge_Part22-24-27(NTLV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-48.46	-25	23.46	Pass	401
2494	2496	1	RMS	2495.985	-46.95	-13	33.95	Pass	401
2496	2499	1	RMS	2499	-40.03	-10	30.03	Pass	4
2499	2500	0.1	RMS	2500	-27.85	-10	17.85	Pass	401
2500	2505	0.1	RMS	2500.425	16.34	30	13.66	Pass	401




4.2 LTE Band Edge_Part22-24-27(NTLV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-39.73	-25	14.73	Pass	401
2494	2496	1	RMS	2496	-31.16	-13	18.16	Pass	401
2496	2499	1	RMS	2499	-27.43	-10	17.43	Pass	4
2499	2500	0.1	RMS	2499.983	-34.25	-10	24.25	Pass	401
2500	2505	0.1	RMS	2504.388	2.27	30	27.73	Pass	401




4.3 LTE Band Edge_Part22-24-27(NTLV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-48.47	-25	23.47	Pass	401
2494	2496	1	RMS	2495.99	-47.89	-13	34.89	Pass	401
2496	2499	1	RMS	2499	-41.17	-10	31.17	Pass	4
2499	2500	0.1	RMS	2500	-29.17	-10	19.17	Pass	401
2500	2505	0.1	RMS	2500.425	15.51	30	14.49	Pass	401




4.4 LTE Band Edge_Part22-24-27(NTLV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-41.49	-25	16.49	Pass	401
2494	2496	1	RMS	2495.995	-34.09	-13	21.09	Pass	401
2496	2499	1	RMS	2499	-28.03	-10	18.03	Pass	4
2499	2500	0.1	RMS	2500	-34.98	-10	24.98	Pass	401
2500	2505	0.1	RMS	2503.438	1.38	30	28.62	Pass	401




4.5 LTE Band Edge_Part22-24-27(NTLV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.738	16.6	30	13.4	Pass	401
2570	2571	0.051	RMS	2570	-17.33	-10	7.33	Pass	401
2571	2575	1	RMS	2571	-34.06	-10	24.06	Pass	5
2575	2576	1	RMS	2575.025	-48.22	-13	35.22	Pass	401
2576	2595	1	RMS	2576	-48.37	-25	23.37	Pass	401




4.6 LTE Band Edge_Part22-24-27(NTLV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.775	2.3	30	27.7	Pass	401
2570	2571	0.1	RMS	2570.003	-24.66	-10	14.66	Pass	401
2571	2575	1	RMS	2571	-26.24	-10	16.24	Pass	5
2575	2576	1	RMS	2575.003	-39.15	-13	26.15	Pass	401
2576	2595	1	RMS	2576.048	-41.66	-25	16.66	Pass	401




4.7 LTE Band Edge_Part22-24-27(NTLV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.763	15.95	30	14.05	Pass	401
2570	2571	0.1	RMS	2570	-14.72	-10	4.72	Pass*	11
2571	2575	1	RMS	2571	-35.3	-10	25.3	Pass	5
2575	2576	1	RMS	2575.048	-48.28	-13	35.28	Pass	401
2576	2595	1	RMS	2576.19	-48.41	-25	23.41	Pass	401




4.8 LTE Band Edge_Part22-24-27(NTLV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2565.675	1.48	30	28.52	Pass	401
2570	2571	0.1	RMS	2570	-25.92	-10	15.92	Pass	401
2571	2575	1	RMS	2571	-28.85	-10	18.85	Pass	5
2575	2576	1	RMS	2575.005	-39.33	-13	26.33	Pass	401
2576	2595	1	RMS	2576	-42.02	-25	17.02	Pass	401




4.9 LTE Band Edge_Part22-24-27(NTLV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.475	-48.55	-25	23.55	Pass	401
2490	2496	1	RMS	2494.515	-47.13	-13	34.13	Pass	401
2496	2499	1	RMS	2499	-43.04	-10	33.04	Pass	4
2499	2500	0.2	RMS	2499.993	-27.66	-10	17.66	Pass	401
2500	2510	0.1	RMS	2500.675	16.63	30	13.37	Pass	401



4.10 LTE Band Edge_Part22-24-27(NTLV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-40.78	-25	15.78	Pass	401
2490	2496	1	RMS	2495.925	-32.78	-13	19.78	Pass	401
2496	2499	1	RMS	2499	-31.2	-10	21.2	Pass	4
2499	2500	0.2	RMS	2500	-34.65	-10	24.65	Pass	401
2500	2510	0.1	RMS	2504.325	-0.78	30	30.78	Pass	401



4.11 LTE Band Edge_Part22-24-27(NTLV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2488.8	-48.58	-25	23.58	Pass	401
2490	2496	1	RMS	2494.5	-47.91	-13	34.91	Pass	401
2496	2499	1	RMS	2499	-43.33	-10	33.33	Pass	4
2499	2500	0.2	RMS	2499.99	-28.21	-10	18.21	Pass	401
2500	2510	0.1	RMS	2500.675	15.72	30	14.28	Pass	401

