


Band Edge

14.21 LTE Band Edge_Part22-24-27(NTLV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	15.37	30	14.63	Pass	401
2690	2691	0.3	RMS	2690.003	-27.71	-10	17.71	Pass	401
2691	2695	1	RMS	2691	-34.03	-10	24.03	Pass	5
2695	2705	1	RMS	2695	-42.45	-13	29.45	Pass	401
2705	2715	1	RMS	2705.125	-46.86	-25	21.86	Pass	401




14.22 LTE Band Edge_Part22-24-27(NTLV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2678.113	-3.17	30	33.17	Pass	401
2690	2691	0.3	RMS	2690.005	-29.15	-10	19.15	Pass	401
2691	2695	1	RMS	2691	-27.99	-10	17.99	Pass	5
2695	2705	1	RMS	2695.05	-30.32	-13	17.32	Pass	401
2705	2715	1	RMS	2705.175	-42.13	-25	17.13	Pass	401




14.23 LTE Band Edge_Part22-24-27(NTLV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	14.32	30	15.68	Pass	401
2690	2691	0.3	RMS	2690	-28.6	-10	18.6	Pass	401
2691	2695	1	RMS	2691	-35.68	-10	25.68	Pass	5
2695	2705	1	RMS	2695.05	-44	-13	31	Pass	401
2705	2715	1	RMS	2705.1	-47.29	-25	22.29	Pass	401




14.24 LTE Band Edge_Part22-24-27(NTLV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2675.975	-3.44	30	33.44	Pass	401
2690	2691	0.3	RMS	2690.003	-32.6	-10	22.6	Pass	401
2691	2695	1	RMS	2691	-31.32	-10	21.32	Pass	5
2695	2705	1	RMS	2695.475	-33.52	-13	20.52	Pass	401
2705	2715	1	RMS	2705	-42.23	-25	17.23	Pass	401




14.25 LTE Band Edge_Part22-24-27(NTLV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-43.7	-25	18.7	Pass	401
2490	2495	1	RMS	2495	-33.92	-13	20.92	Pass	6
2495	2496	0.2	RMS	2495.998	-32.97	-13	19.97	Pass	401
2496	2516	0.1	RMS	2497.05	14.44	30	15.56	Pass	401




14.26 LTE Band Edge_Part22-24-27(NTLV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-36.03	-25	11.03	Pass	401
2490	2495	1	RMS	2495	-34.08	-13	21.08	Pass	6
2495	2496	0.2	RMS	2495.995	-36.8	-13	23.8	Pass	401
2496	2516	0.1	RMS	2514.7	-3.8	30	33.8	Pass	401




14.27 LTE Band Edge_Part22-24-27(NTLV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-43.03	-25	18.03	Pass	401
2490	2495	1	RMS	2495	-33.83	-13	20.83	Pass	6
2495	2496	0.2	RMS	2495.998	-32.21	-13	19.21	Pass	401
2496	2516	0.1	RMS	2497.1	14.21	30	15.79	Pass	401




14.28 LTE Band Edge_Part22-24-27(NTLV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-38.71	-25	13.71	Pass	401
2490	2495	1	RMS	2495	-36.94	-13	23.94	Pass	6
2495	2496	0.2	RMS	2496	-39.7	-13	26.7	Pass	401
2496	2516	0.1	RMS	2513.1	-5.14	30	35.14	Pass	401




14.29 LTE Band Edge_Part22-24-27(NTLV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.95	15.06	30	14.94	Pass	401
2690	2691	0.5	RMS	2690	-28.91	-10	18.91	Pass	3
2691	2695	1	RMS	2691	-34.3	-10	24.3	Pass	401
2695	2710	1	RMS	2695	-43.24	-13	30.24	Pass	401
2710	2715	1	RMS	2710.425	-47.33	-25	22.33	Pass	401




14.30 LTE Band Edge_Part22-24-27(NTLV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.3	-4.26	30	34.26	Pass	401
2690	2691	0.51	RMS	2690.015	-30.28	-10	20.28	Pass	401
2691	2695	1	RMS	2691	-30.47	-10	20.47	Pass	5
2695	2710	1	RMS	2695	-32.14	-13	19.14	Pass	401
2710	2715	1	RMS	2710.188	-44.53	-25	19.53	Pass	401




14.31 LTE Band Edge_Part22-24-27(NTLV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	15.09	30	14.91	Pass	401
2690	2691	0.51	RMS	2690.003	-25.66	-10	15.66	Pass	401
2691	2695	1	RMS	2691	-34.22	-10	24.22	Pass	5
2695	2710	1	RMS	2695	-42.54	-13	29.54	Pass	401
2710	2715	1	RMS	2710.113	-47.06	-25	22.06	Pass	401



14.32 LTE Band Edge_Part22-24-27(NTLV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2674.65	-4.87	30	34.87	Pass	401
2690	2691	0.51	RMS	2690	-32.42	-10	22.42	Pass	401
2691	2695	1	RMS	2691	-33.45	-10	23.45	Pass	5
2695	2710	1	RMS	2695.113	-34.57	-13	21.57	Pass	401
2710	2715	1	RMS	2710.05	-44.17	-25	19.17	Pass	401



15. LTE_Band66


15.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-48.98	-13	35.98	Pass	401
1708	1709	1	RMS	1709	-44.13	-13	31.13	Pass	2
1709	1710	0.02	RMS	1710	-34.2	-13	21.2	Pass	401
1710	1712	0.1	RMS	1710.25	15.95	30	14.05	Pass	401




15.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.04	-13	30.04	Pass	401
1708	1709	1	RMS	1709	-30.89	-13	17.89	Pass	2
1709	1710	0.02	RMS	1709.998	-39.74	-13	26.74	Pass	401
1710	1712	0.1	RMS	1711.115	7.65	30	22.35	Pass	401




15.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-49.17	-13	36.17	Pass	401
1708	1709	1	RMS	1709	-44.73	-13	31.73	Pass	2
1709	1710	0.02	RMS	1709.998	-36.78	-13	23.78	Pass	401
1710	1712	0.1	RMS	1710.25	15	30	15	Pass	401




15.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.36	-13	31.36	Pass	401
1708	1709	1	RMS	1709	-32.46	-13	19.46	Pass	2
1709	1710	0.02	RMS	1709.998	-39.18	-13	26.18	Pass	401
1710	1712	0.1	RMS	1711.1	6.67	30	23.33	Pass	401




15.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.76	16.51	30	13.49	Pass	401
1780	1781	0.02	RMS	1780	-34.15	-13	21.15	Pass	401
1781	1782	1	RMS	1781	-42.53	-13	29.53	Pass	2
1782	1790	1	RMS	1782.02	-48.34	-13	35.34	Pass	401




15.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.46	7.99	30	22.01	Pass	401
1780	1781	0.02	RMS	1780.075	-39.62	-13	26.62	Pass	401
1781	1782	1	RMS	1781	-29.33	-13	16.33	Pass	2
1782	1790	1	RMS	1782	-42.16	-13	29.16	Pass	401




15.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.77	15.67	30	14.33	Pass	401
1780	1781	0.02	RMS	1780	-34.78	-13	21.78	Pass	401
1781	1782	1	RMS	1781	-43.26	-13	30.26	Pass	2
1782	1790	1	RMS	1782	-48.63	-13	35.63	Pass	401




15.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.31	7.1	30	22.9	Pass	401
1780	1781	0.02	RMS	1780.073	-39.35	-13	26.35	Pass	401
1781	1782	1	RMS	1781	-31.27	-13	18.27	Pass	2
1782	1790	1	RMS	1782.02	-43.5	-13	30.5	Pass	401




15.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-48.89	-13	35.89	Pass	401
1708	1709	1	RMS	1709	-43.58	-13	30.58	Pass	2
1709	1710	0.002	RMS	1710	-33.87	-13	20.87	Pass	501
1710	1713	0.1	RMS	1710.233	16.08	30	13.92	Pass	401




15.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.88	-13	19.88	Pass	401
1708	1709	1	RMS	1709	-31.92	-13	18.92	Pass	2
1709	1710	0.03	RMS	1709.998	-31.19	-13	18.19	Pass	401
1710	1713	0.1	RMS	1712.7	3.89	30	26.11	Pass	401




15.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-49.08	-13	36.08	Pass	401
1708	1709	1	RMS	1709	-44.26	-13	31.26	Pass	2
1709	1710	0.002	RMS	1710	-35.9	-13	22.9	Pass	501
1710	1713	0.1	RMS	1710.248	15.27	30	14.73	Pass	401




15.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.57	-13	20.57	Pass	401
1708	1709	1	RMS	1709	-30.27	-13	17.27	Pass	2
1709	1710	0.03	RMS	1709.998	-32.91	-13	19.91	Pass	401
1710	1713	0.1	RMS	1712.423	2.87	30	27.13	Pass	401




15.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.775	16.49	30	13.51	Pass	401
1780	1781	0.002	RMS	1780.016	-34.36	-13	21.36	Pass	501
1781	1782	1	RMS	1781	-42.39	-13	29.39	Pass	2
1782	1790	1	RMS	1782	-48.18	-13	35.18	Pass	401




15.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.853	4.24	30	25.76	Pass	401
1780	1781	0.03	RMS	1780	-33.18	-13	20.18	Pass	35
1781	1782	1	RMS	1781	-30.42	-13	17.42	Pass	2
1782	1790	1	RMS	1782	-31.3	-13	18.3	Pass	401




15.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	15.68	30	14.32	Pass	401
1780	1781	0.002	RMS	1780.002	-35.12	-13	22.12	Pass	501
1781	1782	1	RMS	1781	-43.03	-13	30.03	Pass	2
1782	1790	1	RMS	1782.06	-48.62	-13	35.62	Pass	401




15.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.653	3.08	30	26.92	Pass	401
1780	1781	0.03	RMS	1780	-31.95	-13	18.95	Pass	401
1781	1782	1	RMS	1781	-29.38	-13	16.38	Pass	2
1782	1790	1	RMS	1782.02	-32.38	-13	19.38	Pass	401




15.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-48.41	-13	35.41	Pass	401
1708	1709	1	RMS	1709	-44.89	-13	31.89	Pass	2
1709	1710	0.01	RMS	1710	-34.24	-13	21.24	Pass	401
1710	1715	0.1	RMS	1710.35	15.86	30	14.14	Pass	401




15.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.96	-13	20.96	Pass	401
1708	1709	1	RMS	1709	-32.7	-13	19.7	Pass	2
1709	1710	0.051	RMS	1709.998	-35.23	-13	22.23	Pass	401
1710	1715	0.1	RMS	1714.3	1.67	30	28.33	Pass	401




15.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-48.94	-13	35.94	Pass	401
1708	1709	1	RMS	1709	-45.6	-13	32.6	Pass	2
1709	1710	0.01	RMS	1710	-36.15	-13	23.15	Pass	401
1710	1715	0.1	RMS	1710.35	15.27	30	14.73	Pass	401




15.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.58	-13	19.58	Pass	401
1708	1709	1	RMS	1709	-31.03	-13	18.03	Pass	2
1709	1710	0.051	RMS	1710	-35.51	-13	22.51	Pass	401
1710	1715	0.1	RMS	1713.725	0.65	30	29.35	Pass	401




15.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	16.41	30	13.59	Pass	401
1780	1781	0.01	RMS	1780	-33.46	-13	20.46	Pass	401
1781	1782	1	RMS	1781	-43.51	-13	30.51	Pass	2
1782	1790	1	RMS	1782	-47.93	-13	34.93	Pass	401




15.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	2	30	28	Pass	401
1780	1781	0.051	RMS	1780	-33.88	-13	20.88	Pass	401
1781	1782	1	RMS	1781	-30.65	-13	17.65	Pass	2
1782	1790	1	RMS	1782	-31.95	-13	18.95	Pass	401




15.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	15.63	30	14.37	Pass	401
1780	1781	0.01	RMS	1780	-34.52	-13	21.52	Pass	401
1781	1782	1	RMS	1781	-44.1	-13	31.1	Pass	2
1782	1790	1	RMS	1782	-48.12	-13	35.12	Pass	401




15.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.45	1.07	30	28.93	Pass	401
1780	1781	0.051	RMS	1780	-34.88	-13	21.88	Pass	401
1781	1782	1	RMS	1781	-30.15	-13	17.15	Pass	2
1782	1790	1	RMS	1782	-31.43	-13	18.43	Pass	401




15.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.16	-49.32	-13	36.32	Pass	401
1708	1709	1	RMS	1709	-46.92	-13	33.92	Pass	2
1709	1710	0.1	RMS	1710	-37.8	-13	24.8	Pass	401
1710	1720	0.1	RMS	1710.6	15.94	30	14.06	Pass	401




15.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-36.65	-13	23.65	Pass	401
1708	1709	1	RMS	1709	-35.26	-13	22.26	Pass	2
1709	1710	0.1	RMS	1709.995	-39.18	-13	26.18	Pass	401
1710	1720	0.1	RMS	1719.325	-0.85	30	30.85	Pass	401




15.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.22	-49.4	-13	36.4	Pass	401
1708	1709	1	RMS	1709	-47.42	-13	34.42	Pass	2
1709	1710	0.1	RMS	1710	-38.81	-13	25.81	Pass	401
1710	1720	0.1	RMS	1710.6	15.24	30	14.76	Pass	401




15.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-35.56	-13	22.56	Pass	401
1708	1709	1	RMS	1709	-34.57	-13	21.57	Pass	2
1709	1710	0.1	RMS	1710	-40.16	-13	27.16	Pass	401
1710	1720	0.1	RMS	1719.1	-1.98	30	31.98	Pass	401




15.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	16.22	30	13.78	Pass	401
1780	1781	0.1	RMS	1780	-40.13	-13	27.13	Pass	11
1781	1782	1	RMS	1781	-45.78	-13	32.78	Pass	2
1782	1790	1	RMS	1782	-49.27	-13	36.27	Pass	401




15.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1777.525	-0.92	30	30.92	Pass	401
1780	1781	0.1	RMS	1780	-38.12	-13	25.12	Pass	401
1781	1782	1	RMS	1781	-33.02	-13	20.02	Pass	2
1782	1790	1	RMS	1782.06	-33.86	-13	20.86	Pass	401




15.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	15.38	30	14.62	Pass	401
1780	1781	0.1	RMS	1780	-39.09	-13	26.09	Pass	401
1781	1782	1	RMS	1781	-46.54	-13	33.54	Pass	2
1782	1790	1	RMS	1783.64	-49.5	-13	36.5	Pass	401




15.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1771.25	-1.97	30	31.97	Pass	401
1780	1781	0.1	RMS	1780	-38.86	-13	25.86	Pass	401
1781	1782	1	RMS	1781	-32.41	-13	19.41	Pass	2
1782	1790	1	RMS	1782.04	-33.03	-13	20.03	Pass	401




15.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1704.1	-49.43	-13	36.43	Pass	401
1708	1709	1	RMS	1709	-48.04	-13	35.04	Pass	2
1709	1710	0.15	RMS	1710	-36.02	-13	23.02	Pass	401
1710	1725	0.1	RMS	1710.825	15.79	30	14.21	Pass	401




15.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.88	-37.77	-13	24.77	Pass	401
1708	1709	1	RMS	1709	-37.74	-13	24.74	Pass	2
1709	1710	0.15	RMS	1709.998	-40.66	-13	27.66	Pass	401
1710	1725	0.1	RMS	1723.125	-2.64	30	32.64	Pass	401




15.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1704.14	-49.56	-13	36.56	Pass	401
1708	1709	1	RMS	1709	-48.35	-13	35.35	Pass	2
1709	1710	0.15	RMS	1710	-36.43	-13	23.43	Pass	401
1710	1725	0.1	RMS	1710.863	14.93	30	15.07	Pass	401




15.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-36.48	-13	23.48	Pass	401
1708	1709	1	RMS	1709	-36.45	-13	23.45	Pass	2
1709	1710	0.15	RMS	1709.993	-41.89	-13	28.89	Pass	401
1710	1725	0.1	RMS	1723.238	-3.56	30	33.56	Pass	401




15.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	16.27	30	13.73	Pass	401
1780	1781	0.15	RMS	1780.003	-35.4	-13	22.4	Pass	401
1781	1782	1	RMS	1781	-46.93	-13	33.93	Pass	2
1782	1790	1	RMS	1782	-49.43	-13	36.43	Pass	401




15.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1765.863	-2.37	30	32.37	Pass	401
1780	1781	0.15	RMS	1780	-38.69	-13	25.69	Pass	401
1781	1782	1	RMS	1781	-33	-13	20	Pass	2
1782	1790	1	RMS	1782.72	-33.44	-13	20.44	Pass	401




15.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	15.43	30	14.57	Pass	401
1780	1781	0.15	RMS	1780	-36.07	-13	23.07	Pass	401
1781	1782	1	RMS	1781	-47.38	-13	34.38	Pass	2
1782	1790	1	RMS	1782	-49.46	-13	36.46	Pass	401




15.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1765.9	-3.45	30	33.45	Pass	401
1780	1781	0.15	RMS	1780	-39.68	-13	26.68	Pass	401
1781	1782	1	RMS	1781	-32.94	-13	19.94	Pass	2
1782	1790	1	RMS	1782.68	-32.99	-13	19.99	Pass	401




15.41 LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1702.18	-49.57	-13	36.57	Pass	401
1708	1709	1	RMS	1709	-48.66	-13	35.66	Pass	2
1709	1710	0.2	RMS	1710	-37.27	-13	24.27	Pass	401
1710	1730	0.1	RMS	1711.1	15.78	30	14.22	Pass	401




15.42 LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-39.59	-13	26.59	Pass	401
1708	1709	1	RMS	1709	-38.41	-13	25.41	Pass	2
1709	1710	0.2	RMS	1710	-41.58	-13	28.58	Pass	401
1710	1730	0.1	RMS	1727.3	-3.87	30	33.87	Pass	401




15.43 LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1702.26	-49.67	-13	36.67	Pass	401
1708	1709	1	RMS	1709	-48.78	-13	35.78	Pass	2
1709	1710	0.2	RMS	1710	-36.98	-13	23.98	Pass	401
1710	1730	0.1	RMS	1711.1	14.87	30	15.13	Pass	401




15.44 LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-38.3	-13	25.3	Pass	401
1708	1709	1	RMS	1709	-37.26	-13	24.26	Pass	2
1709	1710	0.2	RMS	1710	-41.48	-13	28.48	Pass	401
1710	1730	0.1	RMS	1727	-4.94	30	34.94	Pass	401




15.45 LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	16.17	30	13.83	Pass	401
1780	1781	0.2	RMS	1780.003	-36.31	-13	23.31	Pass	401
1781	1782	1	RMS	1781	-47.64	-13	34.64	Pass	2
1782	1790	1	RMS	1782	-49.65	-13	36.65	Pass	401




15.46 LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1761.7	-2.37	30	32.37	Pass	401
1780	1781	0.2	RMS	1780	-39.62	-13	26.62	Pass	401
1781	1782	1	RMS	1781	-35.39	-13	22.39	Pass	2
1782	1790	1	RMS	1782	-36.3	-13	23.3	Pass	401




15.47 LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	15.27	30	14.73	Pass	401
1780	1781	0.2	RMS	1780	-36.7	-13	23.7	Pass	401
1781	1782	1	RMS	1781	-48.18	-13	35.18	Pass	2
1782	1790	1	RMS	1786.8	-49.08	-13	36.08	Pass	401



15.48 LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1762.35	-4.52	30	34.52	Pass	401
1780	1781	0.2	RMS	1780	-39.82	-13	26.82	Pass	401
1781	1782	1	RMS	1781	-34.88	-13	21.88	Pass	2
1782	1790	1	RMS	1782.02	-35.65	-13	22.65	Pass	401



16. LTE_Band42 3450-3550


16.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.68	-35.05	-13	22.05	Pass	401
3445	3449	0.51	RMS	3448.97	-29.28	-13	16.28	Pass	401
3449	3450	0.01	RMS	3450	-27.53	-13	14.53	Pass	401
3450	3455	0.1	RMS	3450.363	21.13	30	8.87	Pass	401




16.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.8	-35.38	-13	22.38	Pass	401
3445	3449	0.51	RMS	3448.96	-30.22	-13	17.22	Pass	401
3449	3450	0.1	RMS	3450	-27.37	-13	14.37	Pass	401
3450	3455	0.1	RMS	3451.838	6.49	30	23.51	Pass	401




16.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-34.97	-13	21.97	Pass	401
3445	3449	0.51	RMS	3448.99	-28.82	-13	15.82	Pass	401
3449	3450	0.01	RMS	3449.998	-29.08	-13	16.08	Pass	401
3450	3455	0.1	RMS	3450.338	20.07	30	9.93	Pass	401




16.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-35.67	-13	22.67	Pass	401
3445	3449	0.51	RMS	3448.99	-31.75	-13	18.75	Pass	401
3449	3450	0.1	RMS	3449.998	-26.58	-13	13.58	Pass	401
3450	3455	0.1	RMS	3453.95	5.58	30	24.42	Pass	401




16.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.638	22.16	30	7.84	Pass	401
3550	3551	0.01	RMS	3550	-28.35	-13	15.35	Pass	401
3551	3555	0.51	RMS	3551	-28.36	-13	15.36	Pass	401
3555	3571	1	RMS	3555	-34.26	-13	21.26	Pass	401




16.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.238	8.59	30	21.41	Pass	401
3550	3551	0.1	RMS	3550.003	-23.68	-13	10.68	Pass	401
3551	3555	0.51	RMS	3551.03	-23.89	-13	10.89	Pass	401
3555	3571	1	RMS	3555.12	-32.65	-13	19.65	Pass	401



16.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.675	21.94	30	8.06	Pass	401
3550	3551	0.01	RMS	3550.003	-27.74	-13	14.74	Pass	401
3551	3555	0.51	RMS	3551.03	-29.06	-13	16.06	Pass	401
3555	3571	1	RMS	3555.08	-34.36	-13	21.36	Pass	401



16.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3545	3550	0.1	RMS	3546.45	6.84	30	23.16	Pass	401
3550	3551	0.1	RMS	3550	-23.98	-13	10.98	Pass	401
3551	3555	0.51	RMS	3551.08	-24.46	-13	11.46	Pass	401
3555	3571	1	RMS	3555	-32.71	-13	19.71	Pass	401

