


Band Edge


16.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.88	-35.04	-13	22.04	Pass	401
3445	3449	0.51	RMS	3448.99	-30.08	-13	17.08	Pass	401
3449	3450	0.01	RMS	3449.99	-37.36	-13	24.36	Pass	401
3450	3460	0.1	RMS	3450.575	20.67	30	9.33	Pass	401




16.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.72	-32.87	-13	19.87	Pass	401
3445	3449	0.51	RMS	3448.8	-31.91	-13	18.91	Pass	401
3449	3450	0.1	RMS	3449.998	-32.37	-13	19.37	Pass	401
3450	3460	0.1	RMS	3453.3	3.14	30	26.86	Pass	401




**16.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42140,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-34.77	-13	21.77	Pass	401
3445	3449	0.51	RMS	3448.94	-29.92	-13	16.92	Pass	401
3449	3450	0.01	RMS	3449.995	-38.11	-13	25.11	Pass	401
3450	3460	0.1	RMS	3450.575	20.39	30	9.61	Pass	401




16.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.56	-34.56	-13	21.56	Pass	401
3445	3449	0.51	RMS	3448.98	-34.21	-13	21.21	Pass	401
3449	3450	0.1	RMS	3449.993	-34.84	-13	21.84	Pass	401
3450	3460	0.1	RMS	3451.725	2.77	30	27.23	Pass	401




16.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.4	22.07	30	7.93	Pass	401
3550	3551	0.01	RMS	3550.005	-36.05	-13	23.05	Pass	401
3551	3555	0.51	RMS	3551.02	-28.63	-13	15.63	Pass	401
3555	3571	1	RMS	3555.12	-33.81	-13	20.81	Pass	401




16.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	0.1	RMS	3547.55	5.6	30	24.4	Pass	401
3550	3551	0.1	RMS	3550.003	-29.61	-13	16.61	Pass	401
3551	3555	0.51	RMS	3551.04	-26.51	-13	13.51	Pass	401
3555	3571	1	RMS	3555.08	-28.77	-13	15.77	Pass	401




16.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.425	21.42	30	8.58	Pass	401
3550	3551	0.01	RMS	3550.013	-39.01	-13	26.01	Pass	401
3551	3555	0.51	RMS	3551.02	-30.6	-13	17.6	Pass	401
3555	3571	1	RMS	3555	-34.73	-13	21.73	Pass	401




16.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	0.1	RMS	3543.3	4.25	30	25.75	Pass	401
3550	3551	0.1	RMS	3550.008	-31.18	-13	18.18	Pass	401
3551	3555	0.51	RMS	3551.07	-27.98	-13	14.98	Pass	401
3555	3571	1	RMS	3555.12	-30.32	-13	17.32	Pass	401




16.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.76	-34.86	-13	21.86	Pass	401
3445	3449	0.51	RMS	3448.99	-30.73	-13	17.73	Pass	401
3449	3450	0.01	RMS	3449.993	-39.94	-13	26.94	Pass	401
3450	3465	0.1	RMS	3450.825	19.71	30	10.29	Pass	401




16.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.68	-32.93	-13	19.93	Pass	401
3445	3449	0.51	RMS	3448.41	-34.09	-13	21.09	Pass	401
3449	3450	0.2	RMS	3449.998	-31.96	-13	18.96	Pass	401
3450	3465	0.1	RMS	3453.6	1.33	30	28.67	Pass	401




16.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-34.72	-13	21.72	Pass	401
3445	3449	0.51	RMS	3448.93	-30.61	-13	17.61	Pass	401
3449	3450	0.01	RMS	3449.993	-40.02	-13	27.02	Pass	401
3450	3465	0.1	RMS	3450.863	19.62	30	10.38	Pass	401




16.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.48	-34.15	-13	21.15	Pass	401
3445	3449	0.51	RMS	3448.93	-35.2	-13	22.2	Pass	401
3449	3450	0.2	RMS	3449.993	-34.41	-13	21.41	Pass	401
3450	3465	0.1	RMS	3454.988	0.26	30	29.74	Pass	401




16.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.138	22.14	30	7.86	Pass	401
3550	3551	0.01	RMS	3550	-37.68	-13	24.68	Pass	401
3551	3555	0.51	RMS	3551	-28.88	-13	15.88	Pass	401
3555	3571	1	RMS	3555.28	-33.75	-13	20.75	Pass	401




16.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	0.1	RMS	3538.15	3.53	30	26.47	Pass	401
3550	3551	0.2	RMS	3550.008	-28.4	-13	15.4	Pass	401
3551	3555	0.51	RMS	3551.05	-28.65	-13	15.65	Pass	401
3555	3571	1	RMS	3555.08	-28.55	-13	15.55	Pass	401




16.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.175	21.29	30	8.71	Pass	401
3550	3551	0.01	RMS	3550	-40.07	-13	27.07	Pass	401
3551	3555	0.51	RMS	3551.03	-31.35	-13	18.35	Pass	401
3555	3571	1	RMS	3555.08	-34.72	-13	21.72	Pass	401




16.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	0.1	RMS	3540.4	1.89	30	28.11	Pass	401
3550	3551	0.2	RMS	3550.013	-30.88	-13	17.88	Pass	401
3551	3555	0.51	RMS	3551	-29.61	-13	16.61	Pass	401
3555	3571	1	RMS	3555.12	-30.52	-13	17.52	Pass	401




**16.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42190,
Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.88	-34.54	-13	21.54	Pass	401
3445	3449	0.51	RMS	3448.98	-30.79	-13	17.79	Pass	401
3449	3450	0.01	RMS	3450	-41	-13	28	Pass	401
3450	3470	0.1	RMS	3451.1	20.2	30	9.8	Pass	401




16.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.24	-33.42	-13	20.42	Pass	401
3445	3449	0.51	RMS	3448.11	-34.83	-13	21.83	Pass	401
3449	3450	0.2	RMS	3449.988	-34.55	-13	21.55	Pass	401
3450	3470	0.1	RMS	3459	0.71	30	29.29	Pass	401




**16.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42190,
Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-34.47	-13	21.47	Pass	401
3445	3449	0.51	RMS	3449	-30.59	-13	17.59	Pass	401
3449	3450	0.01	RMS	3449.995	-40.31	-13	27.31	Pass	401
3450	3470	0.1	RMS	3451.05	19.04	30	10.96	Pass	401




**16.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42190,
Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-34.65	-13	21.65	Pass	401
3445	3449	0.51	RMS	3448.97	-36.88	-13	23.88	Pass	401
3449	3450	0.2	RMS	3449.998	-36.7	-13	23.7	Pass	401
3450	3470	0.1	RMS	3459.25	-0.47	30	30.47	Pass	401




16.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.9	21.69	30	8.31	Pass	401
3550	3551	0.01	RMS	3550	-41.16	-13	28.16	Pass	401
3551	3555	0.51	RMS	3551.01	-30.65	-13	17.65	Pass	401
3555	3571	1	RMS	3555.04	-33.98	-13	20.98	Pass	401




16.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	0.1	RMS	3536.25	1.87	30	28.13	Pass	401
3550	3551	0.2	RMS	3550.008	-31.73	-13	18.73	Pass	401
3551	3555	0.51	RMS	3551	-31.65	-13	18.65	Pass	401
3555	3571	1	RMS	3555	-31.37	-13	18.37	Pass	401




16.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.9	21.13	30	8.87	Pass	401
3550	3551	0.01	RMS	3550.003	-40.31	-13	27.31	Pass	401
3551	3555	0.51	RMS	3551.01	-30.08	-13	17.08	Pass	401
3555	3571	1	RMS	3555	-33.35	-13	20.35	Pass	401



16.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	0.1	RMS	3536.05	1.03	30	28.97	Pass	401
3550	3551	0.2	RMS	3550.008	-33.14	-13	20.14	Pass	401
3551	3555	0.51	RMS	3551.02	-32.91	-13	19.91	Pass	401
3555	3571	1	RMS	3555.44	-32.65	-13	19.65	Pass	401



17. LTE_Band43 3700-3800


17.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:44615, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3695	-35.9	-13	22.9	Pass	401
3695	3699	0.51	RMS	3699	-30.55	-13	17.55	Pass	401
3699	3700	0.01	RMS	3700	-30.54	-13	17.54	Pass	401
3700	3705	0.1	RMS	3700.338	19.33	30	10.67	Pass	401




17.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:44615, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3695	-36.17	-13	23.17	Pass	401
3695	3699	0.51	RMS	3698.96	-27.73	-13	14.73	Pass	401
3699	3700	0.1	RMS	3699.993	-27.19	-13	14.19	Pass	401
3700	3705	0.1	RMS	3701.688	5.82	30	24.18	Pass	401




17.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:44615, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3695	-35.58	-13	22.58	Pass	401
3695	3699	0.51	RMS	3698.99	-30.55	-13	17.55	Pass	401
3699	3700	0.01	RMS	3699.998	-31.44	-13	18.44	Pass	401
3700	3705	0.1	RMS	3700.35	19.38	30	10.62	Pass	401




17.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:44615, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3695	-36.25	-13	23.25	Pass	401
3695	3699	0.51	RMS	3699	-29.26	-13	16.26	Pass	401
3699	3700	0.1	RMS	3699.998	-28.39	-13	15.39	Pass	401
3700	3705	0.1	RMS	3703.325	5.04	30	24.96	Pass	401




17.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:45565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3795	3800	0.1	RMS	3799.65	21.16	30	8.84	Pass	401
3800	3801	0.01	RMS	3800.003	-28.47	-13	15.47	Pass	401
3801	3805	0.51	RMS	3801.01	-28.09	-13	15.09	Pass	401
3805	3821	1	RMS	3805.08	-34.52	-13	21.52	Pass	401




17.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:45565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3795	3800	0.1	RMS	3797.525	6.85	30	23.15	Pass	401
3800	3801	0.1	RMS	3800	-25.79	-13	12.79	Pass	401
3801	3805	0.51	RMS	3801.36	-26.82	-13	13.82	Pass	401
3805	3821	1	RMS	3805.04	-34.52	-13	21.52	Pass	401




17.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:45565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3795	3800	0.1	RMS	3799.65	20.37	30	9.63	Pass	401
3800	3801	0.01	RMS	3800	-28.26	-13	15.26	Pass	401
3801	3805	0.51	RMS	3801.02	-28.68	-13	15.68	Pass	401
3805	3821	1	RMS	3805	-34.22	-13	21.22	Pass	401




17.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:45565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3795	3800	0.1	RMS	3798.963	5.72	30	24.28	Pass	401
3800	3801	0.1	RMS	3800.005	-27.67	-13	14.67	Pass	401
3801	3805	0.51	RMS	3801.37	-27.5	-13	14.5	Pass	401
3805	3821	1	RMS	3805.12	-34.93	-13	21.93	Pass	401




17.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:44640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.72	-35.67	-13	22.67	Pass	401
3695	3699	0.51	RMS	3698.97	-30.98	-13	17.98	Pass	401
3699	3700	0.01	RMS	3699.983	-39.13	-13	26.13	Pass	401
3700	3710	0.1	RMS	3700.575	19.58	30	10.42	Pass	401




**17.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:44640,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.88	-30.42	-13	17.42	Pass	401
3695	3699	0.51	RMS	3698.95	-29.43	-13	16.43	Pass	401
3699	3700	0.1	RMS	3699.998	-32.23	-13	19.23	Pass	401
3700	3710	0.1	RMS	3703.35	3.17	30	26.83	Pass	401




**17.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:44640,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.88	-35.41	-13	22.41	Pass	401
3695	3699	0.51	RMS	3698.93	-30.5	-13	17.5	Pass	401
3699	3700	0.01	RMS	3699.995	-39.13	-13	26.13	Pass	401
3700	3710	0.1	RMS	3700.6	19.31	30	10.69	Pass	401




17.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:44640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.96	-31.97	-13	18.97	Pass	401
3695	3699	0.51	RMS	3698.98	-31.01	-13	18.01	Pass	401
3699	3700	0.1	RMS	3699.995	-34.66	-13	21.66	Pass	401
3700	3710	0.1	RMS	3703.825	1.92	30	28.08	Pass	401




17.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:45540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	0.1	RMS	3799.425	21.16	30	8.84	Pass	401
3800	3801	0.01	RMS	3800.003	-36.75	-13	23.75	Pass	401
3801	3805	0.51	RMS	3801.06	-29.55	-13	16.55	Pass	401
3805	3821	1	RMS	3805	-34.5	-13	21.5	Pass	401




17.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:45540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	0.1	RMS	3797.575	3.94	30	26.06	Pass	401
3800	3801	0.1	RMS	3800.008	-31.1	-13	18.1	Pass	401
3801	3805	0.51	RMS	3801	-27.29	-13	14.29	Pass	401
3805	3821	1	RMS	3805.08	-27.31	-13	14.31	Pass	401




**17.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:45540,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	0.1	RMS	3799.4	19.78	30	10.22	Pass	401
3800	3801	0.01	RMS	3800	-38.87	-13	25.87	Pass	401
3801	3805	0.51	RMS	3801	-31.61	-13	18.61	Pass	401
3805	3821	1	RMS	3805.12	-35.32	-13	22.32	Pass	401




17.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:45540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	0.1	RMS	3796.6	2.39	30	27.61	Pass	401
3800	3801	0.1	RMS	3800.003	-32.8	-13	19.8	Pass	401
3801	3805	0.51	RMS	3801.13	-28.25	-13	15.25	Pass	401
3805	3821	1	RMS	3805.12	-28.77	-13	15.77	Pass	401




17.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:44665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3695	-35.25	-13	22.25	Pass	401
3695	3699	0.51	RMS	3698.98	-31.01	-13	18.01	Pass	401
3699	3700	0.01	RMS	3699.998	-40.69	-13	27.69	Pass	401
3700	3715	0.1	RMS	3700.863	19.48	30	10.52	Pass	401




**17.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:44665,
Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3693.8	-31.02	-13	18.02	Pass	401
3695	3699	0.51	RMS	3698.71	-30.88	-13	17.88	Pass	401
3699	3700	0.2	RMS	3699.995	-31.28	-13	18.28	Pass	401
3700	3715	0.1	RMS	3703.6	0.86	30	29.14	Pass	401




**17.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:44665,
Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.88	-35.21	-13	22.21	Pass	401
3695	3699	0.51	RMS	3699	-30.61	-13	17.61	Pass	401
3699	3700	0.01	RMS	3699.993	-40.96	-13	27.96	Pass	401
3700	3715	0.1	RMS	3700.863	18.93	30	11.07	Pass	401




**17.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:44665,
Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.88	-32.43	-13	19.43	Pass	401
3695	3699	0.51	RMS	3698.94	-32.44	-13	19.44	Pass	401
3699	3700	0.2	RMS	3699.985	-33.93	-13	20.93	Pass	401
3700	3715	0.1	RMS	3704.988	-0.19	30	30.19	Pass	401




17.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:45515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3785	3800	0.1	RMS	3799.138	20.24	30	9.76	Pass	401
3800	3801	0.01	RMS	3800.003	-39.5	-13	26.5	Pass	401
3801	3805	0.51	RMS	3801.01	-29.96	-13	16.96	Pass	401
3805	3821	1	RMS	3805.04	-34.32	-13	21.32	Pass	401




17.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:45515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3785	3800	0.1	RMS	3788.9	1.51	30	28.49	Pass	401
3800	3801	0.2	RMS	3800.003	-28.94	-13	15.94	Pass	401
3801	3805	0.51	RMS	3802.24	-27.36	-13	14.36	Pass	401
3805	3821	1	RMS	3806.08	-26.76	-13	13.76	Pass	401




17.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:45515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3785	3800	0.1	RMS	3799.175	19.81	30	10.19	Pass	401
3800	3801	0.01	RMS	3800	-41.3	-13	28.3	Pass	401
3801	3805	0.51	RMS	3801.01	-31.1	-13	18.1	Pass	401
3805	3821	1	RMS	3805.04	-35.15	-13	22.15	Pass	401




17.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:45515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3785	3800	0.1	RMS	3790.4	0.64	30	29.36	Pass	401
3800	3801	0.2	RMS	3800.008	-30.76	-13	17.76	Pass	401
3801	3805	0.51	RMS	3802.17	-28.88	-13	15.88	Pass	401
3805	3821	1	RMS	3805.08	-28.83	-13	15.83	Pass	401




**17.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:44690,
Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.96	-34.99	-13	21.99	Pass	401
3695	3699	0.51	RMS	3699	-30.74	-13	17.74	Pass	401
3699	3700	0.01	RMS	3699.995	-41.89	-13	28.89	Pass	401
3700	3720	0.1	RMS	3701.1	19.54	30	10.46	Pass	401




**17.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:44690,
Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.88	-32.73	-13	19.73	Pass	401
3695	3699	0.51	RMS	3698.99	-33.5	-13	20.5	Pass	401
3699	3700	0.2	RMS	3700	-33.76	-13	20.76	Pass	401
3700	3720	0.1	RMS	3709	0.22	30	29.78	Pass	401




**17.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:44690,
Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3695	-35.06	-13	22.06	Pass	401
3695	3699	0.51	RMS	3698.97	-30.56	-13	17.56	Pass	401
3699	3700	0.01	RMS	3699.995	-41.38	-13	28.38	Pass	401
3700	3720	0.1	RMS	3701.05	18.53	30	11.47	Pass	401




17.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:44690, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.92	-33.57	-13	20.57	Pass	401
3695	3699	0.51	RMS	3698.71	-34.57	-13	21.57	Pass	401
3699	3700	0.2	RMS	3699.998	-36	-13	23	Pass	401
3700	3720	0.1	RMS	3709.25	-1.18	30	31.18	Pass	401




**17.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:45490,
Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	0.1	RMS	3798.95	20.69	30	9.31	Pass	401
3800	3801	0.01	RMS	3800.01	-42.11	-13	29.11	Pass	401
3801	3805	0.51	RMS	3801.02	-31.62	-13	18.62	Pass	401
3805	3821	1	RMS	3805.24	-34.47	-13	21.47	Pass	401




**17.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:45490,
Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	0.1	RMS	3786.6	0.38	30	29.62	Pass	401
3800	3801	0.2	RMS	3800.03	-29.98	-13	16.98	Pass	401
3801	3805	0.51	RMS	3801.1	-29.02	-13	16.02	Pass	401
3805	3821	1	RMS	3805.08	-28.67	-13	15.67	Pass	401




**17.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:45490,
Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	0.1	RMS	3798.9	19.56	30	10.44	Pass	401
3800	3801	0.01	RMS	3800.013	-41.16	-13	28.16	Pass	401
3801	3805	0.51	RMS	3801.02	-31.27	-13	18.27	Pass	401
3805	3821	1	RMS	3805.04	-34.52	-13	21.52	Pass	401



17.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:45490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	0.1	RMS	3784.7	-0.08	30	30.08	Pass	401
3800	3801	0.2	RMS	3800.008	-31.84	-13	18.84	Pass	401
3801	3805	0.51	RMS	3801.07	-29.98	-13	16.98	Pass	401
3805	3821	1	RMS	3805	-29.13	-13	16.13	Pass	401



1. LTE_Band26(part90)


1.1 LTE Band Edge_Part90(NTLV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-36.33	-13	23.33	Pass	401
813.9625	814	0.002	RMS	813.964	-48.27	-20	28.27	Pass	401
814	819	0.1	RMS	814.275	16.44	30	13.56	Pass	401




1.2 LTE Band Edge_Part90(NTLV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.95	-32.93	-13	19.93	Pass	401
813.9625	814	0.02	RMS	814	-39.8	-20	19.8	Pass	401
814	819	0.1	RMS	814.475	8.01	30	21.99	Pass	401




1.3 LTE Band Edge_Part90(NTLV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.76	-13	19.76	Pass	401
813.9625	814	0.002	RMS	813.993	-47.01	-20	27.01	Pass	401
814	819	0.1	RMS	814.288	15.38	30	14.62	Pass	401




1.4 LTE Band Edge_Part90(NTLV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.48	-13	19.48	Pass	401
813.9625	814	0.02	RMS	813.998	-38.91	-20	18.91	Pass	401
814	819	0.1	RMS	815.113	6.98	30	23.02	Pass	401




1.5 LTE Band Edge_Part90(NTLV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.775	16.4	30	13.6	Pass	401
824	824.0375	0.002	RMS	824.011	-41.61	-20	21.61	Pass	401
824.0875	829	0.1	RMS	824.088	-31.37	-13	18.37	Pass	401




1.6 LTE Band Edge_Part90(NTLV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.463	7.99	30	22.01	Pass	401
824	824.0375	0.02	RMS	824	-37.81	-20	17.81	Pass	401
824.0375	829	0.1	RMS	824.038	-29.58	-13	16.58	Pass	401




1.7 LTE Band Edge_Part90(NTLV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	15.45	30	14.55	Pass	401
824	824.0375	0.002	RMS	824.018	-41.72	-20	21.72	Pass	401
824.0875	829	0.1	RMS	824.088	-31.88	-13	18.88	Pass	401




1.8 LTE Band Edge_Part90(NTLV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)




1.9 LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-34.01	-13	21.01	Pass	401
813.9625	814	0.002	RMS	813.989	-42.66	-20	22.66	Pass	401
814	819	0.1	RMS	814.238	16.27	30	13.73	Pass	401




1.10 LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.08	-13	20.08	Pass	401
813.9625	814	0.02	RMS	813.99	-39.93	-20	19.93	Pass	401
814	819	0.1	RMS	814.275	7.85	30	22.15	Pass	401




1.11 LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-29.78	-13	16.78	Pass	401
813.9625	814	0.002	RMS	813.99	-43.42	-20	23.42	Pass	401
814	819	0.1	RMS	814.225	15.28	30	14.72	Pass	401




1.12 LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.75	-13	19.75	Pass	401
813.9625	814	0.02	RMS	813.975	-39.78	-20	19.78	Pass	401
814	819	0.1	RMS	815.1	6.88	30	23.12	Pass	401



1.13 LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	16.24	30	13.76	Pass	401
824	824.0375	0.002	RMS	824.003	-42.2	-20	22.2	Pass	401
824.0875	829	0.1	RMS	824.088	-34.3	-13	21.3	Pass	401



1.14 LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.438	7.87	30	22.13	Pass	401
824	824.0375	0.02	RMS	824.036	-38.43	-20	18.43	Pass	401
824.0375	829	0.1	RMS	824.038	-31.7	-13	18.7	Pass	401

