



Appendix A.11

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	24.04	0.80	22.69	<=38.45	Pass
			2	24.15	0.80	22.80	<=38.45	Pass
			5	24.19	0.80	22.84	<=38.45	Pass
		3	0	24.13	0.80	22.78	<=38.45	Pass
			2	24.29	0.80	22.94	<=38.45	Pass
			3	24.14	0.80	22.79	<=38.45	Pass
		6	0	23.14	0.80	21.79	<=38.45	Pass
	836.5	1	0	24.29	0.80	22.94	<=38.45	Pass
			2	24.35	0.80	23.00	<=38.45	Pass
			5	24.20	0.80	22.85	<=38.45	Pass
		3	0	24.27	0.80	22.92	<=38.45	Pass
			2	24.36	0.80	23.01	<=38.45	Pass
			3	24.34	0.80	22.99	<=38.45	Pass
		6	0	23.29	0.80	21.94	<=38.45	Pass
	848.3	1	0	24.02	0.80	22.67	<=38.45	Pass
			2	24.08	0.80	22.73	<=38.45	Pass
			5	24.16	0.80	22.81	<=38.45	Pass
		3	0	24.16	0.80	22.81	<=38.45	Pass
			2	24.20	0.80	22.85	<=38.45	Pass
			3	24.18	0.80	22.83	<=38.45	Pass
		6	0	23.22	0.80	21.87	<=38.45	Pass
16QAM	824.7	1	0	23.72	0.80	22.37	<=38.45	Pass
			2	23.51	0.80	22.16	<=38.45	Pass
			5	23.52	0.80	22.17	<=38.45	Pass
		3	0	23.35	0.80	22.00	<=38.45	Pass
			2	23.27	0.80	21.92	<=38.45	Pass
			3	23.27	0.80	21.92	<=38.45	Pass
		6	0	22.33	0.80	20.98	<=38.45	Pass
	836.5	1	0	23.60	0.80	22.25	<=38.45	Pass
			2	23.75	0.80	22.40	<=38.45	Pass
			5	23.56	0.80	22.21	<=38.45	Pass
		3	0	23.28	0.80	21.93	<=38.45	Pass
			2	23.48	0.80	22.13	<=38.45	Pass
			3	23.34	0.80	21.99	<=38.45	Pass
		6	0	22.40	0.80	21.05	<=38.45	Pass
	848.3	1	0	23.65	0.80	22.30	<=38.45	Pass
			2	23.42	0.80	22.07	<=38.45	Pass
			5	23.45	0.80	22.10	<=38.45	Pass
		3	0	23.13	0.80	21.78	<=38.45	Pass
			2	23.34	0.80	21.99	<=38.45	Pass
			5	23.34	0.80	21.99	<=38.45	Pass

			3	23.14	0.80	21.79	<=38.45	Pass		
		6	0	22.40	0.80	21.05	<=38.45	Pass		
64QAM	824.7	1	0	23.14	0.80	21.79	<=38.45	Pass		
			2	23.29	0.80	21.94	<=38.45	Pass		
			5	23.29	0.80	21.94	<=38.45	Pass		
		3	0	23.21	0.80	21.86	<=38.45	Pass		
			2	23.29	0.80	21.94	<=38.45	Pass		
			3	23.43	0.80	22.08	<=38.45	Pass		
		6	0	22.29	0.80	20.94	<=38.45	Pass		
		836.5	1	0	23.56	0.80	22.21	<=38.45	Pass	
				2	23.45	0.80	22.10	<=38.45	Pass	
	5			23.47	0.80	22.12	<=38.45	Pass		
	3		0	23.31	0.80	21.96	<=38.45	Pass		
			2	23.42	0.80	22.07	<=38.45	Pass		
			3	23.47	0.80	22.12	<=38.45	Pass		
	6		0	22.20	0.80	20.85	<=38.45	Pass		
	848.3		1	0	23.44	0.80	22.09	<=38.45	Pass	
				2	23.43	0.80	22.08	<=38.45	Pass	
		5		23.27	0.80	21.92	<=38.45	Pass		
		3	0	23.25	0.80	21.90	<=38.45	Pass		
			2	23.34	0.80	21.99	<=38.45	Pass		
			3	23.18	0.80	21.83	<=38.45	Pass		
		6	0	22.33	0.80	20.98	<=38.45	Pass		
		256QAM	824.7	1	0	19.35	0.80	18.00	<=38.45	Pass
					2	19.13	0.80	17.78	<=38.45	Pass
5	19.32				0.80	17.97	<=38.45	Pass		
3	0			19.41	0.80	18.06	<=38.45	Pass		
	2			19.51	0.80	18.16	<=38.45	Pass		
	3			19.41	0.80	18.06	<=38.45	Pass		
6	0			19.18	0.80	17.83	<=38.45	Pass		
836.5	1			0	19.64	0.80	18.29	<=38.45	Pass	
				2	19.65	0.80	18.30	<=38.45	Pass	
			5	19.44	0.80	18.09	<=38.45	Pass		
	3		0	19.44	0.80	18.09	<=38.45	Pass		
			2	19.29	0.80	17.94	<=38.45	Pass		
			3	19.57	0.80	18.22	<=38.45	Pass		
	6		0	19.31	0.80	17.96	<=38.45	Pass		
	848.3		1	0	19.38	0.80	18.03	<=38.45	Pass	
				2	19.16	0.80	17.81	<=38.45	Pass	
5				19.30	0.80	17.95	<=38.45	Pass		
3			0	19.40	0.80	18.05	<=38.45	Pass		
			2	19.42	0.80	18.07	<=38.45	Pass		
			3	19.51	0.80	18.16	<=38.45	Pass		
6			0	19.29	0.80	17.94	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15										

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	825.5	1	0	24.23	0.80	22.88	<=38.45	Pass
			7	24.20	0.80	22.85	<=38.45	Pass
			14	24.22	0.80	22.87	<=38.45	Pass
		8	0	23.30	0.80	21.95	<=38.45	Pass
			4	23.47	0.80	22.12	<=38.45	Pass
			7	23.38	0.80	22.03	<=38.45	Pass
		15	0	23.39	0.80	22.04	<=38.45	Pass
	836.5	1	0	24.42	0.80	23.07	<=38.45	Pass
			7	24.39	0.80	23.04	<=38.45	Pass
			14	24.36	0.80	23.01	<=38.45	Pass
		8	0	23.40	0.80	22.05	<=38.45	Pass
			4	23.45	0.80	22.10	<=38.45	Pass
			7	23.48	0.80	22.13	<=38.45	Pass
		15	0	23.45	0.80	22.10	<=38.45	Pass
	847.5	1	0	24.29	0.80	22.94	<=38.45	Pass
			7	24.23	0.80	22.88	<=38.45	Pass
			14	24.24	0.80	22.89	<=38.45	Pass
		8	0	23.37	0.80	22.02	<=38.45	Pass
			4	23.38	0.80	22.03	<=38.45	Pass
			7	23.34	0.80	21.99	<=38.45	Pass
		15	0	23.45	0.80	22.10	<=38.45	Pass
16QAM	825.5	1	0	23.50	0.80	22.15	<=38.45	Pass
			7	23.49	0.80	22.14	<=38.45	Pass
			14	23.67	0.80	22.32	<=38.45	Pass
		8	0	22.32	0.80	20.97	<=38.45	Pass
			4	22.55	0.80	21.20	<=38.45	Pass
			7	22.42	0.80	21.07	<=38.45	Pass
		15	0	22.44	0.80	21.09	<=38.45	Pass
	836.5	1	0	23.84	0.80	22.49	<=38.45	Pass
			7	23.81	0.80	22.46	<=38.45	Pass
			14	23.75	0.80	22.40	<=38.45	Pass
		8	0	22.50	0.80	21.15	<=38.45	Pass
			4	22.36	0.80	21.01	<=38.45	Pass
			7	22.50	0.80	21.15	<=38.45	Pass
		15	0	22.42	0.80	21.07	<=38.45	Pass
	847.5	1	0	23.54	0.80	22.19	<=38.45	Pass
			7	23.59	0.80	22.24	<=38.45	Pass
			14	23.64	0.80	22.29	<=38.45	Pass
		8	0	22.47	0.80	21.12	<=38.45	Pass
			4	22.48	0.80	21.13	<=38.45	Pass
			7	22.42	0.80	21.07	<=38.45	Pass
		15	0	22.40	0.80	21.05	<=38.45	Pass
64QAM	825.5	1	0	23.55	0.80	22.20	<=38.45	Pass
			7	23.16	0.80	21.81	<=38.45	Pass
			14	23.61	0.80	22.26	<=38.45	Pass
		8	0	22.30	0.80	20.95	<=38.45	Pass
			4	22.41	0.80	21.06	<=38.45	Pass
			7	22.46	0.80	21.11	<=38.45	Pass
		15	0	22.42	0.80	21.07	<=38.45	Pass
	836.5	1	0	23.69	0.80	22.34	<=38.45	Pass
			7	23.80	0.80	22.45	<=38.45	Pass
			14	23.76	0.80	22.41	<=38.45	Pass
		8	0	22.48	0.80	21.13	<=38.45	Pass

256QAM	847.5	15	4	22.45	0.80	21.10	<=38.45	Pass
			7	22.67	0.80	21.32	<=38.45	Pass
			0	22.50	0.80	21.15	<=38.45	Pass
		1	0	23.54	0.80	22.19	<=38.45	Pass
			7	23.21	0.80	21.86	<=38.45	Pass
			14	23.62	0.80	22.27	<=38.45	Pass
		8	0	22.44	0.80	21.09	<=38.45	Pass
			4	22.35	0.80	21.00	<=38.45	Pass
			7	22.37	0.80	21.02	<=38.45	Pass
		15	0	22.37	0.80	21.02	<=38.45	Pass
	825.5	1	0	19.34	0.80	17.99	<=38.45	Pass
			7	19.44	0.80	18.09	<=38.45	Pass
			14	19.38	0.80	18.03	<=38.45	Pass
		8	0	19.37	0.80	18.02	<=38.45	Pass
			4	19.40	0.80	18.05	<=38.45	Pass
			7	19.41	0.80	18.06	<=38.45	Pass
		15	0	19.40	0.80	18.05	<=38.45	Pass
	836.5	1	0	19.38	0.80	18.03	<=38.45	Pass
			7	19.51	0.80	18.16	<=38.45	Pass
			14	19.47	0.80	18.12	<=38.45	Pass
		8	0	19.46	0.80	18.11	<=38.45	Pass
			4	19.51	0.80	18.16	<=38.45	Pass
			7	19.53	0.80	18.18	<=38.45	Pass
		15	0	19.29	0.80	17.94	<=38.45	Pass
	847.5	1	0	19.30	0.80	17.95	<=38.45	Pass
			7	19.38	0.80	18.03	<=38.45	Pass
			14	19.17	0.80	17.82	<=38.45	Pass
		8	0	19.51	0.80	18.16	<=38.45	Pass
			4	19.44	0.80	18.09	<=38.45	Pass
			7	19.35	0.80	18.00	<=38.45	Pass
		15	0	19.48	0.80	18.13	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	24.11	0.80	22.76	<=38.45	Pass
			13	24.43	0.80	23.08	<=38.45	Pass
			24	24.34	0.80	22.99	<=38.45	Pass
		12	0	23.33	0.80	21.98	<=38.45	Pass
			6	23.36	0.80	22.01	<=38.45	Pass
			13	23.47	0.80	22.12	<=38.45	Pass
		25	0	23.36	0.80	22.01	<=38.45	Pass
	836.5	1	0	24.32	0.80	22.97	<=38.45	Pass
			13	24.30	0.80	22.95	<=38.45	Pass
			24	24.36	0.80	23.01	<=38.45	Pass
		12	0	23.42	0.80	22.07	<=38.45	Pass
			6	23.48	0.80	22.13	<=38.45	Pass
			13	23.52	0.80	22.17	<=38.45	Pass

	846.5	25	0	23.34	0.80	21.99	<=38.45	Pass
		1	0	24.29	0.80	22.94	<=38.45	Pass
			13	24.28	0.80	22.93	<=38.45	Pass
			24	24.21	0.80	22.86	<=38.45	Pass
		12	0	23.37	0.80	22.02	<=38.45	Pass
			6	23.44	0.80	22.09	<=38.45	Pass
			13	23.34	0.80	21.99	<=38.45	Pass
		25	0	23.44	0.80	22.09	<=38.45	Pass
16QAM	826.5	1	0	23.67	0.80	22.32	<=38.45	Pass
			13	23.69	0.80	22.34	<=38.45	Pass
			24	23.47	0.80	22.12	<=38.45	Pass
		12	0	22.26	0.80	20.91	<=38.45	Pass
			6	22.45	0.80	21.10	<=38.45	Pass
			13	22.46	0.80	21.11	<=38.45	Pass
		25	0	22.43	0.80	21.08	<=38.45	Pass
	836.5	1	0	23.50	0.80	22.15	<=38.45	Pass
			13	24.02	0.80	22.67	<=38.45	Pass
			24	23.78	0.80	22.43	<=38.45	Pass
		12	0	22.49	0.80	21.14	<=38.45	Pass
			6	22.51	0.80	21.16	<=38.45	Pass
			13	22.49	0.80	21.14	<=38.45	Pass
		25	0	22.39	0.80	21.04	<=38.45	Pass
	846.5	1	0	23.69	0.80	22.34	<=38.45	Pass
			13	23.67	0.80	22.32	<=38.45	Pass
			24	23.79	0.80	22.44	<=38.45	Pass
		12	0	22.51	0.80	21.16	<=38.45	Pass
			6	22.49	0.80	21.14	<=38.45	Pass
			13	22.40	0.80	21.05	<=38.45	Pass
		25	0	22.40	0.80	21.05	<=38.45	Pass
64QAM	826.5	1	0	23.58	0.80	22.23	<=38.45	Pass
			13	23.59	0.80	22.24	<=38.45	Pass
			24	23.49	0.80	22.14	<=38.45	Pass
		12	0	22.41	0.80	21.06	<=38.45	Pass
			6	22.44	0.80	21.09	<=38.45	Pass
			13	22.43	0.80	21.08	<=38.45	Pass
		25	0	22.42	0.80	21.07	<=38.45	Pass
	836.5	1	0	23.72	0.80	22.37	<=38.45	Pass
			13	23.68	0.80	22.33	<=38.45	Pass
			24	23.76	0.80	22.41	<=38.45	Pass
		12	0	22.42	0.80	21.07	<=38.45	Pass
			6	22.43	0.80	21.08	<=38.45	Pass
			13	22.45	0.80	21.10	<=38.45	Pass
		25	0	22.49	0.80	21.14	<=38.45	Pass
	846.5	1	0	23.56	0.80	22.21	<=38.45	Pass
			13	23.57	0.80	22.22	<=38.45	Pass
			24	23.56	0.80	22.21	<=38.45	Pass
		12	0	22.48	0.80	21.13	<=38.45	Pass
			6	22.46	0.80	21.11	<=38.45	Pass
			13	22.38	0.80	21.03	<=38.45	Pass
		25	0	22.38	0.80	21.03	<=38.45	Pass
256QAM	826.5	1	0	19.56	0.80	18.21	<=38.45	Pass
			13	19.48	0.80	18.13	<=38.45	Pass
			24	19.35	0.80	18.00	<=38.45	Pass



Report No.: SUCR260400030106

Page: 6 of 65

		12	0	19.24	0.80	17.89	<=38.45	Pass
			6	19.40	0.80	18.05	<=38.45	Pass
			13	19.40	0.80	18.05	<=38.45	Pass
		25	0	19.39	0.80	18.04	<=38.45	Pass
			0	19.66	0.80	18.31	<=38.45	Pass
			13	19.51	0.80	18.16	<=38.45	Pass
	836.5	1	24	19.62	0.80	18.27	<=38.45	Pass
			0	19.42	0.80	18.07	<=38.45	Pass
			6	19.39	0.80	18.04	<=38.45	Pass
		12	13	19.56	0.80	18.21	<=38.45	Pass
			0	19.46	0.80	18.11	<=38.45	Pass
			25	19.37	0.80	18.02	<=38.45	Pass
	846.5	1	0	19.74	0.80	18.39	<=38.45	Pass
			13	19.82	0.80	18.47	<=38.45	Pass
			24	19.50	0.80	18.15	<=38.45	Pass
		12	0	19.36	0.80	18.01	<=38.45	Pass
			6	19.49	0.80	18.14	<=38.45	Pass
			13	19.35	0.80	18.00	<=38.45	Pass
		25	0	19.37	0.80	18.02	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	24.21	0.80	22.86	<=38.45	Pass
			25	24.28	0.80	22.93	<=38.45	Pass
			49	24.35	0.80	23.00	<=38.45	Pass
		25	0	23.40	0.80	22.05	<=38.45	Pass
			13	23.44	0.80	22.09	<=38.45	Pass
			25	23.44	0.80	22.09	<=38.45	Pass
		50	0	23.49	0.80	22.14	<=38.45	Pass
			0	24.31	0.80	22.96	<=38.45	Pass
			25	24.15	0.80	22.80	<=38.45	Pass
	836.5	1	49	24.41	0.80	23.06	<=38.45	Pass
			0	23.47	0.80	22.12	<=38.45	Pass
			13	23.37	0.80	22.02	<=38.45	Pass
		25	25	23.49	0.80	22.14	<=38.45	Pass
			0	23.48	0.80	22.13	<=38.45	Pass
		50	0	23.48	0.80	22.13	<=38.45	Pass
			0	24.24	0.80	22.89	<=38.45	Pass
			25	24.15	0.80	22.80	<=38.45	Pass
			49	23.93	0.80	22.58	<=38.45	Pass
	844	1	0	23.47	0.80	22.12	<=38.45	Pass
			13	23.44	0.80	22.09	<=38.45	Pass
			25	23.44	0.80	22.09	<=38.45	Pass
		25	0	23.45	0.80	22.10	<=38.45	Pass
			0	23.64	0.80	22.29	<=38.45	Pass
			25	23.55	0.80	22.20	<=38.45	Pass
		25	49	23.74	0.80	22.39	<=38.45	Pass
			0	22.44	0.80	21.09	<=38.45	Pass
			13	22.49	0.80	21.14	<=38.45	Pass

		50	25	22.56	0.80	21.21	<=38.45	Pass
			0	22.53	0.80	21.18	<=38.45	Pass
			0	23.70	0.80	22.35	<=38.45	Pass
	836.5	1	25	23.68	0.80	22.33	<=38.45	Pass
			49	23.67	0.80	22.32	<=38.45	Pass
			0	22.45	0.80	21.10	<=38.45	Pass
		25	13	22.49	0.80	21.14	<=38.45	Pass
			25	22.54	0.80	21.19	<=38.45	Pass
			0	22.46	0.80	21.11	<=38.45	Pass
	844	1	0	23.84	0.80	22.49	<=38.45	Pass
			25	23.58	0.80	22.23	<=38.45	Pass
			49	23.60	0.80	22.25	<=38.45	Pass
		25	0	22.42	0.80	21.07	<=38.45	Pass
			13	22.52	0.80	21.17	<=38.45	Pass
			25	22.53	0.80	21.18	<=38.45	Pass
64QAM	829	1	0	22.50	0.80	21.15	<=38.45	Pass
			0	23.54	0.80	22.19	<=38.45	Pass
			25	23.52	0.80	22.17	<=38.45	Pass
		25	49	23.52	0.80	22.17	<=38.45	Pass
			0	22.46	0.80	21.11	<=38.45	Pass
			13	22.57	0.80	21.22	<=38.45	Pass
			25	22.47	0.80	21.12	<=38.45	Pass
		50	0	22.52	0.80	21.17	<=38.45	Pass
	836.5	1	0	23.54	0.80	22.19	<=38.45	Pass
			25	23.59	0.80	22.24	<=38.45	Pass
			49	23.69	0.80	22.34	<=38.45	Pass
		25	0	22.53	0.80	21.18	<=38.45	Pass
			13	22.39	0.80	21.04	<=38.45	Pass
			25	22.55	0.80	21.20	<=38.45	Pass
		50	0	22.44	0.80	21.09	<=38.45	Pass
	844	1	0	23.65	0.80	22.30	<=38.45	Pass
			25	23.47	0.80	22.12	<=38.45	Pass
			49	23.45	0.80	22.10	<=38.45	Pass
		25	0	22.43	0.80	21.08	<=38.45	Pass
			13	22.50	0.80	21.15	<=38.45	Pass
			25	22.51	0.80	21.16	<=38.45	Pass
		50	0	22.48	0.80	21.13	<=38.45	Pass
256QAM	829	1	0	19.50	0.80	18.15	<=38.45	Pass
			25	19.44	0.80	18.09	<=38.45	Pass
			49	19.52	0.80	18.17	<=38.45	Pass
		25	0	19.40	0.80	18.05	<=38.45	Pass
			13	19.43	0.80	18.08	<=38.45	Pass
			25	19.49	0.80	18.14	<=38.45	Pass
		50	0	19.49	0.80	18.14	<=38.45	Pass
	836.5	1	0	19.58	0.80	18.23	<=38.45	Pass
			25	19.41	0.80	18.06	<=38.45	Pass
			49	19.61	0.80	18.26	<=38.45	Pass
		25	0	19.50	0.80	18.15	<=38.45	Pass
			13	19.47	0.80	18.12	<=38.45	Pass
			25	19.59	0.80	18.24	<=38.45	Pass
		50	0	19.36	0.80	18.01	<=38.45	Pass
	844	1	0	19.64	0.80	18.29	<=38.45	Pass
			25	19.44	0.80	18.09	<=38.45	Pass



Report No.: SUCR260400030106

Page: 8 of 65

		49	19.49	0.80	18.14	<=38.45	Pass
	25	0	19.48	0.80	18.13	<=38.45	Pass
		13	19.44	0.80	18.09	<=38.45	Pass
		25	19.51	0.80	18.16	<=38.45	Pass
	50	0	19.43	0.80	18.08	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	24.14	0.80	22.79	<=38.45	Pass
			38	24.29	0.80	22.94	<=38.45	Pass
			74	24.20	0.80	22.85	<=38.45	Pass
		36	0	23.33	0.80	21.98	<=38.45	Pass
			18	23.22	0.80	21.87	<=38.45	Pass
			39	23.34	0.80	21.99	<=38.45	Pass
		75	0	23.21	0.80	21.86	<=38.45	Pass
	836.5	1	0	24.29	0.80	22.94	<=38.45	Pass
			38	24.23	0.80	22.88	<=38.45	Pass
			74	24.26	0.80	22.91	<=38.45	Pass
		36	0	23.33	0.80	21.98	<=38.45	Pass
			18	23.18	0.80	21.83	<=38.45	Pass
			39	23.34	0.80	21.99	<=38.45	Pass
		75	0	23.25	0.80	21.90	<=38.45	Pass
	841.5	1	0	24.36	0.80	23.01	<=38.45	Pass
			38	24.14	0.80	22.79	<=38.45	Pass
			74	24.09	0.80	22.74	<=38.45	Pass
		36	0	23.39	0.80	22.04	<=38.45	Pass
			18	23.26	0.80	21.91	<=38.45	Pass
			39	23.30	0.80	21.95	<=38.45	Pass
		75	0	23.31	0.80	21.96	<=38.45	Pass
16QAM	831.5	1	0	23.53	0.80	22.18	<=38.45	Pass
			38	23.47	0.80	22.12	<=38.45	Pass
			74	23.69	0.80	22.34	<=38.45	Pass
		36	0	22.27	0.80	20.92	<=38.45	Pass
			18	22.32	0.80	20.97	<=38.45	Pass
			39	22.29	0.80	20.94	<=38.45	Pass
		75	0	22.34	0.80	20.99	<=38.45	Pass
	836.5	1	0	23.61	0.80	22.26	<=38.45	Pass
			38	23.50	0.80	22.15	<=38.45	Pass
			74	23.51	0.80	22.16	<=38.45	Pass
		36	0	22.35	0.80	21.00	<=38.45	Pass
			18	22.32	0.80	20.97	<=38.45	Pass
			39	22.35	0.80	21.00	<=38.45	Pass
		75	0	22.29	0.80	20.94	<=38.45	Pass
	841.5	1	0	23.77	0.80	22.42	<=38.45	Pass
			38	23.49	0.80	22.14	<=38.45	Pass
			74	23.43	0.80	22.08	<=38.45	Pass
		36	0	22.41	0.80	21.06	<=38.45	Pass



Report No.: SUCR260400030106

Page: 9 of 65

		75	18	22.25	0.80	20.90	<=38.45	Pass
			39	22.32	0.80	20.97	<=38.45	Pass
			0	22.40	0.80	21.05	<=38.45	Pass
64QAM	831.5	1	0	23.40	0.80	22.05	<=38.45	Pass
			38	23.42	0.80	22.07	<=38.45	Pass
			74	23.52	0.80	22.17	<=38.45	Pass
		36	0	22.28	0.80	20.93	<=38.45	Pass
			18	22.29	0.80	20.94	<=38.45	Pass
			39	22.29	0.80	20.94	<=38.45	Pass
		75	0	22.26	0.80	20.91	<=38.45	Pass
	836.5	1	0	23.58	0.80	22.23	<=38.45	Pass
			38	23.61	0.80	22.26	<=38.45	Pass
			74	23.41	0.80	22.06	<=38.45	Pass
		36	0	22.36	0.80	21.01	<=38.45	Pass
			18	22.30	0.80	20.95	<=38.45	Pass
			39	22.30	0.80	20.95	<=38.45	Pass
		75	0	22.32	0.80	20.97	<=38.45	Pass
	841.5	1	0	23.62	0.80	22.27	<=38.45	Pass
			38	23.52	0.80	22.17	<=38.45	Pass
			74	23.41	0.80	22.06	<=38.45	Pass
		36	0	22.37	0.80	21.02	<=38.45	Pass
			18	22.29	0.80	20.94	<=38.45	Pass
			39	22.32	0.80	20.97	<=38.45	Pass
		75	0	22.30	0.80	20.95	<=38.45	Pass
256QAM	831.5	1	0	19.37	0.80	18.02	<=38.45	Pass
			38	19.55	0.80	18.20	<=38.45	Pass
			74	19.48	0.80	18.13	<=38.45	Pass
		36	0	19.25	0.80	17.90	<=38.45	Pass
			18	19.33	0.80	17.98	<=38.45	Pass
			39	19.47	0.80	18.12	<=38.45	Pass
		75	0	19.33	0.80	17.98	<=38.45	Pass
	836.5	1	0	19.48	0.80	18.13	<=38.45	Pass
			38	19.51	0.80	18.16	<=38.45	Pass
			74	19.43	0.80	18.08	<=38.45	Pass
		36	0	19.43	0.80	18.08	<=38.45	Pass
			18	19.30	0.80	17.95	<=38.45	Pass
			39	19.39	0.80	18.04	<=38.45	Pass
		75	0	19.27	0.80	17.92	<=38.45	Pass
	841.5	1	0	19.51	0.80	18.16	<=38.45	Pass
			38	19.46	0.80	18.11	<=38.45	Pass
			74	19.33	0.80	17.98	<=38.45	Pass
		36	0	19.40	0.80	18.05	<=38.45	Pass
			18	19.28	0.80	17.93	<=38.45	Pass
			39	19.35	0.80	18.00	<=38.45	Pass
		75	0	19.39	0.80	18.04	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Test Result



Report No.: SUCR260400030106

Page: 10 of 65

2.1.1 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	3.27	0.700	0.0008	-2.5 to 2.5	Pass
					3.85	0.500	0.0006	-2.5 to 2.5	Pass
					4.43	-1.400	-0.0017	-2.5 to 2.5	Pass
				-30	3.85	0.800	0.0010	-2.5 to 2.5	Pass
				-20	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-1.600	-0.0019	-2.5 to 2.5	Pass
				0	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-1.600	-0.0019	-2.5 to 2.5	Pass
				30	3.85	-1.400	-0.0017	-2.5 to 2.5	Pass
				40	3.85	0.700	0.0008	-2.5 to 2.5	Pass
				50	3.85	0.400	0.0005	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.085	/	Pass
	16QAM	836.5	6	0	1.087	/	Pass
	64QAM	836.5	6	0	1.081	/	Pass
	256QAM	836.5	6	0	1.081	/	Pass
3	QPSK	836.5	15	0	2.673	/	Pass
	16QAM	836.5	15	0	2.679	/	Pass
	64QAM	836.5	15	0	2.683	/	Pass
	256QAM	836.5	15	0	2.684	/	Pass
5	QPSK	836.5	25	0	4.502	/	Pass
	16QAM	836.5	25	0	4.505	/	Pass
	64QAM	836.5	25	0	4.495	/	Pass
	256QAM	836.5	25	0	4.493	/	Pass
10	QPSK	836.5	50	0	8.940	/	Pass
	16QAM	836.5	50	0	8.916	/	Pass
	64QAM	836.5	50	0	8.922	/	Pass
	256QAM	836.5	50	0	8.923	/	Pass
15	QPSK	836.5	75	0	13.381	/	Pass
	16QAM	836.5	75	0	13.379	/	Pass
	64QAM	836.5	75	0	13.413	/	Pass
	256QAM	836.5	75	0	13.401	/	Pass

3.1.2 Band26b_XDB




Report No.: SUCR260400030106
Page: 11 of 65


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.234	/	Pass
	16QAM	836.5	6	0	1.219	/	Pass
	64QAM	836.5	6	0	1.216	/	Pass
	256QAM	836.5	6	0	1.220	/	Pass
3	QPSK	836.5	15	0	2.923	/	Pass
	16QAM	836.5	15	0	2.928	/	Pass
	64QAM	836.5	15	0	2.918	/	Pass
	256QAM	836.5	15	0	2.941	/	Pass
5	QPSK	836.5	25	0	5.011	/	Pass
	16QAM	836.5	25	0	4.990	/	Pass
	64QAM	836.5	25	0	4.944	/	Pass
	256QAM	836.5	25	0	4.945	/	Pass
10	QPSK	836.5	50	0	9.614	/	Pass
	16QAM	836.5	50	0	9.574	/	Pass
	64QAM	836.5	50	0	9.624	/	Pass
	256QAM	836.5	50	0	9.638	/	Pass
15	QPSK	836.5	75	0	14.345	/	Pass
	16QAM	836.5	75	0	14.549	/	Pass
	64QAM	836.5	75	0	14.492	/	Pass
	256QAM	836.5	75	0	14.374	/	Pass




3.2 Test Graph

3.2.1 Band26b_OBW







Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_256QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_256QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_256QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_256QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_256QAM_MCH_836.5MHz_RB_75_0_NTNV




3.2.2 Band26b_XDB







Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_256QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_256QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_256QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_256QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_256QAM_MCH_836.5MHz_RB_75_0_NTNV





4. Peak-Average Ratio

4.1 Test Result


4.1.1 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	4.95	<=13	Pass
16QAM	836.5	75	0	5.75	<=13	Pass
64QAM	836.5	75	0	5.74	<=13	Pass
256QAM	836.5	75	0	6.56	<=13	Pass



4.2 Test Graph


4.2.1 B26b_15MHz








Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_256QAM_MCH_836.5MHz_RB_75_0_NTNV





5. Spurious Emission

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	824.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	848.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	825.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	847.5	1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	826.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

5.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTN				
Modulation	Frequency	RB Allocation	Spurious Emission	Verdict



Report No.: SUCR260400030106

Page: 39 of 65


	(MHz)	Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass


5.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		841.5	1	0	Refer To Test Graph	
	74			Refer To Test Graph		Pass
	75		0	Refer To Test Graph		Pass


5.2 Test Graph

5.2.1 B26b_1.4MHz






Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-36.35	-13	Pass
823	824	0.012	CHP	2	823.925	-35.72	-13	Pass
824	827	0.012	CHP	/	/	/	/	/


Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.010	-35.65	-13	Pass
850	852	0.1	CHP	2	850.058	-52.96	-13	Pass




5.2.2 B26b_3MHz






Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.820	-32.54	-13	Pass
823	824	0.029	CHP	2	823.995	-28.01	-13	Pass
824	827	0.029	CHP	/	/	/	/	/


Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.029	-28.69	-13	Pass
850	852	0.1	CHP	2	850.052	-52.19	-13	Pass





Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.029	CHP	/	/	/	/	/
849	850	0.029	CHP	1	849.005	-28.90	-13	Pass
850	852	0.1	CHP	2	850.255	-35.70	-13	Pass

5.2.3 B26b_5MHz






Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.840	-35.17	-13	Pass
823	824	0.05	CHP	2	823.990	-30.75	-13	Pass
824	829	0.05	CHP	/	/	/	/	/


Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-36.47	-13	Pass
850	854	0.1	CHP	2	850.095	-53.97	-13	Pass




5.2.4 B26b_10MHz






Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	822.942	-38.00	-13	Pass
823	824	0.096	CHP	2	823.992	-34.16	-13	Pass
824	834	0.096	CHP	/	/	/	/	/


Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.004	-50.47	-13	Pass
850	859	0.1	CHP	2	850.052	-55.16	-13	Pass




5.2.5 B26b_15MHz






Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	822.050	-38.10	-13	Pass
823	824	0.143	CHP	2	823.970	-34.99	-13	Pass
824	839	0.143	CHP	/	/	/	/	/


Band26b_15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV



Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-49.63	-13	Pass
850	864	0.1	CHP	2	850.052	-56.48	-13	Pass





6. Frequency Stability (IC)

6.1 Test Result

6.1.1 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTNv									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	836.5	50	0	20	3.27	831.964	840.994	824 to 849	Pass
					3.85	831.979	841.002	824 to 849	Pass
					4.43	831.950	841.001	824 to 849	Pass
				-30	3.85	831.969	841.016	824 to 849	Pass
				-20	3.85	831.991	841.016	824 to 849	Pass
				-10	3.85	831.989	841.032	824 to 849	Pass
				0	3.85	831.994	841.019	824 to 849	Pass
				10	3.85	831.984	841.007	824 to 849	Pass
				30	3.85	831.963	841.019	824 to 849	Pass
				40	3.85	831.961	841.016	824 to 849	Pass
50	3.85	831.981	841.018	824 to 849	Pass				

---End of Attachment---