







Band5 QAM16 BW=10MHz Channel=20450 RB Size=1 Position=#Max




Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#Max




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#Max




Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0



Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#Max



Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2494	1000	2481.08	-39.91	-25
2	2494	2496	1000	2495.836	-39.1	-13
3	2496	2499	1000	2499	-11.69	-10
4	2499	2500	100	2500	-24.94	-10

Band7 QAM16 BW=5MHz Channel=20775 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2494	1000	2491.777	-39.82	-25
2	2494	2496	1000	2495.936	-39.56	-13
3	2496	2499	1000	2497.206	-36.48	-10
4	2499	2500	100	2500	-43.54	-10

Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2494	1000	2493.734	-39.24	-25
2	2494	2496	1000	2495.806	-37.89	-13
3	2496	2499	1000	2499	-24.55	-10
4	2499	2500	100	2499.998	-35.25	-10

Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.016	-44.82	-10
2	2571	2575	1000	2571.048	-39.06	-10
3	2575	2576	1000	2575.809	-39.89	-13
4	2576	2595	1000	2590.364	-39.87	-25

Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.004	-25.92	-10
2	2571	2575	1000	2571.004	-11.03	-10
3	2575	2576	1000	2575.687	-39.74	-13
4	2576	2595	1000	2585.519	-39.89	-25

Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.003	-33.29	-10
2	2571	2575	1000	2571.016	-24.02	-10
3	2575	2576	1000	2575.018	-38.29	-13
4	2576	2595	1000	2576.304	-39.44	-25

Band7 QAM16 BW=5MHz Channel=21425 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.01	-43.6	-10
2	2571	2575	1000	2571.088	-39.66	-10
3	2575	2576	1000	2575.633	-39.97	-13
4	2576	2595	1000	2579.8	-39.85	-25

Band7 QAM16 BW=5MHz Channel=21425 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.007	-26.53	-10
2	2571	2575	1000	2571.008	-11.89	-10
3	2575	2576	1000	2575.98	-39.75	-13
4	2576	2595	1000	2592.302	-39.89	-25

Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.019	-35.63	-10
2	2571	2575	1000	2571.008	-24.46	-10
3	2575	2576	1000	2575.022	-38.87	-13
4	2576	2595	1000	2576.171	-39.55	-25

Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2486.04	-39.99	-25
2	2490	2496	1000	2495.982	-38.36	-13
3	2496	2499	1000	2499	-21.51	-10
4	2499	2500	200	2499.959	-25.61	-10

Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2487.78	-40.01	-25
2	2490	2496	1000	2491.722	-39.54	-13
3	2496	2499	1000	2496.015	-39.76	-10
4	2499	2500	200	2499.969	-43.74	-10

Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2489.655	-39.47	-25
2	2490	2496	1000	2495.856	-33.47	-13
3	2496	2499	1000	2498.997	-30.35	-10
4	2499	2500	200	2499.969	-35.15	-10

Band7 QAM16 BW=10MHz Channel=20800 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2479.425	-39.9	-25
2	2490	2496	1000	2495.028	-39.09	-13
3	2496	2499	1000	2499	-21.64	-10
4	2499	2500	200	2499.976	-26.01	-10

Band7 QAM16 BW=10MHz Channel=20800 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2487.945	-39.73	-25
2	2490	2496	1000	2491.818	-38.81	-13
3	2496	2499	1000	2498.916	-39.5	-10
4	2499	2500	200	2499.953	-44.72	-10

Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2489.325	-39.71	-25
2	2490	2496	1000	2495.904	-34.74	-13
3	2496	2499	1000	2498.892	-31.98	-10
4	2499	2500	200	2499.977	-37.35	-10

Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	200	2570.001	-44.68	-10
2	2571	2575	1000	2572.808	-39.99	-10
3	2575	2580	1000	2577.065	-39.86	-13
4	2580	2595	1000	2587.635	-39.97	-25

Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	200	2570.007	-25.52	-10
2	2571	2575	1000	2571.004	-21.96	-10
3	2575	2580	1000	2578.065	-38.59	-13
4	2580	2595	1000	2594.415	-40.11	-25

Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	200	2570.012	-35.04	-10
2	2571	2575	1000	2571.032	-29.51	-10
3	2575	2580	1000	2575.26	-33.36	-13
4	2580	2595	1000	2580.84	-39.84	-25

Band7 QAM16 BW=10MHz Channel=21400 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	200	2570.008	-44.04	-10
2	2571	2575	1000	2571.84	-40.1	-10
3	2575	2580	1000	2578.265	-39.62	-13
4	2580	2595	1000	2589.285	-40.02	-25

Band7 QAM16 BW=10MHz Channel=21400 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	200	2570.005	-25.5	-10
2	2571	2575	1000	2571.02	-22.98	-10
3	2575	2580	1000	2578.275	-38.6	-13
4	2580	2595	1000	2583.435	-40.09	-25

Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	200	2570.047	-36.82	-10
2	2571	2575	1000	2571.024	-30.86	-10
3	2575	2580	1000	2575.17	-35.09	-13
4	2580	2595	1000	2580.525	-39.78	-25

Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2485	1000	2480.3	-39.75	-25
2	2485	2496	1000	2494.086	-38.54	-13
3	2496	2499	1000	2498.979	-32.01	-10
4	2499	2500	300	2500	-25.75	-10

Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#Max



Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2485	1000	2481.95	-39.88	-25
2	2485	2496	1000	2494.394	-39.19	-13
3	2496	2499	1000	2498.949	-31.59	-10
4	2499	2500	300	2499.967	-24.07	-10

Band7 QAM16 BW=15MHz Channel=20825 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2485	1000	2482.61	-39.84	-25
2	2485	2496	1000	2494.141	-39.84	-13
3	2496	2499	1000	2498.001	-40.04	-10
4	2499	2500	300	2499.997	-43.93	-10

Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2485	1000	2484.14	-39.82	-25
2	2485	2496	1000	2495.747	-35.98	-13
3	2496	2499	1000	2498.628	-34.26	-10
4	2499	2500	300	2499.981	-36.55	-10

Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	300	2570.06	-44.64	-10
2	2571	2575	1000	2573.476	-40.08	-10
3	2575	2585	1000	2575.69	-39.78	-13
4	2585	2595	1000	2594.41	-40.01	-25

Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#Max



Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0



Band7 QAM16 BW=15MHz Channel=21375 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	300	2570.069	-44.15	-10
2	2571	2575	1000	2573.244	-40.13	-10
3	2575	2585	1000	2582.67	-39.64	-13
4	2585	2595	1000	2592.84	-39.99	-25

Band7 QAM16 BW=15MHz Channel=21375 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	300	2570.014	-25.79	-10
2	2571	2575	1000	2571.012	-33.1	-10
3	2575	2585	1000	2575.27	-38.78	-13
4	2585	2595	1000	2588.03	-39.92	-25

Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	300	2570.008	-35.95	-10
2	2571	2575	1000	2571.648	-32.84	-10
3	2575	2585	1000	2575.33	-35.04	-13
4	2585	2595	1000	2585.47	-39.79	-25

Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2475.61	-39.96	-25
2	2480	2496	1000	2492.368	-39.01	-13
3	2496	2499	1000	2498.373	-35.63	-10
4	2499	2500	430	2499.961	-26.51	-10

Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2477.25	-39.86	-25
2	2480	2496	1000	2492.368	-39.47	-13
3	2496	2499	1000	2498.88	-39.76	-10
4	2499	2500	430	2499.896	-42.82	-10

Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2476.655	-40.03	-25
2	2480	2496	1000	2495.504	-35.73	-13
3	2496	2499	1000	2498.859	-34.18	-10
4	2499	2500	430	2499.921	-36.38	-10

Band7 QAM16 BW=20MHz Channel=20850 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2478.27	-39.87	-25
2	2480	2496	1000	2495.984	-36.12	-13
3	2496	2499	1000	2498.88	-33.94	-10
4	2499	2500	430	2499.978	-27.31	-10

Band7 QAM16 BW=20MHz Channel=20850 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2477.285	-39.96	-25
2	2480	2496	1000	2483.104	-39.77	-13
3	2496	2499	1000	2498.622	-38.28	-10
4	2499	2500	430	2499.99	-42.87	-10

Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2479.865	-40.04	-25
2	2480	2496	1000	2495.712	-36.35	-13
3	2496	2499	1000	2498.571	-35.35	-10
4	2499	2500	430	2499.96	-37.06	-10

Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	430	2570.003	-42.92	-10
2	2571	2575	1000	2571.7	-40.2	-10
3	2575	2590	1000	2577.73	-39.53	-13
4	2590	2595	1000	2592.97	-39.94	-25

Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#Max



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	430	2570.071	-42.8	-10
2	2571	2575	1000	2572.504	-40.08	-10
3	2575	2590	1000	2578.075	-39.65	-13
4	2590	2595	1000	2591.785	-40.07	-25

Band7 QAM16 BW=20MHz Channel=21350 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	430	2570.012	-25.71	-10
2	2571	2575	1000	2571.524	-34.52	-10
3	2575	2590	1000	2577.655	-38.62	-13
4	2590	2595	1000	2594.69	-40.1	-25

Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	430	2570.014	-36.32	-10
2	2571	2575	1000	2571.316	-33.56	-10
3	2575	2590	1000	2575.03	-34.67	-13
4	2590	2595	1000	2593.24	-39.97	-25

Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	2099.05	-32.66	-13	PASS
Band12	1.4	23017	6	#0	QPSK	2099.05	-32.85	-13	PASS
Band12	1.4	23017	1	#0	QAM16	2099.05	-30.92	-13	PASS
Band12	1.4	23017	6	#0	QAM16	25250.50	-33.68	-13	PASS
Band12	1.4	23095	1	#0	QPSK	2122.00	-30.55	-13	PASS
Band12	1.4	23095	6	#0	QPSK	2122.00	-31.91	-13	PASS
Band12	1.4	23095	1	#0	QAM16	2122.00	-30.52	-13	PASS
Band12	1.4	23095	6	#0	QAM16	2122.00	-31.67	-13	PASS
Band12	1.4	23173	1	#0	QPSK	2144.95	-30.38	-13	PASS
Band12	1.4	23173	6	#0	QPSK	2147.50	-31.87	-13	PASS
Band12	1.4	23173	1	#0	QAM16	2144.95	-28.33	-13	PASS
Band12	1.4	23173	6	#0	QAM16	25199.50	-33.29	-13	PASS
Band12	3	23025	1	#0	QPSK	2099.05	-31.24	-13	PASS
Band12	3	23025	15	#0	QPSK	25587.10	-34.30	-13	PASS
Band12	3	23025	1	#0	QAM16	25640.65	-34.09	-13	PASS
Band12	3	23025	15	#0	QAM16	25204.60	-33.67	-13	PASS
Band12	3	23095	1	#0	QPSK	2119.45	-31.56	-13	PASS
Band12	3	23095	15	#0	QPSK	26387.80	-32.74	-13	PASS
Band12	3	23095	1	#0	QAM16	2119.45	-29.07	-13	PASS
Band12	3	23095	15	#0	QAM16	25235.20	-34.00	-13	PASS
Band12	3	23165	1	#0	QPSK	2139.85	-31.83	-13	PASS
Band12	3	23165	15	#0	QPSK	25467.25	-34.00	-13	PASS
Band12	3	23165	1	#0	QAM16	2139.85	-30.94	-13	PASS
Band12	3	23165	15	#0	QAM16	25992.55	-34.03	-13	PASS
Band12	5	23035	1	#0	QPSK	2099.05	-30.26	-13	PASS
Band12	5	23035	25	#0	QPSK	25263.25	-33.35	-13	PASS
Band12	5	23035	1	#0	QAM16	2099.05	-30.44	-13	PASS
Band12	5	23035	25	#0	QAM16	25617.70	-33.45	-13	PASS
Band12	5	23095	1	#0	QPSK	2116.90	-28.10	-13	PASS
Band12	5	23095	25	#0	QPSK	25230.10	-33.80	-13	PASS
Band12	5	23095	1	#0	QAM16	2116.90	-29.44	-13	PASS
Band12	5	23095	25	#0	QAM16	25235.20	-32.78	-13	PASS
Band12	5	23155	1	#0	QPSK	2134.75	-28.36	-13	PASS
Band12	5	23155	25	#0	QPSK	26109.85	-33.85	-13	PASS
Band12	5	23155	1	#0	QAM16	2134.75	-30.49	-13	PASS
Band12	5	23155	25	#0	QAM16	25296.40	-33.24	-13	PASS
Band12	10	23060	1	#0	QPSK	2099.05	-29.87	-13	PASS
Band12	10	23060	50	#0	QPSK	26025.70	-33.56	-13	PASS
Band12	10	23060	1	#0	QAM16	2099.05	-29.92	-13	PASS
Band12	10	23060	50	#0	QAM16	26114.95	-33.78	-13	PASS

Band12	10	23095	1	#0	QPSK	2109.25	-31.04	-13	PASS
Band12	10	23095	50	#0	QPSK	26035.90	-33.68	-13	PASS
Band12	10	23095	1	#0	QAM16	2109.25	-30.78	-13	PASS
Band12	10	23095	50	#0	QAM16	25602.40	-33.28	-13	PASS
Band12	10	23130	1	#0	QPSK	2119.45	-28.32	-13	PASS
Band12	10	23130	50	#0	QPSK	25923.70	-33.40	-13	PASS
Band12	10	23130	1	#0	QAM16	25992.55	-33.77	-13	PASS
Band12	10	23130	50	#0	QAM16	25599.85	-33.88	-13	PASS
Band17	5	23755	1	#0	QPSK	2114.35	-31.54	-13	PASS
Band17	5	23755	25	#0	QPSK	26487.25	-34.13	-13	PASS
Band17	5	23755	1	#0	QAM16	2114.35	-26.64	-13	PASS
Band17	5	23755	25	#0	QAM16	26117.50	-33.60	-13	PASS
Band17	5	23790	1	#0	QPSK	2124.55	-26.39	-13	PASS
Band17	5	23790	25	#0	QPSK	25199.50	-33.27	-13	PASS
Band17	5	23790	1	#0	QAM16	2124.55	-26.65	-13	PASS
Band17	5	23790	25	#0	QAM16	25615.15	-33.27	-13	PASS
Band17	5	23825	1	#0	QPSK	2134.75	-30.21	-13	PASS
Band17	5	23825	25	#0	QPSK	26173.60	-33.52	-13	PASS
Band17	5	23825	1	#0	QAM16	2134.75	-28.13	-13	PASS
Band17	5	23825	25	#0	QAM16	26242.45	-33.93	-13	PASS
Band17	10	23780	1	#0	QPSK	2114.35	-26.57	-13	PASS
Band17	10	23780	50	#0	QPSK	25260.70	-33.21	-13	PASS
Band17	10	23780	1	#0	QAM16	2114.35	-30.68	-13	PASS
Band17	10	23780	50	#0	QAM16	25564.15	-33.75	-13	PASS
Band17	10	23790	1	#0	QPSK	2116.90	-29.31	-13	PASS
Band17	10	23790	50	#0	QPSK	25337.20	-32.11	-13	PASS
Band17	10	23790	1	#0	QAM16	2116.90	-26.66	-13	PASS
Band17	10	23790	50	#0	QAM16	26148.10	-33.31	-13	PASS
Band17	10	23800	1	#0	QPSK	2119.45	-27.76	-13	PASS
Band17	10	23800	50	#0	QPSK	25610.05	-33.01	-13	PASS
Band17	10	23800	1	#0	QAM16	2119.45	-32.58	-13	PASS
Band17	10	23800	50	#0	QAM16	26237.35	-33.80	-13	PASS
Band2	1.4	18607	1	#0	QPSK	25607.50	-31.96	-13	PASS
Band2	1.4	18607	6	#0	QPSK	26058.85	-32.40	-13	PASS
Band2	1.4	18607	1	#0	QAM16	25768.15	-31.55	-13	PASS
Band2	1.4	18607	6	#0	QAM16	25502.95	-31.93	-13	PASS
Band2	1.4	18900	1	#0	QPSK	26051.20	-31.41	-13	PASS
Band2	1.4	18900	6	#0	QPSK	25324.45	-31.77	-13	PASS
Band2	1.4	18900	1	#0	QAM16	26408.20	-31.49	-13	PASS
Band2	1.4	18900	6	#0	QAM16	25967.05	-32.27	-13	PASS
Band2	1.4	19193	1	#0	QPSK	25225.00	-30.89	-13	PASS
Band2	1.4	19193	6	#0	QPSK	25265.80	-31.66	-13	PASS
Band2	1.4	19193	1	#0	QAM16	25334.65	-31.43	-13	PASS
Band2	1.4	19193	6	#0	QAM16	25671.25	-31.33	-13	PASS

Band2	3	18615	1	#0	QPSK	25477.45	-31.51	-13	PASS
Band2	3	18615	15	#0	QPSK	25490.20	-32.23	-13	PASS
Band2	3	18615	1	#0	QAM16	26168.50	-32.14	-13	PASS
Band2	3	18615	15	#0	QAM16	25495.30	-31.87	-13	PASS
Band2	3	18900	1	#0	QPSK	25604.95	-31.67	-13	PASS
Band2	3	18900	15	#0	QPSK	25273.45	-31.79	-13	PASS
Band2	3	18900	1	#0	QAM16	25209.70	-32.11	-13	PASS
Band2	3	18900	15	#0	QAM16	25625.35	-31.97	-13	PASS
Band2	3	19185	1	#0	QPSK	25250.50	-31.81	-13	PASS
Band2	3	19185	15	#0	QPSK	25796.20	-31.74	-13	PASS
Band2	3	19185	1	#0	QAM16	25765.60	-32.26	-13	PASS
Band2	3	19185	15	#0	QAM16	25337.20	-31.28	-13	PASS
Band2	5	18625	1	#0	QPSK	26053.75	-31.98	-13	PASS
Band2	5	18625	25	#0	QPSK	26005.30	-30.54	-13	PASS
Band2	5	18625	1	#0	QAM16	25487.65	-31.93	-13	PASS
Band2	5	18625	25	#0	QAM16	25564.15	-31.80	-13	PASS
Band2	5	18900	1	#0	QPSK	25408.60	-32.27	-13	PASS
Band2	5	18900	25	#0	QPSK	26033.35	-31.82	-13	PASS
Band2	5	18900	1	#0	QAM16	25571.80	-31.69	-13	PASS
Band2	5	18900	25	#0	QAM16	25217.35	-31.80	-13	PASS
Band2	5	19175	1	#0	QPSK	26497.45	-31.35	-13	PASS
Band2	5	19175	25	#0	QPSK	25120.45	-31.75	-13	PASS
Band2	5	19175	1	#0	QAM16	26069.05	-31.51	-13	PASS
Band2	5	19175	25	#0	QAM16	25885.45	-31.76	-13	PASS
Band2	10	18650	1	#0	QPSK	25699.30	-31.64	-13	PASS
Band2	10	18650	50	#0	QPSK	25561.60	-30.99	-13	PASS
Band2	10	18650	1	#0	QAM16	26007.85	-31.75	-13	PASS
Band2	10	18650	50	#0	QAM16	25240.30	-31.95	-13	PASS
Band2	10	18900	1	#0	QPSK	25640.65	-31.80	-13	PASS
Band2	10	18900	50	#0	QPSK	25597.30	-31.12	-13	PASS
Band2	10	18900	1	#0	QAM16	26081.80	-31.76	-13	PASS
Band2	10	18900	50	#0	QAM16	25706.95	-31.55	-13	PASS
Band2	10	19150	1	#0	QPSK	25413.70	-31.98	-13	PASS
Band2	10	19150	50	#0	QPSK	26089.45	-31.42	-13	PASS
Band2	10	19150	1	#0	QAM16	25872.70	-31.57	-13	PASS
Band2	10	19150	50	#0	QAM16	25214.80	-31.87	-13	PASS
Band2	15	18675	1	#0	QPSK	25612.60	-32.16	-13	PASS
Band2	15	18675	75	#0	QPSK	25786.00	-31.93	-13	PASS
Band2	15	18675	1	#0	QAM16	25597.30	-31.61	-13	PASS
Band2	15	18675	75	#0	QAM16	26112.40	-31.64	-13	PASS
Band2	15	18900	1	#0	QPSK	25939.00	-31.42	-13	PASS
Band2	15	18900	75	#0	QPSK	26071.60	-31.88	-13	PASS
Band2	15	18900	1	#0	QAM16	25367.80	-32.27	-13	PASS
Band2	15	18900	75	#0	QAM16	25385.65	-31.79	-13	PASS

Band2	15	19125	1	#0	QPSK	25311.70	-31.50	-13	PASS
Band2	15	19125	75	#0	QPSK	25974.70	-29.63	-13	PASS
Band2	15	19125	1	#0	QAM16	25240.30	-32.21	-13	PASS
Band2	15	19125	75	#0	QAM16	25202.05	-31.85	-13	PASS
Band2	20	18700	1	#0	QPSK	25658.50	-31.33	-13	PASS
Band2	20	18700	100	#0	QPSK	25492.75	-31.75	-13	PASS
Band2	20	18700	1	#0	QAM16	25648.30	-31.94	-13	PASS
Band2	20	18700	100	#0	QAM16	25263.25	-31.38	-13	PASS
Band2	20	18900	1	#0	QPSK	25610.05	-31.99	-13	PASS
Band2	20	18900	100	#0	QPSK	26456.65	-31.57	-13	PASS
Band2	20	18900	1	#0	QAM16	25245.40	-31.16	-13	PASS
Band2	20	18900	100	#0	QAM16	25900.75	-31.11	-13	PASS
Band2	20	19100	1	#0	QPSK	25630.45	-31.61	-13	PASS
Band2	20	19100	100	#0	QPSK	25265.80	-30.91	-13	PASS
Band2	20	19100	1	#0	QAM16	25689.10	-31.61	-13	PASS
Band2	20	19100	100	#0	QAM16	25666.15	-31.70	-13	PASS
Band4	1.4	19957	1	#0	QPSK	25293.85	-32.39	-13	PASS
Band4	1.4	19957	6	#0	QPSK	26005.30	-31.34	-13	PASS
Band4	1.4	19957	1	#0	QAM16	25584.55	-32.46	-13	PASS
Band4	1.4	19957	6	#0	QAM16	25219.90	-32.20	-13	PASS
Band4	1.4	20175	1	#0	QPSK	25321.90	-32.03	-13	PASS
Band4	1.4	20175	6	#0	QPSK	25230.10	-31.27	-13	PASS
Band4	1.4	20175	1	#0	QAM16	25615.15	-31.91	-13	PASS
Band4	1.4	20175	6	#0	QAM16	25612.60	-29.28	-13	PASS
Band4	1.4	20393	1	#0	QPSK	25564.15	-32.37	-13	PASS
Band4	1.4	20393	6	#0	QPSK	25082.20	-32.31	-13	PASS
Band4	1.4	20393	1	#0	QAM16	25686.55	-31.85	-13	PASS
Band4	1.4	20393	6	#0	QAM16	25186.75	-31.74	-13	PASS
Band4	3	19965	1	#0	QPSK	25612.60	-32.81	-13	PASS
Band4	3	19965	15	#0	QPSK	26456.65	-32.78	-13	PASS
Band4	3	19965	1	#0	QAM16	26056.30	-32.97	-13	PASS
Band4	3	19965	15	#0	QAM16	25255.60	-31.54	-13	PASS
Band4	3	20175	1	#0	QPSK	25525.90	-32.28	-13	PASS
Band4	3	20175	15	#0	QPSK	25610.05	-31.76	-13	PASS
Band4	3	20175	1	#0	QAM16	25260.70	-30.48	-13	PASS
Band4	3	20175	15	#0	QAM16	25518.25	-32.24	-13	PASS
Band4	3	20385	1	#0	QPSK	26030.80	-32.22	-13	PASS
Band4	3	20385	15	#0	QPSK	25227.55	-32.17	-13	PASS
Band4	3	20385	1	#0	QAM16	25898.20	-32.58	-13	PASS
Band4	3	20385	15	#0	QAM16	25151.05	-32.67	-13	PASS
Band4	5	19975	1	#0	QPSK	25627.90	-32.26	-13	PASS
Band4	5	19975	25	#0	QPSK	25612.60	-32.42	-13	PASS
Band4	5	19975	1	#0	QAM16	26086.90	-31.62	-13	PASS
Band4	5	19975	25	#0	QAM16	25592.20	-31.34	-13	PASS

Band4	5	20175	1	#0	QPSK	26112.40	-32.03	-13	PASS
Band4	5	20175	25	#0	QPSK	25566.70	-31.05	-13	PASS
Band4	5	20175	1	#0	QAM16	25332.10	-32.43	-13	PASS
Band4	5	20175	25	#0	QAM16	26028.25	-32.38	-13	PASS
Band4	5	20375	1	#0	QPSK	26094.55	-32.35	-13	PASS
Band4	5	20375	25	#0	QPSK	25579.45	-31.42	-13	PASS
Band4	5	20375	1	#0	QAM16	26007.85	-31.70	-13	PASS
Band4	5	20375	25	#0	QAM16	25816.60	-32.25	-13	PASS
Band4	10	20000	1	#0	QPSK	26005.30	-32.10	-13	PASS
Band4	10	20000	50	#0	QPSK	25620.25	-31.84	-13	PASS
Band4	10	20000	1	#0	QAM16	25110.25	-32.01	-13	PASS
Band4	10	20000	50	#0	QAM16	26413.30	-32.41	-13	PASS
Band4	10	20175	1	#0	QPSK	26000.20	-32.31	-13	PASS
Band4	10	20175	50	#0	QPSK	25546.30	-32.32	-13	PASS
Band4	10	20175	1	#0	QAM16	26084.35	-32.02	-13	PASS
Band4	10	20175	50	#0	QAM16	25176.55	-32.39	-13	PASS
Band4	10	20350	1	#0	QPSK	25972.15	-31.68	-13	PASS
Band4	10	20350	50	#0	QPSK	25610.05	-32.11	-13	PASS
Band4	10	20350	1	#0	QAM16	25574.35	-32.55	-13	PASS
Band4	10	20350	50	#0	QAM16	25747.75	-32.23	-13	PASS
Band4	15	20025	1	#0	QPSK	25505.50	-31.39	-13	PASS
Band4	15	20025	75	#0	QPSK	25602.40	-32.40	-13	PASS
Band4	15	20025	1	#0	QAM16	25653.40	-31.80	-13	PASS
Band4	15	20025	75	#0	QAM16	25635.55	-32.20	-13	PASS
Band4	15	20175	1	#0	QPSK	25709.50	-32.05	-13	PASS
Band4	15	20175	75	#0	QPSK	25819.15	-32.37	-13	PASS
Band4	15	20175	1	#0	QAM16	26030.80	-31.86	-13	PASS
Band4	15	20175	75	#0	QAM16	25551.40	-32.69	-13	PASS
Band4	15	20325	1	#0	QPSK	25265.80	-31.62	-13	PASS
Band4	15	20325	75	#0	QPSK	25548.85	-29.61	-13	PASS
Band4	15	20325	1	#0	QAM16	26061.40	-31.75	-13	PASS
Band4	15	20325	75	#0	QAM16	25316.80	-31.68	-13	PASS
Band4	20	20050	1	#0	QPSK	26160.85	-31.82	-13	PASS
Band4	20	20050	100	#0	QPSK	25633.00	-32.20	-13	PASS
Band4	20	20050	1	#0	QAM16	25564.15	-32.07	-13	PASS
Band4	20	20050	100	#0	QAM16	25684.00	-31.79	-13	PASS
Band4	20	20175	1	#0	QPSK	26153.20	-31.73	-13	PASS
Band4	20	20175	100	#0	QPSK	25630.45	-32.27	-13	PASS
Band4	20	20175	1	#0	QAM16	25640.65	-32.15	-13	PASS
Band4	20	20175	100	#0	QAM16	25189.30	-31.95	-13	PASS
Band4	20	20300	1	#0	QPSK	26160.85	-31.81	-13	PASS
Band4	20	20300	100	#0	QPSK	25199.50	-31.80	-13	PASS
Band4	20	20300	1	#0	QAM16	26063.95	-31.82	-13	PASS
Band4	20	20300	100	#0	QAM16	25482.55	-32.42	-13	PASS


Band41(2540-2650)	5	40115	1	#0	QPSK	25309.15	-30.81	-25	PASS
Band41(2540-2650)	5	40115	25	#0	QPSK	25569.25	-30.13	-25	PASS
Band41(2540-2650)	5	40115	1	#0	QAM16	26186.35	-30.38	-25	PASS
Band41(2540-2650)	5	40115	25	#0	QAM16	25217.35	-30.80	-25	PASS
Band41(2540-2650)	5	40640	1	#0	QPSK	26242.45	-31.17	-25	PASS
Band41(2540-2650)	5	40640	25	#0	QPSK	26104.75	-30.48	-25	PASS
Band41(2540-2650)	5	40640	1	#0	QAM16	26183.80	-31.02	-25	PASS
Band41(2540-2650)	5	40640	25	#0	QAM16	26114.95	-31.39	-25	PASS
Band41(2540-2650)	5	41165	1	#0	QPSK	24970.00	-30.59	-25	PASS
Band41(2540-2650)	5	41165	25	#0	QPSK	25566.70	-30.05	-25	PASS
Band41(2540-2650)	5	41165	1	#0	QAM16	25612.60	-30.36	-25	PASS
Band41(2540-2650)	5	41165	25	#0	QAM16	25362.70	-30.57	-25	PASS
Band41(2540-2650)	10	40140	1	#0	QPSK	25684.00	-30.99	-25	PASS
Band41(2540-2650)	10	40140	50	#0	QPSK	25655.95	-30.48	-25	PASS
Band41(2540-2650)	10	40140	1	#0	QAM16	26097.10	-30.11	-25	PASS
Band41(2540-2650)	10	40140	50	#0	QAM16	25349.95	-30.67	-25	PASS
Band41(2540-2650)	10	40640	1	#0	QPSK	26104.75	-30.98	-25	PASS
Band41(2540-2650)	10	40640	50	#0	QPSK	25551.40	-30.85	-25	PASS
Band41(2540-2650)	10	40640	1	#0	QAM16	26405.65	-30.55	-25	PASS
Band41(2540-2650)	10	40640	50	#0	QAM16	25706.95	-30.31	-25	PASS
Band41(2540-2650)	10	41140	1	#0	QPSK	25676.35	-30.53	-25	PASS
Band41(2540-2650)	10	41140	50	#0	QPSK	25944.10	-30.05	-25	PASS
Band41(2540-2650)	10	41140	1	#0	QAM16	26479.60	-30.98	-25	PASS
Band41(2540-2650)	10	41140	50	#0	QAM16	25242.85	-29.84	-25	PASS
Band41(2540-2650)	15	40165	1	#0	QPSK	26015.50	-30.35	-25	PASS
Band41(2540-2650)	15	40165	75	#0	QPSK	25227.55	-30.50	-25	PASS
Band41(2540-2650)	15	40165	1	#0	QAM16	25092.40	-31.12	-25	PASS
Band41(2540-2650)	15	40165	75	#0	QAM16	25225.00	-30.45	-25	PASS
Band41(2540-2650)	15	40640	1	#0	QPSK	26176.15	-31.04	-25	PASS
Band41(2540-2650)	15	40640	75	#0	QPSK	25684.00	-30.78	-25	PASS
Band41(2540-2650)	15	40640	1	#0	QAM16	25288.75	-30.10	-25	PASS
Band41(2540-2650)	15	40640	75	#0	QAM16	25890.55	-30.60	-25	PASS
Band41(2540-2650)	15	41115	1	#0	QPSK	25191.85	-30.48	-25	PASS
Band41(2540-2650)	15	41115	75	#0	QPSK	25780.90	-31.19	-25	PASS
Band41(2540-2650)	15	41115	1	#0	QAM16	25349.95	-31.12	-25	PASS
Band41(2540-2650)	15	41115	75	#0	QAM16	25245.40	-30.40	-25	PASS
Band41(2540-2650)	20	40190	1	#0	QPSK	25222.45	-30.52	-25	PASS
Band41(2540-2650)	20	40190	100	#0	QPSK	25367.80	-30.46	-25	PASS
Band41(2540-2650)	20	40190	1	#0	QAM16	25719.70	-30.45	-25	PASS
Band41(2540-2650)	20	40190	100	#0	QAM16	25179.10	-30.15	-25	PASS
Band41(2540-2650)	20	40640	1	#0	QPSK	25706.95	-30.65	-25	PASS
Band41(2540-2650)	20	40640	100	#0	QPSK	25230.10	-29.49	-25	PASS
Band41(2540-2650)	20	40640	1	#0	QAM16	25232.65	-30.42	-25	PASS
Band41(2540-2650)	20	40640	100	#0	QAM16	25643.20	-30.38	-25	PASS

Band5	1.4	20407	1	#0	QPSK	2473.90	-30.35	-13	PASS
Band5	1.4	20407	6	#0	QPSK	2476.45	-29.37	-13	PASS
Band5	1.4	20407	1	#0	QAM16	2473.90	-29.21	-13	PASS
Band5	1.4	20407	6	#0	QAM16	2473.90	-28.22	-13	PASS
Band5	1.4	20525	1	#0	QPSK	2509.60	-25.98	-13	PASS
Band5	1.4	20525	6	#0	QPSK	2509.60	-29.81	-13	PASS
Band5	1.4	20525	1	#0	QAM16	2509.60	-27.79	-13	PASS
Band5	1.4	20525	6	#0	QAM16	2509.60	-29.16	-13	PASS
Band5	1.4	20643	1	#0	QPSK	2545.30	-26.41	-13	PASS
Band5	1.4	20643	6	#0	QPSK	2545.30	-30.57	-13	PASS
Band5	1.4	20643	1	#0	QAM16	2542.75	-27.75	-13	PASS
Band5	1.4	20643	6	#0	QAM16	2545.30	-30.89	-13	PASS
Band5	3	20415	1	#0	QPSK	2473.90	-25.12	-13	PASS
Band5	3	20415	15	#0	QPSK	25709.50	-32.63	-13	PASS
Band5	3	20415	1	#0	QAM16	2473.90	-26.14	-13	PASS
Band5	3	20415	15	#0	QAM16	25691.65	-32.48	-13	PASS
Band5	3	20525	1	#0	QPSK	2507.05	-27.15	-13	PASS
Band5	3	20525	15	#0	QPSK	2512.15	-32.41	-13	PASS
Band5	3	20525	1	#0	QAM16	2507.05	-28.66	-13	PASS
Band5	3	20525	15	#0	QAM16	2509.60	-31.41	-13	PASS
Band5	3	20635	1	#0	QPSK	2540.20	-28.08	-13	PASS
Band5	3	20635	15	#0	QPSK	2542.75	-32.86	-13	PASS
Band5	3	20635	1	#0	QAM16	2537.65	-26.92	-13	PASS
Band5	3	20635	15	#0	QAM16	2542.75	-32.68	-13	PASS
Band5	5	20425	1	#0	QPSK	2473.90	-25.15	-13	PASS
Band5	5	20425	25	#0	QPSK	25191.85	-33.33	-13	PASS
Band5	5	20425	1	#0	QAM16	2473.90	-29.33	-13	PASS
Band5	5	20425	25	#0	QAM16	26084.35	-32.71	-13	PASS
Band5	5	20525	1	#0	QPSK	2504.50	-26.45	-13	PASS
Band5	5	20525	25	#0	QPSK	25663.60	-33.67	-13	PASS
Band5	5	20525	1	#0	QAM16	2504.50	-27.77	-13	PASS
Band5	5	20525	25	#0	QAM16	25230.10	-33.20	-13	PASS
Band5	5	20625	1	#0	QPSK	2532.55	-25.87	-13	PASS
Band5	5	20625	25	#0	QPSK	25390.75	-33.16	-13	PASS
Band5	5	20625	1	#0	QAM16	2532.55	-25.52	-13	PASS
Band5	5	20625	25	#0	QAM16	25339.75	-33.06	-13	PASS
Band5	10	20450	1	#0	QPSK	2473.90	-24.30	-13	PASS
Band5	10	20450	50	#0	QPSK	25612.60	-32.75	-13	PASS
Band5	10	20450	1	#0	QAM16	2473.90	-27.28	-13	PASS
Band5	10	20450	50	#0	QAM16	25610.05	-33.65	-13	PASS
Band5	10	20525	1	#0	QPSK	2496.85	-26.11	-13	PASS
Band5	10	20525	50	#0	QPSK	25780.90	-33.42	-13	PASS
Band5	10	20525	1	#0	QAM16	2496.85	-24.21	-13	PASS
Band5	10	20525	50	#0	QAM16	25607.50	-33.23	-13	PASS


Band5	10	20600	1	#0	QPSK	2519.80	-26.05	-13	PASS
Band5	10	20600	50	#0	QPSK	25589.65	-33.65	-13	PASS
Band5	10	20600	1	#0	QAM16	2519.80	-28.60	-13	PASS
Band5	10	20600	50	#0	QAM16	26137.90	-33.46	-13	PASS
Band7	5	20775	1	#0	QPSK	25189.30	-29.95	-25	PASS
Band7	5	20775	25	#0	QPSK	26089.45	-30.38	-25	PASS
Band7	5	20775	1	#0	QAM16	25750.30	-30.99	-25	PASS
Band7	5	20775	25	#0	QAM16	26150.65	-30.84	-25	PASS
Band7	5	21100	1	#0	QPSK	26051.20	-30.38	-25	PASS
Band7	5	21100	25	#0	QPSK	25880.35	-30.76	-25	PASS
Band7	5	21100	1	#0	QAM16	25633.00	-30.59	-25	PASS
Band7	5	21100	25	#0	QAM16	26120.05	-31.12	-25	PASS
Band7	5	21425	1	#0	QPSK	25584.55	-30.24	-25	PASS
Band7	5	21425	25	#0	QPSK	26002.75	-31.30	-25	PASS
Band7	5	21425	1	#0	QAM16	25327.00	-30.59	-25	PASS
Band7	5	21425	25	#0	QAM16	26000.20	-30.53	-25	PASS
Band7	10	20800	1	#0	QPSK	25250.50	-30.58	-25	PASS
Band7	10	20800	50	#0	QPSK	26041.00	-31.17	-25	PASS
Band7	10	20800	1	#0	QAM16	26107.30	-30.70	-25	PASS
Band7	10	20800	50	#0	QAM16	25423.90	-31.12	-25	PASS
Band7	10	21100	1	#0	QPSK	26053.75	-30.50	-25	PASS
Band7	10	21100	50	#0	QPSK	25645.75	-29.93	-25	PASS
Band7	10	21100	1	#0	QAM16	25757.95	-30.94	-25	PASS
Band7	10	21100	50	#0	QAM16	25737.55	-31.37	-25	PASS
Band7	10	21400	1	#0	QPSK	25219.90	-30.50	-25	PASS
Band7	10	21400	50	#0	QPSK	25273.45	-30.87	-25	PASS
Band7	10	21400	1	#0	QAM16	26446.45	-31.02	-25	PASS
Band7	10	21400	50	#0	QAM16	25219.90	-30.87	-25	PASS
Band7	15	20825	1	#0	QPSK	25691.65	-31.19	-25	PASS
Band7	15	20825	75	#0	QPSK	25635.55	-30.82	-25	PASS
Band7	15	20825	1	#0	QAM16	26474.50	-31.33	-25	PASS
Band7	15	20825	75	#0	QAM16	25278.55	-30.79	-25	PASS
Band7	15	21100	1	#0	QPSK	25719.70	-30.91	-25	PASS
Band7	15	21100	75	#0	QPSK	25620.25	-31.01	-25	PASS
Band7	15	21100	1	#0	QAM16	25620.25	-30.73	-25	PASS
Band7	15	21100	75	#0	QAM16	25176.55	-30.57	-25	PASS
Band7	15	21375	1	#0	QPSK	25138.30	-30.21	-25	PASS
Band7	15	21375	75	#0	QPSK	26081.80	-31.00	-25	PASS
Band7	15	21375	1	#0	QAM16	25576.90	-30.51	-25	PASS
Band7	15	21375	75	#0	QAM16	25454.50	-30.27	-25	PASS
Band7	20	20850	1	#0	QPSK	25283.65	-30.62	-25	PASS
Band7	20	20850	100	#0	QPSK	25115.35	-30.63	-25	PASS
Band7	20	20850	1	#0	QAM16	25528.45	-30.96	-25	PASS
Band7	20	20850	100	#0	QAM16	25191.85	-29.56	-25	PASS

Band7	20	21100	1	#0	QPSK	25668.70	-29.37	-25	PASS
Band7	20	21100	100	#0	QPSK	25329.55	-31.16	-25	PASS
Band7	20	21100	1	#0	QAM16	25653.40	-31.45	-25	PASS
Band7	20	21100	100	#0	QAM16	26028.25	-31.17	-25	PASS
Band7	20	21350	1	#0	QPSK	25321.90	-31.04	-25	PASS
Band7	20	21350	100	#0	QPSK	25209.70	-30.10	-25	PASS
Band7	20	21350	1	#0	QAM16	26199.10	-30.34	-25	PASS
Band7	20	21350	100	#0	QAM16	25138.30	-30.76	-25	PASS


Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=6 Position=#0



Band12 QPSK BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009141	-48.82	-13
2	0.15	30	10	0.15597	-47.91	-13
3	30	1000	100	447.779	-55.32	-13
4	1000	26500	1000	2122	-31.91	-13

Band12 QAM16 BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102267	-46.29	-13
2	0.15	30	10	0.15	-49.03	-13
3	30	1000	100	447.1	-50.31	-13
4	1000	26500	1000	2122	-30.52	-13


Band12 QAM16 BW=1.4MHz Channel=23095 RB Size=6 Position=#0



Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009141	-46.4	-13
2	0.15	30	10	0.15	-49.46	-13
3	30	1000	100	455.539	-55.64	-13
4	1000	26500	1000	2147.5	-31.87	-13

Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096486	-46.22	-13
2	0.15	30	10	0.15	-48.09	-13
3	30	1000	100	454.86	-49.4	-13
4	1000	26500	1000	2144.95	-28.33	-13


Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=6 Position=#0



Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#0




Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.99	-13
2	0.15	30	10	0.164925	-50.77	-13
3	30	1000	100	439.146	-56.69	-13
4	1000	26500	1000	25587.1	-34.3	-13

Band12 QAM16 BW=3MHz Channel=23025 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091692	-46.27	-13
2	0.15	30	10	0.15	-47.64	-13
3	30	1000	100	439.243	-51.34	-13
4	1000	26500	1000	25640.65	-34.09	-13


Band12 QAM16 BW=3MHz Channel=23025 RB Size=15 Position=#0



Band12 QPSK BW=3MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094089	-45.71	-13
2	0.15	30	10	0.152985	-50.7	-13
3	30	1000	100	848.874	-57.02	-13
4	1000	26500	1000	26387.8	-32.74	-13

Band12 QAM16 BW=3MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096345	-45.42	-13
2	0.15	30	10	0.15597	-48.99	-13
3	30	1000	100	446.324	-51.13	-13
4	1000	26500	1000	2119.45	-29.07	-13


Band12 QAM16 BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#0




Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 QAM16 BW=3MHz Channel=23165 RB Size=1 Position=#0




Band12 QAM16 BW=3MHz Channel=23165 RB Size=15 Position=#0



Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#0




Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091128	-45.49	-13
2	0.15	30	10	0.15	-49.06	-13
3	30	1000	100	454.278	-57.34	-13
4	1000	26500	1000	25263.25	-33.35	-13

Band12 QAM16 BW=5MHz Channel=23035 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093102	-46.51	-13
2	0.15	30	10	0.15	-48.33	-13
3	30	1000	100	439.34	-50.84	-13
4	1000	26500	1000	2099.05	-30.44	-13


Band12 QAM16 BW=5MHz Channel=23035 RB Size=25 Position=#0



Band12 QPSK BW=5MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092115	-46.47	-13
2	0.15	30	10	0.15	-47.67	-13
3	30	1000	100	773.408	-57.39	-13
4	1000	26500	1000	25230.1	-33.8	-13

Band12 QAM16 BW=5MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090846	-46.6	-13
2	0.15	30	10	0.164925	-47.91	-13
3	30	1000	100	445.451	-49.94	-13
4	1000	26500	1000	2116.9	-29.44	-13


Band12 QAM16 BW=5MHz Channel=23095 RB Size=25 Position=#0



Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#0




Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096345	-45.69	-13
2	0.15	30	10	0.152985	-48.1	-13
3	30	1000	100	448.652	-56.92	-13
4	1000	26500	1000	26109.85	-33.85	-13

Band12 QAM16 BW=5MHz Channel=23155 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103113	-46.39	-13
2	0.15	30	10	0.15	-50.27	-13
3	30	1000	100	451.368	-51.31	-13
4	1000	26500	1000	2134.75	-30.49	-13


Band12 QAM16 BW=5MHz Channel=23155 RB Size=25 Position=#0



Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#0




Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.05	-13
2	0.15	30	10	0.15597	-49.03	-13
3	30	1000	100	863.23	-57.81	-13
4	1000	26500	1000	26025.7	-33.56	-13

Band12 QAM16 BW=10MHz Channel=23060 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.98	-13
2	0.15	30	10	0.15597	-48.59	-13
3	30	1000	100	439.534	-51	-13
4	1000	26500	1000	2099.05	-29.92	-13

Band12 QAM16 BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.34	-13
2	0.15	30	10	0.15	-48.5	-13
3	30	1000	100	860.514	-57.37	-13
4	1000	26500	1000	26114.95	-33.78	-13

Band12 QPSK BW=10MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095217	-45.51	-13
2	0.15	30	10	0.15	-50.73	-13
3	30	1000	100	443.123	-51.86	-13
4	1000	26500	1000	2109.25	-31.04	-13

Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100011	-46.03	-13
2	0.15	30	10	0.15	-48.29	-13
3	30	1000	100	468.925	-56.56	-13
4	1000	26500	1000	26035.9	-33.68	-13

Band12 QAM16 BW=10MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009423	-45.32	-13
2	0.15	30	10	0.15	-49.13	-13
3	30	1000	100	443.22	-52.25	-13
4	1000	26500	1000	2109.25	-30.78	-13

Band12 QAM16 BW=10MHz Channel=23095 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097191	-48.13	-13
2	0.15	30	10	0.15	-48.88	-13
3	30	1000	100	933.167	-56.72	-13
4	1000	26500	1000	25602.4	-33.28	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090564	-47.34	-13
2	0.15	30	10	0.15597	-48.81	-13
3	30	1000	100	446.615	-50.32	-13
4	1000	26500	1000	2119.45	-28.32	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090141	-45.09	-13
2	0.15	30	10	0.15597	-49.51	-13
3	30	1000	100	882.921	-57.3	-13
4	1000	26500	1000	25923.7	-33.4	-13

Band12 QAM16 BW=10MHz Channel=23130 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099588	-47.06	-13
2	0.15	30	10	0.164925	-49.46	-13
3	30	1000	100	446.615	-50.75	-13
4	1000	26500	1000	25992.55	-33.77	-13


Band12 QAM16 BW=10MHz Channel=23130 RB Size=50 Position=#0



Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0




Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097332	-45.68	-13
2	0.15	30	10	0.15	-49.52	-13
3	30	1000	100	906.492	-57.61	-13
4	1000	26500	1000	26487.25	-34.13	-13

Band17 QAM16 BW=5MHz Channel=23755 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009423	-45.69	-13
2	0.15	30	10	0.158955	-49.17	-13
3	30	1000	100	444.384	-48.4	-13
4	1000	26500	1000	2114.35	-26.64	-13

Band17 QAM16 BW=5MHz Channel=23755 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0122712	-47.65	-13
2	0.15	30	10	0.15	-49.18	-13
3	30	1000	100	800.568	-56.67	-13
4	1000	26500	1000	26117.5	-33.6	-13

Band17 QPSK BW=5MHz Channel=23790 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009987	-45.36	-13
2	0.15	30	10	0.15597	-49.03	-13
3	30	1000	100	447.876	-49.84	-13
4	1000	26500	1000	2124.55	-26.39	-13

Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100293	-46.37	-13
2	0.15	30	10	0.16194	-49.87	-13
3	30	1000	100	449.622	-56.17	-13
4	1000	26500	1000	25199.5	-33.27	-13

Band17 QAM16 BW=5MHz Channel=23790 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100434	-47.25	-13
2	0.15	30	10	0.15	-47.49	-13
3	30	1000	100	447.876	-52.1	-13
4	1000	26500	1000	2124.55	-26.65	-13

Band17 QAM16 BW=5MHz Channel=23790 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099447	-45.24	-13
2	0.15	30	10	0.15597	-49.96	-13
3	30	1000	100	495.018	-57.49	-13
4	1000	26500	1000	25615.15	-33.27	-13

Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0120174	-45.61	-13
2	0.15	30	10	0.16791	-51.42	-13
3	30	1000	100	451.368	-50.08	-13
4	1000	26500	1000	2134.75	-30.21	-13

Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012243	-46.14	-13
2	0.15	30	10	0.15	-46.72	-13
3	30	1000	100	890.875	-57.12	-13
4	1000	26500	1000	26173.6	-33.52	-13

Band17 QAM16 BW=5MHz Channel=23825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46	-13
2	0.15	30	10	0.15	-46.06	-13
3	30	1000	100	451.271	-50.91	-13
4	1000	26500	1000	2134.75	-28.13	-13

Band17 QAM16 BW=5MHz Channel=23825 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093948	-46.68	-13
2	0.15	30	10	0.176865	-51.25	-13
3	30	1000	100	804.06	-56.58	-13
4	1000	26500	1000	26242.45	-33.93	-13

Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0111291	-47.6	-13
2	0.15	30	10	0.152985	-49.13	-13
3	30	1000	100	444.578	-52.08	-13
4	1000	26500	1000	2114.35	-26.57	-13

Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103959	-47.65	-13
2	0.15	30	10	0.15	-47.06	-13
3	30	1000	100	452.144	-55.6	-13
4	1000	26500	1000	25260.7	-33.21	-13

Band17 QAM16 BW=10MHz Channel=23780 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094794	-45.64	-13
2	0.15	30	10	0.15	-48.34	-13
3	30	1000	100	444.578	-50.54	-13
4	1000	26500	1000	2114.35	-30.68	-13

Band17 QAM16 BW=10MHz Channel=23780 RB Size=50 Position=#0



Band17 QPSK BW=10MHz Channel=23790 RB Size=1 Position=#0



Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0