
























Min emission bandwidth


Test Result B4


TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.53	5737.22	5752.75	0.5	PASS
		5785	15.32	5777.23	5792.56	0.5	PASS
		5825	15.65	5817.08	5832.73	0.5	PASS
11AC20SISO	Ant1	5745	15.70	5736.85	5752.56	0.5	PASS
		5785	15.70	5776.85	5792.56	0.5	PASS
		5825	16.31	5816.45	5832.77	0.5	PASS
11AC40SISO	Ant1	5755	35.45	5737.11	5772.55	0.5	PASS
		5795	35.79	5777.11	5812.89	0.5	PASS
11AC80SISO	Ant1	5775	75.16	5737.46	5812.62	0.5	PASS






Test Graphs B4













Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	4.42	≤11.00	PASS
		5220	3.98	≤11.00	PASS
		5240	3.78	≤11.00	PASS
		5260	3.93	≤11.00	PASS
		5300	4.23	≤11.00	PASS
		5320	3.82	≤11.00	PASS
		5500	4.13	≤11.00	PASS
		5580	5.99	≤11.00	PASS
		5700	4.19	≤11.00	PASS
		5720_UNII-2C	4.35	≤11.00	PASS
		5720_UNII-3	-0.1	≤30.00	PASS
		5745	1.63	≤30.00	PASS
		5785	1.52	≤30.00	PASS
		5825	1.24	≤30.00	PASS
11AC20SISO	Ant1	5180	4.1	≤11.00	PASS
		5220	3.68	≤11.00	PASS
		5240	3.43	≤11.00	PASS
		5260	3.57	≤11.00	PASS
		5300	3.88	≤11.00	PASS
		5320	3.43	≤11.00	PASS
		5500	3.82	≤11.00	PASS
		5580	3.92	≤11.00	PASS
		5700	3.88	≤11.00	PASS
		5720_UNII-2C	3.94	≤11.00	PASS
		5720_UNII-3	-0.32	≤30.00	PASS
		5745	1.28	≤30.00	PASS
		5785	1.15	≤30.00	PASS
		5825	0.9	≤30.00	PASS
11AC40SISO	Ant1	5190	-0.93	≤11.00	PASS
		5230	0.02	≤11.00	PASS
		5270	0.16	≤11.00	PASS
		5310	-5.11	≤11.00	PASS
		5510	-1.68	≤11.00	PASS
		5550	0.06	≤11.00	PASS
		5670	0.19	≤11.00	PASS
		5710_UNII-2C	-0.35	≤11.00	PASS
		5710_UNII-3	-5	≤30.00	PASS




		5755	-2.76	≤30.00	PASS
		5795	-3.09	≤30.00	PASS
11AC80SISO	Ant1	5210	-3.42	≤11.00	PASS
		5290	-3.5	≤11.00	PASS
		5530	-5.05	≤11.00	PASS
		5610	-5.28	≤11.00	PASS
		5690_UNII-2C	-4.89	≤11.00	PASS
		5690_UNII-3	-9.77	≤30.00	PASS
		5775	-7.68	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs







Date: 11.JUN.2026 02:19:55





Date: 11.JUN.2026 02:21:03






Date: 11.JUN.2026 02:24:22







Date: 11.JUN.2026 02:25:03





































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15E RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.391	47.19	-10.84	58.03	27.10	9.60	10.49	QP
2 *	0.391	41.19	-6.84	48.03	21.10	9.60	10.49	Average
3	0.767	35.29	-20.71	56.00	15.20	9.58	10.51	QP
4	0.767	26.49	-19.51	46.00	6.40	9.58	10.51	Average
5	1.781	33.74	-22.26	56.00	13.60	9.60	10.54	QP
6	1.781	25.74	-20.26	46.00	5.60	9.60	10.54	Average
7	2.692	34.33	-21.67	56.00	14.20	9.60	10.53	QP
8	2.692	25.53	-20.47	46.00	5.40	9.60	10.53	Average
9	4.746	36.05	-19.95	56.00	15.90	9.65	10.50	QP
10	4.746	26.65	-19.35	46.00	6.50	9.65	10.50	Average
11	18.820	42.88	-17.12	60.00	22.49	9.87	10.52	QP
12	18.820	31.88	-18.12	50.00	11.49	9.87	10.52	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS

Condition : 15E RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.387	50.99	-7.13	58.12	30.90	9.60	10.49	QP
2	0.387	40.89	-7.23	48.12	20.80	9.60	10.49	Average
3	0.775	42.17	-13.83	56.00	21.81	9.85	10.51	QP
4	0.775	30.47	-15.53	46.00	10.11	9.85	10.51	Average
5	1.077	38.72	-17.28	56.00	18.20	9.95	10.57	QP
6	1.077	27.92	-18.08	46.00	7.40	9.95	10.57	Average
7	1.671	38.31	-17.69	56.00	17.90	9.86	10.55	QP
8	1.671	27.11	-18.89	46.00	6.70	9.86	10.55	Average
9	4.136	38.92	-17.08	56.00	18.80	9.61	10.51	QP
10	4.136	27.92	-18.08	46.00	7.80	9.61	10.51	Average
11	18.622	39.79	-20.21	60.00	19.50	9.77	10.52	QP
12	18.622	29.19	-20.81	50.00	8.90	9.77	10.52	Average

Note:

1. $\text{Level(dB}\mu\text{V)} = \text{Read Level(dB}\mu\text{V)} + \text{LISN Factor(dB)} + \text{Cable Loss(dB)}$
2. $\text{Over Limit(dB)} = \text{Level(dB}\mu\text{V)} - \text{Limit Line(dB}\mu\text{V)}$



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	46 ~ 48 %
		Temperature :	26.2 ~ 27.5 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	1	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	1	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	1	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	1	802.11a	52	5280	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	1	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	1	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	1	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	1	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	1	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	1	802.11ac VHT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	1	802.11ac VHT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	1	802.11ac VHT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	1	802.11ac VHT20	52	5280	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	1	802.11ac VHT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	1	802.11ac VHT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	1	802.11ac VHT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	1	802.11ac VHT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	1	802.11ac VHT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	1	802.11ac VHT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	1	802.11ac VHT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	1	802.11ac VHT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	1	802.11ac VHT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	1	802.11ac VHT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	1	802.11ac VHT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	1	802.11ac VHT40	134	5670	MCS0	-	-
Mode 26	U-NII-1	5.15-5.25	1	802.11ac VHT80	42	5210	MCS0	-	-
Mode 27	U-NII-2A	5.25-5.35	1	802.11ac VHT80	58	5290	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	1	802.11ac VHT80	106	5530	MCS0	-	-
Mode 29	U-NII-2C	5.47-5.725	1	802.11ac VHT80	122	5610	MCS0	-	-
Mode 30	U-NII-3	5.725-5.85	1	802.11a	149	5745	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	1	802.11a	157	5785	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	1	802.11a	165	5825	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	1	802.11ac VHT20	149	5745	MCS0	-	-
Mode 34	U-NII-3	5.725-5.85	1	802.11ac VHT20	157	5785	MCS0	-	-
Mode 35	U-NII-3	5.725-5.85	1	802.11ac VHT20	165	5825	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	1	802.11ac VHT40	151	5755	MCS0	-	-
Mode 37	U-NII-3	5.725-5.85	1	802.11ac VHT40	159	5795	MCS0	-	-
Mode 38	U-NII-3	5.725-5.85	1	802.11ac VHT80	155	5775	MCS0	-	-
Mode 39	U-NII-2C	5.47-5.725	1	802.11a	144	5720	6Mbps	-	-
Mode 40	U-NII-2C	5.47-5.725	1	802.11ac VHT20	144	5720	MCS0	-	-
Mode 41	U-NII-2C	5.47-5.725	1	802.11ac VHT40	142	5710	MCS0	-	-
Mode 42	U-NII-2C	5.47-5.725	1	802.11ac VHT80	138	5690	MCS0	-	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5122.40	47.43	54.00	-6.57	V	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	46.96	54.00	-7.04	H	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15660.00	45.08	54.00	-8.92	H	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	42.58	54.00	-11.42	V	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	15840.00	46.58	54.00	-7.42	V	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	41.44	54.00	-12.56	H	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.00	50.82	54.00	-3.18	H	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	39.16	54.00	-14.84	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5442.32	52.06	54.00	-1.94	H	AVERAGE	Pass	Band Edge
7	802.11a	100	7333.15	50.22	54.00	-3.78	H	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	7439.81	50.64	54.00	-3.36	H	AVERAGE	Pass	Harmonic
9	802.11a	140	5757.48	57.89	68.20	-10.31	H	PEAK	Pass	Band Edge
9	802.11a	140	7599.81	48.54	54.00	-5.46	H	AVERAGE	Pass	Harmonic
10	802.11ac VHT20	36	5122.40	47.98	54.00	-6.02	V	AVERAGE	Pass	Band Edge
10	802.11ac VHT20	36	15540.00	38.38	54.00	-15.62	H	AVERAGE	Pass	Harmonic
11	802.11ac VHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ac VHT20	44	15660.00	42.69	54.00	-11.31	V	AVERAGE	Pass	Harmonic
12	802.11ac VHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ac VHT20	48	15720.00	44.55	54.00	-9.45	V	AVERAGE	Pass	Harmonic
13	802.11ac VHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ac VHT20	52	15840.00	41.33	54.00	-12.67	H	AVERAGE	Pass	Harmonic
14	802.11ac VHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ac VHT20	60	15900.00	42.82	54.00	-11.18	H	AVERAGE	Pass	Harmonic
15	802.11ac VHT20	64	5350.00	50.10	54.00	-3.90	H	AVERAGE	Pass	Band Edge
15	802.11ac VHT20	64	15960.00	44.82	54.00	-9.18	V	AVERAGE	Pass	Harmonic
16	802.11ac VHT20	100	5442.32	51.23	54.00	-2.77	H	AVERAGE	Pass	Band Edge
16	802.11ac VHT20	100	7333.15	50.60	54.00	-3.40	V	AVERAGE	Pass	Harmonic
17	802.11ac VHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ac VHT20	116	7439.81	49.72	54.00	-4.28	V	AVERAGE	Pass	Harmonic
18	802.11ac VHT20	140	5757.48	57.78	68.20	-10.42	H	PEAK	Pass	Band Edge
18	802.11ac VHT20	140	7599.81	48.71	54.00	-5.29	H	AVERAGE	Pass	Harmonic
19	802.11ac VHT40	38	5149.44	52.51	54.00	-1.49	H	AVERAGE	Pass	Band Edge
19	802.11ac VHT40	38	6919.83	52.42	68.20	-15.78	V	PEAK	Pass	Harmonic
20	802.11ac VHT40	46	5133.92	45.55	54.00	-8.45	V	AVERAGE	Pass	Band Edge
20	802.11ac VHT40	46	15690.00	44.58	54.00	-9.42	V	AVERAGE	Pass	Harmonic
21	802.11ac VHT40	54	5365.95	46.98	54.00	-7.02	H	AVERAGE	Pass	Band Edge
21	802.11ac VHT40	54	15810.00	44.76	54.00	-9.24	V	AVERAGE	Pass	Harmonic
22	802.11ac VHT40	62	5367.60	51.13	54.00	-2.87	H	AVERAGE	Pass	Band Edge
22	802.11ac VHT40	62	7079.93	51.13	68.20	-17.07	H	PEAK	Pass	Harmonic







23	802.11ac VHT40	102	5452.40	52.58	54.00	-1.42	H	AVERAGE	Pass	Band Edge
23	802.11ac VHT40	102	7346.48	51.75	54.00	-2.25	H	AVERAGE	Pass	Harmonic
24	802.11ac VHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11ac VHT40	110	7399.82	52.82	54.00	-1.18	H	AVERAGE	Pass	Harmonic
25	802.11ac VHT40	134	5727.48	57.89	68.20	-10.31	V	PEAK	Pass	Band Edge
25	802.11ac VHT40	134	7559.81	52.04	54.00	-1.96	V	AVERAGE	Pass	Harmonic
26	802.11ac VHT80	42	5146.40	52.29	54.00	-1.71	V	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	42	6946.49	53.12	68.20	-15.08	H	PEAK	Pass	Harmonic
27	802.11ac VHT80	58	5355.40	53.53	54.00	-0.47	H	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	58	7053.16	52.38	68.20	-15.82	H	PEAK	Pass	Harmonic
28	802.11ac VHT80	106	5459.60	47.09	54.00	-6.91	H	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	106	7373.15	53.66	54.00	-0.34	H	AVERAGE	Pass	Harmonic
29	802.11ac VHT80	122	5437.20	39.25	54.00	-14.75	H	AVERAGE	Pass	Band Edge
29	802.11ac VHT80	122	7479.81	53.76	54.00	-0.24	H	AVERAGE	Pass	Harmonic
30	802.11a	149	5615.20	54.84	68.20	-13.36	V	PEAK	Pass	Band Edge
30	802.11a	149	7659.81	49.53	54.00	-4.47	V	AVERAGE	Pass	Harmonic
31	802.11a	157	-	-	-	-	-	-	-	Band Edge
31	802.11a	157	7713.14	50.35	54.00	-3.65	V	AVERAGE	Pass	Harmonic
32	802.11a	165	5924.80	55.70	68.35	-12.65	H	PEAK	Pass	Band Edge
32	802.11a	165	17469.80	48.95	68.20	-19.25	V	PEAK	Pass	Harmonic
33	802.11ac VHT20	149	5634.80	55.25	68.20	-12.95	V	PEAK	Pass	Band Edge
33	802.11ac VHT20	149	7659.81	49.97	54.00	-4.03	H	AVERAGE	Pass	Harmonic
34	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
34	802.11ac VHT20	157	7713.14	50.78	54.00	-3.22	V	AVERAGE	Pass	Harmonic
35	802.11ac VHT20	165	5925.20	55.88	68.20	-12.32	H	PEAK	Pass	Band Edge
35	802.11ac VHT20	165	17478.60	51.34	68.20	-16.86	V	PEAK	Pass	Harmonic
36	802.11ac VHT40	151	5943.57	50.46	68.20	-17.74	H	PEAK	Pass	Band Edge
36	802.11ac VHT40	151	7673.14	51.92	54.00	-2.08	H	AVERAGE	Pass	Harmonic
37	802.11ac VHT40	159	5930.00	51.44	68.20	-16.76	H	PEAK	Pass	Band Edge
37	802.11ac VHT40	159	7726.47	53.08	54.00	-0.92	H	AVERAGE	Pass	Harmonic
38	802.11ac VHT80	155	5924.80	50.38	68.35	-17.97	V	PEAK	Pass	Band Edge
38	802.11ac VHT80	155	7699.81	52.46	54.00	-1.54	H	AVERAGE	Pass	Harmonic
39	802.11a	144	-	-	-	-	-	-	-	Band Edge
39	802.11a	144	7626.48	51.76	54.00	-2.24	V	AVERAGE	Pass	Harmonic
40	802.11ac VHT20	144	-	-	-	-	-	-	-	Band Edge
40	802.11ac VHT20	144	7626.48	51.77	54.00	-2.23	V	AVERAGE	Pass	Harmonic
41	802.11ac VHT40	142	-	-	-	-	-	-	-	Band Edge
41	802.11ac VHT40	142	7613.14	52.73	54.00	-1.27	H	AVERAGE	Pass	Harmonic
42	802.11ac VHT80	138	-	-	-	-	-	-	-	Band Edge
42	802.11ac VHT80	138	7586.48	53.16	54.00	-0.84	H	AVERAGE	Pass	Harmonic



Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.40</td><td>57.24</td><td>74.00</td><td>-16.76</td><td>47.75</td><td>34.39</td><td>11.80</td><td>36.70</td><td>0.00</td><td>300 197 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.40	57.24	74.00	-16.76	47.75	34.39	11.80	36.70	0.00	300 197 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.70</td><td>-----</td><td>-----</td><td>93.28</td><td>34.40</td><td>11.84</td><td>36.82</td><td>0.00</td><td>300 197 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.70	-----	-----	93.28	34.40	11.84	36.82	0.00	300 197 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5145.40	57.24	74.00	-16.76	47.75	34.39	11.80	36.70	0.00	300 197 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	102.70	-----	-----	93.28	34.40	11.84	36.82	0.00	300 197 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5122.40</td><td>46.61</td><td>54.00</td><td>-7.39</td><td>37.14</td><td>34.34</td><td>11.77</td><td>36.64</td><td>0.00</td><td>300 197 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.40	46.61	54.00	-7.39	37.14	34.34	11.77	36.64	0.00	300 197 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>94.59</td><td>-----</td><td>-----</td><td>85.16</td><td>34.40</td><td>11.83</td><td>36.80</td><td>0.00</td><td>300 197 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	94.59	-----	-----	85.16	34.40	11.83	36.80	0.00	300 197 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5122.40	46.61	54.00	-7.39	37.14	34.34	11.77	36.64	0.00	300 197 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	94.59	-----	-----	85.16	34.40	11.83	36.80	0.00	300 197 AVERAGE																																																																																									





Mode	1																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>58.28</td><td>74.00</td><td>-15.72</td><td>48.79</td><td>34.40</td><td>11.80</td><td>36.71</td><td>0.00</td><td>313</td><td>9 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	58.28	74.00	-15.72	48.79	34.40	11.80	36.71	0.00	313	9 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.76</td><td>-----</td><td>-----</td><td>96.33</td><td>34.40</td><td>11.83</td><td>36.80</td><td>0.00</td><td>313</td><td>9 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.76	-----	-----	96.33	34.40	11.83	36.80	0.00	313
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.60	58.28	74.00	-15.72	48.79	34.40	11.80	36.71	0.00	313	9 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	105.76	-----	-----	96.33	34.40	11.83	36.80	0.00	313	9 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5122.40</td><td>47.43</td><td>54.00</td><td>-6.57</td><td>37.96</td><td>34.34</td><td>11.77</td><td>36.64</td><td>0.00</td><td>313</td><td>9 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.40	47.43	54.00	-6.57	37.96	34.34	11.77	36.64	0.00	313	9 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>96.92</td><td>-----</td><td>-----</td><td>87.49</td><td>34.40</td><td>11.83</td><td>36.80</td><td>0.00</td><td>313</td><td>9 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.92	-----	-----	87.49	34.40	11.83	36.80	0.00	313
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5122.40	47.43	54.00	-6.57	37.96	34.34	11.77	36.64	0.00	313	9 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	96.92	-----	-----	87.49	34.40	11.83	36.80	0.00	313	9 AVERAGE																																																																																									





Mode	1																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal																																																																																															
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6906.49</td><td>44.04</td><td>68.20</td><td>-24.16</td><td>60.10</td><td>35.71</td><td>13.79</td><td>65.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10360.00</td><td>44.52</td><td>68.20</td><td>-23.68</td><td>57.38</td><td>37.46</td><td>16.85</td><td>67.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>57.34</td><td>74.00</td><td>-16.66</td><td>60.65</td><td>40.00</td><td>20.84</td><td>64.15</td><td>0.00</td><td>100</td><td>215</td><td>PEAK</td></tr><tr><td>4</td><td>15540.00</td><td>46.96</td><td>54.00</td><td>-7.04</td><td>50.27</td><td>40.00</td><td>20.84</td><td>64.15</td><td>0.00</td><td>100</td><td>215</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6906.49	44.04	68.20	-24.16	60.10	35.71	13.79	65.56	0.00	---	---	PEAK	2	10360.00	44.52	68.20	-23.68	57.38	37.46	16.85	67.17	0.00	---	---	PEAK	3	15540.00	57.34	74.00	-16.66	60.65	40.00	20.84	64.15	0.00	100	215	PEAK	4	15540.00	46.96	54.00	-7.04	50.27	40.00	20.84	64.15	0.00	100	215	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6906.49	44.04	68.20	-24.16	60.10	35.71	13.79	65.56	0.00	---	---	PEAK																																																																																				
2	10360.00	44.52	68.20	-23.68	57.38	37.46	16.85	67.17	0.00	---	---	PEAK																																																																																				
3	15540.00	57.34	74.00	-16.66	60.65	40.00	20.84	64.15	0.00	100	215	PEAK																																																																																				
4	15540.00	46.96	54.00	-7.04	50.27	40.00	20.84	64.15	0.00	100	215	AVERAGE																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6906.49</td><td>47.34</td><td>68.20</td><td>-20.86</td><td>63.40</td><td>35.71</td><td>13.79</td><td>65.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10360.00</td><td>44.32</td><td>68.20</td><td>-23.88</td><td>57.18</td><td>37.46</td><td>16.85</td><td>67.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>56.07</td><td>74.00</td><td>-17.93</td><td>59.38</td><td>40.00</td><td>20.84</td><td>64.15</td><td>0.00</td><td>336</td><td>80</td><td>PEAK</td></tr><tr><td>4</td><td>15540.00</td><td>45.19</td><td>54.00</td><td>-8.81</td><td>48.50</td><td>40.00</td><td>20.84</td><td>64.15</td><td>0.00</td><td>336</td><td>80</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6906.49	47.34	68.20	-20.86	63.40	35.71	13.79	65.56	0.00	---	---	PEAK	2	10360.00	44.32	68.20	-23.88	57.18	37.46	16.85	67.17	0.00	---	---	PEAK	3	15540.00	56.07	74.00	-17.93	59.38	40.00	20.84	64.15	0.00	336	80	PEAK	4	15540.00	45.19	54.00	-8.81	48.50	40.00	20.84	64.15	0.00	336	80	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6906.49	47.34	68.20	-20.86	63.40	35.71	13.79	65.56	0.00	---	---	PEAK																																																																																				
2	10360.00	44.32	68.20	-23.88	57.18	37.46	16.85	67.17	0.00	---	---	PEAK																																																																																				
3	15540.00	56.07	74.00	-17.93	59.38	40.00	20.84	64.15	0.00	336	80	PEAK																																																																																				
4	15540.00	45.19	54.00	-8.81	48.50	40.00	20.84	64.15	0.00	336	80	AVERAGE																																																																																				





Mode	2																																																																																										
	Harmonic																																																																																										
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal																																																																																										
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6959.83</td><td>49.41</td><td>68.20</td><td>-18.79</td><td>65.29</td><td>35.00</td><td>13.84</td><td>65.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10440.00</td><td>43.40</td><td>68.20</td><td>-24.80</td><td>56.09</td><td>37.54</td><td>16.94</td><td>67.17</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>57.12</td><td>74.00</td><td>-16.88</td><td>60.21</td><td>40.06</td><td>20.91</td><td>64.06</td><td>0.00</td><td>100</td><td>215 PEAK</td></tr><tr><td>4</td><td>15660.00</td><td>45.08</td><td>54.00</td><td>-8.92</td><td>48.17</td><td>40.06</td><td>20.91</td><td>64.06</td><td>0.00</td><td>100</td><td>215 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6959.83	49.41	68.20	-18.79	65.29	35.00	13.84	65.52	0.00	---	PEAK	2	10440.00	43.40	68.20	-24.80	56.09	37.54	16.94	67.17	0.00	---	PEAK	3	15660.00	57.12	74.00	-16.88	60.21	40.06	20.91	64.06	0.00	100	215 PEAK	4	15660.00	45.08	54.00	-8.92	48.17	40.06	20.91	64.06	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	6959.83	49.41	68.20	-18.79	65.29	35.00	13.84	65.52	0.00	---	PEAK																																																																																
2	10440.00	43.40	68.20	-24.80	56.09	37.54	16.94	67.17	0.00	---	PEAK																																																																																
3	15660.00	57.12	74.00	-16.88	60.21	40.06	20.91	64.06	0.00	100	215 PEAK																																																																																
4	15660.00	45.08	54.00	-8.92	48.17	40.06	20.91	64.06	0.00	100	215 AVERAGE																																																																																
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6959.83</td><td>43.91</td><td>68.20</td><td>-24.29</td><td>59.79</td><td>35.00</td><td>13.84</td><td>65.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10440.00</td><td>44.45</td><td>68.20</td><td>-23.75</td><td>57.14</td><td>37.54</td><td>16.94</td><td>67.17</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>55.91</td><td>74.00</td><td>-18.09</td><td>59.00</td><td>40.06</td><td>20.91</td><td>64.06</td><td>0.00</td><td>352</td><td>145 PEAK</td></tr><tr><td>4</td><td>15660.00</td><td>44.85</td><td>54.00</td><td>-9.15</td><td>47.94</td><td>40.06</td><td>20.91</td><td>64.06</td><td>0.00</td><td>352</td><td>145 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6959.83	43.91	68.20	-24.29	59.79	35.00	13.84	65.52	0.00	---	PEAK	2	10440.00	44.45	68.20	-23.75	57.14	37.54	16.94	67.17	0.00	---	PEAK	3	15660.00	55.91	74.00	-18.09	59.00	40.06	20.91	64.06	0.00	352	145 PEAK	4	15660.00	44.85	54.00	-9.15	47.94	40.06	20.91	64.06	0.00	352
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	6959.83	43.91	68.20	-24.29	59.79	35.00	13.84	65.52	0.00	---	PEAK																																																																																
2	10440.00	44.45	68.20	-23.75	57.14	37.54	16.94	67.17	0.00	---	PEAK																																																																																
3	15660.00	55.91	74.00	-18.09	59.00	40.06	20.91	64.06	0.00	352	145 PEAK																																																																																
4	15660.00	44.85	54.00	-9.15	47.94	40.06	20.91	64.06	0.00	352	145 AVERAGE																																																																																





Mode	3																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																																							
ANT	1																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6986.49</td><td>49.15</td><td>68.20</td><td>-19.05</td><td>64.99</td><td>35.80</td><td>13.87</td><td>65.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10480.00</td><td>43.59</td><td>68.20</td><td>-24.61</td><td>56.20</td><td>37.58</td><td>16.98</td><td>67.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>49.92</td><td>40.12</td><td>20.94</td><td>64.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6986.49	49.15	68.20	-19.05	64.99	35.80	13.87	65.51	0.00	---	---	PEAK	2	10480.00	43.59	68.20	-24.61	56.20	37.58	16.98	67.17	0.00	---	---	PEAK	3	15720.00	46.96	74.00	-27.04	49.92	40.12	20.94	64.02	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6986.49</td><td>48.51</td><td>68.20</td><td>-19.69</td><td>64.35</td><td>35.80</td><td>13.87</td><td>65.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10480.00</td><td>43.62</td><td>68.20</td><td>-24.58</td><td>56.23</td><td>37.58</td><td>16.98</td><td>67.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>56.98</td><td>40.12</td><td>20.94</td><td>64.02</td><td>0.00</td><td>103</td><td>155</td><td>PEAK</td></tr><tr><td>4</td><td>15720.00</td><td>42.58</td><td>54.00</td><td>-11.42</td><td>45.54</td><td>40.12</td><td>20.94</td><td>64.02</td><td>0.00</td><td>103</td><td>155</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6986.49	48.51	68.20	-19.69	64.35	35.80	13.87	65.51	0.00	---	---	PEAK	2	10480.00	43.62	68.20	-24.58	56.23	37.58	16.98	67.17	0.00	---	---	PEAK	3	15720.00	54.02	74.00	-19.98	56.98	40.12	20.94	64.02	0.00	103	155	PEAK	4	15720.00	42.58	54.00	-11.42	45.54	40.12	20.94	64.02	0.00	103	155
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1	6986.49	49.15	68.20	-19.05	64.99	35.80	13.87	65.51	0.00	---	---	PEAK																																																																																																																																																												
2	10480.00	43.59	68.20	-24.61	56.20	37.58	16.98	67.17	0.00	---	---	PEAK																																																																																																																																																												
3	15720.00	46.96	74.00	-27.04	49.92	40.12	20.94	64.02	0.00	---	---	PEAK																																																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1	6986.49	48.51	68.20	-19.69	64.35	35.80	13.87	65.51	0.00	---	---	PEAK																																																																																																																																																												
2	10480.00	43.62	68.20	-24.58	56.23	37.58	16.98	67.17	0.00	---	---	PEAK																																																																																																																																																												
3	15720.00	54.02	74.00	-19.98	56.98	40.12	20.94	64.02	0.00	103	155	PEAK																																																																																																																																																												
4	15720.00	42.58	54.00	-11.42	45.54	40.12	20.94	64.02	0.00	103	155	AVERAGE																																																																																																																																																												







Mode	4																																																																																												
	Harmonic																																																																																												
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																												
ANT	1																																																																																												
Pol.	Horizontal																																																																																												
Peak Avg																																																																																													
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7039.82</td><td>44.90</td><td>68.20</td><td>-23.30</td><td>60.76</td><td>35.00</td><td>13.91</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 10560.00</td><td>43.32</td><td>68.20</td><td>-24.88</td><td>55.73</td><td>37.66</td><td>17.06</td><td>67.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 15840.00</td><td>51.06</td><td>74.00</td><td>-22.14</td><td>54.51</td><td>40.28</td><td>21.00</td><td>63.93</td><td>0.00</td><td>300</td><td>218</td><td>PEAK</td></tr><tr><td>4 15840.00</td><td>41.25</td><td>54.00</td><td>-12.75</td><td>43.90</td><td>40.28</td><td>21.00</td><td>63.93</td><td>0.00</td><td>300</td><td>218</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 7039.82	44.90	68.20	-23.30	60.76	35.00	13.91	65.57	0.00	---	---	PEAK	2 10560.00	43.32	68.20	-24.88	55.73	37.66	17.06	67.13	0.00	---	---	PEAK	3 15840.00	51.06	74.00	-22.14	54.51	40.28	21.00	63.93	0.00	300	218	PEAK	4 15840.00	41.25	54.00	-12.75	43.90	40.28	21.00	63.93	0.00	300	218
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1 7039.82	44.90	68.20	-23.30	60.76	35.00	13.91	65.57	0.00	---	---	PEAK																																																																																		
2 10560.00	43.32	68.20	-24.88	55.73	37.66	17.06	67.13	0.00	---	---	PEAK																																																																																		
3 15840.00	51.06	74.00	-22.14	54.51	40.28	21.00	63.93	0.00	300	218	PEAK																																																																																		
4 15840.00	41.25	54.00	-12.75	43.90	40.28	21.00	63.93	0.00	300	218	AVERAGE																																																																																		
Pol.	Vertical																																																																																												
Peak Avg																																																																																													
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7039.82</td><td>45.31</td><td>68.20</td><td>-22.89</td><td>61.17</td><td>35.00</td><td>13.91</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 10560.00</td><td>43.62</td><td>68.20</td><td>-24.58</td><td>56.03</td><td>37.66</td><td>17.06</td><td>67.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 15840.00</td><td>59.08</td><td>74.00</td><td>-14.92</td><td>61.73</td><td>40.28</td><td>21.00</td><td>63.93</td><td>0.00</td><td>320</td><td>29</td><td>PEAK</td></tr><tr><td>4 15840.00</td><td>46.58</td><td>54.00</td><td>-7.42</td><td>49.19</td><td>40.30</td><td>21.01</td><td>63.92</td><td>0.00</td><td>320</td><td>29</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 7039.82	45.31	68.20	-22.89	61.17	35.00	13.91	65.57	0.00	---	---	PEAK	2 10560.00	43.62	68.20	-24.58	56.03	37.66	17.06	67.13	0.00	---	---	PEAK	3 15840.00	59.08	74.00	-14.92	61.73	40.28	21.00	63.93	0.00	320	29	PEAK	4 15840.00	46.58	54.00	-7.42	49.19	40.30	21.01	63.92	0.00	320	29
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1 7039.82	45.31	68.20	-22.89	61.17	35.00	13.91	65.57	0.00	---	---	PEAK																																																																																		
2 10560.00	43.62	68.20	-24.58	56.03	37.66	17.06	67.13	0.00	---	---	PEAK																																																																																		
3 15840.00	59.08	74.00	-14.92	61.73	40.28	21.00	63.93	0.00	320	29	PEAK																																																																																		
4 15840.00	46.58	54.00	-7.42	49.19	40.30	21.01	63.92	0.00	320	29	AVERAGE																																																																																		







Mode	5																																																																																										
	Harmonic																																																																																										
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal																																																																																										
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7066.73</td><td>51.65</td><td>68.20</td><td>-16.55</td><td>67.54</td><td>35.00</td><td>13.93</td><td>65.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 10600.00</td><td>43.24</td><td>74.00</td><td>-30.76</td><td>55.54</td><td>37.70</td><td>17.10</td><td>67.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 15900.00</td><td>55.41</td><td>74.00</td><td>-18.59</td><td>57.85</td><td>40.40</td><td>21.04</td><td>63.88</td><td>0.00</td><td>299</td><td>14</td><td>PEAK</td></tr><tr><td>4 15900.00</td><td>41.44</td><td>54.00</td><td>-12.56</td><td>43.88</td><td>40.40</td><td>21.04</td><td>63.88</td><td>0.00</td><td>299</td><td>14</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7066.73	51.65	68.20	-16.55	67.54	35.00	13.93	65.62	0.00	---	---	PEAK	2 10600.00	43.24	74.00	-30.76	55.54	37.70	17.10	67.10	0.00	---	---	PEAK	3 15900.00	55.41	74.00	-18.59	57.85	40.40	21.04	63.88	0.00	299	14	PEAK	4 15900.00	41.44	54.00	-12.56	43.88	40.40	21.04	63.88	0.00	299	14
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7066.73	51.65	68.20	-16.55	67.54	35.00	13.93	65.62	0.00	---	---	PEAK																																																																																
2 10600.00	43.24	74.00	-30.76	55.54	37.70	17.10	67.10	0.00	---	---	PEAK																																																																																
3 15900.00	55.41	74.00	-18.59	57.85	40.40	21.04	63.88	0.00	299	14	PEAK																																																																																
4 15900.00	41.44	54.00	-12.56	43.88	40.40	21.04	63.88	0.00	299	14	AVERAGE																																																																																
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7066.73</td><td>48.92</td><td>68.20</td><td>-19.28</td><td>64.81</td><td>35.00</td><td>13.93</td><td>65.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 10600.00</td><td>43.61</td><td>74.00</td><td>-30.39</td><td>55.91</td><td>37.70</td><td>17.10</td><td>67.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 15900.00</td><td>53.63</td><td>74.00</td><td>-20.37</td><td>56.07</td><td>40.40</td><td>21.04</td><td>63.88</td><td>0.00</td><td>300</td><td>31</td><td>PEAK</td></tr><tr><td>4 15900.00</td><td>40.24</td><td>54.00</td><td>-13.76</td><td>42.71</td><td>40.39</td><td>21.03</td><td>63.89</td><td>0.00</td><td>300</td><td>31</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7066.73	48.92	68.20	-19.28	64.81	35.00	13.93	65.62	0.00	---	---	PEAK	2 10600.00	43.61	74.00	-30.39	55.91	37.70	17.10	67.10	0.00	---	---	PEAK	3 15900.00	53.63	74.00	-20.37	56.07	40.40	21.04	63.88	0.00	300	31	PEAK	4 15900.00	40.24	54.00	-13.76	42.71	40.39	21.03	63.89	0.00	300	31
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7066.73	48.92	68.20	-19.28	64.81	35.00	13.93	65.62	0.00	---	---	PEAK																																																																																
2 10600.00	43.61	74.00	-30.39	55.91	37.70	17.10	67.10	0.00	---	---	PEAK																																																																																
3 15900.00	53.63	74.00	-20.37	56.07	40.40	21.04	63.88	0.00	300	31	PEAK																																																																																
4 15900.00	40.24	54.00	-13.76	42.71	40.39	21.03	63.89	0.00	300	31	AVERAGE																																																																																





Mode	6																																																																																																			
	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.10</td><td>62.86</td><td>74.00</td><td>-11.14</td><td>52.46</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>290</td><td>215 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.10	62.86	74.00	-11.14	52.46	34.60	11.97	36.17	0.00	290	215 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>105.57</td><td>-----</td><td>-----</td><td>95.26</td><td>34.60</td><td>11.95</td><td>36.24</td><td>0.00</td><td>290</td><td>215 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.57	-----	-----	95.26	34.60	11.95	36.24	0.00	290
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5351.10	62.86	74.00	-11.14	52.46	34.60	11.97	36.17	0.00	290	215 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	105.57	-----	-----	95.26	34.60	11.95	36.24	0.00	290	215 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>50.82</td><td>54.00</td><td>-3.18</td><td>40.42</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>290</td><td>215 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.82	54.00	-3.18	40.42	34.60	11.97	36.17	0.00	290	215 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>97.71</td><td>-----</td><td>-----</td><td>87.40</td><td>34.60</td><td>11.95</td><td>36.24</td><td>0.00</td><td>290</td><td>215 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.71	-----	-----	87.40	34.60	11.95	36.24	0.00	290
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.00	50.82	54.00	-3.18	40.42	34.60	11.97	36.17	0.00	290	215 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	97.71	-----	-----	87.40	34.60	11.95	36.24	0.00	290	215 AVERAGE																																																																																									







Mode	6																																																																																																	
	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.80</td><td>59.57</td><td>74.00</td><td>-14.43</td><td>49.17</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>351 12 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.80	59.57	74.00	-14.43	49.17	34.60	11.97	36.17	0.00	351 12 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.09</td><td>-----</td><td>-----</td><td>94.78</td><td>34.60</td><td>11.95</td><td>36.24</td><td>0.00</td><td>351 12 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.09	-----	-----	94.78	34.60	11.95	36.24	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5351.80	59.57	74.00	-14.43	49.17	34.60	11.97	36.17	0.00	351 12 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	105.09	-----	-----	94.78	34.60	11.95	36.24	0.00	351 12 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>49.98</td><td>54.00</td><td>-4.02</td><td>39.58</td><td>34.60</td><td>11.97</td><td>36.17</td><td>0.00</td><td>351 12 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	49.98	54.00	-4.02	39.58	34.60	11.97	36.17	0.00	351 12 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.70</td><td>-----</td><td>-----</td><td>86.39</td><td>34.60</td><td>11.95</td><td>36.24</td><td>0.00</td><td>351 12 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.70	-----	-----	86.39	34.60	11.95	36.24	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5350.00	49.98	54.00	-4.02	39.58	34.60	11.97	36.17	0.00	351 12 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	96.70	-----	-----	86.39	34.60	11.95	36.24	0.00	351 12 AVERAGE																																																																																								



Mode	6																																																																																					
	Harmonic																																																																																					
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal																																																																																					
Peak Avg																																																																																						
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7093.16	42.73	68.20	-25.47	58.65	35.80	13.95	65.67	0.00	---	---	PEAK	2	10640.00	43.26	74.00	-30.74	55.44	37.74	17.15	67.07	0.00	---	---	PEAK	3	15960.00	49.66	74.00	-24.34	51.97	40.46	21.07	63.84	0.00	300	214	PEAK	4	15960.00	36.49	54.00	-17.51	38.80	40.46	21.07	63.84	0.00	300	214
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																											
1	7093.16	42.73	68.20	-25.47	58.65	35.80	13.95	65.67	0.00	---	---	PEAK																																																																										
2	10640.00	43.26	74.00	-30.74	55.44	37.74	17.15	67.07	0.00	---	---	PEAK																																																																										
3	15960.00	49.66	74.00	-24.34	51.97	40.46	21.07	63.84	0.00	300	214	PEAK																																																																										
4	15960.00	36.49	54.00	-17.51	38.80	40.46	21.07	63.84	0.00	300	214	AVERAGE																																																																										
Peak Avg																																																																																						
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7093.16	44.43	68.20	-23.77	60.35	35.80	13.95	65.67	0.00	---	---	PEAK	2	10640.00	42.55	74.00	-31.45	54.73	37.74	17.15	67.07	0.00	---	---	PEAK	3	15960.00	51.83	74.00	-22.17	54.14	40.46	21.07	63.84	0.00	100	187	PEAK	4	15960.00	39.16	54.00	-14.84	41.47	40.46	21.07	63.84	0.00	100	187
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																											
1	7093.16	44.43	68.20	-23.77	60.35	35.80	13.95	65.67	0.00	---	---	PEAK																																																																										
2	10640.00	42.55	74.00	-31.45	54.73	37.74	17.15	67.07	0.00	---	---	PEAK																																																																										
3	15960.00	51.83	74.00	-22.17	54.14	40.46	21.07	63.84	0.00	100	187	PEAK																																																																										
4	15960.00	39.16	54.00	-14.84	41.47	40.46	21.07	63.84	0.00	100	187	AVERAGE																																																																										





	7																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.64</td><td>56.23</td><td>74.00</td><td>-17.77</td><td>45.61</td><td>34.61</td><td>12.07</td><td>36.06</td><td>0.00</td><td>300</td><td>199 PEAK</td></tr><tr><td>2</td><td>5468.72</td><td>55.22</td><td>68.20</td><td>-12.98</td><td>44.62</td><td>34.56</td><td>12.11</td><td>36.07</td><td>0.00</td><td>300</td><td>199 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.64	56.23	74.00	-17.77	45.61	34.61	12.07	36.06	0.00	300	199 PEAK	2	5468.72	55.22	68.20	-12.98	44.62	34.56	12.11	36.07	0.00	300	199 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.08</td><td>-----</td><td>-----</td><td>95.48</td><td>34.51</td><td>12.17</td><td>36.08</td><td>0.00</td><td>300</td><td>199 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.08	-----	-----	95.48	34.51	12.17	36.08	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5442.64	56.23	74.00	-17.77	45.61	34.61	12.07	36.06	0.00	300	199 PEAK																																																																																																					
2	5468.72	55.22	68.20	-12.98	44.62	34.56	12.11	36.07	0.00	300	199 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	106.08	-----	-----	95.48	34.51	12.17	36.08	0.00	300	199 PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.32</td><td>52.06</td><td>54.00</td><td>-1.94</td><td>41.43</td><td>34.62</td><td>12.07</td><td>36.06</td><td>0.00</td><td>300</td><td>199 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.32	52.06	54.00	-1.94	41.43	34.62	12.07	36.06	0.00	300	199 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>98.18</td><td>-----</td><td>-----</td><td>87.60</td><td>34.50</td><td>12.16</td><td>36.08</td><td>0.00</td><td>300</td><td>199 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.18	-----	-----	87.60	34.50	12.16	36.08	0.00	300	199 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5442.32	52.06	54.00	-1.94	41.43	34.62	12.07	36.06	0.00	300	199 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	98.18	-----	-----	87.60	34.50	12.16	36.08	0.00	300	199 AVERAGE																																																																																																					





Mode	7																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5408.40</td><td>54.65</td><td>74.00</td><td>-19.35</td><td>44.00</td><td>34.68</td><td>12.02</td><td>36.05</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr><tr><td>2</td><td>5468.56</td><td>54.95</td><td>68.20</td><td>-13.25</td><td>44.35</td><td>34.56</td><td>12.11</td><td>36.07</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5408.40	54.65	74.00	-19.35	44.00	34.68	12.02	36.05	0.00	100	174 PEAK	2	5468.56	54.95	68.20	-13.25	44.35	34.56	12.11	36.07	0.00	100	174 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.96</td><td>-----</td><td>-----</td><td>92.38</td><td>34.50</td><td>12.16</td><td>36.08</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.96	-----	-----	92.38	34.50	12.16	36.08	0.00	100	174 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5408.40	54.65	74.00	-19.35	44.00	34.68	12.02	36.05	0.00	100	174 PEAK																																																																																																						
2	5468.56	54.95	68.20	-13.25	44.35	34.56	12.11	36.07	0.00	100	174 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	102.96	-----	-----	92.38	34.50	12.16	36.08	0.00	100	174 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5442.32</td><td>48.04</td><td>54.00</td><td>-5.96</td><td>37.41</td><td>34.62</td><td>12.07</td><td>36.06</td><td>0.00</td><td>100</td><td>174 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.32	48.04	54.00	-5.96	37.41	34.62	12.07	36.06	0.00	100	174 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>94.38</td><td>-----</td><td>-----</td><td>83.80</td><td>34.50</td><td>12.16</td><td>36.08</td><td>0.00</td><td>100</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	94.38	-----	-----	83.80	34.50	12.16	36.08	0.00	100	174 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5442.32	48.04	54.00	-5.96	37.41	34.62	12.07	36.06	0.00	100	174 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	94.38	-----	-----	83.80	34.50	12.16	36.08	0.00	100	174 AVERAGE																																																																																																						






Mode	7																																																																																																																																																													
	Harmonic																																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																																													
ANT	1																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>53.11</td><td>74.00</td><td>-20.89</td><td>69.17</td><td>35.90</td><td>14.15</td><td>66.11</td><td>0.00</td><td>100</td><td>26</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>50.22</td><td>54.00</td><td>-3.78</td><td>66.28</td><td>35.90</td><td>14.15</td><td>66.11</td><td>0.00</td><td>100</td><td>26</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>44.57</td><td>74.00</td><td>-29.43</td><td>55.88</td><td>38.00</td><td>17.52</td><td>66.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	53.11	74.00	-20.89	69.17	35.90	14.15	66.11	0.00	100	26	PEAK	2	7333.15	50.22	54.00	-3.78	66.28	35.90	14.15	66.11	0.00	100	26	AVERAGE	3	11000.00	44.57	74.00	-29.43	55.88	38.00	17.52	66.83	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>52.27</td><td>74.00</td><td>-21.73</td><td>68.33</td><td>35.90</td><td>14.15</td><td>66.11</td><td>0.00</td><td>364</td><td>28</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>49.96</td><td>54.00</td><td>-4.04</td><td>66.02</td><td>35.90</td><td>14.15</td><td>66.11</td><td>0.00</td><td>364</td><td>28</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>44.32</td><td>74.00</td><td>-29.68</td><td>55.63</td><td>38.00</td><td>17.52</td><td>66.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	52.27	74.00	-21.73	68.33	35.90	14.15	66.11	0.00	364	28	PEAK	2	7333.15	49.96	54.00	-4.04	66.02	35.90	14.15	66.11	0.00	364	28	AVERAGE	3	11000.00	44.32	74.00	-29.68	55.63	38.00	17.52	66.83	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	7333.15	53.11	74.00	-20.89	69.17	35.90	14.15	66.11	0.00	100	26	PEAK																																																																																																																																																		
2	7333.15	50.22	54.00	-3.78	66.28	35.90	14.15	66.11	0.00	100	26	AVERAGE																																																																																																																																																		
3	11000.00	44.57	74.00	-29.43	55.88	38.00	17.52	66.83	0.00	---	---	PEAK																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	7333.15	52.27	74.00	-21.73	68.33	35.90	14.15	66.11	0.00	364	28	PEAK																																																																																																																																																		
2	7333.15	49.96	54.00	-4.04	66.02	35.90	14.15	66.11	0.00	364	28	AVERAGE																																																																																																																																																		
3	11000.00	44.32	74.00	-29.68	55.63	38.00	17.52	66.83	0.00	---	---	PEAK																																																																																																																																																		







Mode	8																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																																												
ANT	1																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7439.81</td><td>54.11</td><td>74.00</td><td>-19.89</td><td>70.30</td><td>35.88</td><td>14.23</td><td>66.30</td><td>0.00</td><td>304</td><td>120</td><td>PEAK</td></tr><tr><td>2</td><td>7439.81</td><td>50.64</td><td>54.00</td><td>-3.36</td><td>66.83</td><td>35.88</td><td>14.23</td><td>66.30</td><td>0.00</td><td>304</td><td>120</td><td>AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>44.24</td><td>74.00</td><td>-29.76</td><td>55.23</td><td>38.06</td><td>17.63</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7439.81	54.11	74.00	-19.89	70.30	35.88	14.23	66.30	0.00	304	120	PEAK	2	7439.81	50.64	54.00	-3.36	66.83	35.88	14.23	66.30	0.00	304	120	AVERAGE	3	11160.00	44.24	74.00	-29.76	55.23	38.06	17.63	66.68	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7439.81</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>66.32</td><td>35.88</td><td>14.23</td><td>66.30</td><td>0.00</td><td>300</td><td>34</td><td>PEAK</td></tr><tr><td>2</td><td>7439.81</td><td>46.01</td><td>54.00</td><td>-7.99</td><td>62.20</td><td>35.88</td><td>14.23</td><td>66.30</td><td>0.00</td><td>300</td><td>34</td><td>AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>44.86</td><td>74.00</td><td>-29.14</td><td>55.85</td><td>38.06</td><td>17.63</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7439.81	50.13	74.00	-23.87	66.32	35.88	14.23	66.30	0.00	300	34	PEAK	2	7439.81	46.01	54.00	-7.99	62.20	35.88	14.23	66.30	0.00	300	34	AVERAGE	3	11160.00	44.86	74.00	-29.14	55.85	38.06	17.63	66.68	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7439.81	54.11	74.00	-19.89	70.30	35.88	14.23	66.30	0.00	304	120	PEAK																																																																																																																																																	
2	7439.81	50.64	54.00	-3.36	66.83	35.88	14.23	66.30	0.00	304	120	AVERAGE																																																																																																																																																	
3	11160.00	44.24	74.00	-29.76	55.23	38.06	17.63	66.68	0.00	---	---	PEAK																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7439.81	50.13	74.00	-23.87	66.32	35.88	14.23	66.30	0.00	300	34	PEAK																																																																																																																																																	
2	7439.81	46.01	54.00	-7.99	62.20	35.88	14.23	66.30	0.00	300	34	AVERAGE																																																																																																																																																	
3	11160.00	44.86	74.00	-29.14	55.85	38.06	17.63	66.68	0.00	---	---	PEAK																																																																																																																																																	



Mode	9																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5757.48</td><td>57.89</td><td>68.20</td><td>-10.31</td><td>46.72</td><td>34.81</td><td>12.45</td><td>36.09</td><td>0.00</td><td>300</td><td>195 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.48	57.89	68.20	-10.31	46.72	34.81	12.45	36.09	0.00	300	195 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.58</td><td>-----</td><td>-----</td><td>94.44</td><td>34.71</td><td>12.40</td><td>35.97</td><td>0.00</td><td>300</td><td>195 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.58	-----	-----	94.44	34.71	12.40	35.97	0.00	300	195 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5757.48	57.89	68.20	-10.31	46.72	34.81	12.45	36.09	0.00	300	195 PEAK																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	105.58	-----	-----	94.44	34.71	12.40	35.97	0.00	300	195 PEAK																																																																																						
Avg	Blank																																																																																																
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.60</td><td>-----</td><td>-----</td><td>85.46</td><td>34.70</td><td>12.40</td><td>35.96</td><td>0.00</td><td>300</td><td>195 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	96.60	-----	-----	85.46	34.70	12.40	35.96	0.00	300	195 AVERAGE																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	96.60	-----	-----	85.46	34.70	12.40	35.96	0.00	300	195 AVERAGE																																																																																						







Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5757.32</td><td>57.55</td><td>68.20</td><td>-10.65</td><td>46.38</td><td>34.81</td><td>12.45</td><td>36.09</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.32	57.55	68.20	-10.65	46.38	34.81	12.45	36.09	0.00	100	172	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.91</td><td>-----</td><td>-----</td><td>91.77</td><td>34.71</td><td>12.40</td><td>35.97</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.91	-----	-----	91.77	34.71	12.40	35.97	0.00	100	172
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5757.32	57.55	68.20	-10.65	46.38	34.81	12.45	36.09	0.00	100	172	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	102.91	-----	-----	91.77	34.71	12.40	35.97	0.00	100	172	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5757.32</td><td>57.55</td><td>68.20</td><td>-10.65</td><td>46.38</td><td>34.81</td><td>12.45</td><td>36.09</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.32	57.55	68.20	-10.65	46.38	34.81	12.45	36.09	0.00	100	172	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.33</td><td>-----</td><td>-----</td><td>83.19</td><td>34.70</td><td>12.40</td><td>35.96</td><td>0.00</td><td>100</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	94.33	-----	-----	83.19	34.70	12.40	35.96	0.00	100	172
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5757.32	57.55	68.20	-10.65	46.38	34.81	12.45	36.09	0.00	100	172	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	94.33	-----	-----	83.19	34.70	12.40	35.96	0.00	100	172	AVERAGE																																																																																							







Mode	9																																																																																						
	Harmonic																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal																																																																																						
Peak Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7599.81</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>66.82</td><td>36.10</td><td>14.35</td><td>66.45</td><td>0.00</td><td>300 139 PEAK</td></tr><tr><td>2</td><td>7599.81</td><td>48.54</td><td>54.00</td><td>-5.46</td><td>64.54</td><td>36.10</td><td>14.35</td><td>66.45</td><td>0.00</td><td>300 139 AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>55.59</td><td>38.20</td><td>17.80</td><td>66.46</td><td>0.00</td><td>--- --- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7599.81	50.82	74.00	-23.18	66.82	36.10	14.35	66.45	0.00	300 139 PEAK	2	7599.81	48.54	54.00	-5.46	64.54	36.10	14.35	66.45	0.00	300 139 AVERAGE	3	11400.00	45.13	74.00	-28.87	55.59	38.20	17.80	66.46	0.00	--- --- PEAK										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1	7599.81	50.82	74.00	-23.18	66.82	36.10	14.35	66.45	0.00	300 139 PEAK																																																																													
2	7599.81	48.54	54.00	-5.46	64.54	36.10	14.35	66.45	0.00	300 139 AVERAGE																																																																													
3	11400.00	45.13	74.00	-28.87	55.59	38.20	17.80	66.46	0.00	--- --- PEAK																																																																													
Vertical																																																																																							
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7599.81</td><td>49.60</td><td>74.00</td><td>-24.40</td><td>65.60</td><td>36.10</td><td>14.35</td><td>66.45</td><td>0.00</td><td>300 158 PEAK</td></tr><tr><td>2</td><td>7599.81</td><td>46.85</td><td>54.00</td><td>-7.15</td><td>62.85</td><td>36.10</td><td>14.35</td><td>66.45</td><td>0.00</td><td>300 158 AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>56.26</td><td>38.20</td><td>17.80</td><td>66.46</td><td>0.00</td><td>--- --- PEAK</td></tr><tr><td>4</td><td>17103.13</td><td>51.86</td><td>68.20</td><td>-16.34</td><td>53.60</td><td>41.30</td><td>21.94</td><td>64.98</td><td>0.00</td><td>--- --- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7599.81	49.60	74.00	-24.40	65.60	36.10	14.35	66.45	0.00	300 158 PEAK	2	7599.81	46.85	54.00	-7.15	62.85	36.10	14.35	66.45	0.00	300 158 AVERAGE	3	11400.00	45.80	74.00	-28.20	56.26	38.20	17.80	66.46	0.00	--- --- PEAK	4	17103.13	51.86	68.20	-16.34	53.60	41.30	21.94	64.98	0.00	--- --- Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1	7599.81	49.60	74.00	-24.40	65.60	36.10	14.35	66.45	0.00	300 158 PEAK																																																																													
2	7599.81	46.85	54.00	-7.15	62.85	36.10	14.35	66.45	0.00	300 158 AVERAGE																																																																													
3	11400.00	45.80	74.00	-28.20	56.26	38.20	17.80	66.46	0.00	--- --- PEAK																																																																													
4	17103.13	51.86	68.20	-16.34	53.60	41.30	21.94	64.98	0.00	--- --- Peak																																																																													





Mode	10																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.80</td><td>58.84</td><td>74.00</td><td>-15.16</td><td>49.36</td><td>34.39</td><td>11.80</td><td>36.71</td><td>0.00</td><td>282</td><td>201 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.80	58.84	74.00	-15.16	49.36	34.39	11.80	36.71	0.00	282	201 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.37</td><td>-----</td><td>-----</td><td>94.94</td><td>34.40</td><td>11.83</td><td>36.80</td><td>0.00</td><td>282</td><td>201 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.37	-----	-----	94.94	34.40	11.83	36.80	0.00	282
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5146.80	58.84	74.00	-15.16	49.36	34.39	11.80	36.71	0.00	282	201 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	104.37	-----	-----	94.94	34.40	11.83	36.80	0.00	282	201 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5122.40</td><td>47.41</td><td>54.00</td><td>-6.59</td><td>37.94</td><td>34.34</td><td>11.77</td><td>36.64</td><td>0.00</td><td>282</td><td>201 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.40	47.41	54.00	-6.59	37.94	34.34	11.77	36.64	0.00	282	201 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.63</td><td>-----</td><td>-----</td><td>86.20</td><td>34.40</td><td>11.83</td><td>36.80</td><td>0.00</td><td>282</td><td>201 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.63	-----	-----	86.20	34.40	11.83	36.80	0.00	282
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5122.40	47.41	54.00	-6.59	37.94	34.34	11.77	36.64	0.00	282	201 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	95.63	-----	-----	86.20	34.40	11.83	36.80	0.00	282	201 AVERAGE																																																																																									



Mode	10																																																																																																				
	Band Edge																																																																																																				
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.90</td><td>57.37</td><td>74.00</td><td>-16.63</td><td>47.89</td><td>34.39</td><td>11.80</td><td>36.71</td><td>0.00</td><td>312</td><td>7 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.90	57.37	74.00	-16.63	47.89	34.39	11.80	36.71	0.00	312	7 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>104.43</td><td>-----</td><td>-----</td><td>95.00</td><td>34.40</td><td>11.83</td><td>36.80</td><td>0.00</td><td>312</td><td>7 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.43	-----	-----	95.00	34.40	11.83	36.80	0.00	312
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5146.90	57.37	74.00	-16.63	47.89	34.39	11.80	36.71	0.00	312	7 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	104.43	-----	-----	95.00	34.40	11.83	36.80	0.00	312	7 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5122.40</td><td>47.98</td><td>54.00</td><td>-6.02</td><td>38.51</td><td>34.34</td><td>11.77</td><td>36.64</td><td>0.00</td><td>312</td><td>7 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.40	47.98	54.00	-6.02	38.51	34.34	11.77	36.64	0.00	312	7 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>95.76</td><td>-----</td><td>-----</td><td>86.33</td><td>34.40</td><td>11.83</td><td>36.80</td><td>0.00</td><td>312</td><td>7 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.76	-----	-----	86.33	34.40	11.83	36.80	0.00	312
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5122.40	47.98	54.00	-6.02	38.51	34.34	11.77	36.64	0.00	312	7 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	95.76	-----	-----	86.33	34.40	11.83	36.80	0.00	312	7 AVERAGE																																																																																										



		10																																																																																																																																																																																																					
Mode		Harmonic																																																																																																																																																																																																					
		U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																																																																																																																					
ANT		1																																																																																																																																																																																																					
Pol.		Horizontal						Vertical																																																																																																																																																																																															
Peak Avg																																																																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6907.20</td><td>48.04</td><td>68.20</td><td>-20.16</td><td>64.10</td><td>35.71</td><td>13.79</td><td>65.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10360.00</td><td>44.84</td><td>68.20</td><td>-23.36</td><td>57.70</td><td>37.46</td><td>16.85</td><td>67.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>50.72</td><td>74.00</td><td>-23.28</td><td>54.03</td><td>40.00</td><td>20.84</td><td>64.15</td><td>0.00</td><td>100</td><td>203</td><td>PEAK</td></tr><tr><td>4</td><td>15540.00</td><td>38.38</td><td>54.00</td><td>-15.62</td><td>41.69</td><td>40.00</td><td>20.84</td><td>64.15</td><td>0.00</td><td>100</td><td>203</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6907.20	48.04	68.20	-20.16	64.10	35.71	13.79	65.56	0.00	---	---	PEAK	2	10360.00	44.84	68.20	-23.36	57.70	37.46	16.85	67.17	0.00	---	---	PEAK	3	15540.00	50.72	74.00	-23.28	54.03	40.00	20.84	64.15	0.00	100	203	PEAK	4	15540.00	38.38	54.00	-15.62	41.69	40.00	20.84	64.15	0.00	100	203	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6907.20</td><td>48.31</td><td>68.20</td><td>-19.89</td><td>64.37</td><td>35.71</td><td>13.79</td><td>65.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10360.00</td><td>44.36</td><td>68.20</td><td>-23.84</td><td>57.22</td><td>37.46</td><td>16.85</td><td>67.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>50.65</td><td>74.00</td><td>-23.35</td><td>53.96</td><td>40.00</td><td>20.84</td><td>64.15</td><td>0.00</td><td>100</td><td>181</td><td>PEAK</td></tr><tr><td>4</td><td>15540.00</td><td>37.91</td><td>54.00</td><td>-16.09</td><td>41.22</td><td>40.00</td><td>20.84</td><td>64.15</td><td>0.00</td><td>100</td><td>181</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6907.20	48.31	68.20	-19.89	64.37	35.71	13.79	65.56	0.00	---	---	PEAK	2	10360.00	44.36	68.20	-23.84	57.22	37.46	16.85	67.17	0.00	---	---	PEAK	3	15540.00	50.65	74.00	-23.35	53.96	40.00	20.84	64.15	0.00	100	181	PEAK	4	15540.00	37.91	54.00	-16.09	41.22	40.00	20.84	64.15	0.00	100	181
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																													
1	6907.20	48.04	68.20	-20.16	64.10	35.71	13.79	65.56	0.00	---	---	PEAK																																																																																																																																																																																											
2	10360.00	44.84	68.20	-23.36	57.70	37.46	16.85	67.17	0.00	---	---	PEAK																																																																																																																																																																																											
3	15540.00	50.72	74.00	-23.28	54.03	40.00	20.84	64.15	0.00	100	203	PEAK																																																																																																																																																																																											
4	15540.00	38.38	54.00	-15.62	41.69	40.00	20.84	64.15	0.00	100	203	AVERAGE																																																																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																													
1	6907.20	48.31	68.20	-19.89	64.37	35.71	13.79	65.56	0.00	---	---	PEAK																																																																																																																																																																																											
2	10360.00	44.36	68.20	-23.84	57.22	37.46	16.85	67.17	0.00	---	---	PEAK																																																																																																																																																																																											
3	15540.00	50.65	74.00	-23.35	53.96	40.00	20.84	64.15	0.00	100	181	PEAK																																																																																																																																																																																											
4	15540.00	37.91	54.00	-16.09	41.22	40.00	20.84	64.15	0.00	100	181	AVERAGE																																																																																																																																																																																											



Mode	11																																																																																										
	Harmonic																																																																																										
	U-NII-1_5.15-5.25_802.11ac VHT20_CH44_5220MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal																																																																																										
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6960.00</td><td>49.49</td><td>68.20</td><td>-18.71</td><td>65.37</td><td>35.00</td><td>13.84</td><td>65.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10440.00</td><td>44.69</td><td>68.20</td><td>-23.51</td><td>57.38</td><td>37.54</td><td>16.94</td><td>67.17</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>52.78</td><td>74.00</td><td>-21.22</td><td>55.87</td><td>40.06</td><td>20.91</td><td>64.06</td><td>0.00</td><td>199</td><td>208 PEAK</td></tr><tr><td>4</td><td>15660.00</td><td>40.30</td><td>54.00</td><td>-13.70</td><td>43.39</td><td>40.06</td><td>20.91</td><td>64.06</td><td>0.00</td><td>199</td><td>208 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6960.00	49.49	68.20	-18.71	65.37	35.00	13.84	65.52	0.00	---	PEAK	2	10440.00	44.69	68.20	-23.51	57.38	37.54	16.94	67.17	0.00	---	PEAK	3	15660.00	52.78	74.00	-21.22	55.87	40.06	20.91	64.06	0.00	199	208 PEAK	4	15660.00	40.30	54.00	-13.70	43.39	40.06	20.91	64.06	0.00	199
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6960.00	49.49	68.20	-18.71	65.37	35.00	13.84	65.52	0.00	---	PEAK																																																																																
2	10440.00	44.69	68.20	-23.51	57.38	37.54	16.94	67.17	0.00	---	PEAK																																																																																
3	15660.00	52.78	74.00	-21.22	55.87	40.06	20.91	64.06	0.00	199	208 PEAK																																																																																
4	15660.00	40.30	54.00	-13.70	43.39	40.06	20.91	64.06	0.00	199	208 AVERAGE																																																																																
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6959.83</td><td>48.22</td><td>68.20</td><td>-19.98</td><td>64.10</td><td>35.00</td><td>13.84</td><td>65.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10440.00</td><td>44.96</td><td>68.20</td><td>-23.24</td><td>57.65</td><td>37.54</td><td>16.94</td><td>67.17</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>56.08</td><td>74.00</td><td>-17.92</td><td>59.17</td><td>40.06</td><td>20.91</td><td>64.06</td><td>0.00</td><td>300</td><td>29 PEAK</td></tr><tr><td>4</td><td>15660.00</td><td>42.69</td><td>54.00</td><td>-11.31</td><td>45.78</td><td>40.06</td><td>20.91</td><td>64.06</td><td>0.00</td><td>300</td><td>29 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6959.83	48.22	68.20	-19.98	64.10	35.00	13.84	65.52	0.00	---	PEAK	2	10440.00	44.96	68.20	-23.24	57.65	37.54	16.94	67.17	0.00	---	PEAK	3	15660.00	56.08	74.00	-17.92	59.17	40.06	20.91	64.06	0.00	300	29 PEAK	4	15660.00	42.69	54.00	-11.31	45.78	40.06	20.91	64.06	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6959.83	48.22	68.20	-19.98	64.10	35.00	13.84	65.52	0.00	---	PEAK																																																																																
2	10440.00	44.96	68.20	-23.24	57.65	37.54	16.94	67.17	0.00	---	PEAK																																																																																
3	15660.00	56.08	74.00	-17.92	59.17	40.06	20.91	64.06	0.00	300	29 PEAK																																																																																
4	15660.00	42.69	54.00	-11.31	45.78	40.06	20.91	64.06	0.00	300	29 AVERAGE																																																																																



Mode	12																																																																																			
	Harmonic																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT20_CH48_5240MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal																																																																																			
Peak Avg																																																																																				
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6986.49</td><td>53.41</td><td>68.20</td><td>-14.79</td><td>69.25</td><td>35.00</td><td>13.87</td><td>65.51</td><td>0.00</td><td>302</td><td>166 PEAK</td></tr><tr><td>2</td><td>10480.00</td><td>45.20</td><td>68.20</td><td>-23.00</td><td>57.81</td><td>37.58</td><td>16.98</td><td>67.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>52.30</td><td>74.00</td><td>-21.70</td><td>55.26</td><td>40.12</td><td>20.94</td><td>64.02</td><td>0.00</td><td>300</td><td>19 PEAK</td></tr><tr><td>4</td><td>15720.00</td><td>39.38</td><td>54.00</td><td>-14.62</td><td>42.34</td><td>40.12</td><td>20.94</td><td>64.02</td><td>0.00</td><td>300</td><td>19 AVERAGE</td></tr></table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6986.49	53.41	68.20	-14.79	69.25	35.00	13.87	65.51	0.00	302	166 PEAK	2	10480.00	45.20	68.20	-23.00	57.81	37.58	16.98	67.17	0.00	---	---	PEAK	3	15720.00	52.30	74.00	-21.70	55.26	40.12	20.94	64.02	0.00	300	19 PEAK	4	15720.00	39.38	54.00	-14.62	42.34	40.12	20.94	64.02	0.00	300	19 AVERAGE
		Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
	1	6986.49	53.41	68.20	-14.79	69.25	35.00	13.87	65.51	0.00	302	166 PEAK																																																																								
2	10480.00	45.20	68.20	-23.00	57.81	37.58	16.98	67.17	0.00	---	---	PEAK																																																																								
3	15720.00	52.30	74.00	-21.70	55.26	40.12	20.94	64.02	0.00	300	19 PEAK																																																																									
4	15720.00	39.38	54.00	-14.62	42.34	40.12	20.94	64.02	0.00	300	19 AVERAGE																																																																									
<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6986.49</td><td>49.68</td><td>68.20</td><td>-18.52</td><td>65.52</td><td>35.00</td><td>13.87</td><td>65.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10480.00</td><td>44.50</td><td>68.20</td><td>-23.70</td><td>57.11</td><td>37.58</td><td>16.98</td><td>67.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>56.86</td><td>74.00</td><td>-17.14</td><td>59.82</td><td>40.12</td><td>20.94</td><td>64.02</td><td>0.00</td><td>325</td><td>33 PEAK</td></tr><tr><td>4</td><td>15720.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>47.51</td><td>40.12</td><td>20.94</td><td>64.02</td><td>0.00</td><td>325</td><td>33 AVERAGE</td></tr></table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6986.49	49.68	68.20	-18.52	65.52	35.00	13.87	65.51	0.00	---	---	PEAK	2	10480.00	44.50	68.20	-23.70	57.11	37.58	16.98	67.17	0.00	---	---	PEAK	3	15720.00	56.86	74.00	-17.14	59.82	40.12	20.94	64.02	0.00	325	33 PEAK	4	15720.00	44.55	54.00	-9.45	47.51	40.12	20.94	64.02	0.00	325	33 AVERAGE
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	6986.49	49.68	68.20	-18.52	65.52	35.00	13.87	65.51	0.00	---	---	PEAK																																																																								
2	10480.00	44.50	68.20	-23.70	57.11	37.58	16.98	67.17	0.00	---	---	PEAK																																																																								
3	15720.00	56.86	74.00	-17.14	59.82	40.12	20.94	64.02	0.00	325	33 PEAK																																																																									
4	15720.00	44.55	54.00	-9.45	47.51	40.12	20.94	64.02	0.00	325	33 AVERAGE																																																																									



		13																																																																																																																																																																																			
Mode		Harmonic																																																																																																																																																																																			
		U-NII-2A_5.25-5.35_802.11ac VHT20_CH52_5280MHz																																																																																																																																																																																			
ANT		1																																																																																																																																																																																			
Pol.		Horizontal										Vertical																																																																																																																																																																									
Peak Avg																																																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7040.00</td><td>49.56</td><td>68.20</td><td>-18.64</td><td>65.42</td><td>35.00</td><td>13.91</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10560.00</td><td>44.89</td><td>68.20</td><td>-23.31</td><td>57.30</td><td>37.66</td><td>17.06</td><td>67.13</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15840.00</td><td>54.50</td><td>74.00</td><td>-19.50</td><td>57.15</td><td>40.28</td><td>21.00</td><td>63.93</td><td>0.00</td><td>305</td><td>15 PEAK</td></tr><tr><td>4</td><td>15840.00</td><td>41.33</td><td>54.00</td><td>-12.67</td><td>43.98</td><td>40.28</td><td>21.00</td><td>63.93</td><td>0.00</td><td>305</td><td>15 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7040.00	49.56	68.20	-18.64	65.42	35.00	13.91	65.57	0.00	---	PEAK	2	10560.00	44.89	68.20	-23.31	57.30	37.66	17.06	67.13	0.00	---	PEAK	3	15840.00	54.50	74.00	-19.50	57.15	40.28	21.00	63.93	0.00	305	15 PEAK	4	15840.00	41.33	54.00	-12.67	43.98	40.28	21.00	63.93	0.00	305	15 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7040.00</td><td>48.70</td><td>68.20</td><td>-19.50</td><td>64.56</td><td>35.00</td><td>13.91</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10560.00</td><td>43.86</td><td>68.20</td><td>-24.34</td><td>56.27</td><td>37.66</td><td>17.06</td><td>67.13</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15840.00</td><td>53.59</td><td>74.00</td><td>-20.41</td><td>56.24</td><td>40.28</td><td>21.00</td><td>63.93</td><td>0.00</td><td>300</td><td>32 PEAK</td></tr><tr><td>4</td><td>15840.00</td><td>40.42</td><td>54.00</td><td>-13.58</td><td>43.07</td><td>40.28</td><td>21.00</td><td>63.93</td><td>0.00</td><td>300</td><td>32 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7040.00	48.70	68.20	-19.50	64.56	35.00	13.91	65.57	0.00	---	PEAK	2	10560.00	43.86	68.20	-24.34	56.27	37.66	17.06	67.13	0.00	---	PEAK	3	15840.00	53.59	74.00	-20.41	56.24	40.28	21.00	63.93	0.00	300	32 PEAK	4	15840.00	40.42	54.00	-13.58	43.07	40.28	21.00	63.93	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	7040.00	49.56	68.20	-18.64	65.42	35.00	13.91	65.57	0.00	---	PEAK																																																																																																																																																																										
2	10560.00	44.89	68.20	-23.31	57.30	37.66	17.06	67.13	0.00	---	PEAK																																																																																																																																																																										
3	15840.00	54.50	74.00	-19.50	57.15	40.28	21.00	63.93	0.00	305	15 PEAK																																																																																																																																																																										
4	15840.00	41.33	54.00	-12.67	43.98	40.28	21.00	63.93	0.00	305	15 AVERAGE																																																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	7040.00	48.70	68.20	-19.50	64.56	35.00	13.91	65.57	0.00	---	PEAK																																																																																																																																																																										
2	10560.00	43.86	68.20	-24.34	56.27	37.66	17.06	67.13	0.00	---	PEAK																																																																																																																																																																										
3	15840.00	53.59	74.00	-20.41	56.24	40.28	21.00	63.93	0.00	300	32 PEAK																																																																																																																																																																										
4	15840.00	40.42	54.00	-13.58	43.07	40.28	21.00	63.93	0.00	300	32 AVERAGE																																																																																																																																																																										