

Band: 26b / Bandwidth: 1.4MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	824.7	1	0	22.81	0.30	20.96	<=38.45	Pass	
			2	22.86	0.30	21.01	<=38.45	Pass	
			5	22.81	0.30	20.96	<=38.45	Pass	
		3	0	22.82	0.30	20.97	<=38.45	Pass	
			2	22.79	0.30	20.94	<=38.45	Pass	
			3	22.77	0.30	20.92	<=38.45	Pass	
		6	0	21.81	0.30	19.96	<=38.45	Pass	
		2	22.75	0.30	20.90	<=38.45	Pass		
		5	22.62	0.30	20.77	<=38.45	Pass		
	3	0	22.66	0.30	20.81	<=38.45	Pass		
		2	22.65	0.30	20.80	<=38.45	Pass		
		3	22.71	0.30	20.86	<=38.45	Pass		
	6	0	21.66	0.30	19.81	<=38.45	Pass		
	2	22.30	0.30	20.45	<=38.45	Pass			
	5	21.55	0.30	19.70	<=38.45	Pass			
	3	0	22.36	0.30	20.51	<=38.45	Pass		
		2	21.88	0.30	20.03	<=38.45	Pass		
		3	21.62	0.30	19.77	<=38.45	Pass		
	6	0	21.48	0.30	19.63	<=38.45	Pass		
	16QAM	824.7	1	0	21.93	0.30	20.08	<=38.45	Pass
				2	21.88	0.30	20.03	<=38.45	Pass
				5	21.97	0.30	20.12	<=38.45	Pass
			3	0	21.94	0.30	20.09	<=38.45	Pass
				2	21.82	0.30	19.97	<=38.45	Pass
3				21.86	0.30	20.01	<=38.45	Pass	
6			0	20.82	0.30	18.97	<=38.45	Pass	
2			21.75	0.30	19.90	<=38.45	Pass		
5			21.78	0.30	19.93	<=38.45	Pass		
3		0	21.69	0.30	19.84	<=38.45	Pass		
		2	21.68	0.30	19.83	<=38.45	Pass		
		3	21.71	0.30	19.86	<=38.45	Pass		
6		0	20.72	0.30	18.87	<=38.45	Pass		
2		21.43	0.30	19.58	<=38.45	Pass			
5		20.69	0.30	18.84	<=38.45	Pass			
3		0	21.60	0.30	19.75	<=38.45	Pass		
		2	21.11	0.30	19.26	<=38.45	Pass		
		3	20.85	0.30	19.00	<=38.45	Pass		
6		0	20.64	0.30	18.79	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	22.81	0.30	20.96	<=38.45	Pass
			7	22.89	0.30	21.04	<=38.45	Pass
			14	22.78	0.30	20.93	<=38.45	Pass
		8	0	21.85	0.30	20.00	<=38.45	Pass
			4	21.85	0.30	20.00	<=38.45	Pass
			7	21.82	0.30	19.97	<=38.45	Pass
		15	0	21.84	0.30	19.99	<=38.45	Pass
	836.5	1	0	22.58	0.30	20.73	<=38.45	Pass
			7	22.68	0.30	20.83	<=38.45	Pass
			14	22.67	0.30	20.82	<=38.45	Pass
		8	0	21.67	0.30	19.82	<=38.45	Pass
			4	21.72	0.30	19.87	<=38.45	Pass
			7	21.69	0.30	19.84	<=38.45	Pass
		15	0	21.68	0.30	19.83	<=38.45	Pass
	847.5	1	0	22.62	0.30	20.77	<=38.45	Pass
			7	22.68	0.30	20.83	<=38.45	Pass
			14	21.36	0.30	19.51	<=38.45	Pass
		8	0	21.61	0.30	19.76	<=38.45	Pass
			4	21.65	0.30	19.80	<=38.45	Pass
			7	21.67	0.30	19.82	<=38.45	Pass
		15	0	21.58	0.30	19.73	<=38.45	Pass
16QAM	825.5	1	0	21.86	0.30	20.01	<=38.45	Pass
			7	22.00	0.30	20.15	<=38.45	Pass
			14	21.89	0.30	20.04	<=38.45	Pass
		8	0	20.86	0.30	19.01	<=38.45	Pass
			4	20.89	0.30	19.04	<=38.45	Pass
			7	20.81	0.30	18.96	<=38.45	Pass
		15	0	20.85	0.30	19.00	<=38.45	Pass
	836.5	1	0	21.75	0.30	19.90	<=38.45	Pass
			7	21.80	0.30	19.95	<=38.45	Pass
			14	21.85	0.30	20.00	<=38.45	Pass
		8	0	20.62	0.30	18.77	<=38.45	Pass
			4	20.74	0.30	18.89	<=38.45	Pass
			7	20.69	0.30	18.84	<=38.45	Pass
		15	0	20.69	0.30	18.84	<=38.45	Pass
	847.5	1	0	21.70	0.30	19.85	<=38.45	Pass
			7	21.68	0.30	19.83	<=38.45	Pass
			14	20.63	0.30	18.78	<=38.45	Pass
		8	0	20.65	0.30	18.80	<=38.45	Pass
			4	20.61	0.30	18.76	<=38.45	Pass
			7	20.66	0.30	18.81	<=38.45	Pass
		15	0	20.59	0.30	18.74	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	22.85	0.30	21.00	<=38.45	Pass
			13	22.83	0.30	20.98	<=38.45	Pass
			24	22.73	0.30	20.88	<=38.45	Pass

16QAM	836.5	12	0	21.81	0.30	19.96	<=38.45	Pass
			6	21.89	0.30	20.04	<=38.45	Pass
			13	21.83	0.30	19.98	<=38.45	Pass
		25	0	21.85	0.30	20.00	<=38.45	Pass
			0	22.70	0.30	20.85	<=38.45	Pass
			13	22.73	0.30	20.88	<=38.45	Pass
		1	24	22.70	0.30	20.85	<=38.45	Pass
			0	21.67	0.30	19.82	<=38.45	Pass
			6	21.65	0.30	19.80	<=38.45	Pass
		12	13	21.71	0.30	19.86	<=38.45	Pass
			0	21.63	0.30	19.78	<=38.45	Pass
			0	22.62	0.30	20.77	<=38.45	Pass
	846.5	1	13	22.81	0.30	20.96	<=38.45	Pass
			24	21.43	0.30	19.58	<=38.45	Pass
			0	21.61	0.30	19.76	<=38.45	Pass
		12	6	21.61	0.30	19.76	<=38.45	Pass
			13	21.65	0.30	19.80	<=38.45	Pass
			0	21.64	0.30	19.79	<=38.45	Pass
		25	0	21.83	0.30	19.98	<=38.45	Pass
			13	21.93	0.30	20.08	<=38.45	Pass
			24	21.92	0.30	20.07	<=38.45	Pass
		12	0	20.80	0.30	18.95	<=38.45	Pass
			6	20.85	0.30	19.00	<=38.45	Pass
			13	20.81	0.30	18.96	<=38.45	Pass
16QAM	826.5	1	0	21.83	0.30	19.98	<=38.45	Pass
			13	21.93	0.30	20.08	<=38.45	Pass
			24	21.92	0.30	20.07	<=38.45	Pass
		12	0	20.80	0.30	18.95	<=38.45	Pass
			6	20.85	0.30	19.00	<=38.45	Pass
			13	20.81	0.30	18.96	<=38.45	Pass
		25	0	20.84	0.30	18.99	<=38.45	Pass
			0	21.72	0.30	19.87	<=38.45	Pass
			13	22.00	0.30	20.15	<=38.45	Pass
		1	24	21.73	0.30	19.88	<=38.45	Pass
			0	20.67	0.30	18.82	<=38.45	Pass
			6	20.64	0.30	18.79	<=38.45	Pass
	836.5	12	13	20.68	0.30	18.83	<=38.45	Pass
			0	20.67	0.30	18.82	<=38.45	Pass
			0	21.74	0.30	19.89	<=38.45	Pass
		1	13	21.84	0.30	19.99	<=38.45	Pass
			24	20.83	0.30	18.98	<=38.45	Pass
			0	20.61	0.30	18.76	<=38.45	Pass
		12	6	20.62	0.30	18.77	<=38.45	Pass
			13	20.66	0.30	18.81	<=38.45	Pass
			0	20.61	0.30	18.76	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.84	0.30	20.99	<=38.45	Pass
			25	22.79	0.30	20.94	<=38.45	Pass
			49	22.69	0.30	20.84	<=38.45	Pass
		25	0	21.77	0.30	19.92	<=38.45	Pass
			13	21.85	0.30	20.00	<=38.45	Pass
			25	21.77	0.30	19.92	<=38.45	Pass
		50	0	21.83	0.30	19.98	<=38.45	Pass
			0	22.66	0.30	20.81	<=38.45	Pass
			0	22.68	0.30	20.83	<=38.45	Pass
	836.5	1	49	22.58	0.30	20.73	<=38.45	Pass
			0	21.69	0.30	19.84	<=38.45	Pass

		50	13	21.78	0.30	19.93	<=38.45	Pass
			25	21.69	0.30	19.84	<=38.45	Pass
			0	21.70	0.30	19.85	<=38.45	Pass
	844	1	0	22.60	0.30	20.75	<=38.45	Pass
			25	22.63	0.30	20.78	<=38.45	Pass
			49	21.57	0.30	19.72	<=38.45	Pass
		25	0	21.61	0.30	19.76	<=38.45	Pass
			13	21.62	0.30	19.77	<=38.45	Pass
			25	21.63	0.30	19.78	<=38.45	Pass
		50	0	21.68	0.30	19.83	<=38.45	Pass
16QAM	829	1	0	22.04	0.30	20.19	<=38.45	Pass
			25	21.96	0.30	20.11	<=38.45	Pass
			49	21.87	0.30	20.02	<=38.45	Pass
		12	0	21.79	0.30	19.94	<=38.45	Pass
			19	21.79	0.30	19.94	<=38.45	Pass
			38	21.76	0.30	19.91	<=38.45	Pass
		27	0	20.78	0.30	18.93	<=38.45	Pass
	836.5	1	0	21.80	0.30	19.95	<=38.45	Pass
			25	21.90	0.30	20.05	<=38.45	Pass
			49	21.68	0.30	19.83	<=38.45	Pass
		12	0	21.63	0.30	19.78	<=38.45	Pass
			19	21.64	0.30	19.79	<=38.45	Pass
			38	21.66	0.30	19.81	<=38.45	Pass
		27	0	20.72	0.30	18.87	<=38.45	Pass
	844	1	0	21.68	0.30	19.83	<=38.45	Pass
			25	21.68	0.30	19.83	<=38.45	Pass
			49	20.86	0.30	19.01	<=38.45	Pass
		12	0	21.58	0.30	19.73	<=38.45	Pass
			19	21.59	0.30	19.74	<=38.45	Pass
			38	21.61	0.30	19.76	<=38.45	Pass
		27	23	20.70	0.30	18.85	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	22.60	0.30	20.75	<=38.45	Pass
			38	22.52	0.30	20.67	<=38.45	Pass
			74	22.38	0.30	20.53	<=38.45	Pass
		36	0	21.51	0.30	19.66	<=38.45	Pass
			18	21.57	0.30	19.72	<=38.45	Pass
			39	21.50	0.30	19.65	<=38.45	Pass
		75	0	21.58	0.30	19.73	<=38.45	Pass
	836.5	1	0	22.41	0.30	20.56	<=38.45	Pass
			38	22.39	0.30	20.54	<=38.45	Pass
			74	22.26	0.30	20.41	<=38.45	Pass
		36	0	21.46	0.30	19.61	<=38.45	Pass
			18	21.42	0.30	19.57	<=38.45	Pass
			39	21.42	0.30	19.57	<=38.45	Pass
		75	0	21.44	0.30	19.59	<=38.45	Pass
	841.5	1	0	22.40	0.30	20.55	<=38.45	Pass
			38	22.36	0.30	20.51	<=38.45	Pass
			74	21.84	0.30	19.99	<=38.45	Pass
		36	0	21.38	0.30	19.53	<=38.45	Pass
			18	21.32	0.30	19.47	<=38.45	Pass

			39	21.47	0.30	19.62	<=38.45	Pass	
		75	0	21.52	0.30	19.67	<=38.45	Pass	
16QAM	831.5	1	0	21.70	0.30	19.85	<=38.45	Pass	
			38	21.77	0.30	19.92	<=38.45	Pass	
			74	21.66	0.30	19.81	<=38.45	Pass	
			0	21.57	0.30	19.72	<=38.45	Pass	
		12	31	21.62	0.30	19.77	<=38.45	Pass	
			63	21.47	0.30	19.62	<=38.45	Pass	
			27	0	20.49	0.30	18.64	<=38.45	Pass
		836.5	1	0	21.57	0.30	19.72	<=38.45	Pass
				38	21.73	0.30	19.88	<=38.45	Pass
	74			21.47	0.30	19.62	<=38.45	Pass	
	12		0	21.43	0.30	19.58	<=38.45	Pass	
			31	21.44	0.30	19.59	<=38.45	Pass	
			63	21.37	0.30	19.52	<=38.45	Pass	
	27		0	20.46	0.30	18.61	<=38.45	Pass	
	841.5		1	0	21.46	0.30	19.61	<=38.45	Pass
				38	21.58	0.30	19.73	<=38.45	Pass
		74		21.17	0.30	19.32	<=38.45	Pass	
		12	0	21.38	0.30	19.53	<=38.45	Pass	
			31	21.35	0.30	19.50	<=38.45	Pass	
			63	21.49	0.30	19.64	<=38.45	Pass	
		27	48	20.42	0.30	18.57	<=38.45	Pass	
	Note1: ERP=Conducted Power+Antenna Gain-2.15								

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	3.691	0.0045	-2.5 to 2.5	Pass
					3.85	0.958	0.0012	-2.5 to 2.5	Pass
					4.43	1.488	0.0018	-2.5 to 2.5	Pass
				-30	3.85	0.558	0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				-10	3.85	1.659	0.0020	-2.5 to 2.5	Pass
				0	3.85	-1.016	-0.0012	-2.5 to 2.5	Pass
				10	3.85	-0.787	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
				40	3.85	0.143	0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.687	-0.0008	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	-12.159	-0.0145	-2.5 to 2.5	Pass
					3.85	-5.093	-0.0061	-2.5 to 2.5	Pass
					4.43	-1.330	-0.0016	-2.5 to 2.5	Pass
				-30	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	-0.887	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				0	3.85	1.016	0.0012	-2.5 to 2.5	Pass
				10	3.85	-0.429	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.329	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
				50	3.85	0.515	0.0006	-2.5 to 2.5	Pass

	848.3	6	0	20	3.27	-13.733	-0.0162	-2.5 to 2.5	Pass
					3.85	-6.666	-0.0079	-2.5 to 2.5	Pass
					4.43	-2.489	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-2.089	-0.0025	-2.5 to 2.5	Pass
				-20	3.85	-1.302	-0.0015	-2.5 to 2.5	Pass
				-10	3.85	0.329	0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-1.416	-0.0017	-2.5 to 2.5	Pass
				30	3.85	1.502	0.0018	-2.5 to 2.5	Pass
				40	3.85	-0.286	-0.0003	-2.5 to 2.5	Pass
				50	3.85	0.415	0.0005	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	3.27	-1.445	-0.0018	-2.5 to 2.5	Pass
					3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
					4.43	-0.672	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	0.572	0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.114	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.343	0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass
				10	3.85	-0.858	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-1.101	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-0.658	-0.0008	-2.5 to 2.5	Pass
				50	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	-0.143	-0.0002	-2.5 to 2.5	Pass
					3.85	0.601	0.0007	-2.5 to 2.5	Pass
					4.43	-0.644	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-0.458	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				-10	3.85	-0.644	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-0.443	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				50	3.85	-0.615	-0.0007	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	-0.043	-0.0001	-2.5 to 2.5	Pass
					3.85	-0.272	-0.0003	-2.5 to 2.5	Pass
					4.43	1.459	0.0017	-2.5 to 2.5	Pass
				-30	3.85	-0.687	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	1.602	0.0019	-2.5 to 2.5	Pass
				-10	3.85	1.016	0.0012	-2.5 to 2.5	Pass
				0	3.85	1.230	0.0014	-2.5 to 2.5	Pass
				10	3.85	-1.702	-0.0020	-2.5 to 2.5	Pass
				30	3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
				40	3.85	0.830	0.0010	-2.5 to 2.5	Pass
				50	3.85	0.629	0.0007	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	0.315	0.0004	-2.5 to 2.5	Pass
					3.85	0.987	0.0012	-2.5 to 2.5	Pass
					4.43	0.858	0.0010	-2.5 to 2.5	Pass
				-30	3.85	1.559	0.0019	-2.5 to 2.5	Pass
				-20	3.85	1.259	0.0015	-2.5 to 2.5	Pass
				-10	3.85	1.631	0.0020	-2.5 to 2.5	Pass
				0	3.85	0.873	0.0011	-2.5 to 2.5	Pass

				10	3.85	0.672	0.0008	-2.5 to 2.5	Pass
				30	3.85	0.744	0.0009	-2.5 to 2.5	Pass
				40	3.85	0.515	0.0006	-2.5 to 2.5	Pass
				50	3.85	1.159	0.0014	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	1.845	0.0022	-2.5 to 2.5	Pass
					3.85	2.561	0.0031	-2.5 to 2.5	Pass
					4.43	1.245	0.0015	-2.5 to 2.5	Pass
				-30	3.85	1.402	0.0017	-2.5 to 2.5	Pass
				-20	3.85	1.688	0.0020	-2.5 to 2.5	Pass
				-10	3.85	0.772	0.0009	-2.5 to 2.5	Pass
				0	3.85	0.329	0.0004	-2.5 to 2.5	Pass
				10	3.85	0.329	0.0004	-2.5 to 2.5	Pass
				30	3.85	0.315	0.0004	-2.5 to 2.5	Pass
				40	3.85	0.787	0.0009	-2.5 to 2.5	Pass
				50	3.85	0.057	0.0001	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	-0.029	0.0000	-2.5 to 2.5	Pass
					3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
					4.43	0.601	0.0007	-2.5 to 2.5	Pass
				-30	3.85	0.086	0.0001	-2.5 to 2.5	Pass
				-20	3.85	0.415	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.658	0.0008	-2.5 to 2.5	Pass
				0	3.85	0.787	0.0009	-2.5 to 2.5	Pass
				10	3.85	0.200	0.0002	-2.5 to 2.5	Pass
				30	3.85	1.416	0.0017	-2.5 to 2.5	Pass
				40	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
				50	3.85	1.144	0.0013	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	3.27	0.601	0.0007	-2.5 to 2.5	Pass
					3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
					4.43	-0.186	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.315	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	-1.016	-0.0012	-2.5 to 2.5	Pass
				0	3.85	0.129	0.0002	-2.5 to 2.5	Pass
				10	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-0.930	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-0.472	-0.0006	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	0.401	0.0005	-2.5 to 2.5	Pass
					3.85	0.401	0.0005	-2.5 to 2.5	Pass
					4.43	0.358	0.0004	-2.5 to 2.5	Pass
				-30	3.85	1.059	0.0013	-2.5 to 2.5	Pass
				-20	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				0	3.85	0.343	0.0004	-2.5 to 2.5	Pass
				10	3.85	0.658	0.0008	-2.5 to 2.5	Pass
				30	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				40	3.85	0.300	0.0004	-2.5 to 2.5	Pass
				50	3.85	1.073	0.0013	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	0.815	0.0010	-2.5 to 2.5	Pass
					3.85	0.730	0.0009	-2.5 to 2.5	Pass
					4.43	1.574	0.0019	-2.5 to 2.5	Pass
				-30	3.85	1.431	0.0017	-2.5 to 2.5	Pass
				-20	3.85	1.616	0.0019	-2.5 to 2.5	Pass
				-10	3.85	1.702	0.0020	-2.5 to 2.5	Pass
				0	3.85	0.272	0.0003	-2.5 to 2.5	Pass
				10	3.85	0.544	0.0006	-2.5 to 2.5	Pass
				30	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				40	3.85	0.901	0.0011	-2.5 to 2.5	Pass
				50	3.85	1.302	0.0015	-2.5 to 2.5	Pass

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	-0.429	-0.0005	-2.5 to 2.5	Pass
					3.85	-1.273	-0.0015	-2.5 to 2.5	Pass
					4.43	-0.386	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.486	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.472	-0.0006	-2.5 to 2.5	Pass
				0	3.85	-0.787	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-1.316	-0.0016	-2.5 to 2.5	Pass
				30	3.85	-0.644	-0.0008	-2.5 to 2.5	Pass
				40	3.85	-0.415	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-1.087	-0.0013	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	-0.801	-0.0010	-2.5 to 2.5	Pass
					3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
					4.43	0.215	0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-0.558	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-1.044	-0.0012	-2.5 to 2.5	Pass
				0	3.85	0.286	0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-0.300	-0.0004	-2.5 to 2.5	Pass
				40	3.85	0.200	0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.315	-0.0004	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-0.372	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
					4.43	-0.572	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-0.458	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				-10	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.272	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.401	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-0.772	-0.0009	-2.5 to 2.5	Pass
				50	3.85	-0.901	-0.0011	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.27	-0.443	-0.0005	-2.5 to 2.5	Pass
					3.85	0.029	0.0000	-2.5 to 2.5	Pass
					4.43	-0.687	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-1.087	-0.0013	-2.5 to 2.5	Pass
				-10	3.85	-1.001	-0.0012	-2.5 to 2.5	Pass
				0	3.85	-0.544	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-0.315	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-0.615	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-0.601	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.644	-0.0008	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	-0.715	-0.0009	-2.5 to 2.5	Pass
					3.85	-0.744	-0.0009	-2.5 to 2.5	Pass
					4.43	-0.873	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	-0.300	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.544	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	0.186	0.0002	-2.5 to 2.5	Pass
				0	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				10	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass

	846.5	25	0	30	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				40	3.85	0.458	0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.186	-0.0002	-2.5 to 2.5	Pass
				20	3.27	-1.431	-0.0017	-2.5 to 2.5	Pass
					3.85	-0.429	-0.0005	-2.5 to 2.5	Pass
					4.43	-0.372	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	-1.473	-0.0017	-2.5 to 2.5	Pass
				-20	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.958	-0.0011	-2.5 to 2.5	Pass
				0	3.85	0.257	0.0003	-2.5 to 2.5	Pass
				10	3.85	-1.116	-0.0013	-2.5 to 2.5	Pass
				30	3.85	-0.529	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.558	-0.0007	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	-1.159	-0.0014	-2.5 to 2.5	Pass
					3.85	0.386	0.0005	-2.5 to 2.5	Pass
					4.43	-0.973	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	-0.701	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.558	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-0.558	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-1.416	-0.0017	-2.5 to 2.5	Pass
				30	3.85	-0.758	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-1.059	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-0.901	-0.0011	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-0.715	-0.0009	-2.5 to 2.5	Pass
					3.85	-0.114	-0.0001	-2.5 to 2.5	Pass
					4.43	0.329	0.0004	-2.5 to 2.5	Pass
				-30	3.85	-0.200	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	-0.715	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	-0.658	-0.0008	-2.5 to 2.5	Pass
				0	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				10	3.85	-0.672	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-0.601	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-0.715	-0.0009	-2.5 to 2.5	Pass
				50	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-0.315	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.415	-0.0005	-2.5 to 2.5	Pass
					4.43	0.472	0.0006	-2.5 to 2.5	Pass
				-30	3.85	-0.658	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	-1.416	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
				0	3.85	-0.200	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-1.245	-0.0015	-2.5 to 2.5	Pass
				30	3.85	-0.458	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-0.629	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.801	-0.0009	-2.5 to 2.5	Pass
16QAM	829	27	0	20	3.27	-0.014	0.0000	-2.5 to 2.5	Pass
					3.85	-1.259	-0.0015	-2.5 to 2.5	Pass
					4.43	-1.559	-0.0019	-2.5 to 2.5	Pass
				-30	3.85	-0.973	-0.0012	-2.5 to 2.5	Pass

				-20	3.85	-1.001	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-0.658	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-0.844	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-0.629	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-1.087	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-0.787	-0.0009	-2.5 to 2.5	Pass
				50	3.85	-0.744	-0.0009	-2.5 to 2.5	Pass
	836.5	27	0	20	3.27	-1.402	-0.0017	-2.5 to 2.5	Pass
					3.85	-0.758	-0.0009	-2.5 to 2.5	Pass
					4.43	-0.958	-0.0011	-2.5 to 2.5	Pass
				-30	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-1.016	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				0	3.85	-0.272	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-1.602	-0.0019	-2.5 to 2.5	Pass
				30	3.85	-0.486	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.701	-0.0008	-2.5 to 2.5	Pass
				50	3.85	-1.130	-0.0014	-2.5 to 2.5	Pass
	844	27	23	20	3.27	0.358	0.0004	-2.5 to 2.5	Pass
					3.85	-0.458	-0.0005	-2.5 to 2.5	Pass
					4.43	-0.873	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	0.086	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.858	-0.0010	-2.5 to 2.5	Pass
				0	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.844	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-0.315	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-0.429	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-1.087	-0.0013	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.27	-2.446	-0.0029	-2.5 to 2.5	Pass
					3.85	-1.631	-0.0020	-2.5 to 2.5	Pass
					4.43	-1.488	-0.0018	-2.5 to 2.5	Pass
				-30	3.85	-1.788	-0.0022	-2.5 to 2.5	Pass
				-20	3.85	-1.745	-0.0021	-2.5 to 2.5	Pass
				-10	3.85	-1.788	-0.0022	-2.5 to 2.5	Pass
				0	3.85	-1.259	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-1.616	-0.0019	-2.5 to 2.5	Pass
				30	3.85	-0.873	-0.0010	-2.5 to 2.5	Pass
				40	3.85	-1.144	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-1.259	-0.0015	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	-0.372	-0.0004	-2.5 to 2.5	Pass
					3.85	0.086	0.0001	-2.5 to 2.5	Pass
					4.43	-0.987	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-0.858	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-1.388	-0.0017	-2.5 to 2.5	Pass
				0	3.85	-1.030	-0.0012	-2.5 to 2.5	Pass
				10	3.85	-1.359	-0.0016	-2.5 to 2.5	Pass
				30	3.85	-0.916	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-0.601	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.973	-0.0012	-2.5 to 2.5	Pass

	841.5	75	0	20	3.27	-1.245	-0.0015	-2.5 to 2.5	Pass
					3.85	-1.702	-0.0020	-2.5 to 2.5	Pass
					4.43	-1.688	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	-0.930	-0.0011	-2.5 to 2.5	Pass
				-20	3.85	-0.873	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-1.030	-0.0012	-2.5 to 2.5	Pass
				0	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-0.615	-0.0007	-2.5 to 2.5	Pass
				30	3.85	-1.001	-0.0012	-2.5 to 2.5	Pass
				40	3.85	-0.615	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-1.173	-0.0014	-2.5 to 2.5	Pass
16QAM	831.5	27	0	20	3.27	0.658	0.0008	-2.5 to 2.5	Pass
					3.85	0.401	0.0005	-2.5 to 2.5	Pass
					4.43	0.801	0.0010	-2.5 to 2.5	Pass
				-30	3.85	0.329	0.0004	-2.5 to 2.5	Pass
				-20	3.85	0.429	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.687	0.0008	-2.5 to 2.5	Pass
				0	3.85	0.830	0.0010	-2.5 to 2.5	Pass
				10	3.85	0.830	0.0010	-2.5 to 2.5	Pass
				30	3.85	0.744	0.0009	-2.5 to 2.5	Pass
				40	3.85	1.130	0.0014	-2.5 to 2.5	Pass
				50	3.85	0.958	0.0012	-2.5 to 2.5	Pass
	836.5	27	0	20	3.27	1.001	0.0012	-2.5 to 2.5	Pass
					3.85	1.359	0.0016	-2.5 to 2.5	Pass
					4.43	-0.329	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	1.488	0.0018	-2.5 to 2.5	Pass
				-20	3.85	1.402	0.0017	-2.5 to 2.5	Pass
				-10	3.85	0.830	0.0010	-2.5 to 2.5	Pass
				0	3.85	1.073	0.0013	-2.5 to 2.5	Pass
				10	3.85	0.930	0.0011	-2.5 to 2.5	Pass
				30	3.85	0.687	0.0008	-2.5 to 2.5	Pass
				40	3.85	0.587	0.0007	-2.5 to 2.5	Pass
				50	3.85	1.302	0.0016	-2.5 to 2.5	Pass
	841.5	27	48	20	3.27	-3.033	-0.0036	-2.5 to 2.5	Pass
					3.85	-2.131	-0.0025	-2.5 to 2.5	Pass
					4.43	-2.961	-0.0035	-2.5 to 2.5	Pass
				-30	3.85	-2.589	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	-2.332	-0.0028	-2.5 to 2.5	Pass
				-10	3.85	-1.230	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-2.203	-0.0026	-2.5 to 2.5	Pass
				10	3.85	-2.775	-0.0033	-2.5 to 2.5	Pass
				30	3.85	-2.718	-0.0032	-2.5 to 2.5	Pass
				40	3.85	-2.832	-0.0034	-2.5 to 2.5	Pass
				50	3.85	-3.133	-0.0037	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	Refer To Test Graph		Pass
16QAM	836.5	75	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B26b_1.4MHz




3.2.2 B26b_3MHz




3.2.3 B26b_5MHz



3.2.4 B26b_10MHz



3.2.5 B26b_15MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.129	/	Pass
		836.5	6	0	1.128	/	Pass
		848.3	6	0	1.210	/	Pass
	16QAM	824.7	6	0	1.118	/	Pass
		836.5	6	0	4.161	/	Pass
		848.3	6	0	1.151	/	Pass
3	QPSK	825.5	15	0	2.746	/	Pass
		836.5	15	0	2.744	/	Pass
		847.5	15	0	2.741	/	Pass
	16QAM	825.5	15	0	2.755	/	Pass
		836.5	15	0	2.750	/	Pass
		847.5	15	0	2.739	/	Pass
5	QPSK	826.5	25	0	4.587	/	Pass
		836.5	25	0	4.553	/	Pass
		846.5	25	0	4.518	/	Pass
	16QAM	826.5	25	0	4.586	/	Pass
		836.5	25	0	4.566	/	Pass
		846.5	25	0	4.538	/	Pass
10	QPSK	829	50	0	9.126	/	Pass
		836.5	50	0	9.015	/	Pass
		844	50	0	9.023	/	Pass
	16QAM	829	27	0	5.186	/	Pass
		836.5	27	0	5.173	/	Pass
		844	27	23	5.049	/	Pass
15	QPSK	831.5	75	0	13.564	/	Pass
		836.5	75	0	13.567	/	Pass
		841.5	75	0	13.630	/	Pass
	16QAM	831.5	27	0	5.314	/	Pass
		836.5	27	0	5.278	/	Pass
		841.5	27	48	5.205	/	Pass


4.1.2 Band26b_XDB

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.402	/	Pass
		836.5	6	0	1.394	/	Pass
		848.3	6	0	2.180	/	Pass
	16QAM	824.7	6	0	1.400	/	Pass
		836.5	6	0	1.260	/	Pass
		848.3	6	0	1.788	/	Pass
3	QPSK	825.5	15	0	3.150	/	Pass
		836.5	15	0	3.128	/	Pass
		847.5	15	0	3.190	/	Pass


	16QAM	825.5	15	0	3.164	/	Pass
		836.5	15	0	3.098	/	Pass
		847.5	15	0	3.121	/	Pass
5	QPSK	826.5	25	0	5.275	/	Pass
		836.5	25	0	5.236	/	Pass
		846.5	25	0	5.115	/	Pass
	16QAM	826.5	25	0	5.277	/	Pass
		836.5	25	0	5.192	/	Pass
		846.5	25	0	5.183	/	Pass
10	QPSK	829	50	0	10.226	/	Pass
		836.5	50	0	10.146	/	Pass
		844	50	0	10.112	/	Pass
	16QAM	829	27	0	8.521	/	Pass
		836.5	27	0	8.347	/	Pass
		844	27	23	7.708	/	Pass
15	QPSK	831.5	75	0	15.074	/	Pass
		836.5	75	0	15.042	/	Pass
		841.5	75	0	15.075	/	Pass
	16QAM	831.5	27	0	6.652	/	Pass
		836.5	27	0	6.583	/	Pass
		841.5	27	48	6.261	/	Pass

4.2 Test Graph


4.2.1 Band26b_OBW




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band26b 3MHz QPSK LCH 825.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_27_0_NTNV




Band26b 10MHz 16QAM MCH 836.5MHz RB 27 0 NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_27_23_NTNV




Band26b 15MHz QPSK LCH 831.5MHz RB 75 0 NTNV




Band26b 15MHz QPSK MCH 836.5MHz RB 75 0 NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_27_0_NTNV




Band26b 15MHz 16QAM MCH 836.5MHz RB 27 0 NTNV




Band26b 15MHz 16QAM HCH 841.5MHz RB 27 48 NTNV




4.2.2 Band26b_XDB




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band26b 3MHz QPSK LCH 825.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_27_0_NTNV




Band26b 10MHz 16QAM MCH 836.5MHz RB 27 0 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 27 23 NTNV




Band26b 15MHz QPSK LCH 831.5MHz RB 75 0 NTNV




Band26b 15MHz QPSK MCH 836.5MHz RB 75 0 NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_27_0_NTNV



Band26b 15MHz 16QAM MCH 836.5MHz RB 27 0 NTNV



Band26b 15MHz 16QAM HCH 841.5MHz RB 27 48 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	4.07	<=13	Pass
	836.5	6	0	4.27	<=13	Pass
	848.3	6	0	2.57	<=13	Pass
16QAM	824.7	6	0	5.06	<=13	Pass
	836.5	6	0	5.28	<=13	Pass
	848.3	6	0	3.62	<=13	Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	4.37	<=13	Pass
	836.5	15	0	4.44	<=13	Pass
	847.5	15	0	3.78	<=13	Pass
16QAM	825.5	15	0	5.32	<=13	Pass
	836.5	15	0	5.38	<=13	Pass
	847.5	15	0	4.77	<=13	Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	4.83	<=13	Pass
	836.5	25	0	4.79	<=13	Pass
	846.5	25	0	4.51	<=13	Pass
16QAM	826.5	25	0	5.70	<=13	Pass
	836.5	25	0	5.68	<=13	Pass
	846.5	25	0	5.53	<=13	Pass

5.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.04	<=13	Pass
	836.5	50	0	4.88	<=13	Pass
	844	50	0	4.87	<=13	Pass
16QAM	829	27	0	5.55	<=13	Pass
	836.5	27	0	5.67	<=13	Pass


	844	27	23	5.49	<=13	Pass
--	-----	----	----	------	------	------

5.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	4.84	<=13	Pass
	836.5	75	0	4.85	<=13	Pass
	841.5	75	0	5.12	<=13	Pass
16QAM	831.5	27	0	6.35	<=13	Pass
	836.5	27	0	6.26	<=13	Pass
	841.5	27	48	6.24	<=13	Pass

5.2 Test Graph


5.2.1 B26b_1.4MHz




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTV




5.2.2 B26b_3MHz




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




5.2.3 B26b_5MHz




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




5.2.4 B26b_10MHz




Band26b 10MHz QPSK HCH 844MHz RB 50 0 NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 27 0 NTNV




Band26b 10MHz 16QAM MCH 836.5MHz RB 27 0 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 27 23 NTNV




5.2.5 B26b_15MHz




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_27_0_NTNV



Band26b 15MHz 16QAM MCH 836.5MHz RB 27 0 NTNV



Band26b 15MHz 16QAM HCH 841.5MHz RB 27 48 NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	826.5	1	0	Refer To Test Graph		Pass

		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	829	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	844	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
16QAM	829	1	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	844	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass

6.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	831.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
16QAM	831.5	1	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B26b_1.4MHz




Band26b 1.4MHz QPSK LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTNV



Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV




Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-26.99	-13	Pass
850	852	0.1	CHP	2	850.052	-56.45	-13	Pass


Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTNV



Band26b 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-34.78	-13	Pass
823	824	0.014	CHP	2	823.995	-27.22	-13	Pass
824	827	0.014	CHP	/	/	/	/	/


Band26b 1.4MHz 16QAM MCH 836.5MHz RB 1 0 NTNV



Band26b 1.4MHz 16QAM HCH 848.3MHz RB 1 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-27.64	-13	Pass
850	852	0.1	CHP	2	850.052	-57.88	-13	Pass

Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.018	CHP	/	/	/	/	/
849	850	0.018	CHP	1	849.030	-23.74	-13	Pass
850	852	0.1	CHP	2	850.055	-34.91	-13	Pass


6.2.2 B26b_3MHz




Band26b 3MHz QPSK LCH 825.5MHz RB 15 0 NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-29.08	-13	Pass
850	852	0.1	CHP	2	850.052	-50.62	-13	Pass

Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.032	CHP	/	/	/	/	/
849	850	0.032	CHP	1	849.006	-26.10	-13	Pass
850	852	0.1	CHP	2	850.074	-27.14	-13	Pass

Band26b 3MHz 16QAM LCH 825.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-52.74	-13	Pass
823	824	0.003	/	2	823.997	-30.02	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band26b 3MHz 16QAM LCH 825.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.770	-31.60	-13	Pass
823	824	0.032	CHP	2	823.994	-28.31	-13	Pass
824	827	0.032	CHP	/	/	/	/	/


Band26b 3MHz 16QAM MCH 836.5MHz RB 1 0 NTNV



Band26b 3MHz 16QAM HCH 847.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-29.93	-13	Pass
850	852	0.1	CHP	2	850.052	-56.14	-13	Pass

Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.031	CHP	/	/	/	/	/
849	850	0.031	CHP	1	849.006	-29.02	-13	Pass
850	852	0.1	CHP	2	850.074	-29.51	-13	Pass


6.2.3 B26b_5MHz




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b 5MHz QPSK HCH 846.5MHz RB 1 0 NTN




Band26b 5MHz QPSK HCH 846.5MHz RB 1 24 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-33.27	-13	Pass
850	854	0.1	CHP	2	850.050	-54.53	-13	Pass

Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	CHP	/	/	/	/	/
849	850	0.051	CHP	1	849.010	-30.45	-13	Pass
850	854	0.1	CHP	2	850.370	-33.44	-13	Pass

Band26b 5MHz 16QAM LCH 826.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.918	-55.80	-13	Pass
823	824	0.003	/	2	823.997	-34.01	-13	Pass
824	829	0.003	/	/	/	/	/	/

Band26b 5MHz 16QAM LCH 826.5MHz RB 1 0 NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.920	-32.67	-13	Pass
823	824	0.053	CHP	2	823.990	-28.64	-13	Pass
824	829	0.053	CHP	/	/	/	/	/


Band26b 5MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM HCH 846.5MHz RB 1 0 NTNV



Band26b 5MHz 16QAM HCH 846.5MHz RB 1 24 NTNV




Band26b 5MHz 16QAM HCH 846.5MHz RB 25 0 NTNV




6.2.4 B26b_10MHz


Band26b_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b 10MHz QPSK HCH 844MHz RB 1 0 NTN




Band26b 10MHz QPSK HCH 844MHz RB 1 49 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.002	-44.81	-13	Pass
850	859	0.1	CHP	2	850.054	-56.87	-13	Pass

Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.101	CHP	/	/	/	/	/
849	850	0.101	CHP	1	849.060	-32.45	-13	Pass
850	859	0.1	/	2	850.460	-33.32	-13	Pass

Band26b_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	822.949	-56.59	-13	Pass
823	824	0.003	/	2	823.998	-46.14	-13	Pass
824	834	0.003	/	/	/	/	/	/


Band26b_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b 10MHz 16QAM HCH 844MHz RB 1 0 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.004	-45.56	-13	Pass
850	859	0.1	CHP	2	850.051	-58.82	-13	Pass


6.2.5 B26b_15MHz




Band26b 15MHz QPSK LCH 831.5MHz RB 75 0 NTNV




Band26b 15MHz QPSK MCH 836.5MHz RB 1 0 NTNV



Band26b 15MHz QPSK HCH 841.5MHz RB 1 0 NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-44.13	-13	Pass
850	864	0.1	CHP	2	850.052	-52.72	-13	Pass

Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.151	CHP	/	/	/	/	/
849	850	0.151	CHP	1	849.030	-33.35	-13	Pass
850	864	0.1	/	2	850.320	-34.84	-13	Pass

Band26b_15MHz_16QAM_LCH_831.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	CHP	1	822.948	-55.02	-13	Pass
823	824	0.003	/	2	823.997	-44.38	-13	Pass
824	839	0.003	/	/	/	/	/	/


Band26b_15MHz_16QAM_LCH_831.5MHz_RB_1_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b 15MHz 16QAM HCH 841.5MHz RB 1 0 NTNV



Band26b 15MHz 16QAM HCH 841.5MHz RB 1 74 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-44.78	-13	Pass
850	864	0.1	CHP	2	850.052	-53.68	-13	Pass

7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26b	1.4	824.7	848.3	0.1932	0.0162	ppm	1M21G7D	/	22.86
26b	1.4	824.7	848.3	0.1574	0.0020	ppm	4M16W7D	/	21.97
26b	3	825.5	847.5	0.1945	0.0031	ppm	2M75G7D	/	22.89
26b	3	825.5	847.5	0.1585	0.0020	ppm	2M75W7D	/	22.00
26b	5	826.5	846.5	0.1928	0.0016	ppm	4M59G7D	/	22.85
26b	5	826.5	846.5	0.1585	0.0017	ppm	4M59W7D	/	22.00
26b	10	829	844	0.1923	0.0017	ppm	9M13G7D	/	22.84
26b	10	829	844	0.1600	0.0019	ppm	5M19W7D	/	22.04
26b	15	831.5	841.5	0.1820	0.0029	ppm	13M6G7D	/	22.60
26b	15	831.5	841.5	0.1503	0.0037	ppm	5M31W7D	/	21.77

7.1.2 Form731_ERP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26b	1.4	824.7	848.3	0.1262	0.0162	ppm	1M21G7D	/	21.01
26b	1.4	824.7	848.3	0.1028	0.0020	ppm	4M16W7D	/	20.12
26b	3	825.5	847.5	0.1271	0.0031	ppm	2M75G7D	/	21.04
26b	3	825.5	847.5	0.1035	0.0020	ppm	2M75W7D	/	20.15
26b	5	826.5	846.5	0.1259	0.0016	ppm	4M59G7D	/	21.00
26b	5	826.5	846.5	0.1035	0.0017	ppm	4M59W7D	/	20.15
26b	10	829	844	0.1256	0.0017	ppm	9M13G7D	/	20.99
26b	10	829	844	0.1045	0.0019	ppm	5M19W7D	/	20.19
26b	15	831.5	841.5	0.1189	0.0029	ppm	13M6G7D	/	20.75
26b	15	831.5	841.5	0.0982	0.0037	ppm	5M31W7D	/	19.92