

Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=6 Position=#0



Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0



Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009546375	-58.1	-13
2	0.15	30	10	0.188805	-55.65	-13
3	30	1000	100	595.04925	-61.89	-13
4	1000	10000	1000	1663.075	-43.72	-13

Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-58.01	-13
2	0.15	30	10	0.18805875	-55.14	-13
3	30	1000	100	513.4965	-62.14	-13
4	1000	10000	1000	1673.65	-44.17	-13

Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009680325	-56.91	-13
2	0.15	30	10	0.19104375	-55.97	-13
3	30	1000	100	928.14725	-62.67	-13
4	1000	10000	1000	2535.625	-39.37	-13

Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009920025	-60	-13
2	0.15	30	10	0.1902975	-54.8	-13
3	30	1000	100	930.839	-62.4	-13
4	1000	10000	1000	2499.4	-44.92	-13

Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01084005	-58.71	-13
2	0.15	30	10	0.19104375	-55.49	-13
3	30	1000	100	527.92525	-62.38	-13
4	1000	10000	1000	1673.875	-43.98	-13

Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010533375	-58.81	-13
2	0.15	30	10	0.1902975	-55.57	-13
3	30	1000	100	576.03725	-62.13	-13
4	1000	10000	1000	2524.15	-43.12	-13

Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099306	-61.53	-13
2	0.15	30	10	0.18955125	-55.49	-13
3	30	1000	100	807.38225	-62.45	-13
4	1000	10000	1000	2477.575	-38.22	-13

Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009095175	-59.71	-13
2	0.15	30	10	0.18955125	-55.1	-13
3	30	1000	100	776.14825	-61.46	-13
4	1000	10000	1000	2509.525	-37.15	-13

Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-59.18	-13
2	0.15	30	10	0.188805	-54.63	-13
3	30	1000	100	528.677	-61.82	-13
4	1000	10000	1000	2542.825	-31.97	-13

Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00995175	-60.32	-13
2	0.15	30	10	0.1902975	-55.34	-13
3	30	1000	100	725.02925	-62.57	-13
4	1000	10000	1000	2481.175	-42.14	-13

Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-55.85	-13
2	0.15	30	10	0.1902975	-54.97	-13
3	30	1000	100	547.66475	-62.21	-13
4	1000	10000	1000	2509.75	-39.94	-13

Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-59.31	-13
2	0.15	30	10	0.18955125	-55.6	-13
3	30	1000	100	989.039	-61.75	-13
4	1000	10000	1000	2539.225	-37	-13

Band41 16QAM BW=10MHz Channel=39700 RB Size=50 Position=#0



Band41 16QAM BW=10MHz Channel=40620 RB Size=50 Position=#0



Band41 16QAM BW=10MHz Channel=41540 RB Size=50 Position=#0



Band41 16QAM BW=15MHz Channel=39725 RB Size=75 Position=#0



Band41 16QAM BW=15MHz Channel=40620 RB Size=75 Position=#0



Band41 16QAM BW=15MHz Channel=41515 RB Size=75 Position=#0



Band41 16QAM BW=20MHz Channel=39750 RB Size=100 Position=#0



Band41 16QAM BW=20MHz Channel=40620 RB Size=100 Position=#0



Band41 16QAM BW=20MHz Channel=41490 RB Size=100 Position=#0



Band41 16QAM BW=5MHz Channel=39675 RB Size=25 Position=#0



Band41 16QAM BW=5MHz Channel=40620 RB Size=25 Position=#0



Band41 16QAM BW=5MHz Channel=41565 RB Size=25 Position=#0



Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0



Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0



Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0



Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-59.93	-25
2	0.15	30	10	0.1514925	-61.37	-25
3	30	1000	100	844.19375	-65.54	-25
4	1000	27000	1000	24995.4	-39.86	-25

Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010166775	-61.24	-25
2	0.15	30	10	0.15	-62.22	-25
3	30	1000	100	30.89725	-54.19	-25
4	1000	27000	1000	24916.1	-38.83	-25

Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009123375	-59.35	-25
2	0.15	30	10	0.18656625	-53.61	-25
3	30	1000	100	123.411	-55.93	-25
4	1000	27000	1000	24970.7	-38.93	-25

Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010434675	-55.13	-25
2	0.15	30	10	0.1843275	-53.78	-25
3	30	1000	100	707.47225	-65.72	-25
4	1000	27000	1000	24927.8	-38.71	-25

Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009109275	-53.28	-25
2	0.15	30	10	0.18582	-54.04	-25
3	30	1000	100	32.10975	-55.9	-25
4	1000	27000	1000	25388.65	-39.1	-25

Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010180875	-51.55	-25
2	0.15	30	10	0.18582	-54.03	-25
3	30	1000	100	125.1085	-57.71	-25
4	1000	27000	1000	24905.7	-38.23	-25

Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009497025	-51.67	-25
2	0.15	30	10	0.1843275	-54.7	-25
3	30	1000	100	914.64	-65.78	-25
4	1000	27000	1000	24950.55	-39.28	-25

Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-51.39	-25
2	0.15	30	10	0.18507375	-53.92	-25
3	30	1000	100	30.84875	-50.17	-25
4	1000	27000	1000	24916.1	-39.25	-25

Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00923265	-52.19	-25
2	0.15	30	10	0.18582	-54.25	-25
3	30	1000	100	125.42375	-51.63	-25
4	1000	27000	1000	2718.6	-26.5	-25

Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 16QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0



Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0



Band66 16QAM BW=10MHz Channel=132022 RB Size=50 Position=#0



Band66 16QAM BW=10MHz Channel=132322 RB Size=50 Position=#0



Band66 16QAM BW=10MHz Channel=132622 RB Size=50 Position=#0



Band66 16QAM BW=15MHz Channel=132047 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00950055	-48.04	-13
2	0.15	30	10	0.19104375	-49.31	-13
3	30	1000	100	917.18625	-51.98	-13
4	1000	18000	1000	16668.475	-34.16	-13

Band66 16QAM BW=15MHz Channel=132322 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01034655	-48.86	-13
2	0.15	30	10	0.15	-50.3	-13
3	30	1000	100	876.4705	-52.45	-13
4	1000	18000	1000	16529.5	-33.63	-13

Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092115	-46.48	-13
2	0.15	30	10	0.15373125	-50.91	-13
3	30	1000	100	898.6835	-51.96	-13
4	1000	18000	1000	16614.5	-33.62	-13

Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0



Band66 16QAM BW=20MHz Channel=132322 RB Size=100 Position=#0



Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0



Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010018725	-48.32	-13
2	0.15	30	10	0.16865625	-50.69	-13
3	30	1000	100	786.81825	-52.85	-13
4	1000	18000	1000	16588.575	-31.94	-13

Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010434675	-49.54	-13
2	0.15	30	10	0.158955	-50.42	-13
3	30	1000	100	747.09675	-52.58	-13
4	1000	18000	1000	16656.575	-33.56	-13

Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009412425	-49.69	-13
2	0.15	30	10	0.188805	-51.08	-13
3	30	1000	100	519.947	-52.37	-13
4	1000	18000	1000	16432.175	-32.79	-13

Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0



Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0



Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010209075	-47.75	-13
2	0.15	30	10	0.16791	-48.78	-13
3	30	1000	100	943.255	-52.71	-13
4	1000	18000	1000	16240.5	-32.97	-13

Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010617975	-49.78	-13
2	0.15	30	10	0.15522375	-50.01	-13
3	30	1000	100	844.67875	-53.09	-13
4	1000	18000	1000	16547.35	-33.12	-13

Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009564	-45.99	-13
2	0.15	30	10	0.18582	-50.26	-13
3	30	1000	100	856.343	-53.09	-13
4	1000	18000	1000	16679.95	-33.12	-13

Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0



Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0



Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0



Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49.6	-13
2	0.15	30	10	0.18955125	-49.76	-13
3	30	1000	100	922.7395	-52.57	-13
4	1000	18000	1000	16519.725	-33.55	-13

Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012070275	-48.31	-13
2	0.15	30	10	0.19179	-48.99	-13
3	30	1000	100	829.571	-52.57	-13
4	1000	18000	1000	16574.975	-32.32	-13

Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.79	-13
2	0.15	30	10	0.1514925	-49.98	-13
3	30	1000	100	919.22325	-52.08	-13
4	1000	18000	1000	16279.6	-33.92	-13

Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.24	-13
2	0.15	30	10	0.18805875	-50.21	-13
3	30	1000	100	794.748	-52.5	-13
4	1000	18000	1000	16589	-33.49	-13

Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00969795	-47.08	-13
2	0.15	30	10	0.19104375	-50.04	-13
3	30	1000	100	891.43275	-51.88	-13
4	1000	18000	1000	16442.8	-33.67	-13

Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009243225	-50.23	-13
2	0.15	30	10	0.1902975	-49.86	-13
3	30	1000	100	895.99175	-52.74	-13
4	1000	18000	1000	16555.425	-33.13	-13

Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0



Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0



Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0



Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0136953	-48.88	-13
2	0.15	30	10	0.188805	-49.76	-13
3	30	1000	100	823.46	-52.57	-13
4	1000	18000	1000	16294.9	-33.31	-13

Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00906345	-47.02	-13
2	0.15	30	10	0.1902975	-50.95	-13
3	30	1000	100	876.88275	-52.69	-13
4	1000	18000	1000	16161.025	-33.46	-13

Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009779025	-48.51	-13
2	0.15	30	10	0.19104375	-50.29	-13
3	30	1000	100	611.73325	-52.8	-13
4	1000	18000	1000	16730.95	-34.05	-13

Band71 16QAM BW=10MHz Channel=133172 RB Size=50 Position=#0



Band71 16QAM BW=10MHz Channel=133297 RB Size=50 Position=#0



Band71 16QAM BW=10MHz Channel=133422 RB Size=50 Position=#0



Band71 16QAM BW=15MHz Channel=133197 RB Size=75 Position=#0



Band71 16QAM BW=15MHz Channel=133297 RB Size=75 Position=#0



Band71 16QAM BW=15MHz Channel=133397 RB Size=75 Position=#0



Band71 16QAM BW=20MHz Channel=133222 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0137799	-55.4	-13
2	0.15	30	10	0.19179	-54.32	-13
3	30	1000	100	910.83275	-57.02	-13
4	1000	10000	1000	5630.5	-43.12	-13

Band71 16QAM BW=20MHz Channel=133297 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01007865	-53.09	-13
2	0.15	30	10	0.1902975	-54.71	-13
3	30	1000	100	960.618	-57.46	-13
4	1000	10000	1000	5920.3	-42.88	-13

Band71 16QAM BW=20MHz Channel=133372 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-53.8	-13
2	0.15	30	10	0.188805	-54.13	-13
3	30	1000	100	513.7875	-57.17	-13
4	1000	10000	1000	5675.275	-43.61	-13

Band71 16QAM BW=5MHz Channel=133147 RB Size=25 Position=#0



Band71 16QAM BW=5MHz Channel=133297 RB Size=25 Position=#0



Band71 16QAM BW=5MHz Channel=133447 RB Size=25 Position=#0



Band71 QPSK BW=10MHz Channel=133172 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009377175	-53.69	-13
2	0.15	30	10	0.1932825	-55.62	-13
3	30	1000	100	447.70625	-56.72	-13
4	1000	10000	1000	6089.5	-42.54	-13

Band71 QPSK BW=10MHz Channel=133297 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-53.42	-13
2	0.15	30	10	0.1902975	-54.79	-13
3	30	1000	100	813.2265	-57.29	-13
4	1000	10000	1000	5551.525	-43.7	-13

Band71 QPSK BW=10MHz Channel=133422 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01213725	-54.17	-13
2	0.15	30	10	0.19253625	-54.72	-13
3	30	1000	100	863.83625	-57.11	-13
4	1000	10000	1000	3166.975	-43.67	-13

Band71 QPSK BW=15MHz Channel=133197 RB Size=75 Position=#0



Band71 QPSK BW=15MHz Channel=133297 RB Size=75 Position=#0



Band71 QPSK BW=15MHz Channel=133397 RB Size=75 Position=#0



Band71 QPSK BW=20MHz Channel=133222 RB Size=100 Position=#0



Band71 QPSK BW=20MHz Channel=133297 RB Size=100 Position=#0



Band71 QPSK BW=20MHz Channel=133372 RB Size=100 Position=#0



Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133297 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0



RADIATED SPURIOUS EMISSION
Note:
(1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequeny below 1000MHz.
(2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3720.44	-25.58	7.00	12.93	**-31.51**	-13.00	-18.51	H
5580.12	-26.48	8.40	17.11	-35.19	-13.00	-22.19	H
7439.94	-23.75	8.10	22.20	-37.85	-13.00	-24.85	H
3720.44	-29.30	7.00	12.93	-35.23	-13.00	-22.23	V
5580.12	-25.37	8.40	17.11	-34.08	-13.00	-21.08	V
7439.94	-27.79	8.10	22.20	-41.89	-13.00	-28.89	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3759.88	-28.51	7.00	12.93	-34.44	-13.00	-21.44	H
5640.16	-26.48	8.40	17.11	-35.19	-13.00	-22.19	H
7520.16	-23.36	8.10	22.20	-37.46	-13.00	-24.46	H
3759.88	-25.32	7.00	12.93	**-31.25**	-13.00	-18.25	V
5640.16	-24.68	8.40	17.11	-33.39	-13.00	-20.39	V
7520.16	-24.75	8.10	22.20	-38.85	-13.00	-25.85	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3800.12	-24.83	7.00	12.93	**-30.76**	-13.00	-17.76	H
5700.11	-27.57	8.40	17.11	-36.28	-13.00	-23.28	H
7600.09	-27.06	8.10	22.20	-41.16	-13.00	-28.16	H
3800.12	-28.40	7.00	12.93	-34.33	-13.00	-21.33	V
5700.11	-28.12	8.40	17.11	-36.83	-13.00	-23.83	V
7600.09	-28.11	8.10	22.20	-42.21	-13.00	-29.21	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3440.29	-27.03	7.20	12.56	**-32.39**	-13.00	-19.39	H
5160.05	-26.67	8.10	16.32	-34.89	-13.00	-21.89	H
6880.40	-26.21	8.30	21.13	-39.04	-13.00	-26.04	H
3440.29	-28.71	7.20	12.56	-34.07	-13.00	-21.07	V
5160.05	-24.98	8.10	16.32	-33.20	-13.00	-20.20	V
6880.40	-28.06	8.30	21.13	-40.89	-13.00	-27.89	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3465.05	-27.51	7.20	12.56	**-32.87**	-13.00	-19.87	H
5196.58	-26.53	8.10	16.32	-34.75	-13.00	-21.75	H
6929.63	-26.64	8.30	21.13	-39.47	-13.00	-26.47	H
3465.05	-27.62	7.20	12.56	-32.98	-13.00	-19.98	V
5196.58	-28.24	8.10	16.32	-36.46	-13.00	-23.46	V
6929.63	-23.38	8.30	21.13	-36.21	-13.00	-23.21	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3490.63	-25.62	7.20	12.56	**-30.98**	-13.00	-17.98	H
5235.27	-26.58	8.10	16.32	-34.80	-13.00	-21.80	H
6979.78	-23.24	8.30	21.13	-36.07	-13.00	-23.07	H
3490.63	-29.47	7.20	12.56	-34.83	-13.00	-21.83	V
5235.27	-24.77	8.10	16.32	-32.99	-13.00	-19.99	V
6979.78	-25.98	8.30	21.13	-38.81	-13.00	-25.81	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1657.93	-25.89	7.40	9.72	**-28.21**	-13.00	-15.21	H
2486.42	-26.04	8.30	10.86	-28.60	-13.00	-15.60	H
3315.35	-28.61	7.20	11.57	-32.98	-13.00	-19.98	H
1657.93	-30.33	7.40	9.72	-32.65	-13.00	-19.65	V
2486.42	-28.01	8.30	10.86	-30.57	-13.00	-17.57	V
3315.35	-25.88	7.20	11.57	-30.25	-13.00	-17.25	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1672.36	-28.28	7.40	9.72	-30.60	-13.00	-17.60	H
2508.82	-30.25	8.30	10.86	-32.81	-13.00	-19.81	H
3345.35	-26.97	7.20	11.57	-31.34	-13.00	-18.34	H
1672.36	-26.96	7.40	9.72	**-29.28**	-13.00	-16.28	V
2508.82	-28.00	8.30	10.86	-30.56	-13.00	-17.56	V
3345.35	-26.63	7.20	11.57	-31.00	-13.00	-18.00	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1687.29	-26.55	7.40	9.72	-28.87	-13.00	-15.87	H
2531.31	-27.77	8.30	10.86	-30.33	-13.00	-17.33	H
3375.68	-27.22	7.20	11.57	-31.59	-13.00	-18.59	H
1687.29	-27.26	7.40	9.72	-29.58	-13.00	-16.58	V
2531.31	-25.51	8.30	10.86	**-28.07**	-13.00	-15.07	V
3375.68	-28.67	7.20	11.57	-33.04	-13.00	-20.04	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1407.95	-29.84	6.70	9.34	-32.48	-13.00	-19.48	H
2111.65	-26.51	7.80	10.42	-29.13	-13.00	-16.13	H
2815.86	-23.80	8.00	11.12	**-26.92**	-13.00	-13.92	H
1407.95	-29.82	6.70	9.34	-32.46	-13.00	-19.46	V
2111.65	-28.80	7.80	10.42	-31.42	-13.00	-18.42	V
2815.86	-25.56	8.00	11.12	-28.68	-13.00	-15.68	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1414.69	-28.54	6.70	9.34	-31.18	-13.00	-18.18	H
2122.17	-27.89	7.80	10.42	-30.51	-13.00	-17.51	H
2829.66	-26.93	8.00	11.12	-30.05	-13.00	-17.05	H
1414.69	-26.51	6.70	9.34	**-29.15**	-13.00	-16.15	V
2122.17	-29.61	7.80	10.42	-32.23	-13.00	-19.23	V
2829.66	-26.74	8.00	11.12	-29.86	-13.00	-16.86	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1421.65	-29.48	6.70	9.34	-32.12	-13.00	-19.12	H
2132.63	-28.54	7.80	10.42	-31.16	-13.00	-18.16	H
2843.71	-28.53	8.00	11.12	-31.65	-13.00	-18.65	H
1421.65	-30.44	6.70	9.34	-33.08	-13.00	-20.08	V
2132.63	-26.38	7.80	10.42	-29.00	-13.00	-16.00	V
2843.71	-25.45	8.00	11.12	**-28.57**	-13.00	-15.57	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1418.25	-26.55	6.90	9.34	**-28.99**	-13.00	-15.99	H
2127.41	-28.20	8.00	10.42	-30.62	-13.00	-17.62	H
2836.68	-28.12	8.00	11.12	-31.24	-13.00	-18.24	H
1418.25	-27.65	6.90	9.34	-30.09	-13.00	-17.09	V
2127.41	-28.14	8.00	10.42	-30.56	-13.00	-17.56	V
2836.68	-28.55	8.00	11.12	-31.67	-13.00	-18.67	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1420.10	-29.26	6.90	9.34	-31.70	-13.00	-18.70	H
2129.86	-27.41	8.00	10.42	-29.83	-13.00	-16.83	H
2840.04	-28.46	8.00	11.12	-31.58	-13.00	-18.58	H
1420.10	-27.83	6.90	9.34	-30.27	-13.00	-17.27	V
2129.86	-26.33	8.00	10.42	**-28.75**	-13.00	-15.75	V
2840.04	-27.00	8.00	11.12	-30.12	-13.00	-17.12	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1421.20	-26.91	6.90	9.34	-29.35	-13.00	-16.35	H
2131.86	-28.79	8.00	10.42	-31.21	-13.00	-18.21	H
2842.56	-26.72	8.00	11.12	-29.84	-13.00	-16.84	H
1421.20	-30.93	6.90	9.34	-33.37	-13.00	-20.37	V
2131.86	-28.35	8.00	10.42	-30.77	-13.00	-17.77	V
2842.56	-26.12	8.00	11.12	**-29.24**	-13.00	-16.24	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3720.44	-25.84	7.00	12.93	**-31.77**	-13.00	-18.77	H
5580.34	-29.24	8.40	17.11	-37.95	-13.00	-24.95	H
7440.06	-25.67	8.10	22.20	-39.77	-13.00	-26.77	H
3720.44	-27.11	7.00	12.93	-33.04	-13.00	-20.04	V
5580.34	-26.83	8.40	17.11	-35.54	-13.00	-22.54	V
7440.06	-26.13	8.10	22.20	-40.23	-13.00	-27.23	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3760.14	-28.91	7.00	12.93	-34.84	-13.00	-21.84	H
5640.11	-26.63	8.40	17.11	-35.34	-13.00	-22.34	H
7519.99	-26.71	8.10	22.20	-40.81	-13.00	-27.81	H
3760.14	-26.92	7.00	12.93	**-32.85**	-13.00	-19.85	V
5640.11	-27.94	8.40	17.11	-36.65	-13.00	-23.65	V
7519.99	-25.20	8.10	22.20	-39.30	-13.00	-26.30	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3800.12	-25.81	7.00	12.93	**-31.74**	-13.00	-18.74	H
5699.94	-25.15	8.40	17.11	-33.86	-13.00	-20.86	H
7600.17	-26.64	8.10	22.20	-40.74	-13.00	-27.74	H
3800.12	-26.00	7.00	12.93	-31.93	-13.00	-18.93	V
5699.94	-27.67	8.40	17.11	-36.38	-13.00	-23.38	V
7600.17	-27.17	8.10	22.20	-41.27	-13.00	-28.27	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1663.49	-30.88	7.40	9.72	-33.20	-13.00	-20.20	H
2494.49	-27.16	8.30	10.86	**-29.72**	-13.00	-16.72	H
3325.65	-26.32	7.20	11.57	-30.69	-13.00	-17.69	H
1663.49	-27.41	7.40	9.72	-29.73	-13.00	-16.73	V
2494.49	-29.47	8.30	10.86	-32.03	-13.00	-19.03	V
3325.65	-25.38	7.20	11.57	-29.75	-13.00	-16.75	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1673.25	-30.22	7.40	9.72	-32.54	-13.00	-19.54	H
2508.87	-30.57	8.30	10.86	-33.13	-13.00	-20.13	H
3345.94	-29.35	7.20	11.57	-33.72	-13.00	-20.72	H
1673.25	-29.68	7.40	9.72	-32.00	-13.00	-19.00	V
2508.87	-28.55	8.30	10.86	-31.11	-13.00	-18.11	V
3345.94	-26.66	7.20	11.57	**-31.03**	-13.00	-18.03	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1683.55	-30.63	7.40	9.72	-32.95	-13.00	-19.95	H
2524.46	-29.83	8.30	10.86	-32.39	-13.00	-19.39	H
3366.57	-25.28	7.20	11.57	**-29.65**	-13.00	-16.65	H
1683.55	-28.02	7.40	9.72	-30.34	-13.00	-17.34	V
2524.46	-30.06	8.30	10.86	-32.62	-13.00	-19.62	V
3366.57	-28.78	7.20	11.57	-33.15	-13.00	-20.15	V

LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1672.81	-28.49	7.40	9.72	-30.81	-13.00	-17.81	H
2509.00	-30.31	8.30	10.86	-32.87	-13.00	-19.87	H
3346.02	-26.11	7.20	11.57	-30.48	-13.00	-17.48	H
1672.81	-27.65	7.40	9.72	-29.97	-13.00	-16.97	V
2509.00	-29.74	8.30	10.86	-32.30	-13.00	-19.30	V
3346.02	-25.31	7.20	11.57	**-29.68**	-13.00	-16.68	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5012.04	-34.65	7.90	15.86	-42.61	-25.00	-17.61	H
7518.16	-31.82	9.00	19.28	-42.10	-25.00	-17.10	H
10024.11	-28.76	8.70	23.19	-43.25	-25.00	-18.25	H
5012.04	-32.65	7.90	15.86	**-40.61**	-25.00	-15.61	V
7518.16	-32.54	9.00	19.28	-42.82	-25.00	-17.82	V
10024.11	-30.56	8.70	23.19	-45.05	-25.00	-20.05	V
LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5186.10	-34.72	7.90	15.86	**-42.68**	-25.00	-17.68	H
7779.16	-34.82	9.00	19.28	-45.10	-25.00	-20.10	H
10372.11	-31.99	8.70	23.19	-46.48	-25.00	-21.48	H
5186.10	-34.74	7.90	15.86	-42.70	-25.00	-17.70	V
7779.16	-32.64	9.00	19.28	-42.92	-25.00	-17.92	V
10372.11	-28.95	8.70	23.19	-43.44	-25.00	-18.44	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5359.82	-34.24	7.90	15.86	-42.20	-25.00	-17.20	H
8040.19	-31.22	9.00	19.28	**-41.50**	-25.00	-16.50	H
10720.24	-31.84	8.70	23.19	-46.33	-25.00	-21.33	H
5359.82	-34.23	7.90	15.86	-42.19	-25.00	-17.19	V
8040.19	-33.76	9.00	19.28	-44.04	-25.00	-19.04	V
10720.24	-28.44	8.70	23.19	-42.93	-25.00	-17.93	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3440.17	-24.45	7.20	12.56	**-29.81**	-13.00	-16.81	H
5159.90	-27.38	8.10	16.32	-35.60	-13.00	-22.60	H
6879.96	-25.56	8.30	21.13	-38.39	-13.00	-25.39	H
3440.17	-27.86	7.20	12.56	-33.22	-13.00	-20.22	V
5159.90	-29.11	8.10	16.32	-37.33	-13.00	-24.33	V
6879.96	-23.80	8.30	21.13	-36.63	-13.00	-23.63	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3490.02	-26.68	7.20	12.56	**-32.04**	-13.00	-19.04	H
5234.97	-26.30	8.10	16.32	-34.52	-13.00	-21.52	H
6980.28	-22.89	8.30	21.13	-35.72	-13.00	-22.72	H
3490.02	-26.69	7.20	12.56	-32.05	-13.00	-19.05	V
5234.97	-28.85	8.10	16.32	-37.07	-13.00	-24.07	V
6980.28	-24.04	8.30	21.13	-36.87	-13.00	-23.87	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3539.87	-25.97	7.20	12.56	**-31.33**	-13.00	-18.33	H
5310.21	-27.58	8.10	16.32	-35.80	-13.00	-22.80	H
7080.53	-24.34	8.30	21.13	-37.17	-13.00	-24.17	H
3539.87	-26.15	7.20	12.56	-31.51	-13.00	-18.51	V
5310.21	-27.74	8.10	16.32	-35.96	-13.00	-22.96	V
7080.53	-27.71	8.30	21.13	-40.54	-13.00	-27.54	V

LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1346.08	-28.02	6.50	9.34	-30.86	-13.00	-17.86	H
2018.80	-30.14	7.70	10.42	-32.86	-13.00	-19.86	H
2691.97	-24.86	7.90	11.12	**-28.08**	-13.00	-15.08	H
1346.08	-28.93	6.50	9.34	-31.77	-13.00	-18.77	V
2018.80	-28.69	7.70	10.42	-31.41	-13.00	-18.41	V
2691.97	-29.77	7.90	11.12	-32.99	-13.00	-19.99	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1361.04	-26.75	6.50	9.34	-29.59	-13.00	-16.59	H
2041.56	-30.25	7.70	10.42	-32.97	-13.00	-19.97	H
2721.97	-25.32	7.90	11.12	**-28.54**	-13.00	-15.54	H
1361.04	-28.38	6.50	9.34	-31.22	-13.00	-18.22	V
2041.56	-27.93	7.70	10.42	-30.65	-13.00	-17.65	V
2721.97	-29.92	7.90	11.12	-33.14	-13.00	-20.14	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1376.14	-28.53	6.50	9.34	-31.37	-13.00	-18.37	H
2063.76	-26.79	7.70	10.42	**-29.51**	-13.00	-16.51	H
2751.87	-29.40	7.90	11.12	-32.62	-13.00	-19.62	H
1376.14	-29.08	6.50	9.34	-31.92	-13.00	-18.92	V
2063.76	-29.96	7.70	10.42	-32.68	-13.00	-19.68	V
2751.87	-27.33	7.90	11.12	-30.55	-13.00	-17.55	V

APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Note: Please see the attached A55_External Photos and A55_Internal Photos.

※※※※※END OF THE REPORT※※※※※