

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted(dBm)	EIRP (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	23.52	27.36	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.79	26.63	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.67	27.51	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	23.53	27.37	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	23.54	27.38	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	23.34	27.18	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.32	27.16	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.22	26.06	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.40	27.24	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.63	26.47	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	23.33	27.17	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	22.11	25.95	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.85	26.69	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	21.63	25.47	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	23.45	27.29	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	22.22	26.06	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	23.45	27.29	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.64	26.48	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	23.46	27.30	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	22.23	26.07	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	23.46	27.30	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	22.37	26.21	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	23.48	27.32	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	22.41	26.25	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	23.58	27.42	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	22.62	26.46	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	23.09	26.93	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	21.63	25.47	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	23.59	27.43	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	22.97	26.81	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	23.74	27.58	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	23.60	27.44	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	23.55	27.39	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	23.02	26.86	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	23.45	27.29	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	22.26	26.10	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	23.49	27.33	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	22.58	26.42	PASS

Band2	1.4MHz	QPSK	19193	3RB#3	23.30	27.14	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	22.27	26.11	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.93	26.77	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	21.75	25.59	PASS
Band2	3MHz	QPSK	18615	1RB#0	23.24	27.08	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.01	25.85	PASS
Band2	3MHz	QPSK	18615	1RB#8	23.55	27.39	PASS
Band2	3MHz	16QAM	18615	1RB#8	23.41	27.25	PASS
Band2	3MHz	QPSK	18615	1RB#14	23.43	27.27	PASS
Band2	3MHz	16QAM	18615	1RB#14	22.32	26.16	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.82	26.66	PASS
Band2	3MHz	16QAM	18615	8RB#0	21.62	25.46	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.76	26.60	PASS
Band2	3MHz	16QAM	18615	8RB#4	21.33	25.17	PASS
Band2	3MHz	QPSK	18615	8RB#7	22.79	26.63	PASS
Band2	3MHz	16QAM	18615	8RB#7	21.58	25.42	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.72	26.56	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.43	25.27	PASS
Band2	3MHz	QPSK	18900	1RB#0	23.35	27.19	PASS
Band2	3MHz	16QAM	18900	1RB#0	21.92	25.76	PASS
Band2	3MHz	QPSK	18900	1RB#8	23.30	27.14	PASS
Band2	3MHz	16QAM	18900	1RB#8	22.51	26.35	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.28	27.12	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.23	26.07	PASS
Band2	3MHz	QPSK	18900	8RB#0	22.86	26.70	PASS
Band2	3MHz	16QAM	18900	8RB#0	21.73	25.57	PASS
Band2	3MHz	QPSK	18900	8RB#4	22.85	26.69	PASS
Band2	3MHz	16QAM	18900	8RB#4	21.45	25.29	PASS
Band2	3MHz	QPSK	18900	8RB#7	22.86	26.70	PASS
Band2	3MHz	16QAM	18900	8RB#7	21.53	25.37	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.86	26.70	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.39	25.23	PASS
Band2	3MHz	QPSK	19185	1RB#0	23.20	27.04	PASS
Band2	3MHz	16QAM	19185	1RB#0	21.98	25.82	PASS
Band2	3MHz	QPSK	19185	1RB#8	23.36	27.20	PASS
Band2	3MHz	16QAM	19185	1RB#8	23.34	27.18	PASS
Band2	3MHz	QPSK	19185	1RB#14	23.22	27.06	PASS
Band2	3MHz	16QAM	19185	1RB#14	22.26	26.10	PASS
Band2	3MHz	QPSK	19185	8RB#0	22.67	26.51	PASS
Band2	3MHz	16QAM	19185	8RB#0	21.57	25.41	PASS
Band2	3MHz	QPSK	19185	8RB#4	22.95	26.79	PASS
Band2	3MHz	16QAM	19185	8RB#4	21.21	25.05	PASS
Band2	3MHz	QPSK	19185	8RB#7	22.73	26.57	PASS

Band2	3MHz	16QAM	19185	8RB#7	21.51	25.35	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.58	26.42	PASS
Band2	3MHz	16QAM	19185	15RB#0	21.34	25.18	PASS
Band2	5MHz	QPSK	18625	1RB#0	23.14	26.98	PASS
Band2	5MHz	16QAM	18625	1RB#0	21.58	25.42	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.16	27.00	PASS
Band2	5MHz	16QAM	18625	1RB#12	22.60	26.44	PASS
Band2	5MHz	QPSK	18625	1RB#24	23.20	27.04	PASS
Band2	5MHz	16QAM	18625	1RB#24	21.65	25.49	PASS
Band2	5MHz	QPSK	18625	12RB#0	22.69	26.53	PASS
Band2	5MHz	16QAM	18625	12RB#0	21.42	25.26	PASS
Band2	5MHz	QPSK	18625	12RB#6	22.81	26.65	PASS
Band2	5MHz	16QAM	18625	12RB#6	21.32	25.16	PASS
Band2	5MHz	QPSK	18625	12RB#13	22.74	26.58	PASS
Band2	5MHz	16QAM	18625	12RB#13	21.41	25.25	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.70	26.54	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.41	25.25	PASS
Band2	5MHz	QPSK	18900	1RB#0	23.23	27.07	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.36	26.20	PASS
Band2	5MHz	QPSK	18900	1RB#12	23.38	27.22	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.95	26.79	PASS
Band2	5MHz	QPSK	18900	1RB#24	23.17	27.01	PASS
Band2	5MHz	16QAM	18900	1RB#24	22.48	26.32	PASS
Band2	5MHz	QPSK	18900	12RB#0	22.84	26.68	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.56	25.40	PASS
Band2	5MHz	QPSK	18900	12RB#6	22.87	26.71	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.39	25.23	PASS
Band2	5MHz	QPSK	18900	12RB#13	22.73	26.57	PASS
Band2	5MHz	16QAM	18900	12RB#13	21.47	25.31	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.77	26.61	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.47	25.31	PASS
Band2	5MHz	QPSK	19175	1RB#0	23.07	26.91	PASS
Band2	5MHz	16QAM	19175	1RB#0	21.39	25.23	PASS
Band2	5MHz	QPSK	19175	1RB#12	22.90	26.74	PASS
Band2	5MHz	16QAM	19175	1RB#12	22.38	26.22	PASS
Band2	5MHz	QPSK	19175	1RB#24	23.08	26.92	PASS
Band2	5MHz	16QAM	19175	1RB#24	21.66	25.50	PASS
Band2	5MHz	QPSK	19175	12RB#0	22.54	26.38	PASS
Band2	5MHz	16QAM	19175	12RB#0	21.20	25.04	PASS
Band2	5MHz	QPSK	19175	12RB#6	22.64	26.48	PASS
Band2	5MHz	16QAM	19175	12RB#6	21.21	25.05	PASS
Band2	5MHz	QPSK	19175	12RB#13	22.72	26.56	PASS
Band2	5MHz	16QAM	19175	12RB#13	21.09	24.93	PASS

Band2	5MHz	QPSK	19175	25RB#0	22.66	26.50	PASS
Band2	5MHz	16QAM	19175	25RB#0	21.35	25.19	PASS
Band2	10MHz	QPSK	18650	1RB#0	23.25	27.09	PASS
Band2	10MHz	16QAM	18650	1RB#0	22.19	26.03	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.54	27.38	PASS
Band2	10MHz	16QAM	18650	1RB#24	23.41	27.25	PASS
Band2	10MHz	QPSK	18650	1RB#49	23.43	27.27	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.37	26.21	PASS
Band2	10MHz	QPSK	18650	25RB#0	22.76	26.60	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.32	25.16	PASS
Band2	10MHz	QPSK	18650	25RB#12	22.77	26.61	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.37	25.21	PASS
Band2	10MHz	QPSK	18650	25RB#25	22.81	26.65	PASS
Band2	10MHz	16QAM	18650	25RB#25	21.35	25.19	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.73	26.57	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.50	25.34	PASS
Band2	10MHz	QPSK	18900	1RB#0	23.38	27.22	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.31	26.15	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.21	27.05	PASS
Band2	10MHz	16QAM	18900	1RB#24	23.44	27.28	PASS
Band2	10MHz	QPSK	18900	1RB#49	23.13	26.97	PASS
Band2	10MHz	16QAM	18900	1RB#49	21.97	25.81	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.82	26.66	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.50	25.34	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.65	26.49	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.50	25.34	PASS
Band2	10MHz	QPSK	18900	25RB#25	22.64	26.48	PASS
Band2	10MHz	16QAM	18900	25RB#25	21.60	25.44	PASS
Band2	10MHz	QPSK	18900	50RB#0	22.78	26.62	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.58	25.42	PASS
Band2	10MHz	QPSK	19150	1RB#0	23.10	26.94	PASS
Band2	10MHz	16QAM	19150	1RB#0	22.12	25.96	PASS
Band2	10MHz	QPSK	19150	1RB#24	23.14	26.98	PASS
Band2	10MHz	16QAM	19150	1RB#24	23.16	27.00	PASS
Band2	10MHz	QPSK	19150	1RB#49	23.19	27.03	PASS
Band2	10MHz	16QAM	19150	1RB#49	22.19	26.03	PASS
Band2	10MHz	QPSK	19150	25RB#0	22.52	26.36	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.04	24.88	PASS
Band2	10MHz	QPSK	19150	25RB#12	22.58	26.42	PASS
Band2	10MHz	16QAM	19150	25RB#12	21.07	24.91	PASS
Band2	10MHz	QPSK	19150	25RB#25	22.54	26.38	PASS
Band2	10MHz	16QAM	19150	25RB#25	21.15	24.99	PASS
Band2	10MHz	QPSK	19150	50RB#0	22.62	26.46	PASS

Band2	10MHz	16QAM	19150	50RB#0	21.09	24.93	PASS
Band2	15MHz	QPSK	18675	1RB#0	23.24	27.08	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.27	26.11	PASS
Band2	15MHz	QPSK	18675	1RB#38	22.18	26.02	PASS
Band2	15MHz	16QAM	18675	1RB#38	23.41	27.25	PASS
Band2	15MHz	QPSK	18675	1RB#74	23.34	27.18	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.40	26.24	PASS
Band2	15MHz	QPSK	18675	36RB#0	22.80	26.64	PASS
Band2	15MHz	16QAM	18675	36RB#0	21.42	25.26	PASS
Band2	15MHz	QPSK	18675	36RB#18	22.77	26.61	PASS
Band2	15MHz	16QAM	18675	36RB#18	21.42	25.26	PASS
Band2	15MHz	QPSK	18675	36RB#39	23.01	26.85	PASS
Band2	15MHz	16QAM	18675	36RB#39	21.46	25.30	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.91	26.75	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.33	25.17	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.22	27.06	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.64	26.48	PASS
Band2	15MHz	QPSK	18900	1RB#38	23.23	27.07	PASS
Band2	15MHz	16QAM	18900	1RB#38	23.30	27.14	PASS
Band2	15MHz	QPSK	18900	1RB#74	23.15	26.99	PASS
Band2	15MHz	16QAM	18900	1RB#74	22.33	26.17	PASS
Band2	15MHz	QPSK	18900	36RB#0	22.89	26.73	PASS
Band2	15MHz	16QAM	18900	36RB#0	21.50	25.34	PASS
Band2	15MHz	QPSK	18900	36RB#18	22.85	26.69	PASS
Band2	15MHz	16QAM	18900	36RB#18	21.42	25.26	PASS
Band2	15MHz	QPSK	18900	36RB#39	22.74	26.58	PASS
Band2	15MHz	16QAM	18900	36RB#39	21.49	25.33	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.77	26.61	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.37	25.21	PASS
Band2	15MHz	QPSK	19125	1RB#0	23.13	26.97	PASS
Band2	15MHz	16QAM	19125	1RB#0	22.15	25.99	PASS
Band2	15MHz	QPSK	19125	1RB#38	23.25	27.09	PASS
Band2	15MHz	16QAM	19125	1RB#38	23.04	26.88	PASS
Band2	15MHz	QPSK	19125	1RB#74	23.10	26.94	PASS
Band2	15MHz	16QAM	19125	1RB#74	22.12	25.96	PASS
Band2	15MHz	QPSK	19125	36RB#0	22.54	26.38	PASS
Band2	15MHz	16QAM	19125	36RB#0	21.09	24.93	PASS
Band2	15MHz	QPSK	19125	36RB#18	22.51	26.35	PASS
Band2	15MHz	16QAM	19125	36RB#18	21.05	24.89	PASS
Band2	15MHz	QPSK	19125	36RB#39	22.47	26.31	PASS
Band2	15MHz	16QAM	19125	36RB#39	21.10	24.94	PASS
Band2	15MHz	QPSK	19125	75RB#0	22.59	26.43	PASS
Band2	15MHz	16QAM	19125	75RB#0	21.08	24.92	PASS


Band2	20MHz	QPSK	18700	1RB#0	23.48	27.32	PASS
Band2	20MHz	16QAM	18700	1RB#0	22.30	26.14	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.65	27.49	PASS
Band2	20MHz	16QAM	18700	1RB#49	22.13	25.97	PASS
Band2	20MHz	QPSK	18700	1RB#99	23.60	27.44	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.44	26.28	PASS
Band2	20MHz	QPSK	18700	50RB#0	22.79	26.63	PASS
Band2	20MHz	16QAM	18700	50RB#0	21.57	25.41	PASS
Band2	20MHz	QPSK	18700	50RB#25	22.82	26.66	PASS
Band2	20MHz	16QAM	18700	50RB#25	21.51	25.35	PASS
Band2	20MHz	QPSK	18700	50RB#50	22.87	26.71	PASS
Band2	20MHz	16QAM	18700	50RB#50	21.55	25.39	PASS
Band2	20MHz	QPSK	18700	100RB#0	22.85	26.69	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.53	25.37	PASS
Band2	20MHz	QPSK	18900	1RB#0	23.44	27.28	PASS
Band2	20MHz	16QAM	18900	1RB#0	22.69	26.53	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.31	27.15	PASS
Band2	20MHz	16QAM	18900	1RB#49	22.32	26.16	PASS
Band2	20MHz	QPSK	18900	1RB#99	23.23	27.07	PASS
Band2	20MHz	16QAM	18900	1RB#99	22.56	26.40	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.84	26.68	PASS
Band2	20MHz	16QAM	18900	50RB#0	21.52	25.36	PASS
Band2	20MHz	QPSK	18900	50RB#25	22.86	26.70	PASS
Band2	20MHz	16QAM	18900	50RB#25	21.45	25.29	PASS
Band2	20MHz	QPSK	18900	50RB#50	22.68	26.52	PASS
Band2	20MHz	16QAM	18900	50RB#50	21.32	25.16	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.76	26.60	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.45	25.29	PASS
Band2	20MHz	QPSK	19100	1RB#0	23.39	27.23	PASS
Band2	20MHz	16QAM	19100	1RB#0	22.26	26.10	PASS
Band2	20MHz	QPSK	19100	1RB#49	23.27	27.11	PASS
Band2	20MHz	16QAM	19100	1RB#49	22.22	26.06	PASS
Band2	20MHz	QPSK	19100	1RB#99	23.12	26.96	PASS
Band2	20MHz	16QAM	19100	1RB#99	22.21	26.05	PASS
Band2	20MHz	QPSK	19100	50RB#0	22.29	26.13	PASS
Band2	20MHz	16QAM	19100	50RB#0	21.33	25.17	PASS
Band2	20MHz	QPSK	19100	50RB#25	22.52	26.36	PASS
Band2	20MHz	16QAM	19100	50RB#25	21.20	25.04	PASS
Band2	20MHz	QPSK	19100	50RB#50	22.48	26.32	PASS
Band2	20MHz	16QAM	19100	50RB#50	21.18	25.02	PASS
Band2	20MHz	QPSK	19100	100RB#0	22.58	26.42	PASS
Band2	20MHz	16QAM	19100	100RB#0	21.14	24.98	PASS


Modulation Characteristics


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	PASS
Band2	3MHz	QPSK	18615	15RB#0	PASS
Band2	3MHz	16QAM	18615	15RB#0	PASS
Band2	3MHz	QPSK	18900	15RB#0	PASS
Band2	3MHz	16QAM	18900	15RB#0	PASS
Band2	3MHz	QPSK	19185	15RB#0	PASS
Band2	3MHz	16QAM	19185	15RB#0	PASS
Band2	5MHz	QPSK	18625	25RB#0	PASS
Band2	5MHz	16QAM	18625	25RB#0	PASS
Band2	5MHz	QPSK	18900	25RB#0	PASS
Band2	5MHz	16QAM	18900	25RB#0	PASS
Band2	5MHz	QPSK	19175	25RB#0	PASS
Band2	5MHz	16QAM	19175	25RB#0	PASS
Band2	10MHz	QPSK	18650	50RB#0	PASS
Band2	10MHz	16QAM	18650	50RB#0	PASS
Band2	10MHz	QPSK	18900	50RB#0	PASS
Band2	10MHz	16QAM	18900	50RB#0	PASS
Band2	10MHz	QPSK	19150	50RB#0	PASS
Band2	10MHz	16QAM	19150	50RB#0	PASS
Band2	15MHz	QPSK	18675	75RB#0	PASS
Band2	15MHz	16QAM	18675	75RB#0	PASS
Band2	15MHz	QPSK	18900	75RB#0	PASS
Band2	15MHz	16QAM	18900	75RB#0	PASS
Band2	15MHz	QPSK	19125	75RB#0	PASS
Band2	15MHz	16QAM	19125	75RB#0	PASS
Band2	20MHz	QPSK	18700	100RB#0	PASS
Band2	20MHz	16QAM	18700	100RB#0	PASS
Band2	20MHz	QPSK	18900	100RB#0	PASS
Band2	20MHz	16QAM	18900	100RB#0	PASS
Band2	20MHz	QPSK	19100	100RB#0	PASS
Band2	20MHz	16QAM	19100	100RB#0	PASS


Test Graphs











Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	6.23	13	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	6.99	13	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	5.97	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	6.64	13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	5.30	13	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	6.00	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	5.57	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	6.46	13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	5.86	13	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	6.81	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	5.80	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	6.78	13	PASS
Band2	3MHz	QPSK	18615	1RB#0	6.17	13	PASS
Band2	3MHz	16QAM	18615	1RB#0	7.10	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	5.77	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	6.61	13	PASS
Band2	3MHz	QPSK	18900	1RB#0	5.28	13	PASS
Band2	3MHz	16QAM	18900	1RB#0	8.46	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.42	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	6.41	13	PASS
Band2	3MHz	QPSK	19185	1RB#0	5.68	13	PASS
Band2	3MHz	16QAM	19185	1RB#0	6.32	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	5.59	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	6.58	13	PASS
Band2	5MHz	QPSK	18625	1RB#0	6.55	13	PASS
Band2	5MHz	16QAM	18625	1RB#0	6.67	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	5.74	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	6.46	13	PASS
Band2	5MHz	QPSK	18900	1RB#0	5.42	13	PASS
Band2	5MHz	16QAM	18900	1RB#0	6.09	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.36	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	6.38	13	PASS
Band2	5MHz	QPSK	19175	1RB#0	5.54	13	PASS
Band2	5MHz	16QAM	19175	1RB#0	6.17	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	5.59	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	6.52	13	PASS
Band2	10MHz	QPSK	18650	1RB#0	5.88	13	PASS
Band2	10MHz	16QAM	18650	1RB#0	6.38	13	PASS

Band2	10MHz	QPSK	18650	50RB#0	5.74	13	PASS
Band2	10MHz	16QAM	18650	50RB#0	6.52	13	PASS
Band2	10MHz	QPSK	18900	1RB#0	5.25	13	PASS
Band2	10MHz	16QAM	18900	1RB#0	5.91	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.51	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	6.43	13	PASS
Band2	10MHz	QPSK	19150	1RB#0	5.57	13	PASS
Band2	10MHz	16QAM	19150	1RB#0	6.52	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	5.62	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	6.49	13	PASS
Band2	15MHz	QPSK	18675	1RB#0	6.20	13	PASS
Band2	15MHz	16QAM	18675	1RB#0	6.78	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	6.09	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	6.52	13	PASS
Band2	15MHz	QPSK	18900	1RB#0	5.16	13	PASS
Band2	15MHz	16QAM	18900	1RB#0	5.71	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.97	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	6.52	13	PASS
Band2	15MHz	QPSK	19125	1RB#0	5.77	13	PASS
Band2	15MHz	16QAM	19125	1RB#0	6.67	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	6.06	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	6.55	13	PASS
Band2	20MHz	QPSK	18700	1RB#0	6.32	13	PASS
Band2	20MHz	16QAM	18700	1RB#0	7.42	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	5.59	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	6.38	13	PASS
Band2	20MHz	QPSK	18900	1RB#0	5.22	13	PASS
Band2	20MHz	16QAM	18900	1RB#0	6.00	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.71	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.46	13	PASS
Band2	20MHz	QPSK	19100	1RB#0	5.80	13	PASS
Band2	20MHz	16QAM	19100	1RB#0	6.29	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	5.57	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	6.41	13	PASS

Test Graphs

