







Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	0.009~0.15	-70.28	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	0.15~30	-67.71	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	30~1000	-59.84	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	12.69	---
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	-19.67	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	3000~20000	-27.61	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.009~0.15	-68.36	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.15~30	-69.11	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	30~1000	-59.93	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	1000~3000	11.48	---
Band2	1.4MHz	16QAM	18607	1RB#0	1000~3000	-21.17	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	3000~20000	-27.44	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	0.009~0.15	-68.08	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	0.15~30	-70.91	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	30~1000	-59.79	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	1000~3000	-10.64	---
Band2	1.4MHz	QPSK	18607	1RB#5	1000~3000	-19.84	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	3000~20000	-27.61	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	0.009~0.15	-70.65	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	0.15~30	-70.88	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	30~1000	-60.04	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	1000~3000	-12.28	---
Band2	1.4MHz	16QAM	18607	1RB#5	3000~20000	-27.61	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	0.009~0.15	-68.79	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	0.15~30	-71.20	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	30~1000	-59.73	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	1000~3000	5.70	---
Band2	1.4MHz	QPSK	18607	6RB#0	1000~3000	-23.90	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	3000~20000	-27.51	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	0.009~0.15	-65.81	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	0.15~30	-72.46	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	30~1000	-59.87	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1000~3000	4.43	---
Band2	1.4MHz	16QAM	18607	6RB#0	1000~3000	-24.28	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	3000~20000	-27.58	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.009~0.15	-67.65	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.15~30	-72.00	PASS

Band2	1.4MHz	QPSK	18900	1RB#0	30~1000	-59.78	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	1000~3000	-46.71	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	3000~20000	-27.39	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.009~0.15	-68.28	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.15~30	-69.16	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	30~1000	-59.82	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	1000~3000	-46.78	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	3000~20000	-27.62	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	0.009~0.15	-68.48	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	0.15~30	-68.98	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	30~1000	-59.82	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	1000~3000	-46.76	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	3000~20000	-27.42	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	0.009~0.15	-69.62	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	0.15~30	-70.92	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	30~1000	-59.83	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	1000~3000	-44.62	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	3000~20000	-27.66	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	0.009~0.15	-67.27	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	0.15~30	-71.79	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	30~1000	-59.83	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1000~3000	-46.71	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	3000~20000	-27.52	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	0.009~0.15	-68.02	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	0.15~30	-73.16	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	30~1000	-59.93	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1000~3000	-46.73	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	3000~20000	-27.57	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.009~0.15	-68.99	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.15~30	-69.87	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	30~1000	-59.33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	1000~3000	-15.44	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3000~20000	-27.66	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.009~0.15	-69.69	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.15~30	-69.55	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	30~1000	-59.89	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	1000~3000	-16.33	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	3000~20000	-27.64	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	0.009~0.15	-72.10	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	0.15~30	-71.94	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	30~1000	-59.58	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	1000~3000	9.52	---
Band2	1.4MHz	QPSK	19193	1RB#5	1000~3000	-20.40	PASS

Band2	1.4MHz	QPSK	19193	1RB#5	3000~20000	-27.40	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	0.009~0.15	-73.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	0.15~30	-70.97	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	30~1000	-59.83	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	1000~3000	7.99	---
Band2	1.4MHz	16QAM	19193	1RB#5	1000~3000	-21.96	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	3000~20000	-27.49	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	0.009~0.15	-71.32	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	0.15~30	-72.06	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	30~1000	-60.20	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1000~3000	3.12	---
Band2	1.4MHz	QPSK	19193	6RB#0	1000~3000	-24.38	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	3000~20000	-27.63	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	0.009~0.15	-68.16	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	0.15~30	-72.23	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	30~1000	-59.84	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1000~3000	1.57	---
Band2	1.4MHz	16QAM	19193	6RB#0	1000~3000	-24.72	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	3000~20000	-27.38	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.009~0.15	-68.14	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.15~30	-70.15	PASS
Band2	3MHz	QPSK	18615	1RB#0	30~1000	-59.80	PASS
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	13.10	---
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	-29.18	PASS
Band2	3MHz	QPSK	18615	1RB#0	3000~20000	-27.69	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.009~0.15	-70.81	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.15~30	-70.07	PASS
Band2	3MHz	16QAM	18615	1RB#0	30~1000	-59.94	PASS
Band2	3MHz	16QAM	18615	1RB#0	1000~3000	12.52	---
Band2	3MHz	16QAM	18615	1RB#0	1000~3000	-30.04	PASS
Band2	3MHz	16QAM	18615	1RB#0	3000~20000	-27.58	PASS
Band2	3MHz	QPSK	18615	1RB#14	0.009~0.15	-69.03	PASS
Band2	3MHz	QPSK	18615	1RB#14	0.15~30	-70.94	PASS
Band2	3MHz	QPSK	18615	1RB#14	30~1000	-60.09	PASS
Band2	3MHz	QPSK	18615	1RB#14	1000~3000	-14.95	PASS
Band2	3MHz	QPSK	18615	1RB#14	3000~20000	-27.46	PASS
Band2	3MHz	16QAM	18615	1RB#14	0.009~0.15	-68.90	PASS
Band2	3MHz	16QAM	18615	1RB#14	0.15~30	-72.36	PASS
Band2	3MHz	16QAM	18615	1RB#14	30~1000	-60.04	PASS
Band2	3MHz	16QAM	18615	1RB#14	1000~3000	-14.04	PASS
Band2	3MHz	16QAM	18615	1RB#14	3000~20000	-27.59	PASS
Band2	3MHz	QPSK	18615	15RB#0	0.009~0.15	-70.88	PASS
Band2	3MHz	QPSK	18615	15RB#0	0.15~30	-70.46	PASS

Band2	3MHz	QPSK	18615	15RB#0	30~1000	-60.05	PASS
Band2	3MHz	QPSK	18615	15RB#0	1000~3000	0.56	---
Band2	3MHz	QPSK	18615	15RB#0	1000~3000	-21.38	PASS
Band2	3MHz	QPSK	18615	15RB#0	3000~20000	-27.56	PASS
Band2	3MHz	16QAM	18615	15RB#0	0.009~0.15	-69.46	PASS
Band2	3MHz	16QAM	18615	15RB#0	0.15~30	-71.92	PASS
Band2	3MHz	16QAM	18615	15RB#0	30~1000	-59.89	PASS
Band2	3MHz	16QAM	18615	15RB#0	1000~3000	0.55	---
Band2	3MHz	16QAM	18615	15RB#0	1000~3000	-22.31	PASS
Band2	3MHz	16QAM	18615	15RB#0	3000~20000	-27.62	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.009~0.15	-68.84	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.15~30	-71.07	PASS
Band2	3MHz	QPSK	18900	1RB#0	30~1000	-59.61	PASS
Band2	3MHz	QPSK	18900	1RB#0	1000~3000	-46.68	PASS
Band2	3MHz	QPSK	18900	1RB#0	3000~20000	-27.65	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.009~0.15	-69.56	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.15~30	-71.27	PASS
Band2	3MHz	16QAM	18900	1RB#0	30~1000	-60.14	PASS
Band2	3MHz	16QAM	18900	1RB#0	1000~3000	-45.14	PASS
Band2	3MHz	16QAM	18900	1RB#0	3000~20000	-27.36	PASS
Band2	3MHz	QPSK	18900	1RB#14	0.009~0.15	-70.13	PASS
Band2	3MHz	QPSK	18900	1RB#14	0.15~30	-69.25	PASS
Band2	3MHz	QPSK	18900	1RB#14	30~1000	-60.14	PASS
Band2	3MHz	QPSK	18900	1RB#14	1000~3000	-45.23	PASS
Band2	3MHz	QPSK	18900	1RB#14	3000~20000	-27.65	PASS
Band2	3MHz	16QAM	18900	1RB#14	0.009~0.15	-71.30	PASS
Band2	3MHz	16QAM	18900	1RB#14	0.15~30	-72.12	PASS
Band2	3MHz	16QAM	18900	1RB#14	30~1000	-59.86	PASS
Band2	3MHz	16QAM	18900	1RB#14	1000~3000	-45.76	PASS
Band2	3MHz	16QAM	18900	1RB#14	3000~20000	-27.63	PASS
Band2	3MHz	QPSK	18900	15RB#0	0.009~0.15	-71.72	PASS
Band2	3MHz	QPSK	18900	15RB#0	0.15~30	-72.01	PASS
Band2	3MHz	QPSK	18900	15RB#0	30~1000	-59.91	PASS
Band2	3MHz	QPSK	18900	15RB#0	1000~3000	-46.76	PASS
Band2	3MHz	QPSK	18900	15RB#0	3000~20000	-27.56	PASS
Band2	3MHz	16QAM	18900	15RB#0	0.009~0.15	-67.68	PASS
Band2	3MHz	16QAM	18900	15RB#0	0.15~30	-71.23	PASS
Band2	3MHz	16QAM	18900	15RB#0	30~1000	-60.16	PASS
Band2	3MHz	16QAM	18900	15RB#0	1000~3000	-46.74	PASS
Band2	3MHz	16QAM	18900	15RB#0	3000~20000	-27.45	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.009~0.15	-68.47	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.15~30	-70.49	PASS
Band2	3MHz	QPSK	19185	1RB#0	30~1000	-59.95	PASS

Band2	3MHz	QPSK	19185	1RB#0	1000~3000	-16.01	PASS
Band2	3MHz	QPSK	19185	1RB#0	3000~20000	-27.62	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.009~0.15	-68.43	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.15~30	-69.56	PASS
Band2	3MHz	16QAM	19185	1RB#0	30~1000	-60.07	PASS
Band2	3MHz	16QAM	19185	1RB#0	1000~3000	-15.94	PASS
Band2	3MHz	16QAM	19185	1RB#0	3000~20000	-27.48	PASS
Band2	3MHz	QPSK	19185	1RB#14	0.009~0.15	-68.69	PASS
Band2	3MHz	QPSK	19185	1RB#14	0.15~30	-71.85	PASS
Band2	3MHz	QPSK	19185	1RB#14	30~1000	-60.17	PASS
Band2	3MHz	QPSK	19185	1RB#14	1000~3000	9.48	---
Band2	3MHz	QPSK	19185	1RB#14	1000~3000	-32.54	PASS
Band2	3MHz	QPSK	19185	1RB#14	3000~20000	-27.59	PASS
Band2	3MHz	16QAM	19185	1RB#14	0.009~0.15	-68.38	PASS
Band2	3MHz	16QAM	19185	1RB#14	0.15~30	-71.09	PASS
Band2	3MHz	16QAM	19185	1RB#14	30~1000	-60.11	PASS
Band2	3MHz	16QAM	19185	1RB#14	1000~3000	8.52	---
Band2	3MHz	16QAM	19185	1RB#14	1000~3000	-33.33	PASS
Band2	3MHz	16QAM	19185	1RB#14	3000~20000	-27.52	PASS
Band2	3MHz	QPSK	19185	15RB#0	0.009~0.15	-69.71	PASS
Band2	3MHz	QPSK	19185	15RB#0	0.15~30	-72.04	PASS
Band2	3MHz	QPSK	19185	15RB#0	30~1000	-59.87	PASS
Band2	3MHz	QPSK	19185	15RB#0	1000~3000	-1.19	---
Band2	3MHz	QPSK	19185	15RB#0	1000~3000	-23.04	PASS
Band2	3MHz	QPSK	19185	15RB#0	3000~20000	-27.66	PASS
Band2	3MHz	16QAM	19185	15RB#0	0.009~0.15	-70.13	PASS
Band2	3MHz	16QAM	19185	15RB#0	0.15~30	-71.94	PASS
Band2	3MHz	16QAM	19185	15RB#0	30~1000	-59.76	PASS
Band2	3MHz	16QAM	19185	15RB#0	1000~3000	-2.08	---
Band2	3MHz	16QAM	19185	15RB#0	1000~3000	-23.56	PASS
Band2	3MHz	16QAM	19185	15RB#0	3000~20000	-27.55	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.009~0.15	-70.90	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.15~30	-70.93	PASS
Band2	5MHz	QPSK	18625	1RB#0	30~1000	-59.93	PASS
Band2	5MHz	QPSK	18625	1RB#0	1000~3000	10.97	---
Band2	5MHz	QPSK	18625	1RB#0	1000~3000	-21.86	PASS
Band2	5MHz	QPSK	18625	1RB#0	3000~20000	-27.70	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.009~0.15	-66.90	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.15~30	-71.61	PASS
Band2	5MHz	16QAM	18625	1RB#0	30~1000	-59.89	PASS
Band2	5MHz	16QAM	18625	1RB#0	1000~3000	9.94	---
Band2	5MHz	16QAM	18625	1RB#0	1000~3000	-36.23	PASS
Band2	5MHz	16QAM	18625	1RB#0	3000~20000	-27.59	PASS

Band2	5MHz	QPSK	18625	1RB#24	0.009~0.15	-70.16	PASS
Band2	5MHz	QPSK	18625	1RB#24	0.15~30	-71.04	PASS
Band2	5MHz	QPSK	18625	1RB#24	30~1000	-59.78	PASS
Band2	5MHz	QPSK	18625	1RB#24	1000~3000	-18.89	PASS
Band2	5MHz	QPSK	18625	1RB#24	3000~20000	-27.59	PASS
Band2	5MHz	16QAM	18625	1RB#24	0.009~0.15	-70.03	PASS
Band2	5MHz	16QAM	18625	1RB#24	0.15~30	-71.98	PASS
Band2	5MHz	16QAM	18625	1RB#24	30~1000	-59.73	PASS
Band2	5MHz	16QAM	18625	1RB#24	1000~3000	-19.13	PASS
Band2	5MHz	16QAM	18625	1RB#24	3000~20000	-27.72	PASS
Band2	5MHz	QPSK	18625	25RB#0	0.009~0.15	-69.41	PASS
Band2	5MHz	QPSK	18625	25RB#0	0.15~30	-72.75	PASS
Band2	5MHz	QPSK	18625	25RB#0	30~1000	-59.84	PASS
Band2	5MHz	QPSK	18625	25RB#0	1000~3000	-3.77	---
Band2	5MHz	QPSK	18625	25RB#0	1000~3000	-23.00	PASS
Band2	5MHz	QPSK	18625	25RB#0	3000~20000	-27.63	PASS
Band2	5MHz	16QAM	18625	25RB#0	0.009~0.15	-69.95	PASS
Band2	5MHz	16QAM	18625	25RB#0	0.15~30	-72.62	PASS
Band2	5MHz	16QAM	18625	25RB#0	30~1000	-59.89	PASS
Band2	5MHz	16QAM	18625	25RB#0	1000~3000	-3.95	---
Band2	5MHz	16QAM	18625	25RB#0	1000~3000	-23.92	PASS
Band2	5MHz	16QAM	18625	25RB#0	3000~20000	-27.56	PASS
Band2	15MHz	QPSK	18900	1RB#74	3000~20000	-27.37	PASS
Band2	15MHz	16QAM	18900	1RB#74	0.009~0.15	-69.00	PASS
Band2	15MHz	16QAM	18900	1RB#74	0.15~30	-71.24	PASS
Band2	15MHz	16QAM	18900	1RB#74	30~1000	-59.93	PASS
Band2	15MHz	16QAM	18900	1RB#74	1000~3000	-42.99	PASS
Band2	15MHz	16QAM	18900	1RB#74	3000~20000	-27.70	PASS
Band2	15MHz	QPSK	18900	75RB#0	0.009~0.15	-70.70	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.15~30	-70.46	PASS
Band2	5MHz	QPSK	18900	1RB#0	30~1000	-59.91	PASS
Band2	5MHz	QPSK	18900	1RB#0	1000~3000	-46.80	PASS
Band2	5MHz	QPSK	18900	1RB#0	3000~20000	-27.57	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.009~0.15	-67.92	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.15~30	-70.34	PASS
Band2	5MHz	16QAM	18900	1RB#0	30~1000	-59.99	PASS
Band2	5MHz	16QAM	18900	1RB#0	1000~3000	-46.75	PASS
Band2	5MHz	16QAM	18900	1RB#0	3000~20000	-27.48	PASS
Band2	5MHz	QPSK	18900	1RB#24	0.009~0.15	-72.42	PASS
Band2	5MHz	QPSK	18900	1RB#24	0.15~30	-70.79	PASS
Band2	5MHz	QPSK	18900	1RB#24	30~1000	-60.01	PASS
Band2	5MHz	QPSK	18900	1RB#24	1000~3000	-45.62	PASS
Band2	5MHz	QPSK	18900	1RB#24	3000~20000	-27.68	PASS

Band2	5MHz	16QAM	18900	1RB#24	0.009~0.15	-71.59	PASS
Band2	5MHz	16QAM	18900	1RB#24	0.15~30	-71.29	PASS
Band2	5MHz	16QAM	18900	1RB#24	30~1000	-59.80	PASS
Band2	5MHz	16QAM	18900	1RB#24	1000~3000	-46.85	PASS
Band2	5MHz	16QAM	18900	1RB#24	3000~20000	-27.54	PASS
Band2	5MHz	QPSK	18900	25RB#0	0.009~0.15	-68.95	PASS
Band2	5MHz	QPSK	18900	25RB#0	0.15~30	-72.30	PASS
Band2	5MHz	QPSK	18900	25RB#0	30~1000	-59.88	PASS
Band2	5MHz	QPSK	18900	25RB#0	1000~3000	-46.83	PASS
Band2	5MHz	QPSK	18900	25RB#0	3000~20000	-27.61	PASS
Band2	5MHz	16QAM	18900	25RB#0	0.009~0.15	-69.64	PASS
Band2	5MHz	16QAM	18900	25RB#0	0.15~30	-72.84	PASS
Band2	5MHz	16QAM	18900	25RB#0	30~1000	-59.91	PASS
Band2	5MHz	16QAM	18900	25RB#0	1000~3000	-46.86	PASS
Band2	5MHz	16QAM	18900	25RB#0	3000~20000	-27.60	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.009~0.15	-69.21	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.15~30	-69.46	PASS
Band2	5MHz	QPSK	19175	1RB#0	30~1000	-59.95	PASS
Band2	5MHz	QPSK	19175	1RB#0	1000~3000	-23.56	PASS
Band2	5MHz	QPSK	19175	1RB#0	3000~20000	-27.56	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.009~0.15	-67.65	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.15~30	-72.67	PASS
Band2	5MHz	16QAM	19175	1RB#0	30~1000	-59.82	PASS
Band2	5MHz	16QAM	19175	1RB#0	1000~3000	-24.59	PASS
Band2	5MHz	16QAM	19175	1RB#0	3000~20000	-27.49	PASS
Band2	5MHz	QPSK	19175	1RB#24	0.009~0.15	-70.49	PASS
Band2	5MHz	QPSK	19175	1RB#24	0.15~30	-70.36	PASS
Band2	5MHz	QPSK	19175	1RB#24	30~1000	-59.88	PASS
Band2	5MHz	QPSK	19175	1RB#24	1000~3000	7.46	---
Band2	5MHz	QPSK	19175	1RB#24	1000~3000	-36.32	PASS
Band2	5MHz	QPSK	19175	1RB#24	3000~20000	-27.65	PASS
Band2	5MHz	16QAM	19175	1RB#24	0.009~0.15	-73.49	PASS
Band2	5MHz	16QAM	19175	1RB#24	0.15~30	-72.07	PASS
Band2	5MHz	16QAM	19175	1RB#24	30~1000	-59.78	PASS
Band2	5MHz	16QAM	19175	1RB#24	1000~3000	7.10	---
Band2	5MHz	16QAM	19175	1RB#24	1000~3000	-36.29	PASS
Band2	5MHz	16QAM	19175	1RB#24	3000~20000	-27.72	PASS
Band2	5MHz	QPSK	19175	25RB#0	0.009~0.15	-69.93	PASS
Band2	5MHz	QPSK	19175	25RB#0	0.15~30	-71.65	PASS
Band2	5MHz	QPSK	19175	25RB#0	30~1000	-59.92	PASS
Band2	5MHz	QPSK	19175	25RB#0	1000~3000	-6.17	---
Band2	5MHz	QPSK	19175	25RB#0	1000~3000	-24.28	PASS
Band2	5MHz	QPSK	19175	25RB#0	3000~20000	-27.49	PASS

Band2	5MHz	16QAM	19175	25RB#0	0.009~0.15	-67.76	PASS
Band2	5MHz	16QAM	19175	25RB#0	0.15~30	-73.26	PASS
Band2	5MHz	16QAM	19175	25RB#0	30~1000	-59.58	PASS
Band2	5MHz	16QAM	19175	25RB#0	1000~3000	-8.05	---
Band2	5MHz	16QAM	19175	25RB#0	1000~3000	-23.12	PASS
Band2	5MHz	16QAM	19175	25RB#0	3000~20000	-27.53	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.009~0.15	-70.39	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.15~30	-70.21	PASS
Band2	10MHz	QPSK	18650	1RB#0	30~1000	-59.68	PASS
Band2	10MHz	QPSK	18650	1RB#0	1000~3000	4.61	---
Band2	10MHz	QPSK	18650	1RB#0	1000~3000	-36.86	PASS
Band2	10MHz	QPSK	18650	1RB#0	3000~20000	-27.67	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.009~0.15	-70.96	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.15~30	-71.44	PASS
Band2	10MHz	16QAM	18650	1RB#0	30~1000	-60.07	PASS
Band2	10MHz	16QAM	18650	1RB#0	1000~3000	4.54	---
Band2	10MHz	16QAM	18650	1RB#0	1000~3000	-37.64	PASS
Band2	10MHz	16QAM	18650	1RB#0	3000~20000	-27.57	PASS
Band2	10MHz	QPSK	18650	1RB#49	0.009~0.15	-70.98	PASS
Band2	10MHz	QPSK	18650	1RB#49	0.15~30	-71.00	PASS
Band2	15MHz	QPSK	18900	75RB#0	0.15~30	-71.69	PASS
Band2	15MHz	QPSK	18900	75RB#0	30~1000	-59.92	PASS
Band2	15MHz	QPSK	18900	75RB#0	1000~3000	-39.59	PASS
Band2	15MHz	QPSK	18900	75RB#0	3000~20000	-27.35	PASS
Band2	15MHz	16QAM	18900	75RB#0	0.009~0.15	-71.07	PASS
Band2	15MHz	16QAM	18900	75RB#0	0.15~30	-69.31	PASS
Band2	15MHz	16QAM	18900	75RB#0	30~1000	-60.09	PASS
Band2	10MHz	QPSK	18650	1RB#49	1000~3000	-25.80	PASS
Band2	10MHz	QPSK	18650	1RB#49	3000~20000	-27.45	PASS
Band2	10MHz	16QAM	18650	1RB#49	0.009~0.15	-70.90	PASS
Band2	10MHz	16QAM	18650	1RB#49	0.15~30	-72.01	PASS
Band2	10MHz	16QAM	18650	1RB#49	30~1000	-59.92	PASS
Band2	10MHz	16QAM	18650	1RB#49	1000~3000	-25.95	PASS
Band2	10MHz	16QAM	18650	1RB#49	3000~20000	-27.49	PASS
Band2	10MHz	QPSK	18650	50RB#0	0.009~0.15	-70.06	PASS
Band2	10MHz	QPSK	18650	50RB#0	0.15~30	-72.56	PASS
Band2	10MHz	QPSK	18650	50RB#0	30~1000	-60.19	PASS
Band2	10MHz	QPSK	18650	50RB#0	1000~3000	-11.31	---
Band2	10MHz	QPSK	18650	50RB#0	1000~3000	-24.60	PASS
Band2	10MHz	QPSK	18650	50RB#0	3000~20000	-27.66	PASS
Band2	10MHz	16QAM	18650	50RB#0	0.009~0.15	-70.78	PASS
Band2	10MHz	16QAM	18650	50RB#0	0.15~30	-70.43	PASS
Band2	10MHz	16QAM	18650	50RB#0	30~1000	-59.92	PASS

Band2	10MHz	16QAM	18650	50RB#0	1000~3000	-46.81	PASS
Band2	10MHz	16QAM	18650	50RB#0	3000~20000	-27.67	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.009~0.15	-68.20	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.15~30	-71.20	PASS
Band2	10MHz	QPSK	18900	1RB#0	30~1000	-59.88	PASS
Band2	10MHz	QPSK	18900	1RB#0	1000~3000	-46.53	PASS
Band2	10MHz	QPSK	18900	1RB#0	3000~20000	-27.50	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.009~0.15	-70.65	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.15~30	-70.06	PASS
Band2	10MHz	16QAM	18900	1RB#0	30~1000	-59.92	PASS
Band2	10MHz	16QAM	18900	1RB#0	1000~3000	-46.74	PASS
Band2	10MHz	16QAM	18900	1RB#0	3000~20000	-27.41	PASS
Band2	10MHz	QPSK	18900	1RB#49	0.009~0.15	-70.57	PASS
Band2	10MHz	QPSK	18900	1RB#49	0.15~30	-70.22	PASS
Band2	10MHz	QPSK	18900	1RB#49	30~1000	-59.90	PASS
Band2	10MHz	QPSK	18900	1RB#49	1000~3000	-45.79	PASS
Band2	10MHz	QPSK	18900	1RB#49	3000~20000	-27.55	PASS
Band2	10MHz	16QAM	18900	1RB#49	0.009~0.15	-71.43	PASS
Band2	10MHz	16QAM	18900	1RB#49	0.15~30	-71.97	PASS
Band2	10MHz	16QAM	18900	1RB#49	30~1000	-59.73	PASS
Band2	10MHz	16QAM	18900	1RB#49	1000~3000	-46.51	PASS
Band2	10MHz	16QAM	18900	1RB#49	3000~20000	-27.62	PASS
Band2	10MHz	QPSK	18900	50RB#0	0.009~0.15	-68.36	PASS
Band2	10MHz	QPSK	18900	50RB#0	0.15~30	-72.38	PASS
Band2	10MHz	QPSK	18900	50RB#0	30~1000	-59.59	PASS
Band2	10MHz	QPSK	18900	50RB#0	1000~3000	-46.47	PASS
Band2	10MHz	QPSK	18900	50RB#0	3000~20000	-27.51	PASS
Band2	10MHz	16QAM	18900	50RB#0	0.009~0.15	-70.35	PASS
Band2	10MHz	16QAM	18900	50RB#0	0.15~30	-71.55	PASS
Band2	10MHz	16QAM	18900	50RB#0	30~1000	-60.01	PASS
Band2	10MHz	16QAM	18900	50RB#0	1000~3000	-46.63	PASS
Band2	10MHz	16QAM	18900	50RB#0	3000~20000	-27.50	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.009~0.15	-71.61	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.15~30	-68.96	PASS
Band2	10MHz	QPSK	19150	1RB#0	30~1000	-60.05	PASS
Band2	10MHz	QPSK	19150	1RB#0	1000~3000	-30.10	PASS
Band2	10MHz	QPSK	19150	1RB#0	3000~20000	-27.50	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.009~0.15	-71.77	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.15~30	-70.57	PASS
Band2	10MHz	16QAM	19150	1RB#0	30~1000	-59.99	PASS
Band2	15MHz	16QAM	18900	75RB#0	1000~3000	-46.74	PASS
Band2	15MHz	16QAM	18900	75RB#0	3000~20000	-27.49	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.009~0.15	-66.61	PASS

Band2	15MHz	QPSK	19125	1RB#0	0.15~30	-71.26	PASS
Band2	15MHz	QPSK	19125	1RB#0	30~1000	-60.04	PASS
Band2	15MHz	QPSK	19125	1RB#0	1000~3000	-31.54	PASS
Band2	15MHz	QPSK	19125	1RB#0	3000~20000	-27.69	PASS
Band2	10MHz	16QAM	19150	1RB#0	1000~3000	-31.41	PASS
Band2	10MHz	16QAM	19150	1RB#0	3000~20000	-27.50	PASS
Band2	10MHz	QPSK	19150	1RB#49	0.009~0.15	-70.98	PASS
Band2	10MHz	QPSK	19150	1RB#49	0.15~30	-68.73	PASS
Band2	10MHz	QPSK	19150	1RB#49	30~1000	-60.04	PASS
Band2	10MHz	QPSK	19150	1RB#49	1000~3000	1.39	---
Band2	10MHz	QPSK	19150	1RB#49	1000~3000	-36.75	PASS
Band2	10MHz	QPSK	19150	1RB#49	3000~20000	-27.66	PASS
Band2	10MHz	16QAM	19150	1RB#49	0.009~0.15	-72.42	PASS
Band2	10MHz	16QAM	19150	1RB#49	0.15~30	-69.71	PASS
Band2	10MHz	16QAM	19150	1RB#49	30~1000	-59.95	PASS
Band2	10MHz	16QAM	19150	1RB#49	1000~3000	0.39	---
Band2	10MHz	16QAM	19150	1RB#49	1000~3000	-37.36	PASS
Band2	10MHz	16QAM	19150	1RB#49	3000~20000	-27.66	PASS
Band2	10MHz	QPSK	19150	50RB#0	0.009~0.15	-70.32	PASS
Band2	10MHz	QPSK	19150	50RB#0	0.15~30	-72.12	PASS
Band2	10MHz	QPSK	19150	50RB#0	30~1000	-59.76	PASS
Band2	10MHz	QPSK	19150	50RB#0	1000~3000	-15.33	PASS
Band2	10MHz	QPSK	19150	50RB#0	3000~20000	-27.66	PASS
Band2	10MHz	16QAM	19150	50RB#0	0.009~0.15	-69.55	PASS
Band2	10MHz	16QAM	19150	50RB#0	0.15~30	-70.57	PASS
Band2	10MHz	16QAM	19150	50RB#0	30~1000	-59.70	PASS
Band2	10MHz	16QAM	19150	50RB#0	1000~3000	-46.84	PASS
Band2	10MHz	16QAM	19150	50RB#0	3000~20000	-27.52	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.009~0.15	-68.97	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.15~30	-68.37	PASS
Band2	15MHz	QPSK	18675	1RB#0	30~1000	-59.79	PASS
Band2	15MHz	QPSK	18675	1RB#0	1000~3000	-2.48	---
Band2	15MHz	QPSK	18675	1RB#0	1000~3000	-15.63	PASS
Band2	15MHz	QPSK	18675	1RB#0	3000~20000	-27.60	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.009~0.15	-69.25	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.15~30	-72.31	PASS
Band2	15MHz	16QAM	18675	1RB#0	30~1000	-60.12	PASS
Band2	15MHz	16QAM	18675	1RB#0	1000~3000	-2.80	---
Band2	15MHz	16QAM	18675	1RB#0	1000~3000	-16.29	PASS
Band2	15MHz	16QAM	18675	1RB#0	3000~20000	-27.59	PASS
Band2	15MHz	QPSK	18675	1RB#74	0.009~0.15	-69.55	PASS
Band2	15MHz	QPSK	18675	1RB#74	0.15~30	-70.51	PASS
Band2	15MHz	QPSK	18675	1RB#74	30~1000	-60.01	PASS

Band2	15MHz	QPSK	18675	1RB#74	1000~3000	-25.34	PASS
Band2	15MHz	QPSK	18675	1RB#74	3000~20000	-27.54	PASS
Band2	15MHz	16QAM	18675	1RB#74	0.009~0.15	-69.31	PASS
Band2	15MHz	16QAM	18675	1RB#74	0.15~30	-69.78	PASS
Band2	15MHz	16QAM	18675	1RB#74	30~1000	-59.79	PASS
Band2	15MHz	16QAM	18675	1RB#74	1000~3000	-26.77	PASS
Band2	15MHz	16QAM	18675	1RB#74	3000~20000	-27.56	PASS
Band2	15MHz	QPSK	18675	75RB#0	0.009~0.15	-71.01	PASS
Band2	15MHz	QPSK	18675	75RB#0	0.15~30	-73.04	PASS
Band2	15MHz	QPSK	18675	75RB#0	30~1000	-60.06	PASS
Band2	15MHz	QPSK	18675	75RB#0	1000~3000	-17.77	PASS
Band2	15MHz	QPSK	18675	75RB#0	3000~20000	-27.64	PASS
Band2	15MHz	16QAM	18675	75RB#0	0.009~0.15	-71.87	PASS
Band2	15MHz	16QAM	18675	75RB#0	0.15~30	-71.64	PASS
Band2	15MHz	16QAM	18675	75RB#0	30~1000	-59.74	PASS
Band2	15MHz	16QAM	18675	75RB#0	1000~3000	-46.82	PASS
Band2	15MHz	16QAM	18675	75RB#0	3000~20000	-27.74	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.009~0.15	-71.65	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.15~30	-70.39	PASS
Band2	15MHz	QPSK	18900	1RB#0	30~1000	-59.88	PASS
Band2	15MHz	QPSK	18900	1RB#0	1000~3000	-44.07	PASS
Band2	15MHz	QPSK	18900	1RB#0	3000~20000	-27.55	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.009~0.15	-69.31	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.15~30	-71.53	PASS
Band2	15MHz	16QAM	18900	1RB#0	30~1000	-59.38	PASS
Band2	15MHz	16QAM	18900	1RB#0	1000~3000	-45.00	PASS
Band2	15MHz	16QAM	18900	1RB#0	3000~20000	-27.67	PASS
Band2	15MHz	QPSK	18900	1RB#74	0.009~0.15	-69.41	PASS
Band2	15MHz	QPSK	18900	1RB#74	0.15~30	-69.81	PASS
Band2	15MHz	QPSK	18900	1RB#74	30~1000	-59.96	PASS
Band2	15MHz	QPSK	18900	1RB#74	1000~3000	-41.21	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.15~30	-70.95	PASS
Band2	15MHz	16QAM	19125	1RB#0	30~1000	-59.79	PASS
Band2	15MHz	16QAM	19125	1RB#0	1000~3000	-30.30	PASS
Band2	15MHz	16QAM	19125	1RB#0	3000~20000	-27.36	PASS
Band2	15MHz	QPSK	19125	1RB#74	0.009~0.15	-71.61	PASS
Band2	15MHz	QPSK	19125	1RB#74	0.15~30	-69.43	PASS
Band2	15MHz	QPSK	19125	1RB#74	30~1000	-59.73	PASS
Band2	15MHz	QPSK	19125	1RB#74	1000~3000	-6.05	---
Band2	15MHz	QPSK	19125	1RB#74	1000~3000	-16.76	PASS
Band2	15MHz	QPSK	19125	1RB#74	3000~20000	-27.65	PASS
Band2	15MHz	16QAM	19125	1RB#74	0.009~0.15	-71.28	PASS
Band2	15MHz	16QAM	19125	1RB#74	0.15~30	-69.53	PASS

Band2	15MHz	16QAM	19125	1RB#74	30~1000	-59.93	PASS
Band2	15MHz	16QAM	19125	1RB#74	1000~3000	-7.59	---
Band2	15MHz	16QAM	19125	1RB#74	1000~3000	-17.17	PASS
Band2	15MHz	16QAM	19125	1RB#74	3000~20000	-27.50	PASS
Band2	15MHz	QPSK	19125	75RB#0	0.009~0.15	-69.66	PASS
Band2	15MHz	QPSK	19125	75RB#0	0.15~30	-72.13	PASS
Band2	15MHz	QPSK	19125	75RB#0	30~1000	-59.75	PASS
Band2	15MHz	QPSK	19125	75RB#0	1000~3000	-21.07	PASS
Band2	15MHz	QPSK	19125	75RB#0	3000~20000	-27.42	PASS
Band2	15MHz	16QAM	19125	75RB#0	0.009~0.15	-70.42	PASS
Band2	15MHz	16QAM	19125	75RB#0	0.15~30	-70.53	PASS
Band2	15MHz	16QAM	19125	75RB#0	30~1000	-59.98	PASS
Band2	15MHz	16QAM	19125	75RB#0	1000~3000	-46.74	PASS
Band2	15MHz	16QAM	19125	75RB#0	3000~20000	-27.57	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.009~0.15	-70.01	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.15~30	-70.31	PASS
Band2	20MHz	QPSK	18700	1RB#0	30~1000	-59.96	PASS
Band2	20MHz	QPSK	18700	1RB#0	1000~3000	-9.57	---
Band2	20MHz	QPSK	18700	1RB#0	1000~3000	-19.19	PASS
Band2	20MHz	QPSK	18700	1RB#0	3000~20000	-27.49	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.009~0.15	-70.10	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.15~30	-69.93	PASS
Band2	20MHz	16QAM	18700	1RB#0	30~1000	-60.17	PASS
Band2	20MHz	16QAM	18700	1RB#0	1000~3000	-9.62	---
Band2	20MHz	16QAM	18700	1RB#0	1000~3000	-19.79	PASS
Band2	20MHz	16QAM	18700	1RB#0	3000~20000	-27.48	PASS
Band2	20MHz	QPSK	18700	1RB#99	0.009~0.15	-69.27	PASS
Band2	20MHz	QPSK	18700	1RB#99	0.15~30	-71.39	PASS
Band2	20MHz	QPSK	18700	1RB#99	30~1000	-59.85	PASS
Band2	20MHz	QPSK	18700	1RB#99	1000~3000	-25.56	PASS
Band2	20MHz	QPSK	18700	1RB#99	3000~20000	-27.38	PASS
Band2	20MHz	16QAM	18700	1RB#99	0.009~0.15	-69.12	PASS
Band2	20MHz	16QAM	18700	1RB#99	0.15~30	-70.02	PASS
Band2	20MHz	16QAM	18700	1RB#99	30~1000	-59.88	PASS
Band2	20MHz	16QAM	18700	1RB#99	1000~3000	-27.17	PASS
Band2	20MHz	16QAM	18700	1RB#99	3000~20000	-27.57	PASS
Band2	20MHz	QPSK	18700	100RB#0	0.009~0.15	-69.52	PASS
Band2	20MHz	QPSK	18700	100RB#0	0.15~30	-72.41	PASS
Band2	20MHz	QPSK	18700	100RB#0	30~1000	-59.81	PASS
Band2	20MHz	QPSK	18700	100RB#0	1000~3000	-22.08	PASS
Band2	20MHz	QPSK	18700	100RB#0	3000~20000	-27.47	PASS
Band2	20MHz	16QAM	18700	100RB#0	0.009~0.15	-70.33	PASS
Band2	20MHz	16QAM	18700	100RB#0	0.15~30	-70.78	PASS

Band2	20MHz	16QAM	18700	100RB#0	30~1000	-59.87	PASS
Band2	20MHz	16QAM	18700	100RB#0	1000~3000	-26.47	PASS
Band2	20MHz	16QAM	18700	100RB#0	3000~20000	-27.60	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.009~0.15	-71.59	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.15~30	-70.58	PASS
Band2	20MHz	QPSK	18900	1RB#0	30~1000	-60.14	PASS
Band2	20MHz	QPSK	18900	1RB#0	1000~3000	-41.22	PASS
Band2	20MHz	QPSK	18900	1RB#0	3000~20000	-27.62	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.009~0.15	-70.65	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.15~30	-72.54	PASS
Band2	20MHz	16QAM	18900	1RB#0	30~1000	-59.91	PASS
Band2	20MHz	16QAM	18900	1RB#0	1000~3000	-40.71	PASS
Band2	20MHz	16QAM	18900	1RB#0	3000~20000	-27.57	PASS
Band2	20MHz	QPSK	18900	1RB#99	0.009~0.15	-66.73	PASS
Band2	20MHz	QPSK	18900	1RB#99	0.15~30	-72.55	PASS
Band2	20MHz	QPSK	18900	1RB#99	30~1000	-59.62	PASS
Band2	20MHz	QPSK	18900	1RB#99	1000~3000	-38.58	PASS
Band2	20MHz	QPSK	18900	1RB#99	3000~20000	-27.64	PASS
Band2	20MHz	16QAM	18900	1RB#99	0.009~0.15	-69.44	PASS
Band2	20MHz	16QAM	18900	1RB#99	0.15~30	-72.23	PASS
Band2	20MHz	16QAM	18900	1RB#99	30~1000	-60.11	PASS
Band2	20MHz	16QAM	18900	1RB#99	1000~3000	-38.99	PASS
Band2	20MHz	16QAM	18900	1RB#99	3000~20000	-27.51	PASS
Band2	20MHz	QPSK	18900	100RB#0	0.009~0.15	-71.77	PASS
Band2	20MHz	QPSK	18900	100RB#0	0.15~30	-72.13	PASS
Band2	20MHz	QPSK	18900	100RB#0	30~1000	-60.00	PASS
Band2	20MHz	QPSK	18900	100RB#0	1000~3000	-40.93	PASS
Band2	20MHz	QPSK	18900	100RB#0	3000~20000	-27.71	PASS
Band2	20MHz	16QAM	18900	100RB#0	0.009~0.15	-70.79	PASS
Band2	20MHz	16QAM	18900	100RB#0	0.15~30	-71.97	PASS
Band2	20MHz	16QAM	18900	100RB#0	30~1000	-60.04	PASS
Band2	20MHz	16QAM	18900	100RB#0	1000~3000	-41.83	PASS
Band2	20MHz	16QAM	18900	100RB#0	3000~20000	-27.59	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.009~0.15	-71.28	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.15~30	-71.44	PASS
Band2	20MHz	QPSK	19100	1RB#0	30~1000	-59.78	PASS
Band2	20MHz	QPSK	19100	1RB#0	1000~3000	-32.64	PASS
Band2	20MHz	QPSK	19100	1RB#0	3000~20000	-27.64	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.009~0.15	-68.55	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.15~30	-71.06	PASS
Band2	20MHz	16QAM	19100	1RB#0	30~1000	-60.04	PASS
Band2	20MHz	16QAM	19100	1RB#0	1000~3000	-33.31	PASS
Band2	20MHz	16QAM	19100	1RB#0	3000~20000	-27.51	PASS

Band2	20MHz	QPSK	19100	1RB#99	0.009~0.15	-69.73	PASS
Band2	20MHz	QPSK	19100	1RB#99	0.15~30	-70.66	PASS
Band2	20MHz	QPSK	19100	1RB#99	30~1000	-60.04	PASS
Band2	20MHz	QPSK	19100	1RB#99	1000~3000	-14.73	PASS
Band2	20MHz	QPSK	19100	1RB#99	3000~20000	-27.55	PASS
Band2	20MHz	16QAM	19100	1RB#99	0.009~0.15	-68.54	PASS
Band2	20MHz	16QAM	19100	1RB#99	0.15~30	-70.56	PASS
Band2	20MHz	16QAM	19100	1RB#99	30~1000	-59.97	PASS
Band2	20MHz	16QAM	19100	1RB#99	1000~3000	-14.74	PASS
Band2	20MHz	16QAM	19100	1RB#99	3000~20000	-27.28	PASS
Band2	20MHz	QPSK	19100	100RB#0	0.009~0.15	-68.93	PASS
Band2	20MHz	QPSK	19100	100RB#0	0.15~30	-72.82	PASS
Band2	20MHz	QPSK	19100	100RB#0	30~1000	-59.53	PASS
Band2	20MHz	QPSK	19100	100RB#0	1000~3000	-24.02	PASS
Band2	20MHz	QPSK	19100	100RB#0	3000~20000	-27.58	PASS
Band2	20MHz	16QAM	19100	100RB#0	0.009~0.15	-68.00	PASS
Band2	20MHz	16QAM	19100	100RB#0	0.15~30	-69.96	PASS
Band2	20MHz	16QAM	19100	100RB#0	30~1000	-59.77	PASS
Band2	20MHz	16QAM	19100	100RB#0	1000~3000	-20.71	PASS
Band2	20MHz	16QAM	19100	100RB#0	3000~20000	-27.68	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	1000~3000	-20.62	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.009~0.15	-68.20	PASS
Band2	10MHz	QPSK	18650	1RB#49	30~1000	-59.95	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.009~0.15	-71.18	PASS

Test Graphs

