

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	21.27	22.02	PASS
Band7	5MHz	16QAM	20775	1RB#0	19.71	20.46	PASS
Band7	5MHz	QPSK	20775	1RB#12	21.38	22.13	PASS
Band7	5MHz	16QAM	20775	1RB#12	20.84	21.59	PASS
Band7	5MHz	QPSK	20775	1RB#24	21.28	22.03	PASS
Band7	5MHz	16QAM	20775	1RB#24	20.07	20.82	PASS
Band7	5MHz	QPSK	20775	12RB#0	20.76	21.51	PASS
Band7	5MHz	16QAM	20775	12RB#0	19.14	19.89	PASS
Band7	5MHz	QPSK	20775	12RB#6	20.70	21.45	PASS
Band7	5MHz	16QAM	20775	12RB#6	19.55	20.30	PASS
Band7	5MHz	QPSK	20775	12RB#13	20.67	21.42	PASS
Band7	5MHz	16QAM	20775	12RB#13	19.23	19.98	PASS
Band7	5MHz	QPSK	20775	25RB#0	20.73	21.48	PASS
Band7	5MHz	16QAM	20775	25RB#0	19.45	20.20	PASS
Band7	5MHz	QPSK	21100	1RB#0	21.06	21.81	PASS
Band7	5MHz	16QAM	21100	1RB#0	20.32	21.07	PASS
Band7	5MHz	QPSK	21100	1RB#12	21.08	21.83	PASS
Band7	5MHz	16QAM	21100	1RB#12	20.88	21.63	PASS
Band7	5MHz	QPSK	21100	1RB#24	20.81	21.56	PASS
Band7	5MHz	16QAM	21100	1RB#24	20.69	21.44	PASS
Band7	5MHz	QPSK	21100	12RB#0	20.67	21.42	PASS
Band7	5MHz	16QAM	21100	12RB#0	19.69	20.44	PASS
Band7	5MHz	QPSK	21100	12RB#6	20.60	21.35	PASS
Band7	5MHz	16QAM	21100	12RB#6	19.42	20.17	PASS
Band7	5MHz	QPSK	21100	12RB#13	20.91	21.66	PASS
Band7	5MHz	16QAM	21100	12RB#13	19.64	20.39	PASS
Band7	5MHz	QPSK	21100	25RB#0	20.57	21.32	PASS
Band7	5MHz	16QAM	21100	25RB#0	19.40	20.15	PASS
Band7	5MHz	QPSK	21425	1RB#0	21.43	22.18	PASS
Band7	5MHz	16QAM	21425	1RB#0	19.81	20.56	PASS
Band7	5MHz	QPSK	21425	1RB#12	21.43	22.18	PASS
Band7	5MHz	16QAM	21425	1RB#12	20.54	21.29	PASS
Band7	5MHz	QPSK	21425	1RB#24	21.41	22.16	PASS
Band7	5MHz	16QAM	21425	1RB#24	19.82	20.57	PASS
Band7	5MHz	QPSK	21425	12RB#0	20.83	21.58	PASS
Band7	5MHz	16QAM	21425	12RB#0	19.22	19.97	PASS
Band7	5MHz	QPSK	21425	12RB#6	20.81	21.56	PASS
Band7	5MHz	16QAM	21425	12RB#6	19.16	19.91	PASS
Band7	5MHz	QPSK	21425	12RB#13	20.79	21.54	PASS

Band7	5MHz	16QAM	21425	12RB#13	19.17	19.92	PASS
Band7	5MHz	QPSK	21425	25RB#0	20.85	21.60	PASS
Band7	5MHz	16QAM	21425	25RB#0	19.30	20.05	PASS
Band7	10MHz	QPSK	20800	1RB#0	21.18	21.93	PASS
Band7	10MHz	16QAM	20800	1RB#0	20.16	20.91	PASS
Band7	10MHz	QPSK	20800	1RB#24	21.48	22.23	PASS
Band7	10MHz	16QAM	20800	1RB#24	21.27	22.02	PASS
Band7	10MHz	QPSK	20800	1RB#49	21.38	22.13	PASS
Band7	10MHz	16QAM	20800	1RB#49	20.35	21.10	PASS
Band7	10MHz	QPSK	20800	25RB#0	20.81	21.56	PASS
Band7	10MHz	16QAM	20800	25RB#0	19.22	19.97	PASS
Band7	10MHz	QPSK	20800	25RB#12	20.83	21.58	PASS
Band7	10MHz	16QAM	20800	25RB#12	19.48	20.23	PASS
Band7	10MHz	QPSK	20800	25RB#25	20.97	21.72	PASS
Band7	10MHz	16QAM	20800	25RB#25	19.83	20.58	PASS
Band7	10MHz	QPSK	20800	50RB#0	20.85	21.60	PASS
Band7	10MHz	16QAM	20800	50RB#0	19.48	20.23	PASS
Band7	10MHz	QPSK	21100	1RB#0	21.32	22.07	PASS
Band7	10MHz	16QAM	21100	1RB#0	20.06	20.81	PASS
Band7	10MHz	QPSK	21100	1RB#24	21.22	21.97	PASS
Band7	10MHz	16QAM	21100	1RB#24	21.57	22.32	PASS
Band7	10MHz	QPSK	21100	1RB#49	20.99	21.74	PASS
Band7	10MHz	16QAM	21100	1RB#49	20.31	21.06	PASS
Band7	10MHz	QPSK	21100	25RB#0	20.75	21.50	PASS
Band7	10MHz	16QAM	21100	25RB#0	19.87	20.62	PASS
Band7	10MHz	QPSK	21100	25RB#12	20.63	21.38	PASS
Band7	10MHz	16QAM	21100	25RB#12	19.45	20.20	PASS
Band7	10MHz	QPSK	21100	25RB#25	21.04	21.79	PASS
Band7	10MHz	16QAM	21100	25RB#25	19.64	20.39	PASS
Band7	10MHz	QPSK	21100	50RB#0	20.64	21.39	PASS
Band7	10MHz	16QAM	21100	50RB#0	19.53	20.28	PASS
Band7	10MHz	QPSK	21400	1RB#0	21.31	22.06	PASS
Band7	10MHz	16QAM	21400	1RB#0	20.83	21.58	PASS
Band7	10MHz	QPSK	21400	1RB#24	21.35	22.10	PASS
Band7	10MHz	16QAM	21400	1RB#24	21.12	21.87	PASS
Band7	10MHz	QPSK	21400	1RB#49	21.46	22.21	PASS
Band7	10MHz	16QAM	21400	1RB#49	20.91	21.66	PASS
Band7	10MHz	QPSK	21400	25RB#0	20.88	21.63	PASS
Band7	10MHz	16QAM	21400	25RB#0	19.36	20.11	PASS
Band7	10MHz	QPSK	21400	25RB#12	20.86	21.61	PASS
Band7	10MHz	16QAM	21400	25RB#12	19.36	20.11	PASS
Band7	10MHz	QPSK	21400	25RB#25	20.93	21.68	PASS
Band7	10MHz	16QAM	21400	25RB#25	19.39	20.14	PASS
Band7	10MHz	QPSK	21400	50RB#0	20.81	21.56	PASS

Band7	10MHz	16QAM	21400	50RB#0	19.29	20.04	PASS
Band7	15MHz	QPSK	20825	1RB#0	21.26	22.01	PASS
Band7	15MHz	16QAM	20825	1RB#0	20.12	20.87	PASS
Band7	15MHz	QPSK	20825	1RB#38	21.46	22.21	PASS
Band7	15MHz	16QAM	20825	1RB#38	21.39	22.14	PASS
Band7	15MHz	QPSK	20825	1RB#74	21.40	22.15	PASS
Band7	15MHz	16QAM	20825	1RB#74	20.39	21.14	PASS
Band7	15MHz	QPSK	20825	36RB#0	20.73	21.48	PASS
Band7	15MHz	16QAM	20825	36RB#0	19.34	20.09	PASS
Band7	15MHz	QPSK	20825	36RB#18	20.84	21.59	PASS
Band7	15MHz	16QAM	20825	36RB#18	19.49	20.24	PASS
Band7	15MHz	QPSK	20825	36RB#39	20.97	21.72	PASS
Band7	15MHz	16QAM	20825	36RB#39	19.58	20.33	PASS
Band7	15MHz	QPSK	20825	75RB#0	20.81	21.56	PASS
Band7	15MHz	16QAM	20825	75RB#0	19.38	20.13	PASS
Band7	15MHz	QPSK	21100	1RB#0	21.29	22.04	PASS
Band7	15MHz	16QAM	21100	1RB#0	20.43	21.18	PASS
Band7	15MHz	QPSK	21100	1RB#38	21.08	21.83	PASS
Band7	15MHz	16QAM	21100	1RB#38	21.03	21.78	PASS
Band7	15MHz	QPSK	21100	1RB#74	21.02	21.77	PASS
Band7	15MHz	16QAM	21100	1RB#74	20.12	20.87	PASS
Band7	15MHz	QPSK	21100	36RB#0	20.83	21.58	PASS
Band7	15MHz	16QAM	21100	36RB#0	19.52	20.27	PASS
Band7	15MHz	QPSK	21100	36RB#18	20.70	21.45	PASS
Band7	15MHz	16QAM	21100	36RB#18	19.39	20.14	PASS
Band7	15MHz	QPSK	21100	36RB#39	21.01	21.76	PASS
Band7	15MHz	16QAM	21100	36RB#39	19.62	20.37	PASS
Band7	15MHz	QPSK	21100	75RB#0	20.65	21.40	PASS
Band7	15MHz	16QAM	21100	75RB#0	19.44	20.19	PASS
Band7	15MHz	QPSK	21375	1RB#0	21.35	22.10	PASS
Band7	15MHz	16QAM	21375	1RB#0	20.81	21.56	PASS
Band7	15MHz	QPSK	21375	1RB#38	21.29	22.04	PASS
Band7	15MHz	16QAM	21375	1RB#38	21.01	21.76	PASS
Band7	15MHz	QPSK	21375	1RB#74	21.29	22.04	PASS
Band7	15MHz	16QAM	21375	1RB#74	20.91	21.66	PASS
Band7	15MHz	QPSK	21375	36RB#0	20.76	21.51	PASS
Band7	15MHz	16QAM	21375	36RB#0	19.33	20.08	PASS
Band7	15MHz	QPSK	21375	36RB#18	20.87	21.62	PASS
Band7	15MHz	16QAM	21375	36RB#18	19.23	19.98	PASS
Band7	15MHz	QPSK	21375	36RB#39	20.91	21.66	PASS
Band7	15MHz	16QAM	21375	36RB#39	19.14	19.89	PASS
Band7	15MHz	QPSK	21375	75RB#0	20.72	21.47	PASS
Band7	15MHz	16QAM	21375	75RB#0	19.27	20.02	PASS
Band7	20MHz	QPSK	20850	1RB#0	21.35	22.10	PASS

Band7	20MHz	16QAM	20850	1RB#0	19.68	20.43	PASS
Band7	20MHz	QPSK	20850	1RB#49	21.48	22.23	PASS
Band7	20MHz	16QAM	20850	1RB#49	20.65	21.40	PASS
Band7	20MHz	QPSK	20850	1RB#99	21.50	22.25	PASS
Band7	20MHz	16QAM	20850	1RB#99	20.21	20.96	PASS
Band7	20MHz	QPSK	20850	50RB#0	20.68	21.43	PASS
Band7	20MHz	16QAM	20850	50RB#0	19.33	20.08	PASS
Band7	20MHz	QPSK	20850	50RB#25	20.92	21.67	PASS
Band7	20MHz	16QAM	20850	50RB#25	19.55	20.30	PASS
Band7	20MHz	QPSK	20850	50RB#50	20.95	21.70	PASS
Band7	20MHz	16QAM	20850	50RB#50	19.84	20.59	PASS
Band7	20MHz	QPSK	20850	100RB#0	20.92	21.67	PASS
Band7	20MHz	16QAM	20850	100RB#0	19.56	20.31	PASS
Band7	20MHz	QPSK	21100	1RB#0	21.45	22.20	PASS
Band7	20MHz	16QAM	21100	1RB#0	20.87	21.62	PASS
Band7	20MHz	QPSK	21100	1RB#49	21.07	21.82	PASS
Band7	20MHz	16QAM	21100	1RB#49	20.67	21.42	PASS
Band7	20MHz	QPSK	21100	1RB#99	21.11	21.86	PASS
Band7	20MHz	16QAM	21100	1RB#99	20.34	21.09	PASS
Band7	20MHz	QPSK	21100	50RB#0	20.75	21.50	PASS
Band7	20MHz	16QAM	21100	50RB#0	19.40	20.15	PASS
Band7	20MHz	QPSK	21100	50RB#25	20.53	21.28	PASS
Band7	20MHz	16QAM	21100	50RB#25	19.46	20.21	PASS
Band7	20MHz	QPSK	21100	50RB#50	20.92	21.67	PASS
Band7	20MHz	16QAM	21100	50RB#50	19.71	20.46	PASS
Band7	20MHz	QPSK	21100	100RB#0	20.49	21.24	PASS
Band7	20MHz	16QAM	21100	100RB#0	19.52	20.27	PASS
Band7	20MHz	QPSK	21350	1RB#0	21.30	22.05	PASS
Band7	20MHz	16QAM	21350	1RB#0	19.98	20.73	PASS
Band7	20MHz	QPSK	21350	1RB#49	21.26	22.01	PASS
Band7	20MHz	16QAM	21350	1RB#49	20.03	20.78	PASS
Band7	20MHz	QPSK	21350	1RB#99	21.33	22.08	PASS
Band7	20MHz	16QAM	21350	1RB#99	20.11	20.86	PASS
Band7	20MHz	QPSK	21350	50RB#0	20.76	21.51	PASS
Band7	20MHz	16QAM	21350	50RB#0	19.33	20.08	PASS
Band7	20MHz	QPSK	21350	50RB#25	20.80	21.55	PASS
Band7	20MHz	16QAM	21350	50RB#25	19.38	20.13	PASS
Band7	20MHz	QPSK	21350	50RB#50	20.78	21.53	PASS
Band7	20MHz	16QAM	21350	50RB#50	19.51	20.26	PASS
Band7	20MHz	QPSK	21350	100RB#0	20.84	21.59	PASS
Band7	20MHz	16QAM	21350	100RB#0	19.41	20.16	PASS


Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	6.14	13	PASS
Band7	5MHz	16QAM	20775	1RB#0	6.52	13	PASS
Band7	5MHz	QPSK	20775	25RB#0	5.54	13	PASS
Band7	5MHz	16QAM	20775	25RB#0	6.35	13	PASS
Band7	5MHz	QPSK	21100	1RB#0	6.03	13	PASS
Band7	5MHz	16QAM	21100	1RB#0	6.61	13	PASS
Band7	5MHz	QPSK	21100	25RB#0	5.48	13	PASS
Band7	5MHz	16QAM	21100	25RB#0	6.41	13	PASS
Band7	5MHz	QPSK	21425	1RB#0	5.68	13	PASS
Band7	5MHz	16QAM	21425	1RB#0	6.12	13	PASS
Band7	5MHz	QPSK	21425	25RB#0	5.42	13	PASS
Band7	5MHz	16QAM	21425	25RB#0	6.35	13	PASS
Band7	10MHz	QPSK	20800	1RB#0	5.88	13	PASS
Band7	10MHz	16QAM	20800	1RB#0	6.81	13	PASS
Band7	10MHz	QPSK	20800	50RB#0	5.54	13	PASS
Band7	10MHz	16QAM	20800	50RB#0	6.35	13	PASS
Band7	10MHz	QPSK	21100	1RB#0	5.71	13	PASS
Band7	10MHz	16QAM	21100	1RB#0	6.20	13	PASS
Band7	10MHz	QPSK	21100	50RB#0	5.57	13	PASS
Band7	10MHz	16QAM	21100	50RB#0	6.41	13	PASS
Band7	10MHz	QPSK	21400	1RB#0	5.74	13	PASS
Band7	10MHz	16QAM	21400	1RB#0	6.70	13	PASS
Band7	10MHz	QPSK	21400	50RB#0	5.48	13	PASS
Band7	10MHz	16QAM	21400	50RB#0	6.38	13	PASS
Band7	15MHz	QPSK	20825	1RB#0	5.86	13	PASS
Band7	15MHz	16QAM	20825	1RB#0	6.52	13	PASS
Band7	15MHz	QPSK	20825	75RB#0	5.94	13	PASS
Band7	15MHz	16QAM	20825	75RB#0	6.41	13	PASS
Band7	15MHz	QPSK	21100	1RB#0	6.00	13	PASS
Band7	15MHz	16QAM	21100	1RB#0	6.96	13	PASS
Band7	15MHz	QPSK	21100	75RB#0	6.00	13	PASS
Band7	15MHz	16QAM	21100	75RB#0	6.46	13	PASS
Band7	15MHz	QPSK	21375	1RB#0	5.88	13	PASS
Band7	15MHz	16QAM	21375	1RB#0	6.78	13	PASS
Band7	15MHz	QPSK	21375	75RB#0	5.88	13	PASS
Band7	15MHz	16QAM	21375	75RB#0	6.41	13	PASS
Band7	20MHz	QPSK	20850	1RB#0	6.00	13	PASS
Band7	20MHz	16QAM	20850	1RB#0	7.04	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	5.54	13	PASS

Band7	20MHz	16QAM	20850	100RB#0	6.35	13	PASS
Band7	20MHz	QPSK	21100	1RB#0	6.14	13	PASS
Band7	20MHz	16QAM	21100	1RB#0	6.72	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	5.54	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	6.38	13	PASS
Band7	20MHz	QPSK	21350	1RB#0	5.74	13	PASS
Band7	20MHz	16QAM	21350	1RB#0	6.20	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	5.45	13	PASS
Band7	20MHz	16QAM	21350	100RB#0	6.32	13	PASS


Test Graphs




Band7-5MHz-QPSK-20775-1RB#0-PASS




Band7-5MHz-16QAM-20775-1RB#0-PASS




Band7-5MHz-QPSK-20775-25RB#0-PASS





Band7-5MHz-16QAM-20775-25RB#0-PASS




Band7-5MHz-QPSK-21100-1RB#0-PASS




Band7-5MHz-16QAM-21100-1RB#0-PASS




Band7-5MHz-QPSK-21100-25RB#0-PASS




Band7-5MHz-16QAM-21100-25RB#0-PASS




Band7-5MHz-QPSK-21425-1RB#0-PASS




Band7-5MHz-16QAM-21425-1RB#0-PASS




Band7-5MHz-QPSK-21425-25RB#0-PASS




Band7-5MHz-16QAM-21425-25RB#0-PASS



Band7-10MHz-QPSK-20800-1RB#0-PASS




Band7-10MHz-16QAM-20800-1RB#0-PASS




Band7-10MHz-QPSK-20800-50RB#0-PASS


Band7-10MHz-16QAM-20800-50RB#0-PASS




Band7-10MHz-QPSK-21100-1RB#0-PASS




Band7-10MHz-16QAM-21100-1RB#0-PASS




Band7-10MHz-QPSK-21100-50RB#0-PASS




Band7-10MHz-16QAM-21100-50RB#0-PASS




Band7-10MHz-QPSK-21400-1RB#0-PASS




Band7-10MHz-16QAM-21400-1RB#0-PASS




Band7-10MHz-QPSK-21400-50RB#0-PASS




Band7-10MHz-16QAM-21400-50RB#0-PASS




Band7-15MHz-QPSK-20825-1RB#0-PASS




Band7-15MHz-16QAM-20825-1RB#0-PASS




Band7-15MHz-QPSK-20825-75RB#0-PASS




Band7-15MHz-16QAM-20825-75RB#0-PASS




Band7-15MHz-QPSK-21100-1RB#0-PASS




Band7-15MHz-16QAM-21100-1RB#0-PASS




Band7-15MHz-QPSK-21100-75RB#0-PASS




Band7-15MHz-16QAM-21100-75RB#0-PASS




Band7-15MHz-QPSK-21375-1RB#0-PASS




Band7-15MHz-16QAM-21375-1RB#0-PASS




Band7-15MHz-QPSK-21375-75RB#0-PASS




Band7-15MHz-16QAM-21375-75RB#0-PASS




Band7-20MHz-QPSK-20850-1RB#0-PASS




Band7-20MHz-16QAM-20850-1RB#0-PASS




Band7-20MHz-QPSK-20850-100RB#0-PASS




Band7-20MHz-16QAM-20850-100RB#0-PASS




Band7-20MHz-QPSK-21100-1RB#0-PASS




Band7-20MHz-16QAM-21100-1RB#0-PASS




Band7-20MHz-QPSK-21100-100RB#0-PASS




Band7-20MHz-16QAM-21100-100RB#0-PASS




Band7-20MHz-QPSK-21350-1RB#0-PASS



Band7-20MHz-16QAM-21350-1RB#0-PASS



Band7-20MHz-QPSK-21350-100RB#0-PASS




Band7-20MHz-16QAM-21350-100RB#0-PASS



26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	4.5155	4.97	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.4955	4.97	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.4955	5.00	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.5255	5.01	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.5055	5.00	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5155	5.02	PASS
Band7	10MHz	QPSK	20800	50RB#0	9.0183	9.90	PASS
Band7	10MHz	16QAM	20800	50RB#0	8.9850	10.00	PASS
Band7	10MHz	QPSK	21100	50RB#0	8.9850	9.97	PASS
Band7	10MHz	16QAM	21100	50RB#0	8.9850	10.03	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.9850	9.93	PASS
Band7	10MHz	16QAM	21400	50RB#0	8.9850	10.00	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.527	15.10	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.527	15.10	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.478	15.00	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.527	15.05	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.478	14.95	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.478	15.10	PASS
Band7	20MHz	QPSK	20850	100RB#0	18.037	20.00	PASS
Band7	20MHz	16QAM	20850	100RB#0	18.103	20.00	PASS
Band7	20MHz	QPSK	21100	100RB#0	18.103	20.07	PASS
Band7	20MHz	16QAM	21100	100RB#0	18.037	20.07	PASS
Band7	20MHz	QPSK	21350	100RB#0	18.037	20.00	PASS
Band7	20MHz	16QAM	21350	100RB#0	18.103	20.00	PASS



Test Graphs







Band7-5MHz-QPSK-21100-25RB#0-PASS

Band7-5MHz-16QAM-21100-25RB#0-PASS





Band7-5MHz-QPSK-21425-25RB#0-PASS

Band7-5MHz-16QAM-21425-25RB#0-PASS





Band7-10MHz-QPSK-20800-50RB#0-PASS

Band7-10MHz-16QAM-20800-50RB#0-PASS





Band7-10MHz-QPSK-21100-50RB#0-PASS

Band7-10MHz-16QAM-21100-50RB#0-PASS





Band7-10MHz-QPSK-21400-50RB#0-PASS

Band7-10MHz-16QAM-21400-50RB#0-PASS





Band7-15MHz-QPSK-20825-75RB#0-PASS

Band7-15MHz-16QAM-20825-75RB#0-PASS





Band7-15MHz-QPSK-21100-75RB#0-PASS

Band7-15MHz-16QAM-21100-75RB#0-PASS





Band7-15MHz-QPSK-21375-75RB#0-PASS

Band7-15MHz-16QAM-21375-75RB#0-PASS





Band7-20MHz-QPSK-20850-100RB#0-PASS

Band7-20MHz-16QAM-20850-100RB#0-PASS



Band7-20MHz-QPSK-21100-100RB#0-PASS

Band7-20MHz-16QAM-21100-100RB#0-PASS



Band7-20MHz-QPSK-21350-100RB#0-PASS

Band7-20MHz-16QAM-21350-100RB#0-PASS


Band Edge



Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	-19.70	PASS
Band7	5MHz	16QAM	20775	1RB#0	-20.49	PASS
Band7	5MHz	QPSK	20775	1RB#24	-41.39	PASS
Band7	5MHz	16QAM	20775	1RB#24	-41.45	PASS
Band7	5MHz	QPSK	20775	25RB#0	-40.22	PASS
Band7	5MHz	16QAM	20775	25RB#0	-40.45	PASS
Band7	5MHz	QPSK	21425	1RB#0	-40.87	PASS
Band7	5MHz	16QAM	21425	1RB#0	-41.07	PASS
Band7	5MHz	QPSK	21425	1RB#24	-19.20	PASS
Band7	5MHz	16QAM	21425	1RB#24	-20.17	PASS
Band7	5MHz	QPSK	21425	25RB#0	-39.13	PASS
Band7	5MHz	16QAM	21425	25RB#0	-39.02	PASS
Band7	10MHz	QPSK	20800	1RB#0	-22.09	PASS
Band7	10MHz	16QAM	20800	1RB#0	-23.10	PASS
Band7	10MHz	QPSK	20800	1RB#49	-41.44	PASS
Band7	10MHz	16QAM	20800	1RB#49	-41.51	PASS
Band7	10MHz	QPSK	20800	50RB#0	-39.71	PASS
Band7	10MHz	16QAM	20800	50RB#0	-39.53	PASS
Band7	10MHz	QPSK	21400	1RB#0	-41.15	PASS
Band7	10MHz	16QAM	21400	1RB#0	-41.20	PASS
Band7	10MHz	QPSK	21400	1RB#49	-21.59	PASS
Band7	10MHz	16QAM	21400	1RB#49	-22.34	PASS
Band7	10MHz	QPSK	21400	50RB#0	-39.73	PASS
Band7	10MHz	16QAM	21400	50RB#0	-39.66	PASS
Band7	15MHz	QPSK	20825	1RB#0	-20.74	PASS
Band7	15MHz	16QAM	20825	1RB#0	-21.05	PASS
Band7	15MHz	QPSK	20825	1RB#74	-41.50	PASS
Band7	15MHz	16QAM	20825	1RB#74	-41.53	PASS
Band7	15MHz	QPSK	20825	75RB#0	-40.57	PASS
Band7	15MHz	16QAM	20825	75RB#0	-40.45	PASS
Band7	15MHz	QPSK	21375	1RB#0	-41.11	PASS
Band7	15MHz	16QAM	21375	1RB#0	-41.15	PASS
Band7	15MHz	QPSK	21375	1RB#74	-21.14	PASS
Band7	15MHz	16QAM	21375	1RB#74	-21.93	PASS
Band7	15MHz	QPSK	21375	75RB#0	-40.48	PASS
Band7	15MHz	16QAM	21375	75RB#0	-40.54	PASS
Band7	20MHz	QPSK	20850	1RB#0	-22.67	PASS
Band7	20MHz	16QAM	20850	1RB#0	-23.16	PASS
Band7	20MHz	QPSK	20850	1RB#99	-41.47	PASS

Band7	20MHz	16QAM	20850	1RB#99	-41.53	PASS
Band7	20MHz	QPSK	20850	100RB#0	-41.42	PASS
Band7	20MHz	16QAM	20850	100RB#0	-41.49	PASS
Band7	20MHz	QPSK	21350	1RB#0	-41.21	PASS
Band7	20MHz	16QAM	21350	1RB#0	-41.18	PASS
Band7	20MHz	QPSK	21350	1RB#99	-22.27	PASS
Band7	20MHz	16QAM	21350	1RB#99	-22.73	PASS
Band7	20MHz	QPSK	21350	100RB#0	-41.11	PASS
Band7	20MHz	16QAM	21350	100RB#0	-41.09	PASS



Test Graphs







Band7-5MHz-QPSK-21425-1RB#0-PASS

Band7-5MHz-16QAM-21425-1RB#0-PASS





Band7-5MHz-QPSK-21425-1RB#24-PASS

Band7-5MHz-16QAM-21425-1RB#24-PASS





Band7-5MHz-QPSK-21425-25RB#0-PASS

Band7-5MHz-16QAM-21425-25RB#0-PASS





Band7-10MHz-QPSK-20800-1RB#0-PASS

Band7-10MHz-16QAM-20800-1RB#0-PASS





Band7-10MHz-QPSK-20800-1RB#49-PASS

Band7-10MHz-16QAM-20800-1RB#49-PASS





Band7-10MHz-QPSK-20800-50RB#0-PASS

Band7-10MHz-16QAM-20800-50RB#0-PASS





Band7-10MHz-QPSK-21400-1RB#0-PASS

Band7-10MHz-16QAM-21400-1RB#0-PASS





Band7-10MHz-QPSK-21400-1RB#49-PASS

Band7-10MHz-16QAM-21400-1RB#49-PASS





Band7-10MHz-QPSK-21400-50RB#0-PASS

Band7-10MHz-16QAM-21400-50RB#0-PASS





Band7-15MHz-QPSK-20825-1RB#0-PASS

Band7-15MHz-16QAM-20825-1RB#0-PASS





Band7-15MHz-QPSK-20825-1RB#74-PASS

Band7-15MHz-16QAM-20825-1RB#74-PASS





Band7-15MHz-QPSK-20825-75RB#0-PASS

Band7-15MHz-16QAM-20825-75RB#0-PASS





Band7-15MHz-QPSK-21375-1RB#0-PASS

Band7-15MHz-16QAM-21375-1RB#0-PASS





Band7-15MHz-QPSK-21375-1RB#74-PASS

Band7-15MHz-16QAM-21375-1RB#74-PASS





Band7-15MHz-QPSK-21375-75RB#0-PASS

Band7-15MHz-16QAM-21375-75RB#0-PASS





Band7-20MHz-QPSK-20850-1RB#0-PASS

Band7-20MHz-16QAM-20850-1RB#0-PASS





Band7-20MHz-QPSK-20850-1RB#99-PASS

Band7-20MHz-16QAM-20850-1RB#99-PASS





Band7-20MHz-QPSK-20850-100RB#0-PASS

Band7-20MHz-16QAM-20850-100RB#0-PASS



Band7-20MHz-QPSK-21350-1RB#0-PASS

Band7-20MHz-16QAM-21350-1RB#0-PASS



Band7-20MHz-QPSK-21350-1RB#99-PASS

Band7-20MHz-16QAM-21350-1RB#99-PASS