


22. NB-IoT_Band25_QPSK_3.75kHz_1@0_Low

22.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-46.16	-13	33.16	Pass	401
1848	1849	1	RMS	1849	-38.83	-13	25.83	Pass	2
1849	1849.994	0.002	RMS	1849.91	-36.72	-13	23.72	Pass	497
1849.994	1850	0.002	RMS	1850	-37.14	-13	24.14	Pass	401
1850	1860	0.02	RMS	1850.12	16.37	30	13.63	Pass	501



22. NB-IoT_Band25_BPSK_3.75kHz_1@0_Low

22.2. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-45.56	-13	32.56	Pass	401
1848	1849	1	RMS	1849	-37.95	-13	24.95	Pass	2
1849	1849.994	0.002	RMS	1849.962	-39.28	-13	26.28	Pass	497
1849.994	1850	0.002	RMS	1849.997	-37.12	-13	24.12	Pass	401
1850	1860	0.02	RMS	1850.12	16.92	30	13.08	Pass	501



22. NB-IoT_Band25_QPSK_15kHz_1@0_Low

22.3. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-46.69	-13	33.69	Pass	401
1848	1849	1	RMS	1849	-38.92	-13	25.92	Pass	2
1849	1849.994	0.002	RMS	1849.994	-39.75	-13	26.75	Pass	497
1849.994	1850	0.002	RMS	1849.999	-36.72	-13	23.72	Pass	401
1850	1860	0.02	RMS	1850.12	15.07	30	14.93	Pass	501



22. NB-IoT_Band25_QPSK_15kHz_12@0_Low

22.4. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-49.72	-13	36.72	Pass	401
1848	1849	1	RMS	1849	-46.99	-13	33.99	Pass	2
1849	1849.994	0.002	RMS	1849.99	-37.15	-13	24.15	Pass	497
1849.994	1850	0.002	RMS	1849.995	-34.89	-13	21.89	Pass	401
1850	1860	0.02	RMS	1850.16	2.96	30	27.04	Pass	501



22. NB-IoT_Band25_BPSK_15kHz_1@0_Low

22.5. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-46.74	-13	33.74	Pass	401
1848	1849	1	RMS	1849	-40.19	-13	27.19	Pass	2
1849	1849.994	0.002	RMS	1849.996	-39.2	-13	26.2	Pass	497
1849.994	1850	0.002	RMS	1850	-36.84	-13	23.84	Pass	401
1850	1860	0.02	RMS	1850.12	16.85	30	13.15	Pass	501



22. NB-IoT_Band25_QPSK_3.75kHz_1@47_High

22.6. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.02	RMS	1914.88	16.65	30	13.35	Pass	501
1915	1915.006	0.002	RMS	1915	-37.99	-13	24.99	Pass	401
1915.006	1916	0.002	RMS	1915.06	-37.12	-13	24.12	Pass	497
1916	1917	1	RMS	1916	-37.39	-13	24.39	Pass	2
1917	1925	1	RMS	1917	-39.73	-13	26.73	Pass	401



22. NB-IoT_Band25_BPSK_3.75kHz_1@47_High

22.7. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.02	RMS	1914.88	17.05	30	12.95	Pass	501
1915	1915.006	0.002	RMS	1915	-37.56	-13	24.56	Pass	401
1915.006	1916	0.002	RMS	1915.06	-36.69	-13	23.69	Pass	497
1916	1917	1	RMS	1916	-36.87	-13	23.87	Pass	2
1917	1925	1	RMS	1917	-39.64	-13	26.64	Pass	401



22. NB-IoT_Band25_QPSK_15kHz_1@11_High

22.8. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.02	RMS	1914.88	13.99	30	16.01	Pass	501
1915	1915.006	0.002	RMS	1915.001	-36.95	-13	23.95	Pass	401
1915.006	1916	0.002	RMS	1915.03	-39.45	-13	26.45	Pass	497
1916	1917	1	RMS	1916	-38.18	-13	25.18	Pass	2
1917	1925	1	RMS	1917	-39.98	-13	26.98	Pass	401



22. NB-IoT_Band25_QPSK_15kHz_12@0_High

22.9. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.02	RMS	1914.84	1.58	30	28.42	Pass	501
1915	1915.006	0.002	RMS	1915.002	-37.99	-13	24.99	Pass	401
1915.006	1916	0.002	RMS	1915.014	-39.8	-13	26.8	Pass	497
1916	1917	1	RMS	1916	-39.97	-13	26.97	Pass	2
1917	1925	1	RMS	1917.06	-40.19	-13	27.19	Pass	401



22. NB-IoT_Band25_BPSK_15kHz_1@11_High

22.10. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.02	RMS	1914.88	15.78	30	14.22	Pass	501
1915	1915.006	0.002	RMS	1915.003	-36.48	-13	23.48	Pass	401
1915.006	1916	0.002	RMS	1915.03	-37.45	-13	24.45	Pass	497
1916	1917	1	RMS	1916	-37.52	-13	24.52	Pass	2
1917	1925	1	RMS	1917	-39.84	-13	26.84	Pass	401



23. NB-IoT_Band26(part22)_QPSK_3.75kHz_1@0_Low

23.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	821.92	-59.91	-13	46.91	Pass	401
822	823	0.1	RMS	822.8	-52.27	-13	39.27	Pass	11
823	823.9	0.02	RMS	823.88	-37.21	-13	24.21	Pass	46
823.9	824	0	RMS	823.939	-47.02	-13	34.02	Pass	2565
824	834	0.02	RMS	824.12	16.19	30	13.81	Pass	501



23. NB-IoT_Band26(part22)_BPSK_3.75kHz_1@0_Low

23.2. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	822	-59.78	-13	46.78	Pass	401
822	823	0.1	RMS	822.8	-51.73	-13	38.73	Pass	11
823	823.9	0.02	RMS	823.88	-36.69	-13	23.69	Pass	46
823.9	824	0	RMS	823.939	-46.69	-13	33.69	Pass	2565
824	834	0.02	RMS	824.12	16.57	30	13.43	Pass	501



23. NB-IoT_Band26(part22)_QPSK_15kHz_1@0_Low

23.3. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	821.54	-61.19	-13	48.19	Pass	401
822	823	0.1	RMS	822.8	-57.15	-13	44.15	Pass	11
823	823.9	0.02	RMS	823.9	-41.52	-13	28.52	Pass	46
823.9	824	0	RMS	823.967	-46.39	-13	33.39	Pass	667
824	834	0.02	RMS	824.12	13.35	30	16.65	Pass	501



23. NB-IoT_Band26(part22)_QPSK_15kHz_12@0_Low

23.4. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	821.98	-62.39	-13	49.39	Pass	401
822	823	0.1	RMS	822.9	-61.23	-13	48.23	Pass	11
823	823.994	0.002	RMS	823.99	-37.07	-13	24.07	Pass	498
823.994	824	0.002	RMS	823.996	-36.68	-13	23.68	Pass	401
824	834	0.02	RMS	824.18	2.25	30	27.75	Pass	501



23. NB-IoT_Band26(part22)_BPSK_15kHz_1@0_Low

23.5. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	822	-60.57	-13	47.57	Pass	401
822	823	0.1	RMS	822.8	-53.14	-13	40.14	Pass	11
823	823.9	0.02	RMS	823.9	-39.84	-13	26.84	Pass	46
823.9	824	0	RMS	823.938	-46.72	-13	33.72	Pass	667
824	834	0.02	RMS	824.12	15.4	30	14.6	Pass	501



23. NB-IoT_Band26(part22)_QPSK_3.75kHz_1@47_High

23.6. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.76	17.46	30	12.54	Pass	501
849	849.1	0	RMS	849.025	-45.91	-13	32.91	Pass	1961
849.1	850	0.02	RMS	849.36	-39.06	-13	26.06	Pass	46
850	851	0.1	RMS	850	-48.13	-13	35.13	Pass	11
851	859	0.1	RMS	851.1	-52.7	-13	39.7	Pass	401



23. NB-IoT_Band26(part22)_BPSK_3.75kHz_1@47_High

23.7. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.88	17.55	30	12.45	Pass	501
849	849.006	0.002	RMS	849	-40.02	-13	27.02	Pass	401
849.006	850	0.002	RMS	849.06	-28.59	-13	15.59	Pass	498
850	851	0.1	RMS	850.2	-47.23	-13	34.23	Pass	11
851	859	0.1	RMS	851	-52.55	-13	39.55	Pass	401



23. NB-IoT_Band26(part22)_QPSK_15kHz_1@11_High

23.8. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.88	14.7	30	15.3	Pass	501
849	849.1	0	RMS	849.036	-46.29	-13	33.29	Pass	667
849.1	850	0.02	RMS	849.14	-40.28	-13	27.28	Pass	46
850	851	0.1	RMS	850.2	-49.88	-13	36.88	Pass	11
851	859	0.1	RMS	851	-52.85	-13	39.85	Pass	401



23. NB-IoT_Band26(part22)_QPSK_15kHz_12@0_High

23.9. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.76	3.16	30	26.84	Pass	501
849	849.006	0.002	RMS	849.002	-35.81	-13	22.81	Pass	401
849.006	850	0.002	RMS	849.01	-41.62	-13	28.62	Pass	498
850	851	0.1	RMS	850.1	-52.96	-13	39.96	Pass	11
851	859	0.1	RMS	851.58	-52.97	-13	39.97	Pass	401



23. NB-IoT_Band26(part22)_BPSK_15kHz_1@11_High

23.10. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.88	16.31	30	13.69	Pass	501
849	849.1	0	RMS	849.035	-42.26	-13	29.26	Pass	667
849.1	850	0.02	RMS	849.24	-37.5	-13	24.5	Pass	46
850	851	0.1	RMS	850.2	-49.01	-13	36.01	Pass	11
851	859	0.1	RMS	851.24	-52.77	-13	39.77	Pass	401



24. NB-IoT_Band26(part90)_QPSK_3.75kHz_1@0_Low

24.1. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	812	0.1	RMS	811.96	-59.77	-13	46.77	Pass	401
812	813	0.1	RMS	812.828	-51.73	-13	38.73	Pass	401
813	813.962	0.01	RMS	813.938	-29.16	-13	16.16	Pass	401
813.962	814	0	RMS	813.999	-50.76	-20	30.76	Pass	962
814	824	0.02	RMS	814.12	15.78	30	14.22	Pass	501



24. NB-IoT_Band26(part90)_BPSK_3.75kHz_1@0_Low

24.2. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	812	0.1	RMS	812	-59.25	-13	46.25	Pass	401
812	813	0.1	RMS	812.83	-51.12	-13	38.12	Pass	401
813	813.962	0.01	RMS	813.938	-29.31	-13	16.31	Pass	401
813.962	814	0	RMS	813.998	-46.68	-20	26.68	Pass	962
814	824	0.02	RMS	814.12	17.14	30	12.86	Pass	501



24. NB-IoT_Band26(part90)_QPSK_15kHz_1@0_Low

24.3. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	812	0.1	RMS	811.78	-60.58	-13	47.58	Pass	401
812	813	0.1	RMS	812.85	-53.49	-13	40.49	Pass	401
813	813.962	0.01	RMS	813.963	-33.78	-13	20.78	Pass	401
813.962	814	0	RMS	813.967	-44.06	-20	24.06	Pass	401
814	824	0.02	RMS	814.12	14.91	30	15.09	Pass	501



24. NB-IoT_Band26(part90)_QPSK_15kHz_12@0_Low

24.4. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	812	0.1	RMS	811.9	-62.31	-13	49.31	Pass	401
812	813	0.1	RMS	812.933	-58.67	-13	45.67	Pass	401
813	813.962	0.01	RMS	813.963	-37.3	-13	24.3	Pass	401
813.962	814	0.002	RMS	813.996	-40.92	-20	20.92	Pass	20
814	824	0.02	RMS	814.14	2.76	30	27.24	Pass	501



24. NB-IoT_Band26(part90)_BPSK_15kHz_1@0_Low

24.5. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	812	0.1	RMS	811.96	-60.5	-13	47.5	Pass	401
812	813	0.1	RMS	812.85	-52.67	-13	39.67	Pass	401
813	813.962	0.01	RMS	813.963	-30.83	-13	17.83	Pass	401
813.962	814	0	RMS	813.968	-42.84	-20	22.84	Pass	401
814	824	0.02	RMS	814.12	15.7	30	14.3	Pass	501



24. NB-IoT_Band26(part90)_QPSK_3.75kHz_1@47_High

24.6. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.88	17.14	30	12.86	Pass	501
824	824.038	0	RMS	824.01	-49.84	-20	29.84	Pass	962
824.038	825	0.02	RMS	824.062	-28.51	-13	15.51	Pass	401
825	826	0.1	RMS	825.165	-47.68	-13	34.68	Pass	401
826	834	0.1	RMS	826.1	-52.85	-13	39.85	Pass	401



24. NB-IoT_Band26(part90)_BPSK_3.75kHz_1@47_High

24.7. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.88	17.04	30	12.96	Pass	501
824	824.038	0	RMS	824.01	-49.46	-20	29.46	Pass	962
824.038	825	0.02	RMS	824.062	-27.46	-13	14.46	Pass	401
825	826	0.1	RMS	825.168	-47.38	-13	34.38	Pass	401
826	834	0.1	RMS	826	-52.76	-13	39.76	Pass	401



24. NB-IoT_Band26(part90)_QPSK_15kHz_1@11_High

24.8. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.88	14.04	30	15.96	Pass	501
824	824.038	0	RMS	824.03	-45.32	-20	25.32	Pass	401
824.038	825	0.02	RMS	824.038	-30.6	-13	17.6	Pass	401
825	826	0.1	RMS	825.135	-49.43	-13	36.43	Pass	401
826	834	0.1	RMS	826.28	-53.01	-13	40.01	Pass	401



24. NB-IoT_Band26(part90)_QPSK_15kHz_12@0_High

24.9. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.76	1.91	30	28.09	Pass	501
824	824.038	0.002	RMS	824.02	-41.41	-20	21.41	Pass	20
824.038	825	0.02	RMS	824.05	-33.28	-13	20.28	Pass	401
825	826	0.1	RMS	825.038	-52.07	-13	39.07	Pass	401
826	834	0.1	RMS	832.74	-53.07	-13	40.07	Pass	401



24. NB-IoT_Band26(part90)_BPSK_15kHz_1@11_High

24.10. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.88	15.74	30	14.26	Pass	501
824	824.038	0	RMS	824.035	-43.6	-20	23.6	Pass	401
824.038	825	0.02	RMS	824.038	-28.24	-13	15.24	Pass	401
825	826	0.1	RMS	825.163	-48.58	-13	35.58	Pass	401
826	834	0.1	RMS	826.16	-52.82	-13	39.82	Pass	401



25. NB-IoT_Band66_QPSK_3.75kHz_1@0_Low

25.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-47.53	-13	34.53	Pass	401
1708	1709	1	RMS	1709	-43.23	-13	30.23	Pass	2
1709	1709.9	0.02	RMS	1709.9	-36.04	-13	23.04	Pass	401
1709.9	1710	0.000039	RMS	1709.999	-26.92	-13	13.92	Pass	2565
1710	1720	0.02	RMS	1710.02	10.09	30	19.91	Pass	501



25. NB-IoT_Band66_BPSK_3.75kHz_1@0_Low

25.2. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-47.13	-13	34.13	Pass	401
1708	1709	1	RMS	1709	-41.46	-13	28.46	Pass	2
1709	1709.9	0.02	RMS	1709.9	-36.69	-13	23.69	Pass	401
1709.9	1710	0.000039	RMS	1710	-25.73	-13	12.73	Pass	2565
1710	1720	0.02	RMS	1710.02	10.53	30	19.47	Pass	501



25. NB-IoT_Band66_QPSK_15kHz_1@0_Low

25.3. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-49.43	-13	36.43	Pass	401
1708	1709	1	RMS	1709	-45.11	-13	32.11	Pass	2
1709	1709.9	0.02	RMS	1709.9	-37.76	-13	24.76	Pass	401
1709.9	1710	0.00015	RMS	1709.998	-23.06	-13	10.06	Pass	667
1710	1720	0.02	RMS	1710.02	8.7	30	21.3	Pass	501



25. NB-IoT_Band66_QPSK_15kHz_12@0_Low

25.4. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.9	-51.08	-13	38.08	Pass	401
1708	1709	1	RMS	1709	-48.76	-13	35.76	Pass	2
1709	1709.994	0.002	RMS	1709.994	-27.35	-13	14.35	Pass	497
1709.994	1710	0.002	RMS	1710	-24.23	-13	11.23	Pass	401
1710	1720	0.02	RMS	1710.02	-4.57	30	34.57	Pass	501



25. NB-IoT_Band66_BPSK_15kHz_1@0_Low

25.5. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-48.21	-13	35.21	Pass	401
1708	1709	1	RMS	1709	-43.2	-13	30.2	Pass	2
1709	1709.9	0.02	RMS	1709.9	-33.88	-13	20.88	Pass	401
1709.9	1710	0.00015	RMS	1709.998	-20.14	-13	7.14	Pass	667
1710	1720	0.02	RMS	1710.02	9.42	30	20.58	Pass	501



25. NB-IoT_Band66_QPSK_3.75kHz_1@47_High

25.6. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.02	RMS	1779.98	9.46	30	20.54	Pass	501
1780	1780.1	0.000039	RMS	1780.001	-27.53	-13	14.53	Pass	2565
1780.1	1781	0.02	RMS	1780.1	-36.61	-13	23.61	Pass	401
1781	1782	1	RMS	1781	-38.01	-13	25.01	Pass	2
1782	1790	1	RMS	1782	-40.77	-13	27.77	Pass	401



25. NB-IoT_Band66_BPSK_3.75kHz_1@47_High

25.7. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.02	RMS	1779.98	10.4	30	19.6	Pass	501
1780	1780.1	0.000039	RMS	1780	-25.5	-13	12.5	Pass	2565
1780.1	1781	0.02	RMS	1780.1	-36.55	-13	23.55	Pass	401
1781	1782	1	RMS	1781	-38.28	-13	25.28	Pass	2
1782	1790	1	RMS	1782	-40.7	-13	27.7	Pass	401



25. NB-IoT_Band66_QPSK_15kHz_1@11_High

25.8. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.02	RMS	1779.98	7.73	30	22.27	Pass	501
1780	1780.1	0.00015	RMS	1780.001	-22.25	-13	9.25	Pass	667
1780.1	1781	0.02	RMS	1780.1	-34.26	-13	21.26	Pass	401
1781	1782	1	RMS	1781	-39.67	-13	26.67	Pass	2
1782	1790	1	RMS	1782	-41.07	-13	28.07	Pass	401



25. NB-IoT_Band66_QPSK_15kHz_12@0_High

25.9. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.02	RMS	1779.9	-4.24	30	34.24	Pass	501
1780	1780.006	0.002	RMS	1780	-24.24	-13	11.24	Pass	401
1780.006	1781	0.002	RMS	1780.016	-32.33	-13	19.33	Pass	497
1781	1782	1	RMS	1781	-41.08	-13	28.08	Pass	2
1782	1790	1	RMS	1787.64	-41.18	-13	28.18	Pass	401



25. NB-IoT_Band66_BPSK_15kHz_1@11_High

25.10. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.02	RMS	1779.98	9.63	30	20.37	Pass	501
1780	1780.1	0.00015	RMS	1780.001	-20.32	-13	7.32	Pass	667
1780.1	1781	0.02	RMS	1780.1	-34.02	-13	21.02	Pass	401
1781	1782	1	RMS	1781	-38.59	-13	25.59	Pass	2
1782	1790	1	RMS	1782	-40.87	-13	27.87	Pass	401



26. NB-IoT_Band71_QPSK_3.75kHz_1@0_Low

26.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	661	0.1	RMS	661	-59.74	-13	46.74	Pass	401
661	662	0.1	RMS	661.735	-51	-13	38	Pass	401
662	662.9	0.1	RMS	662.9	-18.46	-13	5.46	Pass	10
662.9	663	0.000039	RMS	662.999	-19.59	-13	6.59	Pass	2565
663	673	0.02	RMS	663.02	16.46	30	13.54	Pass	501



26. NB-IoT_Band71_BPSK_3.75kHz_1@0_Low

26.2. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	661	0.1	RMS	661	-59.21	-13	46.21	Pass	401
661	662	0.1	RMS	661.733	-50.67	-13	37.67	Pass	401
662	662.9	0.1	RMS	662.9	-17.58	-13	4.58	Pass	10
662.9	663	0.000039	RMS	662.999	-19.43	-13	6.43	Pass	2565
663	673	0.02	RMS	663.02	17.67	30	12.33	Pass	501



26. NB-IoT_Band71_QPSK_15kHz_1@0_Low

26.3. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	661	0.1	RMS	661	-62.4	-13	49.4	Pass	401
661	662	0.1	RMS	661.745	-53.18	-13	40.18	Pass	401
662	662.9	0.1	RMS	662.9	-16.26	-13	3.26	Pass	10
662.9	663	0.00015	RMS	662.996	-15.72	-13	2.72	Pass	667
663	673	0.02	RMS	663.02	13.33	30	16.67	Pass	501



26. NB-IoT_Band71_QPSK_15kHz_12@0_Low

26.4. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	661	0.1	RMS	660.52	-63.11	-13	50.11	Pass	401
661	662.9	0.1	RMS	662.9	-14.91	-13	1.91	Pass	401
662.9	662.994	0.002	RMS	662.994	-22.49	-13	9.49	Pass	401
662.994	663	0.002	RMS	662.999	-17.28	-13	4.28	Pass	401
663	673	0.02	RMS	663.1	3.02	30	26.98	Pass	501



26. NB-IoT_Band71_BPSK_15kHz_1@0_Low

26.5. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	661	0.1	RMS	661	-61.6	-13	48.6	Pass	401
661	662	0.1	RMS	661.733	-52.73	-13	39.73	Pass	401
662	662.9	0.1	RMS	662.9	-14.96	-13	1.96	Pass	10
662.9	663	0.00015	RMS	662.994	-13.95	-13	0.95	Pass	667
663	673	0.02	RMS	663.02	16.81	30	13.19	Pass	501



26. NB-IoT_Band71_QPSK_3.75kHz_1@47_High

26.6. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.02	RMS	697.98	16.92	30	13.08	Pass	501
698	698.1	0.000039	RMS	698.001	-20.63	-13	7.63	Pass	2565
698.1	699	0.1	RMS	698.1	-18.34	-13	5.34	Pass	10
699	700	0.1	RMS	699.278	-48.49	-13	35.49	Pass	401
700	708	0.1	RMS	700.12	-53.06	-13	40.06	Pass	401



26. NB-IoT_Band71_BPSK_3.75kHz_1@47_High

26.7. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.02	RMS	697.98	17.82	30	12.18	Pass	501
698	698.1	0.000039	RMS	698	-18.71	-13	5.71	Pass	2565
698.1	699	0.1	RMS	698.1	-17.44	-13	4.44	Pass	10
699	700	0.1	RMS	699.263	-47.87	-13	34.87	Pass	401
700	708	0.1	RMS	700	-52.91	-13	39.91	Pass	401



26. NB-IoT_Band71_QPSK_15kHz_1@11_High

26.8. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.02	RMS	697.98	13.75	30	16.25	Pass	501
698	698.1	0.00015	RMS	698.001	-15.18	-13	2.18	Pass	667
698.1	699	0.1	RMS	698.1	-16.07	-13	3.07	Pass	10
699	700	0.1	RMS	699.245	-49.7	-13	36.7	Pass	401
700	708	0.1	RMS	700.14	-53.36	-13	40.36	Pass	401



26. NB-IoT_Band71_QPSK_15kHz_12@0_High

26.9. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.02	RMS	697.92	3.03	30	26.97	Pass	501
698	698.006	0.002	RMS	698	-17.15	-13	4.15	Pass	401
698.006	698.1	0.002	RMS	698.016	-21.94	-13	8.94	Pass	401
698.1	700	0.1	RMS	698.1	-25.93	-13	12.93	Pass	20
700	708	0.1	RMS	705.2	-53.54	-13	40.54	Pass	401



26. NB-IoT_Band71_BPSK_15kHz_1@11_High

26.10. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.02	RMS	697.98	16.55	30	13.45	Pass	501
698	698.1	0.00015	RMS	698.001	-13.21	-13	0.21	Pass	667
698.1	699	0.1	RMS	698.1	-14.38	-13	1.38	Pass	10
699	700	0.1	RMS	699.28	-48.92	-13	35.92	Pass	401
700	708	0.1	RMS	700.14	-53.14	-13	40.14	Pass	401



27. NB-IoT_Band85_QPSK_3.75kHz_1@0_Low

27.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	696	0.1	RMS	696	-59.5	-13	46.5	Pass	401
696	697	0.1	RMS	696.745	-51.33	-13	38.33	Pass	401
697	697.9	0.1	RMS	697.9	-18.66	-13	5.66	Pass	10
697.9	698	0.000039	RMS	697.999	-19.57	-13	6.57	Pass	2565
698	708	0.02	RMS	698.02	16.82	30	13.18	Pass	501



27. NB-IoT_Band85_BPSK_3.75kHz_1@0_Low

27.2. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	696	0.1	RMS	696	-59.16	-13	46.16	Pass	401
696	697	0.1	RMS	696.735	-50.16	-13	37.16	Pass	401
697	697.9	0.1	RMS	697.9	-17.39	-13	4.39	Pass	10
697.9	698	0.000039	RMS	697.999	-18.83	-13	5.83	Pass	2565
698	708	0.02	RMS	698.02	17.6	30	12.4	Pass	501



27. NB-IoT_Band85_QPSK_15kHz_1@0_Low

27.3. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	696	0.1	RMS	696	-61.02	-13	48.02	Pass	401
696	697	0.1	RMS	696.748	-51.85	-13	38.85	Pass	401
697	697.9	0.1	RMS	697.9	-17.3	-13	4.3	Pass	10
697.9	698	0.00015	RMS	697.996	-15.39	-13	2.39	Pass	667
698	708	0.02	RMS	698.02	15.51	30	14.49	Pass	501



27. NB-IoT_Band85_QPSK_15kHz_12@0_Low

27.4. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	696	0.1	RMS	695.7	-62.88	-13	49.88	Pass	401
696	697.9	0.1	RMS	697.9	-23.05	-13	10.05	Pass	20
697.9	697.994	0.002	RMS	697.986	-21.93	-13	8.93	Pass	401
697.994	698	0.002	RMS	697.999	-16.67	-13	3.67	Pass	401
698	708	0.02	RMS	698.12	3.83	30	26.17	Pass	501



27. NB-IoT_Band85_BPSK_15kHz_1@0_Low

27.5. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	696	0.1	RMS	696	-60.29	-13	47.29	Pass	401
696	697	0.1	RMS	696.735	-51.93	-13	38.93	Pass	401
697	697.9	0.1	RMS	697.9	-14.17	-13	1.17	Pass	10
697.9	698	0.00015	RMS	697.998	-13.75	-13	0.75	Pass	667
698	708	0.02	RMS	698.02	15.71	30	14.29	Pass	501



27. NB-IoT_Band85_QPSK_3.75kHz_1@47_High

27.6. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.02	RMS	715.98	16.11	30	13.89	Pass	501
716	716.1	0.000039	RMS	716.001	-20.87	-13	7.87	Pass	2565
716.1	717	0.1	RMS	716.1	-17.48	-13	4.48	Pass	10
717	718	0.1	RMS	717.275	-48.52	-13	35.52	Pass	401
718	726	0.1	RMS	718.04	-53.08	-13	40.08	Pass	401



27. NB-IoT_Band85_BPSK_3.75kHz_1@47_High

27.7. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.02	RMS	715.98	17.57	30	12.43	Pass	501
716	716.1	0.000039	RMS	716	-18.75	-13	5.75	Pass	2565
716.1	717	0.1	RMS	716.1	-17.95	-13	4.95	Pass	10
717	718	0.1	RMS	717.265	-47.93	-13	34.93	Pass	401
718	726	0.1	RMS	718.02	-52.92	-13	39.92	Pass	401



27. NB-IoT_Band85_QPSK_15kHz_1@11_High

27.8. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.02	RMS	715.98	14.08	30	15.92	Pass	501
716	716.1	0.00015	RMS	716.001	-15.82	-13	2.82	Pass	667
716.1	717	0.1	RMS	716.1	-16.38	-13	3.38	Pass	10
717	718	0.1	RMS	717.24	-50.31	-13	37.31	Pass	401
718	726	0.1	RMS	718.08	-53.32	-13	40.32	Pass	401



27. NB-IoT_Band85_QPSK_15kHz_12@0_High

27.9. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.02	RMS	715.96	1.29	30	28.71	Pass	501
716	716.006	0.002	RMS	716.001	-16.9	-13	3.9	Pass	401
716.006	716.1	0.002	RMS	716.014	-24.44	-13	11.44	Pass	401
716.1	718	0.1	RMS	716.1	-24.89	-13	11.89	Pass	20
718	726	0.1	RMS	722.98	-53.45	-13	40.45	Pass	401



27. NB-IoT_Band85_BPSK_15kHz_1@11_High

27.10. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.02	RMS	715.98	16	30	14	Pass	501
716	716.1	0.00015	RMS	716.001	-13.79	-13	0.79	Pass	667
716.1	717	0.1	RMS	716.1	-14.3	-13	1.3	Pass	10
717	718	0.1	RMS	717.263	-48.86	-13	35.86	Pass	401
718	726	0.1	RMS	718	-53.18	-13	40.18	Pass	401



--BLANK BELOW--