


FCC ID WIFI 5.2
FCC_5.2G_WIFI (Part15.407) Test Data
FCC ID:2ASCB-DK032
Report No.:NCT26004868E1-4

Table of Contents


1. -26dB and 99% Emission Bandwidth	2
2. Duty Cycle	12
3. Maximum Conducted Output Power	22
4. Power Spectral Density	32
5. Bandedge	42
6. Spurious Emission	50
7. Frequency Stability	60

1. -26dB and 99% Emission Bandwidth


Condition	Antenna	Modulation	Frequency(MHz)	26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	27.05	16.708
NVNT	ANT1	802.11a	5200.00	26.17	16.697
NVNT	ANT1	802.11a	5240.00	25.54	16.541
NVNT	ANT1	802.11n(HT20)	5180.00	31.50	17.774
NVNT	ANT1	802.11n(HT20)	5200.00	26.32	17.779
NVNT	ANT1	802.11n(HT20)	5240.00	27.33	17.803
NVNT	ANT1	802.11ac(VHT20)	5180.00	27.73	17.812
NVNT	ANT1	802.11ac(VHT20)	5200.00	28.20	17.806
NVNT	ANT1	802.11ac(VHT20)	5240.00	30.06	17.821
NVNT	ANT1	802.11ax(HE20)	5180.00	31.84	17.812
NVNT	ANT1	802.11ax(HE20)	5200.00	28.20	17.851
NVNT	ANT1	802.11ax(HE20)	5240.00	29.48	17.730
NVNT	ANT1	802.11n(HT40)	5190.00	47.18	36.174
NVNT	ANT1	802.11n(HT40)	5230.00	40.73	36.106
NVNT	ANT1	802.11ac(VHT40)	5190.00	42.93	36.182
NVNT	ANT1	802.11ac(VHT40)	5230.00	40.38	36.148
NVNT	ANT1	802.11ax(HE40)	5190.00	42.79	36.056
NVNT	ANT1	802.11ax(HE40)	5230.00	43.81	36.131




99% OCB&-26BW NVNT_ANT1_802_11a_5200




99% OCB&-26BW NVNT_ANT1_802_11a_5240



99% OCB&-26BW NVNT ANT1_802_11n(HT20)_5180




99% OCB&-26BW NVNT ANT1_802_11n(HT20)_5200




99% OCB&-26BW NVNT ANT1_802_11n(HT20)_5240




99% OCB&-26BW NVNT ANT1_802_11ac(VHT20)_5180




99% OCB&-26BW_NVNT_ANT1_802_11ac(VHT20)_5200




99% OCB&-26BW_NVNT_ANT1_802_11ac(VHT20)_5240



99%_OCB&-26BW_NVNT_ANT1_802_11ax(HE20)_5180



99%_OCB&-26BW_NVNT_ANT1_802_11ax(HE20)_5200




99% OCB&-26BW NVNT ANT1 802 11ax(HE20) 5240




99% OCB&-26BW NVNT ANT1 802 11n(HT40) 5190



99% OCB&-26BW NVNT ANT1_802_11n(HT40)_5230




99% OCB&-26BW NVNT ANT1_802_11ac(VHT40)_5190



99%_OCB&-26BW_NVNT_ANT1_802_11ac(VHT40)_5230



99%_OCB&-26BW_NVNT_ANT1_802_11ax(HE40)_5190




99% OCB&-26BW NVNT ANT1_802_11ax(HE40)_5230




2. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	95.89	0.18
NVNT	ANT1	802.11a	5200.00	97.22	0.12
NVNT	ANT1	802.11a	5240.00	95.89	0.18
NVNT	ANT1	802.11n(HT20)	5180.00	96.72	0.14
NVNT	ANT1	802.11n(HT20)	5200.00	95.16	0.22
NVNT	ANT1	802.11n(HT20)	5240.00	96.72	0.14
NVNT	ANT1	802.11ac(VHT20)	5180.00	95.16	0.22
NVNT	ANT1	802.11ac(VHT20)	5200.00	95.16	0.22
NVNT	ANT1	802.11ac(VHT20)	5240.00	95.24	0.21
NVNT	ANT1	802.11ax(HE20)	5180.00	95.16	0.22
NVNT	ANT1	802.11ax(HE20)	5200.00	95.16	0.22
NVNT	ANT1	802.11ax(HE20)	5240.00	95.16	0.22
NVNT	ANT1	802.11n(HT40)	5190.00	90.63	0.43
NVNT	ANT1	802.11n(HT40)	5230.00	93.75	0.28
NVNT	ANT1	802.11ac(VHT40)	5190.00	90.91	0.41
NVNT	ANT1	802.11ac(VHT40)	5230.00	90.91	0.41
NVNT	ANT1	802.11ax(HE40)	5190.00	90.91	0.41
NVNT	ANT1	802.11ax(HE40)	5230.00	88.24	0.54




Duty Cycle NVNT_ANT1_802_11a_5200




Duty Cycle NVNT_ANT1_802_11a_5240




Duty Cycle NVNT ANT1_802_11n(HT20)_5180




Duty Cycle NVNT ANT1_802_11n(HT20)_5200




Duty Cycle NVNT ANT1_802_11n(HT20)_5240




Duty Cycle NVNT ANT1_802_11ac(VHT20)_5180




Duty Cycle NVNT_ANT1_802_11ac(VHT20)_5200




Duty Cycle NVNT_ANT1_802_11ac(VHT20)_5240




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5180




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5200




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5240




Duty Cycle NVNT_ANT1_802_11n(HT40)_5190




Duty Cycle NVNT_ANT1_802_11n(HT40)_5230




Duty Cycle NVNT_ANT1_802_11ac(VHT40)_5190




Duty Cycle NVNT ANT1_802_11ac(VHT40)_5230



Duty Cycle NVNT ANT1_802_11ax(HE40)_5190



Duty Cycle NVNT_ANT1_802_11ax(HE40)_5230



3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	8.61	0.18	8.79	24	Pass
NVNT	ANT1	802.11a	5200.00	8.99	0.12	9.11	24	Pass
NVNT	ANT1	802.11a	5240.00	7.99	0.18	8.17	24	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	9.68	0.14	9.82	24	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	9.50	0.22	9.72	24	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	8.57	0.14	8.71	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	8.89	0.22	9.11	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	9.37	0.22	9.59	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	8.60	0.21	8.81	24	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	8.85	0.22	9.07	24	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	9.35	0.22	9.57	24	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	8.62	0.22	8.84	24	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	8.76	0.43	9.19	24	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	8.56	0.28	8.84	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	8.93	0.41	9.34	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	8.61	0.41	9.02	24	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	8.85	0.41	9.26	24	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	8.55	0.54	9.09	24	Pass



Maximum Conducted Output Power_NVNT_ANT1_802_11a_5200_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11a_5240_20M



Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT20)_5180_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT20)_5200_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT20)_5240_20M



Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5240_20M




Maximum Conducted Output Power NVNT_ANT1_802_11ax(HE20)_5180_20M




Maximum Conducted Output Power NVNT_ANT1_802_11ax(HE20)_5200_20M




Maximum Conducted Output Power NVNT_ANT1_802_11ax(HE20)_5240_20M



Maximum Conducted Output Power NVNT_ANT1_802_11n(HT40)_5190_40M




Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT40)_5230_40M



Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT40)_5190_40M




Maximum Conducted Output Power_NVNT ANT1 802 11ac(VHT40) 5230 40M



Maximum Conducted Output Power_NVNT ANT1 802 11ax(HE40) 5190 40M



Maximum Conducted Output Power NVNT ANT1_802_11ax(HE40)_5230_40M




4. Power Spectral Density


Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm/MHz)	Result
NVNT	ANT1	802.11a	5180.00	-5.63	0.18	-5.45	11	Pass
NVNT	ANT1	802.11a	5200.00	-5.15	0.12	-5.03	11	Pass
NVNT	ANT1	802.11a	5240.00	-5.17	0.18	-4.99	11	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	-5.13	0.14	-4.99	11	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	-5.63	0.22	-5.41	11	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	-6.06	0.14	-5.92	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	-6.08	0.22	-5.86	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	-4.83	0.22	-4.61	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	-5.75	0.21	-5.54	11	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	-5.21	0.22	-4.99	11	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	-5.12	0.22	-4.90	11	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	-5.73	0.22	-5.51	11	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	-10.70	0.43	-10.27	11	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	-10.76	0.28	-10.48	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-10.71	0.41	-10.30	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-10.84	0.41	-10.43	11	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	-9.60	0.41	-9.19	11	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	-10.74	0.54	-10.20	11	Pass




Power Spectral Density NVNT_ANT1_802_11a_5200




Power Spectral Density NVNT_ANT1_802_11a_5240




Power Spectral Density NVNT ANT1_802_11n(HT20)_5180



Power Spectral Density NVNT ANT1_802_11n(HT20)_5200




Power Spectral Density NVNT ANT1_802_11n(HT20)_5240




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5180




Power Spectral Density NVNT_ANT1_802_11ac(VHT20)_5200



Power Spectral Density NVNT_ANT1_802_11ac(VHT20)_5240




Power Spectral Density NVNT ANT1 802 11ax(HE20) 5180



Power Spectral Density NVNT ANT1 802 11ax(HE20) 5200



Power Spectral Density NVNT ANT1_802_11ax(HE20)_5240




Power Spectral Density NVNT ANT1_802_11n(HT40)_5190




Power Spectral Density NVNT ANT1_802_11n(HT40) 5230




Power Spectral Density NVNT ANT1_802_11ac(VHT40) 5190



Power Spectral Density NVNT_ANT1_802_11ac(VHT40)_5230



Power Spectral Density NVNT_ANT1_802_11ax(HE40)_5190




Power Spectral Density NVNT ANT1 802 11ax(HE40) 5230



5. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm/MHz)	Result
NVNT	ANT1	802.11a	5180.00	5148.80	-39.71	-27	Pass
NVNT	ANT1	802.11a	5240.00	5356.40	-41.98	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5147.80	-38.18	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5411.60	-41.40	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5148.60	-37.07	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5398.00	-42.04	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	5149.80	-38.01	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	5394.40	-41.67	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5149.10	-31.13	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5405.93	-41.98	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5149.10	-29.17	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5381.36	-41.93	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	5149.94	-30.49	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	5418.74	-41.50	-27	Pass


Note: The test diagram has integrated antenna gain to Offset Settings.




Bandedge_NVNT_ANT1_802_11a_5240




Bandedge_NVNT_ANT1_802_11n(HT20)_5180



Bandedge_NVNT_ANT1_802_11n(HT20)_5240




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5180



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5240




Bandedge_NVNT_ANT1_802_11ax(HE20)_5180



Bandedge_NVNT_ANT1_802_11ax(HE20)_5240




Bandedge_NVNT_ANT1_802_11n(HT40)_5190



Bandedge_NVNT_ANT1_802_11n(HT40)_5230




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5190



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5230



Bandedge_NVNT_ANT1_802_11ax(HE40)_5190



Bandedge NVNT_ANT1_802_11ax(HE40)_5230




6. Spurious Emission


Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm/MHz)	Result
NVNT	ANT1	802.11a	5180.00	24911.80	-40.83	-27	Pass
NVNT	ANT1	802.11a	5200.00	24567.69	-39.46	-27	Pass
NVNT	ANT1	802.11a	5240.00	24964.74	-39.70	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	25017.68	-40.14	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	824.10	-28.10	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	26182.36	-40.12	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	25758.84	-40.48	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	25044.15	-40.11	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	24726.51	-40.71	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	25017.68	-40.51	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	25017.68	-39.99	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	25229.44	-40.52	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	2465.24	-38.21	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	25070.62	-40.76	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	24964.74	-40.34	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	24938.27	-40.40	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	2438.77	-39.50	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	24991.21	-39.73	-27	Pass

Note:1. The antenna gain is compensated in the test data.


2.26.5GHz-40GHz the Spurious level margin is the largest, so the test data only reflects 30MHz-26.5GHz




Spurious Emission NVNT ANT1_802_11a_5200_20M




Spurious Emission NVNT ANT1_802_11a_5240_20M




Spurious Emission_NVNT_ANT1_802_11n(HT20)_5180_20M




Spurious Emission_NVNT_ANT1_802_11n(HT20)_5200_20M




Spurious Emission NVNT_ANT1_802_11n(HT20)_5240_20M




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5180_20M




Spurious Emission NVNT_ANT1_802_11ac(VHT20) 5200 20M




Spurious Emission NVNT_ANT1_802_11ac(VHT20) 5240 20M




Spurious Emission NVNT_ANT1_802_11ax(HE20)_5180_20M




Spurious Emission NVNT_ANT1_802_11ax(HE20)_5200_20M




Spurious Emission_NVNT_ANT1_802_11ax(HE20)_5240_20M




Spurious Emission_NVNT_ANT1_802_11n(HT40)_5190_40M




Spurious Emission NVNT_ANT1_802_11n(HT40)_5230_40M




Spurious Emission NVNT_ANT1_802_11ac(VHT40)_5190_40M




Spurious Emission_NVNT_ANT1_802_11ac(VHT40)_5230_40M



Spurious Emission_NVNT_ANT1_802_11ax(HE40)_5190_40M



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5230_40M



7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5180.00	5180.072	5171.420	5188.724	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5180.00	5180.058	5171.684	5188.432	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5180.00	5180.050	5171.812	5188.288	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5180.038	5171.888	5188.188	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5180.00	5180.038	5171.956	5188.120	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5180.00	5180.038	5172.020	5188.056	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5180.00	5180.042	5172.068	5188.016	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5180.00	5180.034	5172.112	5187.956	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5180.00	5180.046	5172.156	5187.936	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5180.038	5172.200	5187.876	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5180.00	5180.024	5172.240	5187.808	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5200.00	5200.024	5191.380	5208.668	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5200.00	5200.028	5191.652	5208.404	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5200.00	5200.022	5191.796	5208.248	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5200.022	5191.876	5208.168	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5200.00	5200.020	5191.940	5208.100	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5200.00	5200.022	5191.992	5208.052	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5200.00	5200.018	5192.044	5207.992	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5200.00	5200.012	5192.088	5207.936	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5200.00	5200.014	5192.128	5207.900	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5200.016	5192.172	5207.860	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5200.00	5200.024	5192.216	5207.832	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5240.00	5240.010	5231.348	5248.672	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5240.00	5240.000	5231.636	5248.364	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5240.00	5240.016	5231.788	5248.244	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5240.022	5231.876	5248.168	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5240.00	5240.012	5231.932	5248.092	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5240.00	5240.008	5231.984	5248.032	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5240.00	5240.006	5232.032	5247.980	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5240.00	5239.996	5232.072	5247.920	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5240.00	5240.000	5232.116	5247.884	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5240.000	5232.164	5247.836	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5240.00	5240.002	5232.224	5247.780	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.044	5170.888	5189.200	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.052	5171.164	5188.940	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.038	5171.276	5188.800	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.050	5171.368	5188.732	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.036	5171.448	5188.624	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.042	5171.508	5188.576	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.032	5171.568	5188.496	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.042	5171.624	5188.460	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5180.00	5180.030	5171.680	5188.380	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.046	5171.740	5188.352	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5180.00	5180.052	5171.796	5188.308	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.050	5190.912	5209.188	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.028	5191.152	5208.904	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.028	5191.268	5208.788	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.036	5191.348	5208.724	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.032	5191.424	5208.640	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.032	5191.492	5208.572	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.028	5191.556	5208.500	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.022	5191.616	5208.428	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5200.00	5200.010	5191.660	5208.360	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.024	5191.712	5208.336	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5200.00	5200.030	5191.772	5208.288	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.994	5230.860	5249.128	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.000	5231.112	5248.888	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.014	5231.248	5248.780	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.006	5231.332	5248.680	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.014	5231.416	5248.612	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.012	5231.484	5248.540	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.000	5231.552	5248.448	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.010	5231.624	5248.396	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5240.00	5240.018	5231.696	5248.340	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.040	5231.744	5248.336	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5240.00	5240.028	5231.800	5248.256	5150~5250	Pass

55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.062	5170.908	5189.216	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.052	5171.160	5188.944	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.036	5171.276	5188.796	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.038	5171.364	5188.712	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.044	5171.436	5188.652	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.032	5171.500	5188.564	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.032	5171.548	5188.516	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.028	5171.604	5188.452	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5180.00	5180.036	5171.660	5188.412	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.018	5171.712	5188.324	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5180.00	5180.044	5171.764	5188.324	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.042	5190.868	5209.216	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.026	5191.132	5208.920	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.028	5191.260	5208.796	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.014	5191.340	5208.688	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.032	5191.416	5208.648	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.022	5191.488	5208.556	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.024	5191.548	5208.500	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.028	5191.600	5208.456	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5200.00	5200.014	5191.652	5208.376	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.010	5191.708	5208.312	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5200.00	5200.014	5191.764	5208.264	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.016	5230.868	5249.164	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.002	5231.120	5248.884	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.012	5231.256	5248.768	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.008	5231.340	5248.676	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.006	5231.416	5248.596	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.004	5231.476	5248.532	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.012	5231.544	5248.480	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.998	5231.600	5248.396	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5240.00	5239.996	5231.656	5248.336	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.994	5231.708	5248.280	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5240.00	5239.996	5231.764	5248.228	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.078	5170.924	5189.232	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.042	5171.160	5188.924	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.036	5171.272	5188.800	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.042	5171.368	5188.716	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.042	5171.440	5188.644	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.048	5171.512	5188.584	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.052	5171.580	5188.524	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.042	5171.652	5188.432	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5180.00	5180.058	5171.704	5188.412	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.060	5171.760	5188.360	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5180.00	5180.056	5171.812	5188.300	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.064	5190.904	5209.224	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.036	5191.148	5208.924	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.042	5191.276	5208.808	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.034	5191.364	5208.704	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.036	5191.440	5208.632	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.044	5191.516	5208.572	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.050	5191.580	5208.520	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.054	5191.652	5208.456	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5200.00	5200.050	5191.712	5208.388	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.030	5191.760	5208.300	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5200.00	5200.030	5191.808	5208.252	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.018	5230.884	5249.152	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.996	5231.112	5248.880	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.010	5231.248	5248.772	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.020	5231.344	5248.696	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.010	5231.416	5248.604	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.010	5231.484	5248.536	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.008	5231.536	5248.480	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.988	5231.588	5248.388	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5240.00	5239.988	5231.632	5248.344	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.006	5231.684	5248.328	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5240.00	5239.998	5231.740	5248.256	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.084	5171.816	5208.352	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.088	5172.064	5208.112	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.108	5172.232	5207.984	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.100	5172.400	5207.800	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.100	5172.536	5207.664	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.104	5172.648	5207.560	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.108	5172.768	5207.448	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.140	5172.896	5207.384	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5190.00	5190.128	5173.016	5207.240	5150~5250	Pass

25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.172	5173.144	5207.200	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5190.00	5190.168	5173.256	5207.080	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.056	5211.816	5248.296	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.036	5212.016	5248.056	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.012	5212.168	5247.856	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.024	5212.288	5247.760	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.000	5212.408	5247.592	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.988	5212.512	5247.464	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.964	5212.608	5247.320	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.972	5212.704	5247.240	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5230.00	5229.964	5212.800	5247.128	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.936	5212.888	5246.984	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5230.00	5229.944	5213.000	5246.888	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.068	5171.824	5208.312	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.092	5172.056	5208.128	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.072	5172.216	5207.928	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.084	5172.360	5207.808	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.084	5172.480	5207.688	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.068	5172.592	5207.544	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.088	5172.712	5207.464	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.116	5172.864	5207.368	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5190.00	5190.112	5172.968	5207.256	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.128	5173.112	5207.144	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5190.00	5190.144	5173.240	5207.048	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.052	5211.808	5248.296	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.044	5212.008	5248.080	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.024	5212.168	5247.880	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.016	5212.312	5247.720	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.032	5212.456	5247.608	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.016	5212.552	5247.480	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.024	5212.656	5247.392	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.020	5212.752	5247.288	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5230.00	5230.000	5212.864	5247.136	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.984	5212.984	5246.984	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5230.00	5229.996	5213.080	5246.912	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.088	5171.808	5208.368	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.076	5172.024	5208.128	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.064	5172.176	5207.952	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.080	5172.344	5207.816	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.068	5172.472	5207.664	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.076	5172.584	5207.568	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.092	5172.704	5207.480	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.096	5172.832	5207.360	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5190.00	5190.096	5172.928	5207.264	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.120	5173.056	5207.184	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5190.00	5190.132	5173.192	5207.072	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.048	5211.800	5248.296	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.024	5211.992	5248.056	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.020	5212.136	5247.904	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.004	5212.272	5247.736	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.012	5212.416	5247.608	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.000	5212.528	5247.472	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.004	5212.624	5247.384	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.004	5212.704	5247.304	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5230.00	5229.948	5212.800	5247.096	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5229.936	5212.880	5246.992	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5230.00	5229.940	5212.984	5246.896	5150~5250	Pass