1. Effective (Isotropic) Radiated Power Output Data

1.1 CA_66C_NTNV_EIRP(ANT41)

1.1.1 Test Result

Band: CA_66C / NTNV										
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Conducted Power (dBm)			Gain (dBi)	EIRP (dBm)		Verdict
				CC1	CC2	Sum		Result	Limit	
CC1:5 CC2:20	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1724.2	CC1: 1@0 CC2: 0@0	23.63	-24.01	23.63	-1.70	21.93	<=30	Pass
			CC1: 12@0 CC2: 50@50	17.89	17.94	20.92	-1.70	19.22	<=30	Pass
			CC1: 12@13 CC2: 50@0	19.35	19.40	22.35	-1.70	20.65	<=30	Pass
			CC1: 25@0 CC2: 100@0	19.37	19.44	22.40	-1.70	20.70	<=30	Pass
		CC1:1735.4 CC2:1747.1	CC1: 1@0 CC2: 0@0	23.79	-24.45	23.79	-1.70	22.09	<=30	Pass
			CC1: 12@0 CC2: 50@50	18.05	18.13	21.10	-1.70	19.40	<=30	Pass
			CC1: 12@13 CC2: 50@0	19.59	19.64	22.59	-1.70	20.89	<=30	Pass
			CC1: 25@0 CC2: 100@0	19.58	19.64	22.61	-1.70	20.91	<=30	Pass
		CC1:1758.3 CC2:1770	CC1: 1@0 CC2: 0@0	23.77	-23.98	23.78	-1.70	22.08	<=30	Pass
			CC1: 12@0 CC2: 50@50	18.04	17.93	21.00	-1.70	19.30	<=30	Pass
			CC1: 12@13 CC2: 50@0	19.53	19.48	22.49	-1.70	20.79	<=30	Pass
			CC1: 25@0 CC2: 100@0	19.54	19.49	22.51	-1.70	20.81	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1724.2	CC1: 1@0 CC2: 0@0	22.51	-23.70	22.52	-1.70	20.82	<=30	Pass
			CC1: 12@0 CC2: 50@50	17.87	17.95	20.92	-1.70	19.22	<=30	Pass
			CC1: 12@13 CC2: 50@0	20.51	2.09	20.51	-1.70	18.81	<=30	Pass
			CC1: 25@0 CC2: 100@0	18.39	18.41	21.40	-1.70	19.70	<=30	Pass
		CC1:1735.4 CC2:1747.1	CC1: 1@0 CC2: 0@0	22.70	-24.38	22.71	-1.70	21.01	<=30	Pass
			CC1: 12@0 CC2: 50@50	18.05	18.09	21.08	-1.70	19.38	<=30	Pass
			CC1: 12@13 CC2: 50@0	18.56	18.62	21.57	-1.70	19.87	<=30	Pass
			CC1: 25@0 CC2: 100@0	18.55	18.66	21.60	-1.70	19.90	<=30	Pass
		CC1:1758.3 CC2:1770	CC1: 1@0 CC2: 0@0	22.86	-24.35	22.86	-1.70	21.16	<=30	Pass
			CC1: 12@0 CC2: 50@50	18.05	17.94	21.01	-1.70	19.31	<=30	Pass
			CC1: 12@13 CC2: 50@0	18.52	18.48	21.48	-1.70	19.78	<=30	Pass
			CC1: 25@0 CC2: 100@0	18.52	18.46	21.49	-1.70	19.79	<=30	Pass
	CC1: 64QAM	CC1:1712.5 CC2:1724.2	CC1: 1@0 CC2: 0@0	21.63	-23.66	21.63	-1.70	19.93	<=30	Pass

	CC2: 64QAM		CC1: 12@0 CC2: 50@50	17.91	17.93	20.93	-1.70	19.23	<=30	Pass
			CC1: 12@13 CC2: 50@0	18.33	18.38	21.34	-1.70	19.64	<=30	Pass
			CC1: 25@0 CC2: 100@0	18.34	18.41	21.37	-1.70	19.67	<=30	Pass
		CC1:1735.4 CC2:1747.1	CC1: 1@0 CC2: 0@0	21.66	-24.10	21.67	-1.70	19.97	<=30	Pass
			CC1: 12@0 CC2: 50@50	18.05	18.13	21.10	-1.70	19.40	<=30	Pass
			CC1: 12@13 CC2: 50@0	18.57	18.65	21.59	-1.70	19.89	<=30	Pass
			CC1: 25@0 CC2: 100@0	18.58	18.63	21.60	-1.70	19.90	<=30	Pass
		CC1:1758.3 CC2:1770	CC1: 1@0 CC2: 0@0	21.70	-24.00	21.70	-1.70	20.00	<=30	Pass
			CC1: 12@0 CC2: 50@50	18.07	17.92	21.01	-1.70	19.31	<=30	Pass
			CC1: 12@13 CC2: 50@0	18.52	18.49	21.48	-1.70	19.78	<=30	Pass
			CC1: 25@0 CC2: 100@0	18.54	18.49	21.51	-1.70	19.81	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1724.2	CC1: 1@0 CC2: 0@0	18.44	-23.51	18.45	-1.70	16.75	<=30	Pass
			CC1: 12@0 CC2: 50@50	15.88	15.91	18.91	-1.70	17.21	<=30	Pass
			CC1: 12@13 CC2: 50@0	16.34	16.38	19.34	-1.70	17.64	<=30	Pass
			CC1: 25@0 CC2: 100@0	16.33	16.42	19.37	-1.70	17.67	<=30	Pass
		CC1:1735.4 CC2:1747.1	CC1: 1@0 CC2: 0@0	18.62	-24.50	18.62	-1.70	16.92	<=30	Pass
			CC1: 12@0 CC2: 50@50	16.01	16.09	19.06	-1.70	17.36	<=30	Pass
			CC1: 12@13 CC2: 50@0	16.58	16.63	19.58	-1.70	17.88	<=30	Pass
			CC1: 25@0 CC2: 100@0	16.54	16.62	19.58	-1.70	17.88	<=30	Pass
		CC1:1758.3 CC2:1770	CC1: 1@0 CC2: 0@0	18.73	-24.08	18.73	-1.70	17.03	<=30	Pass
			CC1: 12@0 CC2: 50@50	16.00	15.92	18.97	-1.70	17.27	<=30	Pass
			CC1: 12@13 CC2: 50@0	16.50	16.46	19.46	-1.70	17.76	<=30	Pass
			CC1: 25@0 CC2: 100@0	16.55	16.48	19.51	-1.70	17.81	<=30	Pass
CC1:10 CC2:15	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1727	CC1: 1@0 CC2: 0@0	23.55	-24.41	23.55	-1.70	21.85	<=30	Pass
			CC1: 25@0 CC2: 36@39	17.88	18.00	20.95	-1.70	19.25	<=30	Pass
			CC1: 25@25 CC2: 36@0	19.30	19.30	22.31	-1.70	20.61	<=30	Pass
			CC1: 50@0 CC2: 75@0	19.34	19.39	22.38	-1.70	20.68	<=30	Pass
		CC1:1737.8 CC2:1749.8	CC1: 1@0 CC2: 0@0	23.72	-25.01	23.72	-1.70	22.02	<=30	Pass
			CC1: 25@0 CC2: 36@39	18.03	18.10	21.08	-1.70	19.38	<=30	Pass
			CC1: 25@25 CC2: 36@0	19.58	19.56	22.58	-1.70	20.88	<=30	Pass
			CC1: 50@0	19.58	19.59	22.60	-1.70	20.90	<=30	Pass

			CC2: 75@0							
		CC1:1760.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	23.77	-24.59	23.77	-1.70	22.07	<=30	Pass
			CC1: 25@0 CC2: 36@39	18.06	17.93	21.01	-1.70	19.31	<=30	Pass
			CC1: 25@25 CC2: 36@0	19.45	19.37	22.42	-1.70	20.72	<=30	Pass
			CC1: 50@0 CC2: 75@0	19.51	19.43	22.48	-1.70	20.78	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1727	CC1: 1@0 CC2: 0@0	22.58	-24.44	22.58	-1.70	20.88	<=30	Pass
			CC1: 25@0 CC2: 36@39	17.87	17.96	20.93	-1.70	19.23	<=30	Pass
			CC1: 25@25 CC2: 36@0	18.31	18.32	21.33	-1.70	19.63	<=30	Pass
			CC1: 50@0 CC2: 75@0	18.35	18.43	21.40	-1.70	19.70	<=30	Pass
		CC1:1737.8 CC2:1749.8	CC1: 1@0 CC2: 0@0	22.67	-24.96	22.67	-1.70	20.97	<=30	Pass
			CC1: 25@0 CC2: 36@39	18.07	18.10	21.10	-1.70	19.40	<=30	Pass
			CC1: 25@25 CC2: 36@0	18.58	18.55	21.58	-1.70	19.88	<=30	Pass
			CC1: 50@0 CC2: 75@0	18.60	18.59	21.61	-1.70	19.91	<=30	Pass
		CC1:1760.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	22.84	-24.51	22.85	-1.70	21.15	<=30	Pass
			CC1: 25@0 CC2: 36@39	18.06	17.93	21.01	-1.70	19.31	<=30	Pass
			CC1: 25@25 CC2: 36@0	18.44	18.39	21.43	-1.70	19.73	<=30	Pass
			CC1: 50@0 CC2: 75@0	18.52	18.43	21.48	-1.70	19.78	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1727	CC1: 1@0 CC2: 0@0	21.58	-24.28	21.58	-1.70	19.88	<=30	Pass
			CC1: 25@0 CC2: 36@39	17.86	17.97	20.93	-1.70	19.23	<=30	Pass
			CC1: 25@25 CC2: 36@0	18.30	18.31	21.32	-1.70	19.62	<=30	Pass
			CC1: 50@0 CC2: 75@0	18.36	18.41	21.40	-1.70	19.70	<=30	Pass
		CC1:1737.8 CC2:1749.8	CC1: 1@0 CC2: 0@0	21.80	-24.89	21.81	-1.70	20.11	<=30	Pass
			CC1: 25@0 CC2: 36@39	18.10	18.14	21.13	-1.70	19.43	<=30	Pass
			CC1: 25@25 CC2: 36@0	18.58	18.56	21.58	-1.70	19.88	<=30	Pass
			CC1: 50@0 CC2: 75@0	18.60	18.59	21.61	-1.70	19.91	<=30	Pass
		CC1:1760.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	21.94	-24.87	21.94	-1.70	20.24	<=30	Pass
			CC1: 25@0 CC2: 36@39	18.07	17.96	21.03	-1.70	19.33	<=30	Pass
			CC1: 25@25 CC2: 36@0	18.48	18.40	21.45	-1.70	19.75	<=30	Pass
			CC1: 50@0 CC2: 75@0	18.53	18.42	21.49	-1.70	19.79	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1727	CC1: 1@0 CC2: 0@0	18.56	-24.40	18.56	-1.70	16.86	<=30	Pass
			CC1: 25@0 CC2: 36@39	15.85	15.93	18.90	-1.70	17.20	<=30	Pass

			CC1: 25@25 CC2: 36@0	16.30	16.30	19.31	-1.70	17.61	<=30	Pass
			CC1: 50@0 CC2: 75@0	16.36	16.37	19.38	-1.70	17.68	<=30	Pass
		CC1:1737.8 CC2:1749.8	CC1: 1@0 CC2: 0@0	18.70	-25.40	18.71	-1.70	17.01	<=30	Pass
			CC1: 25@0 CC2: 36@39	16.05	16.07	19.08	-1.70	17.38	<=30	Pass
			CC1: 25@25 CC2: 36@0	16.55	16.53	19.55	-1.70	17.85	<=30	Pass
			CC1: 50@0 CC2: 75@0	16.59	16.60	19.61	-1.70	17.91	<=30	Pass
		CC1:1760.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	18.70	-24.79	18.70	-1.70	17.00	<=30	Pass
			CC1: 25@0 CC2: 36@39	16.07	15.94	19.01	-1.70	17.31	<=30	Pass
			CC1: 25@25 CC2: 36@0	16.43	16.38	19.41	-1.70	17.71	<=30	Pass
			CC1: 50@0 CC2: 75@0	16.47	16.41	19.45	-1.70	17.75	<=30	Pass
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1729.4	CC1: 1@0 CC2: 0@0	23.68	-23.76	23.68	-1.70	21.98	<=30	Pass
			CC1: 25@0 CC2: 50@50	17.90	18.03	20.98	-1.70	19.28	<=30	Pass
			CC1: 25@25 CC2: 50@0	19.34	19.33	22.35	-1.70	20.65	<=30	Pass
			CC1: 50@0 CC2: 100@0	19.39	19.46	22.43	-1.70	20.73	<=30	Pass
		CC1:1735.3 CC2:1749.7	CC1: 1@0 CC2: 0@0	23.64	-24.35	23.65	-1.70	21.95	<=30	Pass
			CC1: 25@0 CC2: 50@50	18.06	18.10	21.09	-1.70	19.39	<=30	Pass
			CC1: 25@25 CC2: 50@0	19.73	19.42	22.59	-1.70	20.89	<=30	Pass
			CC1: 50@0 CC2: 100@0	19.58	19.60	22.61	-1.70	20.91	<=30	Pass
		CC1:1755.6 CC2:1770	CC1: 1@0 CC2: 0@0	23.82	-23.82	23.83	-1.70	22.13	<=30	Pass
			CC1: 25@0 CC2: 50@50	18.13	17.99	21.07	-1.70	19.37	<=30	Pass
			CC1: 25@25 CC2: 50@0	19.56	19.43	22.51	-1.70	20.81	<=30	Pass
			CC1: 50@0 CC2: 100@0	19.58	19.48	22.54	-1.70	20.84	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1729.4	CC1: 1@0 CC2: 0@0	22.59	-23.44	22.59	-1.70	20.89	<=30	Pass
			CC1: 25@0 CC2: 50@50	17.90	18.06	20.99	-1.70	19.29	<=30	Pass
			CC1: 25@25 CC2: 50@0	18.36	18.34	21.36	-1.70	19.66	<=30	Pass
			CC1: 50@0 CC2: 100@0	18.39	18.44	21.43	-1.70	19.73	<=30	Pass
		CC1:1735.3 CC2:1749.7	CC1: 1@0 CC2: 0@0	22.63	-24.47	22.63	-1.70	20.93	<=30	Pass
			CC1: 25@0 CC2: 50@50	18.06	18.16	21.13	-1.70	19.43	<=30	Pass
			CC1: 25@25 CC2: 50@0	18.59	18.60	21.60	-1.70	19.90	<=30	Pass
			CC1: 50@0 CC2: 100@0	18.60	18.61	21.61	-1.70	19.91	<=30	Pass
		CC1:1755.6	CC1: 1@0	22.86	-24.08	22.86	-1.70	21.16	<=30	Pass

		CC2:1770	CC2: 0@0							
			CC1: 25@0 CC2: 50@50	18.13	17.99	21.07	-1.70	19.37	<=30	Pass
			CC1: 25@25 CC2: 50@0	18.55	18.42	21.50	-1.70	19.80	<=30	Pass
			CC1: 50@0 CC2: 100@0	18.58	18.49	21.55	-1.70	19.85	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1729.4	CC1: 1@0 CC2: 0@0	21.44	-23.45	21.45	-1.70	19.75	<=30	Pass
			CC1: 25@0 CC2: 50@50	17.91	18.05	20.99	-1.70	19.29	<=30	Pass
			CC1: 25@25 CC2: 50@0	18.38	18.37	21.38	-1.70	19.68	<=30	Pass
			CC1: 50@0 CC2: 100@0	18.40	18.46	21.44	-1.70	19.74	<=30	Pass
		CC1:1735.3 CC2:1749.7	CC1: 1@0 CC2: 0@0	21.72	-24.14	21.72	-1.70	20.02	<=30	Pass
			CC1: 25@0 CC2: 50@50	18.08	18.15	21.12	-1.70	19.42	<=30	Pass
			CC1: 25@25 CC2: 50@0	18.59	18.56	21.59	-1.70	19.89	<=30	Pass
			CC1: 50@0 CC2: 100@0	18.59	18.62	21.61	-1.70	19.91	<=30	Pass
		CC1:1755.6 CC2:1770	CC1: 1@0 CC2: 0@0	21.87	-24.11	21.87	-1.70	20.17	<=30	Pass
			CC1: 25@0 CC2: 50@50	18.15	18.01	21.09	-1.70	19.39	<=30	Pass
			CC1: 25@25 CC2: 50@0	18.57	18.44	21.52	-1.70	19.82	<=30	Pass
			CC1: 50@0 CC2: 100@0	18.59	18.49	21.55	-1.70	19.85	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1729.4	CC1: 1@0 CC2: 0@0	18.51	-23.40	18.51	-1.70	16.81	<=30	Pass
			CC1: 25@0 CC2: 50@50	15.91	16.00	18.97	-1.70	17.27	<=30	Pass
			CC1: 25@25 CC2: 50@0	16.33	16.32	19.33	-1.70	17.63	<=30	Pass
			CC1: 50@0 CC2: 100@0	16.33	16.41	19.38	-1.70	17.68	<=30	Pass
		CC1:1735.3 CC2:1749.7	CC1: 1@0 CC2: 0@0	18.68	-24.74	18.68	-1.70	16.98	<=30	Pass
			CC1: 25@0 CC2: 50@50	16.07	16.14	19.12	-1.70	17.42	<=30	Pass
			CC1: 25@25 CC2: 50@0	16.55	16.55	19.56	-1.70	17.86	<=30	Pass
			CC1: 50@0 CC2: 100@0	16.58	16.58	19.59	-1.70	17.89	<=30	Pass
		CC1:1755.6 CC2:1770	CC1: 1@0 CC2: 0@0	18.85	-24.74	18.85	-1.70	17.15	<=30	Pass
			CC1: 25@0 CC2: 50@50	16.11	15.99	19.06	-1.70	17.36	<=30	Pass
			CC1: 25@25 CC2: 50@0	16.56	16.44	19.51	-1.70	17.81	<=30	Pass
			CC1: 50@0 CC2: 100@0	16.58	16.47	19.54	-1.70	17.84	<=30	Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1729.5	CC1: 1@0 CC2: 0@0	23.51	-29.13	23.52	-1.70	21.82	<=30	Pass
			CC1: 36@0 CC2: 25@25	17.84	17.99	20.93	-1.70	19.23	<=30	Pass
			CC1: 36@39 CC2: 25@0	19.29	19.38	22.35	-1.70	20.65	<=30	Pass

			CC1: 75@0 CC2: 50@0	19.31	19.45	22.39	-1.70	20.69	<=30	Pass
		CC1:1740.3 CC2:1752.3	CC1: 1@0 CC2: 0@0	23.72	-28.93	23.72	-1.70	22.02	<=30	Pass
			CC1: 36@0 CC2: 25@25	18.02	18.10	21.07	-1.70	19.37	<=30	Pass
			CC1: 36@39 CC2: 25@0	19.52	19.52	22.53	-1.70	20.83	<=30	Pass
			CC1: 75@0 CC2: 50@0	19.57	19.56	22.57	-1.70	20.87	<=30	Pass
		CC1:1763 CC2:1775	CC1: 1@0 CC2: 0@0	23.83	-29.63	23.83	-1.70	22.13	<=30	Pass
			CC1: 36@0 CC2: 25@25	18.09	17.98	21.04	-1.70	19.34	<=30	Pass
			CC1: 36@39 CC2: 25@0	19.43	19.42	22.44	-1.70	20.74	<=30	Pass
			CC1: 75@0 CC2: 50@0	19.48	19.46	22.48	-1.70	20.78	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1729.5	CC1: 1@0 CC2: 0@0	23.03	-29.19	23.03	-1.70	21.33	<=30	Pass
			CC1: 36@0 CC2: 25@25	17.82	17.95	20.90	-1.70	19.20	<=30	Pass
			CC1: 36@39 CC2: 25@0	18.27	18.32	21.31	-1.70	19.61	<=30	Pass
			CC1: 75@0 CC2: 50@0	18.29	18.41	21.37	-1.70	19.67	<=30	Pass
		CC1:1740.3 CC2:1752.3	CC1: 1@0 CC2: 0@0	22.67	-28.92	22.67	-1.70	20.97	<=30	Pass
			CC1: 36@0 CC2: 25@25	18.09	18.15	21.14	-1.70	19.44	<=30	Pass
			CC1: 36@39 CC2: 25@0	18.59	18.60	21.61	-1.70	19.91	<=30	Pass
			CC1: 75@0 CC2: 50@0	18.59	18.61	21.61	-1.70	19.91	<=30	Pass
		CC1:1763 CC2:1775	CC1: 1@0 CC2: 0@0	23.13	-29.68	23.13	-1.70	21.43	<=30	Pass
			CC1: 36@0 CC2: 25@25	18.00	17.94	20.98	-1.70	19.28	<=30	Pass
			CC1: 36@39 CC2: 25@0	18.39	18.39	21.40	-1.70	19.70	<=30	Pass
			CC1: 75@0 CC2: 50@0	18.46	18.42	21.45	-1.70	19.75	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1729.5	CC1: 1@0 CC2: 0@0	21.53	-29.11	21.53	-1.70	19.83	<=30	Pass
			CC1: 36@0 CC2: 25@25	17.89	18.06	20.99	-1.70	19.29	<=30	Pass
			CC1: 36@39 CC2: 25@0	18.32	18.43	21.39	-1.70	19.69	<=30	Pass
			CC1: 75@0 CC2: 50@0	18.38	18.50	21.45	-1.70	19.75	<=30	Pass
		CC1:1740.3 CC2:1752.3	CC1: 1@0 CC2: 0@0	21.81	-28.93	21.81	-1.70	20.11	<=30	Pass
			CC1: 36@0 CC2: 25@25	18.08	18.13	21.12	-1.70	19.42	<=30	Pass
			CC1: 36@39 CC2: 25@0	18.61	18.60	21.62	-1.70	19.92	<=30	Pass
			CC1: 75@0 CC2: 50@0	18.62	18.64	21.64	-1.70	19.94	<=30	Pass
		CC1:1763 CC2:1775	CC1: 1@0 CC2: 0@0	22.23	-29.71	22.23	-1.70	20.53	<=30	Pass
			CC1: 36@0	17.99	17.92	20.97	-1.70	19.27	<=30	Pass

			CC2: 25@25							
			CC1: 36@39 CC2: 25@0	18.37	18.34	21.37	-1.70	19.67	<=30	Pass
			CC1: 75@0 CC2: 50@0	18.42	18.38	21.42	-1.70	19.72	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1729.5	CC1: 1@0 CC2: 0@0	18.49	-29.20	18.49	-1.70	16.79	<=30	Pass
			CC1: 36@0 CC2: 25@25	15.86	16.01	18.95	-1.70	17.25	<=30	Pass
			CC1: 36@39 CC2: 25@0	16.29	16.35	19.33	-1.70	17.63	<=30	Pass
			CC1: 75@0 CC2: 50@0	16.37	16.49	19.44	-1.70	17.74	<=30	Pass
		CC1:1740.3 CC2:1752.3	CC1: 1@0 CC2: 0@0	18.61	-29.01	18.61	-1.70	16.91	<=30	Pass
			CC1: 36@0 CC2: 25@25	16.10	16.16	19.14	-1.70	17.44	<=30	Pass
			CC1: 36@39 CC2: 25@0	16.56	16.57	19.58	-1.70	17.88	<=30	Pass
			CC1: 75@0 CC2: 50@0	16.57	16.62	19.61	-1.70	17.91	<=30	Pass
		CC1:1763 CC2:1775	CC1: 1@0 CC2: 0@0	18.84	-29.73	18.85	-1.70	17.15	<=30	Pass
			CC1: 36@0 CC2: 25@25	16.01	15.93	18.98	-1.70	17.28	<=30	Pass
			CC1: 36@39 CC2: 25@0	16.38	16.38	19.39	-1.70	17.69	<=30	Pass
			CC1: 75@0 CC2: 50@0	16.48	16.41	19.46	-1.70	17.76	<=30	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1732.5	CC1: 1@0 CC2: 0@0	23.62	-27.27	23.60	-1.70	21.90	<=30	Pass
			CC1: 36@0 CC2: 36@39	17.92	18.16	21.05	-1.70	19.35	<=30	Pass
			CC1: 36@39 CC2: 36@0	20.39	20.46	23.44	-1.70	21.74	<=30	Pass
			CC1: 75@0 CC2: 75@0	19.41	19.55	22.49	-1.70	20.79	<=30	Pass
		CC1:1737.5 CC2:1752.5	CC1: 1@0 CC2: 0@0	23.71	-27.16	23.70	-1.70	22.00	<=30	Pass
			CC1: 36@0 CC2: 36@39	18.10	18.16	21.14	-1.70	19.44	<=30	Pass
			CC1: 36@39 CC2: 36@0	20.61	20.61	23.62	-1.70	21.92	<=30	Pass
			CC1: 75@0 CC2: 75@0	19.58	19.66	22.63	-1.70	20.93	<=30	Pass
		CC1:1757.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	23.93	-27.95	23.92	-1.70	22.22	<=30	Pass
			CC1: 36@0 CC2: 36@39	18.13	18.05	21.10	-1.70	19.40	<=30	Pass
			CC1: 36@39 CC2: 36@0	20.51	20.44	23.48	-1.70	21.78	<=30	Pass
			CC1: 75@0 CC2: 75@0	19.58	19.52	22.56	-1.70	20.86	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1732.5	CC1: 1@0 CC2: 0@0	22.68	-27.33	22.67	-1.70	20.97	<=30	Pass
			CC1: 36@0 CC2: 36@39	17.92	18.15	21.05	-1.70	19.35	<=30	Pass
			CC1: 36@39 CC2: 36@0	19.39	19.42	22.42	-1.70	20.72	<=30	Pass
			CC1: 75@0 CC2: 75@0	18.40	18.53	21.48	-1.70	19.78	<=30	Pass

		CC1:1737.5 CC2:1752.5	CC1: 1@0 CC2: 0@0	22.75	-27.18	22.74	-1.70	21.04	<=30	Pass
			CC1: 36@0 CC2: 36@39	18.09	18.16	21.13	-1.70	19.43	<=30	Pass
			CC1: 36@39 CC2: 36@0	19.62	19.61	22.63	-1.70	20.93	<=30	Pass
			CC1: 75@0 CC2: 75@0	18.59	18.61	21.61	-1.70	19.91	<=30	Pass
		CC1:1757.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	23.25	-27.99	23.24	-1.70	21.54	<=30	Pass
			CC1: 36@0 CC2: 36@39	18.11	18.00	21.07	-1.70	19.37	<=30	Pass
			CC1: 36@39 CC2: 36@0	19.48	19.46	22.48	-1.70	20.78	<=30	Pass
			CC1: 75@0 CC2: 75@0	18.56	18.47	21.53	-1.70	19.83	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1732.5	CC1: 1@0 CC2: 0@0	21.68	-27.34	21.67	-1.70	19.97	<=30	Pass
			CC1: 36@0 CC2: 36@39	17.95	18.12	21.05	-1.70	19.35	<=30	Pass
			CC1: 36@39 CC2: 36@0	18.35	18.43	21.40	-1.70	19.70	<=30	Pass
			CC1: 75@0 CC2: 75@0	18.41	18.57	21.50	-1.70	19.80	<=30	Pass
		CC1:1737.5 CC2:1752.5	CC1: 1@0 CC2: 0@0	21.67	-27.20	21.66	-1.70	19.96	<=30	Pass
			CC1: 36@0 CC2: 36@39	18.11	18.16	21.14	-1.70	19.44	<=30	Pass
			CC1: 36@39 CC2: 36@0	18.62	18.62	21.63	-1.70	19.93	<=30	Pass
			CC1: 75@0 CC2: 75@0	18.63	18.62	21.64	-1.70	19.94	<=30	Pass
		CC1:1757.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	21.85	-27.99	21.84	-1.70	20.14	<=30	Pass
			CC1: 36@0 CC2: 36@39	18.16	18.05	21.12	-1.70	19.42	<=30	Pass
			CC1: 36@39 CC2: 36@0	18.51	18.46	21.50	-1.70	19.80	<=30	Pass
			CC1: 75@0 CC2: 75@0	18.60	18.53	21.58	-1.70	19.88	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1732.5	CC1: 1@0 CC2: 0@0	20.56	-27.49	20.55	-1.70	18.85	<=30	Pass
			CC1: 36@0 CC2: 36@39	15.86	16.09	18.99	-1.70	17.29	<=30	Pass
			CC1: 36@39 CC2: 36@0	16.37	16.38	19.38	-1.70	17.68	<=30	Pass
			CC1: 75@0 CC2: 75@0	16.36	16.51	19.45	-1.70	17.75	<=30	Pass
		CC1:1737.5 CC2:1752.5	CC1: 1@0 CC2: 0@0	18.65	-27.25	18.64	-1.70	16.94	<=30	Pass
			CC1: 36@0 CC2: 36@39	16.02	16.11	19.08	-1.70	17.38	<=30	Pass
			CC1: 36@39 CC2: 36@0	16.56	16.56	19.57	-1.70	17.87	<=30	Pass
			CC1: 75@0 CC2: 75@0	16.56	16.64	19.62	-1.70	17.92	<=30	Pass
		CC1:1757.5 CC2:1772.5	CC1: 1@0 CC2: 0@0	18.79	-27.97	18.78	-1.70	17.08	<=30	Pass
			CC1: 36@0 CC2: 36@39	16.07	16.01	19.05	-1.70	17.35	<=30	Pass
			CC1: 36@39	16.45	16.41	19.44	-1.70	17.74	<=30	Pass

			CC2: 36@0							
			CC1: 75@0 CC2: 75@0	16.53	16.43	19.49	-1.70	17.79	<=30	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1734.6	CC1: 1@0 CC2: 0@0	23.63	-23.75	23.61	-1.70	21.91	<=30	Pass
			CC1: 36@0 CC2: 50@50	17.93	18.18	21.07	-1.70	19.37	<=30	Pass
			CC1: 36@39 CC2: 50@0	19.40	19.46	22.44	-1.70	20.74	<=30	Pass
			CC1: 75@0 CC2: 100@0	19.40	19.56	22.49	-1.70	20.79	<=30	Pass
		CC1:1735.2 CC2:1752.3	CC1: 1@0 CC2: 0@0	23.82	-24.04	23.80	-1.70	22.10	<=30	Pass
			CC1: 36@0 CC2: 50@50	18.05	18.14	21.11	-1.70	19.41	<=30	Pass
			CC1: 36@39 CC2: 50@0	19.57	19.56	22.58	-1.70	20.88	<=30	Pass
			CC1: 75@0 CC2: 100@0	19.61	19.61	22.62	-1.70	20.92	<=30	Pass
		CC1:1752.9 CC2:1770	CC1: 1@0 CC2: 0@0	23.82	-26.73	23.81	-1.70	22.11	<=30	Pass
			CC1: 36@0 CC2: 50@50	18.15	18.01	21.09	-1.70	19.39	<=30	Pass
			CC1: 36@39 CC2: 50@0	19.53	19.41	22.48	-1.70	20.78	<=30	Pass
			CC1: 75@0 CC2: 100@0	19.55	19.46	22.52	-1.70	20.82	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1734.6	CC1: 1@0 CC2: 0@0	22.60	-23.93	22.58	-1.70	20.88	<=30	Pass
			CC1: 36@0 CC2: 50@50	17.93	18.16	21.06	-1.70	19.36	<=30	Pass
			CC1: 36@39 CC2: 50@0	18.36	18.45	21.42	-1.70	19.72	<=30	Pass
			CC1: 75@0 CC2: 100@0	18.42	18.57	21.51	-1.70	19.81	<=30	Pass
		CC1:1735.2 CC2:1752.3	CC1: 1@0 CC2: 0@0	23.21	-26.01	23.20	-1.70	21.50	<=30	Pass
			CC1: 36@0 CC2: 50@50	18.04	18.11	21.08	-1.70	19.38	<=30	Pass
			CC1: 36@39 CC2: 50@0	18.59	18.57	21.59	-1.70	19.89	<=30	Pass
			CC1: 75@0 CC2: 100@0	18.58	18.61	21.61	-1.70	19.91	<=30	Pass
		CC1:1752.9 CC2:1770	CC1: 1@0 CC2: 0@0	22.93	-24.29	22.92	-1.70	21.22	<=30	Pass
			CC1: 36@0 CC2: 50@50	18.20	18.06	21.14	-1.70	19.44	<=30	Pass
			CC1: 36@39 CC2: 50@0	18.59	18.48	21.55	-1.70	19.85	<=30	Pass
			CC1: 75@0 CC2: 100@0	18.66	18.51	21.59	-1.70	19.89	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1734.6	CC1: 1@0 CC2: 0@0	21.56	-24.23	21.55	-1.70	19.85	<=30	Pass
			CC1: 36@0 CC2: 50@50	17.94	18.20	21.08	-1.70	19.38	<=30	Pass
			CC1: 36@39 CC2: 50@0	18.36	18.44	21.41	-1.70	19.71	<=30	Pass
			CC1: 75@0 CC2: 100@0	18.42	18.58	21.51	-1.70	19.81	<=30	Pass
		CC1:1735.2 CC2:1752.3	CC1: 1@0 CC2: 0@0	21.65	-24.48	21.64	-1.70	19.94	<=30	Pass

			CC1: 36@0 CC2: 50@50	18.11	18.16	21.15	-1.70	19.45	<=30	Pass
			CC1: 36@39 CC2: 50@0	18.61	18.61	21.62	-1.70	19.92	<=30	Pass
			CC1: 75@0 CC2: 100@0	18.61	18.67	21.65	-1.70	19.95	<=30	Pass
		CC1:1752.9 CC2:1770	CC1: 1@0 CC2: 0@0	22.36	-26.77	22.35	-1.70	20.65	<=30	Pass
			CC1: 36@0 CC2: 50@50	18.16	18.03	21.11	-1.70	19.41	<=30	Pass
			CC1: 36@39 CC2: 50@0	18.58	18.46	21.53	-1.70	19.83	<=30	Pass
			CC1: 75@0 CC2: 100@0	18.64	18.53	21.60	-1.70	19.90	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1734.6	CC1: 1@0 CC2: 0@0	18.52	-23.43	18.51	-1.70	16.81	<=30	Pass
			CC1: 36@0 CC2: 50@50	15.92	16.12	19.03	-1.70	17.33	<=30	Pass
			CC1: 36@39 CC2: 50@0	16.35	16.44	19.41	-1.70	17.71	<=30	Pass
			CC1: 75@0 CC2: 100@0	16.40	16.52	19.47	-1.70	17.77	<=30	Pass
		CC1:1735.2 CC2:1752.3	CC1: 1@0 CC2: 0@0	18.60	-24.49	18.59	-1.70	16.89	<=30	Pass
			CC1: 36@0 CC2: 50@50	16.05	16.11	19.09	-1.70	17.39	<=30	Pass
			CC1: 36@39 CC2: 50@0	16.58	16.57	19.59	-1.70	17.89	<=30	Pass
			CC1: 75@0 CC2: 100@0	16.57	16.63	19.61	-1.70	17.91	<=30	Pass
		CC1:1752.9 CC2:1770	CC1: 1@0 CC2: 0@0	18.78	-24.63	18.77	-1.70	17.07	<=30	Pass
			CC1: 36@0 CC2: 50@50	16.20	16.03	19.13	-1.70	17.43	<=30	Pass
			CC1: 36@39 CC2: 50@0	16.53	16.44	19.49	-1.70	17.79	<=30	Pass
			CC1: 75@0 CC2: 100@0	16.60	16.52	19.57	-1.70	17.87	<=30	Pass
CC1:20 CC2:5	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1731.7	CC1: 1@0 CC2: 0@0	23.62	-32.22	23.63	-1.70	21.93	<=30	Pass
			CC1: 50@0 CC2: 12@13	17.79	17.98	20.90	-1.70	19.20	<=30	Pass
			CC1: 50@50 CC2: 12@0	19.36	19.41	22.36	-1.70	20.66	<=30	Pass
			CC1: 100@0 CC2: 25@0	19.35	19.49	22.42	-1.70	20.72	<=30	Pass
		CC1:1742.9 CC2:1754.6	CC1: 1@0 CC2: 0@0	23.86	-31.96	23.86	-1.70	22.16	<=30	Pass
			CC1: 50@0 CC2: 12@13	18.10	18.14	21.13	-1.70	19.43	<=30	Pass
			CC1: 50@50 CC2: 12@0	19.64	19.62	22.61	-1.70	20.91	<=30	Pass
			CC1: 100@0 CC2: 25@0	19.63	19.61	22.62	-1.70	20.92	<=30	Pass
		CC1:1765.8 CC2:1777.5	CC1: 1@0 CC2: 0@0	23.69	-32.85	23.69	-1.70	21.99	<=30	Pass
			CC1: 50@0 CC2: 12@13	18.00	17.98	21.00	-1.70	19.30	<=30	Pass
			CC1: 50@50 CC2: 12@0	19.48	19.44	22.44	-1.70	20.74	<=30	Pass
			CC1: 100@0	19.49	19.47	22.48	-1.70	20.78	<=30	Pass

			CC2: 25@0							
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1731.7	CC1: 1@0 CC2: 0@0	22.60	-32.13	22.60	-1.70	20.90	<=30	Pass
			CC1: 50@0 CC2: 12@13	17.90	18.04	20.98	-1.70	19.28	<=30	Pass
			CC1: 50@50 CC2: 12@0	18.38	18.47	21.41	-1.70	19.71	<=30	Pass
			CC1: 100@0 CC2: 25@0	18.41	18.51	21.46	-1.70	19.76	<=30	Pass
		CC1:1742.9 CC2:1754.6	CC1: 1@0 CC2: 0@0	22.66	-31.98	22.66	-1.70	20.96	<=30	Pass
			CC1: 50@0 CC2: 12@13	18.10	18.16	21.14	-1.70	19.44	<=30	Pass
			CC1: 50@50 CC2: 12@0	18.61	18.57	21.57	-1.70	19.87	<=30	Pass
			CC1: 100@0 CC2: 25@0	18.63	18.63	21.63	-1.70	19.93	<=30	Pass
		CC1:1765.8 CC2:1777.5	CC1: 1@0 CC2: 0@0	22.81	-32.85	22.81	-1.70	21.11	<=30	Pass
			CC1: 50@0 CC2: 12@13	18.01	17.96	21.00	-1.70	19.30	<=30	Pass
			CC1: 50@50 CC2: 12@0	18.47	18.45	21.44	-1.70	19.74	<=30	Pass
			CC1: 100@0 CC2: 25@0	18.51	18.47	21.49	-1.70	19.79	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1731.7	CC1: 1@0 CC2: 0@0	21.62	-32.14	21.62	-1.70	19.92	<=30	Pass
			CC1: 50@0 CC2: 12@13	17.89	18.06	20.99	-1.70	19.29	<=30	Pass
			CC1: 50@50 CC2: 12@0	18.45	18.49	21.45	-1.70	19.75	<=30	Pass
			CC1: 100@0 CC2: 25@0	18.40	18.53	21.46	-1.70	19.76	<=30	Pass
		CC1:1742.9 CC2:1754.6	CC1: 1@0 CC2: 0@0	21.72	-31.99	21.72	-1.70	20.02	<=30	Pass
			CC1: 50@0 CC2: 12@13	18.11	18.15	21.14	-1.70	19.44	<=30	Pass
			CC1: 50@50 CC2: 12@0	18.65	18.58	21.60	-1.70	19.90	<=30	Pass
			CC1: 100@0 CC2: 25@0	18.68	18.63	21.66	-1.70	19.96	<=30	Pass
		CC1:1765.8 CC2:1777.5	CC1: 1@0 CC2: 0@0	21.79	-32.86	21.80	-1.70	20.10	<=30	Pass
			CC1: 50@0 CC2: 12@13	18.02	18.02	21.03	-1.70	19.33	<=30	Pass
			CC1: 50@50 CC2: 12@0	18.53	18.46	21.47	-1.70	19.77	<=30	Pass
			CC1: 100@0 CC2: 25@0	18.53	18.49	21.50	-1.70	19.80	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1731.7	CC1: 1@0 CC2: 0@0	18.61	-32.18	18.61	-1.70	16.91	<=30	Pass
			CC1: 50@0 CC2: 12@13	15.89	16.08	19.00	-1.70	17.30	<=30	Pass
			CC1: 50@50 CC2: 12@0	16.41	16.42	19.40	-1.70	17.70	<=30	Pass
			CC1: 100@0 CC2: 25@0	16.42	16.52	19.47	-1.70	17.77	<=30	Pass
		CC1:1742.9 CC2:1754.6	CC1: 1@0 CC2: 0@0	18.63	-32.00	18.63	-1.70	16.93	<=30	Pass
			CC1: 50@0 CC2: 12@13	16.08	16.13	19.12	-1.70	17.42	<=30	Pass

			CC1: 50@50 CC2: 12@0	16.65	16.57	19.59	-1.70	17.89	<=30	Pass
			CC1: 100@0 CC2: 25@0	16.61	16.63	19.62	-1.70	17.92	<=30	Pass
		CC1:1765.8 CC2:1777.5	CC1: 1@0 CC2: 0@0	18.79	-32.85	18.79	-1.70	17.09	<=30	Pass
			CC1: 50@0 CC2: 12@13	16.00	15.99	19.00	-1.70	17.30	<=30	Pass
			CC1: 50@50 CC2: 12@0	16.48	16.40	19.42	-1.70	17.72	<=30	Pass
			CC1: 100@0 CC2: 25@0	16.54	16.47	19.50	-1.70	17.80	<=30	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1734.4	CC1: 1@0 CC2: 0@0	21.77	-29.12	21.77	-1.70	20.07	<=30	Pass
			CC1: 50@0 CC2: 25@25	17.90	18.14	21.03	-1.70	19.33	<=30	Pass
			CC1: 50@50 CC2: 25@0	19.35	19.49	22.43	-1.70	20.73	<=30	Pass
			CC1: 100@0 CC2: 50@0	19.38	19.55	22.48	-1.70	20.78	<=30	Pass
		CC1:1740.3 CC2:1754.7	CC1: 1@0 CC2: 0@0	23.82	-28.91	23.82	-1.70	22.12	<=30	Pass
			CC1: 50@0 CC2: 25@25	18.06	18.14	21.11	-1.70	19.41	<=30	Pass
			CC1: 50@50 CC2: 25@0	19.59	19.61	22.61	-1.70	20.91	<=30	Pass
			CC1: 100@0 CC2: 50@0	19.61	19.65	22.64	-1.70	20.94	<=30	Pass
		CC1:1760.6 CC2:1775	CC1: 1@0 CC2: 0@0	23.77	-29.75	23.77	-1.70	22.07	<=30	Pass
			CC1: 50@0 CC2: 25@25	18.11	18.02	21.08	-1.70	19.38	<=30	Pass
			CC1: 50@50 CC2: 25@0	19.48	19.46	22.48	-1.70	20.78	<=30	Pass
			CC1: 100@0 CC2: 50@0	19.57	19.53	22.56	-1.70	20.86	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1734.4	CC1: 1@0 CC2: 0@0	22.71	-29.05	22.71	-1.70	21.01	<=30	Pass
			CC1: 50@0 CC2: 25@25	17.93	18.18	21.07	-1.70	19.37	<=30	Pass
			CC1: 50@50 CC2: 25@0	18.40	18.51	21.47	-1.70	19.77	<=30	Pass
			CC1: 100@0 CC2: 50@0	18.42	18.60	21.52	-1.70	19.82	<=30	Pass
		CC1:1740.3 CC2:1754.7	CC1: 1@0 CC2: 0@0	22.71	-28.93	22.71	-1.70	21.01	<=30	Pass
			CC1: 50@0 CC2: 25@25	18.07	18.18	21.14	-1.70	19.44	<=30	Pass
			CC1: 50@50 CC2: 25@0	18.57	18.60	21.60	-1.70	19.90	<=30	Pass
			CC1: 100@0 CC2: 50@0	18.61	18.66	21.65	-1.70	19.95	<=30	Pass
		CC1:1760.6 CC2:1775	CC1: 1@0 CC2: 0@0	23.14	-29.75	23.14	-1.70	21.44	<=30	Pass
			CC1: 50@0 CC2: 25@25	18.05	18.00	21.04	-1.70	19.34	<=30	Pass
			CC1: 50@50 CC2: 25@0	18.43	18.42	21.44	-1.70	19.74	<=30	Pass
			CC1: 100@0 CC2: 50@0	18.52	18.47	21.51	-1.70	19.81	<=30	Pass
	CC1:	CC1:1720	CC1: 1@0	21.78	-29.11	21.78	-1.70	20.08	<=30	Pass

	64QAM CC2: 64QAM	CC2:1734.4	CC2: 0@0							
			CC1: 50@0 CC2: 25@25	17.96	18.17	21.08	-1.70	19.38	<=30	Pass
			CC1: 50@50 CC2: 25@0	18.38	18.52	21.46	-1.70	19.76	<=30	Pass
			CC1: 100@0 CC2: 50@0	18.43	18.64	21.55	-1.70	19.85	<=30	Pass
		CC1:1740.3 CC2:1754.7	CC1: 1@0 CC2: 0@0	21.68	-28.96	21.68	-1.70	19.98	<=30	Pass
			CC1: 50@0 CC2: 25@25	18.11	18.21	21.17	-1.70	19.47	<=30	Pass
			CC1: 50@50 CC2: 25@0	18.62	18.61	21.62	-1.70	19.92	<=30	Pass
			CC1: 100@0 CC2: 50@0	18.60	18.65	21.63	-1.70	19.93	<=30	Pass
		CC1:1760.6 CC2:1775	CC1: 1@0 CC2: 0@0	22.30	-29.79	22.31	-1.70	20.61	<=30	Pass
			CC1: 50@0 CC2: 25@25	18.06	18.03	21.06	-1.70	19.36	<=30	Pass
			CC1: 50@50 CC2: 25@0	18.43	18.43	21.44	-1.70	19.74	<=30	Pass
			CC1: 100@0 CC2: 50@0	18.53	18.46	21.51	-1.70	19.81	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1734.4	CC1: 1@0 CC2: 0@0	18.59	-29.16	18.60	-1.70	16.90	<=30	Pass
			CC1: 50@0 CC2: 25@25	15.93	16.16	19.06	-1.70	17.36	<=30	Pass
			CC1: 50@50 CC2: 25@0	16.39	16.48	19.45	-1.70	17.75	<=30	Pass
			CC1: 100@0 CC2: 50@0	16.42	16.56	19.50	-1.70	17.80	<=30	Pass
		CC1:1740.3 CC2:1754.7	CC1: 1@0 CC2: 0@0	18.75	-28.98	18.75	-1.70	17.05	<=30	Pass
			CC1: 50@0 CC2: 25@25	16.11	16.18	19.15	-1.70	17.45	<=30	Pass
			CC1: 50@50 CC2: 25@0	16.61	16.63	19.64	-1.70	17.94	<=30	Pass
			CC1: 100@0 CC2: 50@0	16.59	16.62	19.62	-1.70	17.92	<=30	Pass
		CC1:1760.6 CC2:1775	CC1: 1@0 CC2: 0@0	18.88	-29.73	18.89	-1.70	17.19	<=30	Pass
			CC1: 50@0 CC2: 25@25	16.05	15.99	19.03	-1.70	17.33	<=30	Pass
			CC1: 50@50 CC2: 25@0	16.43	16.45	19.45	-1.70	17.75	<=30	Pass
			CC1: 100@0 CC2: 50@0	16.54	16.53	19.55	-1.70	17.85	<=30	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1737.1	CC1: 1@0 CC2: 0@0	23.67	-27.23	23.67	-1.70	21.97	<=30	Pass
			CC1: 50@0 CC2: 36@39	17.90	18.17	21.05	-1.70	19.35	<=30	Pass
			CC1: 50@50 CC2: 36@0	19.36	19.48	22.43	-1.70	20.73	<=30	Pass
			CC1: 100@0 CC2: 75@0	19.40	19.59	22.51	-1.70	20.81	<=30	Pass
		CC1:1737.7 CC2:1754.8	CC1: 1@0 CC2: 0@0	23.68	-27.27	23.68	-1.70	21.98	<=30	Pass
			CC1: 50@0 CC2: 36@39	18.06	18.12	21.10	-1.70	19.40	<=30	Pass
			CC1: 50@50 CC2: 36@0	19.54	19.53	22.54	-1.70	20.84	<=30	Pass

			CC1: 100@0 CC2: 75@0	19.54	19.56	22.56	-1.70	20.86	<=30	Pass
		CC1:1755.4 CC2:1772.5	CC1: 1@0 CC2: 0@0	23.88	-28.03	23.88	-1.70	22.18	<=30	Pass
			CC1: 50@0 CC2: 36@39	18.15	18.06	21.12	-1.70	19.42	<=30	Pass
			CC1: 50@50 CC2: 36@0	19.56	19.48	22.53	-1.70	20.83	<=30	Pass
			CC1: 100@0 CC2: 75@0	19.60	19.52	22.57	-1.70	20.87	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1737.1	CC1: 1@0 CC2: 0@0	22.67	-27.29	22.67	-1.70	20.97	<=30	Pass
			CC1: 50@0 CC2: 36@39	17.94	18.16	21.06	-1.70	19.36	<=30	Pass
			CC1: 50@50 CC2: 36@0	18.51	18.33	21.43	-1.70	19.73	<=30	Pass
			CC1: 100@0 CC2: 75@0	18.39	18.59	21.50	-1.70	19.80	<=30	Pass
		CC1:1737.7 CC2:1754.8	CC1: 1@0 CC2: 0@0	22.70	-27.14	22.71	-1.70	21.01	<=30	Pass
			CC1: 50@0 CC2: 36@39	18.10	18.14	21.13	-1.70	19.43	<=30	Pass
			CC1: 50@50 CC2: 36@0	18.59	18.63	21.62	-1.70	19.92	<=30	Pass
			CC1: 100@0 CC2: 75@0	18.62	18.61	21.63	-1.70	19.93	<=30	Pass
		CC1:1755.4 CC2:1772.5	CC1: 1@0 CC2: 0@0	23.14	-28.03	23.15	-1.70	21.45	<=30	Pass
			CC1: 50@0 CC2: 36@39	18.16	18.00	21.09	-1.70	19.39	<=30	Pass
			CC1: 50@50 CC2: 36@0	18.47	18.44	21.47	-1.70	19.77	<=30	Pass
			CC1: 100@0 CC2: 75@0	18.54	18.48	21.52	-1.70	19.82	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1737.1	CC1: 1@0 CC2: 0@0	21.58	-27.31	21.59	-1.70	19.89	<=30	Pass
			CC1: 50@0 CC2: 36@39	17.95	18.20	21.09	-1.70	19.39	<=30	Pass
			CC1: 50@50 CC2: 36@0	18.41	18.51	21.47	-1.70	19.77	<=30	Pass
			CC1: 100@0 CC2: 75@0	18.40	18.58	21.51	-1.70	19.81	<=30	Pass
		CC1:1737.7 CC2:1754.8	CC1: 1@0 CC2: 0@0	21.71	-27.15	21.71	-1.70	20.01	<=30	Pass
			CC1: 50@0 CC2: 36@39	18.08	18.17	21.14	-1.70	19.44	<=30	Pass
			CC1: 50@50 CC2: 36@0	18.58	18.62	21.61	-1.70	19.91	<=30	Pass
			CC1: 100@0 CC2: 75@0	18.63	18.64	21.64	-1.70	19.94	<=30	Pass
		CC1:1755.4 CC2:1772.5	CC1: 1@0 CC2: 0@0	21.86	-28.03	21.87	-1.70	20.17	<=30	Pass
			CC1: 50@0 CC2: 36@39	18.19	18.09	21.15	-1.70	19.45	<=30	Pass
			CC1: 50@50 CC2: 36@0	18.54	18.48	21.52	-1.70	19.82	<=30	Pass
			CC1: 100@0 CC2: 75@0	18.59	18.53	21.57	-1.70	19.87	<=30	Pass
	CC1: 256QAM CC2:	CC1:1720 CC2:1737.1	CC1: 1@0 CC2: 0@0	18.65	-27.34	18.66	-1.70	16.96	<=30	Pass
			CC1: 50@0	15.91	16.17	19.05	-1.70	17.35	<=30	Pass

	256QAM		CC2: 36@39							
			CC1: 50@50 CC2: 36@0	16.39	16.49	19.45	-1.70	17.75	<=30	Pass
			CC1: 100@0 CC2: 75@0	16.42	16.59	19.51	-1.70	17.81	<=30	Pass
		CC1:1737.7 CC2:1754.8	CC1: 1@0 CC2: 0@0	18.61	-27.23	18.61	-1.70	16.91	<=30	Pass
			CC1: 50@0 CC2: 36@39	16.09	16.13	19.12	-1.70	17.42	<=30	Pass
			CC1: 50@50 CC2: 36@0	16.57	16.60	19.59	-1.70	17.89	<=30	Pass
			CC1: 100@0 CC2: 75@0	16.59	16.65	19.63	-1.70	17.93	<=30	Pass
		CC1:1755.4 CC2:1772.5	CC1: 1@0 CC2: 0@0	18.84	-27.96	18.84	-1.70	17.14	<=30	Pass
			CC1: 50@0 CC2: 36@39	16.13	16.02	19.09	-1.70	17.39	<=30	Pass
			CC1: 50@50 CC2: 36@0	16.52	16.46	19.50	-1.70	17.80	<=30	Pass
			CC1: 100@0 CC2: 75@0	16.58	16.53	19.57	-1.70	17.87	<=30	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1739.8	CC1: 1@0 CC2: 0@0	23.66	-25.92	23.66	-1.70	21.96	<=30	Pass
			CC1: 50@0 CC2: 50@50	17.93	18.21	21.08	-1.70	19.38	<=30	Pass
			CC1: 50@50 CC2: 50@0	20.43	20.53	23.49	-1.70	21.79	<=30	Pass
			CC1: 100@0 CC2: 100@0	19.42	19.60	22.52	-1.70	20.82	<=30	Pass
		CC1:1735.1 CC2:1754.9	CC1: 1@0 CC2: 0@0	23.68	-25.85	23.69	-1.70	21.99	<=30	Pass
			CC1: 50@0 CC2: 50@50	18.05	18.12	21.09	-1.70	19.39	<=30	Pass
			CC1: 50@50 CC2: 50@0	20.61	20.61	23.62	-1.70	21.92	<=30	Pass
			CC1: 100@0 CC2: 100@0	19.59	19.65	22.63	-1.70	20.93	<=30	Pass
		CC1:1750.2 CC2:1770	CC1: 1@0 CC2: 0@0	23.85	-26.81	23.85	-1.70	22.15	<=30	Pass
			CC1: 50@0 CC2: 50@50	18.18	18.11	21.16	-1.70	19.46	<=30	Pass
			CC1: 50@50 CC2: 50@0	20.58	20.49	23.54	-1.70	21.84	<=30	Pass
			CC1: 100@0 CC2: 100@0	19.68	19.53	22.62	-1.70	20.92	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1739.8	CC1: 1@0 CC2: 0@0	22.53	-25.98	22.54	-1.70	20.84	<=30	Pass
			CC1: 50@0 CC2: 50@50	17.93	18.23	21.09	-1.70	19.39	<=30	Pass
			CC1: 50@50 CC2: 50@0	19.43	19.54	22.49	-1.70	20.79	<=30	Pass
			CC1: 100@0 CC2: 100@0	18.42	18.59	21.52	-1.70	19.82	<=30	Pass
		CC1:1735.1 CC2:1754.9	CC1: 1@0 CC2: 0@0	22.73	-25.87	22.73	-1.70	21.03	<=30	Pass
			CC1: 50@0 CC2: 50@50	18.06	18.16	21.12	-1.70	19.42	<=30	Pass
			CC1: 50@50 CC2: 50@0	19.61	19.64	22.63	-1.70	20.93	<=30	Pass
			CC1: 100@0 CC2: 100@0	18.58	18.63	21.62	-1.70	19.92	<=30	Pass

		CC1:1750.2 CC2:1770	CC1: 1@0 CC2: 0@0	22.83	-26.81	22.83	-1.70	21.13	<=30	Pass
			CC1: 50@0 CC2: 50@50	18.19	18.04	21.12	-1.70	19.42	<=30	Pass
			CC1: 50@50 CC2: 50@0	19.55	19.47	22.52	-1.70	20.82	<=30	Pass
			CC1: 100@0 CC2: 100@0	18.63	18.57	21.61	-1.70	19.91	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1739.8	CC1: 1@0 CC2: 0@0	21.57	-26.02	21.57	-1.70	19.87	<=30	Pass
			CC1: 50@0 CC2: 50@50	17.92	18.21	21.07	-1.70	19.37	<=30	Pass
			CC1: 50@50 CC2: 50@0	18.44	18.55	21.51	-1.70	19.81	<=30	Pass
			CC1: 100@0 CC2: 100@0	18.44	18.63	21.55	-1.70	19.85	<=30	Pass
		CC1:1735.1 CC2:1754.9	CC1: 1@0 CC2: 0@0	21.72	-25.90	21.72	-1.70	20.02	<=30	Pass
			CC1: 50@0 CC2: 50@50	18.06	18.15	21.12	-1.70	19.42	<=30	Pass
			CC1: 50@50 CC2: 50@0	18.62	18.60	21.62	-1.70	19.92	<=30	Pass
			CC1: 100@0 CC2: 100@0	18.57	18.62	21.61	-1.70	19.91	<=30	Pass
		CC1:1750.2 CC2:1770	CC1: 1@0 CC2: 0@0	21.91	-26.83	21.91	-1.70	20.21	<=30	Pass
			CC1: 50@0 CC2: 50@50	18.22	18.06	21.15	-1.70	19.45	<=30	Pass
			CC1: 50@50 CC2: 50@0	18.60	18.52	21.57	-1.70	19.87	<=30	Pass
			CC1: 100@0 CC2: 100@0	18.63	18.52	21.59	-1.70	19.89	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1739.8	CC1: 1@0 CC2: 0@0	18.65	-26.09	18.65	-1.70	16.95	<=30	Pass
			CC1: 50@0 CC2: 50@50	15.91	16.22	19.08	-1.70	17.38	<=30	Pass
			CC1: 50@50 CC2: 50@0	16.43	16.52	19.48	-1.70	17.78	<=30	Pass
			CC1: 100@0 CC2: 100@0	16.40	16.59	19.51	-1.70	17.81	<=30	Pass
		CC1:1735.1 CC2:1754.9	CC1: 1@0 CC2: 0@0	18.66	-25.97	18.66	-1.70	16.96	<=30	Pass
			CC1: 50@0 CC2: 50@50	16.08	16.10	19.10	-1.70	17.40	<=30	Pass
			CC1: 50@50 CC2: 50@0	16.59	16.60	19.60	-1.70	17.90	<=30	Pass
			CC1: 100@0 CC2: 100@0	16.57	16.62	19.61	-1.70	17.91	<=30	Pass
		CC1:1750.2 CC2:1770	CC1: 1@0 CC2: 0@0	20.78	-26.83	20.78	-1.70	19.08	<=30	Pass
			CC1: 50@0 CC2: 50@50	16.12	16.01	19.08	-1.70	17.38	<=30	Pass
			CC1: 50@50 CC2: 50@0	16.51	16.41	19.47	-1.70	17.77	<=30	Pass
			CC1: 100@0 CC2: 100@0	16.59	16.46	19.53	-1.70	17.83	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain										

2. 99% & 26dB Bandwidth

2.1 CA_66C_NTNV_OBW

2.1.1 Test Result

Band: CA_66C / NTNV						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	99% Occupied Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:5 CC2:20	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	23.01	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	22.98	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	23.04	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	22.96	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	23.01	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	22.89	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	22.96	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	22.88	/	Pass
CC1:10 CC2:15	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	23.25	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	23.25	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	23.22	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	23.21	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	23.25	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	23.21	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	23.24	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	23.21	/	Pass
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	28.22	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	28.13	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	28.20	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	28.20	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	28.14	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	28.10	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	28.14	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	28.09	/	Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	23.23	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	23.25	/	Pass

	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	23.20	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	23.23	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	23.22	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	23.20	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	23.21	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	23.22	/	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	28.77	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	28.82	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	28.71	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	28.69	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	28.68	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	28.73	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	28.70	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	28.67	/	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	32.97	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	32.87	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	32.95	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	32.91	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	32.91	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	32.94	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	32.95	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	32.87	/	Pass
CC1:20 CC2:5	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	22.97	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	23.02	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	22.97	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	23.07	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	22.93	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	22.99	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	22.92	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	23.00	/	Pass
CC1:20	CC1:	CC1:1720	CC1: 100@0	28.15	/	Pass

CC2:10	QPSK	CC2:1734.4	CC2: 50@0			
	CC2: QPSK	CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	28.19	/	Pass
	CC1: 16QAM	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	28.18	/	Pass
	CC2: 16QAM	CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	28.21	/	Pass
	CC1: 64QAM	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	28.13	/	Pass
	CC2: 64QAM	CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	28.20	/	Pass
	CC1: 256QAM	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	28.10	/	Pass
	CC2: 256QAM	CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	28.19	/	Pass
CC1:20 CC2:15	CC1: QPSK	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	32.97	/	Pass
	CC2: QPSK	CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	32.99	/	Pass
	CC1: 16QAM	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	32.95	/	Pass
	CC2: 16QAM	CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	32.99	/	Pass
	CC1: 64QAM	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	32.94	/	Pass
	CC2: 64QAM	CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	32.92	/	Pass
	CC1: 256QAM	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	32.96	/	Pass
	CC2: 256QAM	CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	32.99	/	Pass
CC1:20 CC2:20	CC1: QPSK	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	37.84	/	Pass
	CC2: QPSK	CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	37.78	/	Pass
	CC1: 16QAM	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	37.74	/	Pass
	CC2: 16QAM	CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	37.78	/	Pass
	CC1: 64QAM	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	37.77	/	Pass
	CC2: 64QAM	CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	37.83	/	Pass
	CC1: 256QAM	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	37.76	/	Pass
	CC2: 256QAM	CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	37.81	/	Pass

2.1.2 Test Graph






Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.035 MHz
Maker:
1. 1710.179 MHz
13.02 dBm
2. 1733.214 MHz
10.65 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=22.960 MHz
Maker:
1. 1755.947 MHz
15.49 dBm
2. 1778.907 MHz
11.03 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.013 MHz
Maker:
1. 1710.154 MHz
13.61 dBm
2. 1733.167 MHz
9.76 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=22.894 MHz
Maker:
1. 1755.959 MHz
13.89 dBm
2. 1778.853 MHz
10.12 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=22.960 MHz
Maker:
1. 1710.162 MHz
13.29 dBm
2. 1733.122 MHz
7.87 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=22.882 MHz
Maker:
1. 1755.962 MHz
11.68 dBm
2. 1778.844 MHz
7.42 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.247 MHz
Maker:
1. 1710.518 MHz
15.28 dBm
2. 1733.765 MHz
11.81 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.249 MHz
Maker:
1. 1755.967 MHz
13.45 dBm
2. 1779.216 MHz
11.29 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.222 MHz
Maker:
1. 1710.521 MHz
13.26 dBm
2. 1733.743 MHz
11.92 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.214 MHz
Maker:
1. 1756.020 MHz
12.17 dBm
2. 1779.234 MHz
12.69 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.248 MHz
Maker:
1. 1710.538 MHz
12.65 dBm
2. 1733.786 MHz
11.87 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.215 MHz
Maker:
1. 1755.994 MHz
12.81 dBm
2. 1779.209 MHz
9.91 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.244 MHz
Maker:
1. 1710.559 MHz
10.22 dBm
2. 1733.803 MHz
9.10 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.207 MHz
Maker:
1. 1756.022 MHz
12.82 dBm
2. 1779.229 MHz
9.29 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.222 MHz
Maker:
1. 1710.325 MHz
13.65 dBm
2. 1738.547 MHz
12.70 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.127 MHz
Maker:
1. 1750.872 MHz
15.16 dBm
2. 1778.999 MHz
12.48 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.200 MHz
Maker:
1. 1710.341 MHz
14.26 dBm
2. 1738.541 MHz
11.82 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.196 MHz
Maker:
1. 1750.857 MHz
13.17 dBm
2. 1779.053 MHz
11.80 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.145 MHz
Maker:
1. 1710.329 MHz
13.51 dBm
2. 1738.474 MHz
11.01 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.103 MHz
Maker:
1. 1750.876 MHz
13.65 dBm
2. 1778.979 MHz
11.43 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.139 MHz
Maker:
1. 1710.341 MHz
11.11 dBm
2. 1738.480 MHz
9.64 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.093 MHz
Maker:
1. 1750.914 MHz
12.18 dBm
2. 1779.007 MHz
10.02 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.234 MHz
Maker:
1. 1710.853 MHz
11.84 dBm
2. 1734.087 MHz
12.83 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.255 MHz
Maker:
1. 1756.310 MHz
11.58 dBm
2. 1779.565 MHz
12.20 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.203 MHz
Maker:
1. 1710.879 MHz
11.44 dBm
2. 1734.082 MHz
11.73 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.229 MHz
Maker:
1. 1756.353 MHz
11.82 dBm
2. 1779.582 MHz
10.64 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.216 MHz
Maker:
1. 1710.872 MHz
11.40 dBm
2. 1734.088 MHz
11.25 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.199 MHz
Maker:
1. 1756.346 MHz
11.80 dBm
2. 1779.545 MHz
12.50 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.215 MHz
Maker:
1. 1710.867 MHz
9.61 dBm
2. 1734.082 MHz
9.82 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.220 MHz
Maker:
1. 1756.348 MHz
9.75 dBm
2. 1779.568 MHz
8.47 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1725 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.772 MHz
Maker:
1. 1710.688 MHz
12.89 dBm
2. 1739.460 MHz
12.15 dBm
Trace
Level (dBm)
Frequency (MHz)
1680.0
1770.0


Ant: Ant41
CENT: 1765 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.821 MHz
Maker:
1. 1750.603 MHz
13.68 dBm
2. 1779.424 MHz
14.29 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.0
1810.0


Ant: Ant41
CENT: 1725 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.714 MHz
Maker:
1. 1710.710 MHz
11.64 dBm
2. 1739.424 MHz
12.55 dBm
Trace
Level (dBm)
Frequency (MHz)
1680.0
1770.0


Ant: Ant41
CENT: 1765 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.691 MHz
Maker:
1. 1750.657 MHz
12.90 dBm
2. 1779.348 MHz
12.69 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.0
1810.0


Ant: Ant41
CENT: 1725 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.679 MHz
Maker:
1. 1710.752 MHz
14.21 dBm
2. 1739.431 MHz
11.54 dBm
Trace
Level (dBm)
Frequency (MHz)
1680.0
1770.0


Ant: Ant41
CENT: 1765 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.731 MHz
Maker:
1. 1750.651 MHz
13.04 dBm
2. 1779.382 MHz
12.38 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.0
1810.0


Ant: Ant41
CENT: 1725 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.696 MHz
Maker:
1. 1710.738 MHz
10.83 dBm
2. 1739.434 MHz
10.88 dBm
Trace
Level (dBm)
Frequency (MHz)
1680.0
1770.0


Ant: Ant41
CENT: 1765 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.672 MHz
Maker:
1. 1750.697 MHz
12.21 dBm
2. 1779.369 MHz
9.31 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.0
1810.0


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.967 MHz
Maker:
1. 1710.712 MHz
13.79 dBm
2. 1743.679 MHz
12.12 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.867 MHz
Maker:
1. 1746.087 MHz
13.73 dBm
2. 1778.954 MHz
12.82 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.947 MHz
Maker:
1. 1710.742 MHz
12.71 dBm
2. 1743.689 MHz
13.68 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.905 MHz
Maker:
1. 1746.076 MHz
12.73 dBm
2. 1778.981 MHz
11.17 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.910 MHz
Maker:
1. 1710.764 MHz
13.17 dBm
2. 1743.674 MHz
12.21 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.944 MHz
Maker:
1. 1746.070 MHz
14.50 dBm
2. 1779.014 MHz
12.02 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.947 MHz
Maker:
1. 1710.745 MHz
10.45 dBm
2. 1743.692 MHz
10.46 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.873 MHz
Maker:
1. 1746.095 MHz
11.57 dBm
2. 1778.968 MHz
8.54 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=22.973 MHz
Maker:
1. 1711.185 MHz
11.79 dBm
2. 1734.158 MHz
12.57 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.020 MHz
Maker:
1. 1756.897 MHz
10.82 dBm
2. 1779.917 MHz
13.64 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=22.968 MHz
Maker:
1. 1711.153 MHz
9.36 dBm
2. 1734.121 MHz
13.18 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.070 MHz
Maker:
1. 1756.900 MHz
9.83 dBm
2. 1779.970 MHz
13.10 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=22.933 MHz
Maker:
1. 1711.180 MHz
9.81 dBm
2. 1734.113 MHz
13.49 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=22.987 MHz
Maker:
1. 1756.969 MHz
11.38 dBm
2. 1779.956 MHz
12.53 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=22.921 MHz
Maker:
1. 1711.189 MHz
7.79 dBm
2. 1734.110 MHz
11.04 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=23.002 MHz
Maker:
1. 1756.915 MHz
9.54 dBm
2. 1779.917 MHz
11.96 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.151 MHz
Maker:
1. 1711.060 MHz
12.56 dBm
2. 1739.211 MHz
13.28 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.193 MHz
Maker:
1. 1751.579 MHz
14.26 dBm
2. 1779.772 MHz
12.94 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.180 MHz
Maker:
1. 1711.056 MHz
11.55 dBm
2. 1739.236 MHz
12.36 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.211 MHz
Maker:
1. 1751.582 MHz
12.20 dBm
2. 1779.793 MHz
12.02 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.132 MHz
Maker:
1. 1711.082 MHz
13.41 dBm
2. 1739.214 MHz
12.65 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.202 MHz
Maker:
1. 1751.560 MHz
11.34 dBm
2. 1779.762 MHz
11.66 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.096 MHz
Maker:
1. 1711.083 MHz
10.21 dBm
2. 1739.179 MHz
10.25 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=28.190 MHz
Maker:
1. 1751.612 MHz
10.09 dBm
2. 1779.802 MHz
11.34 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.970 MHz
Maker:
1. 1711.091 MHz
13.46 dBm
2. 1744.061 MHz
12.58 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.987 MHz
Maker:
1. 1746.352 MHz
13.06 dBm
2. 1779.339 MHz
13.63 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.951 MHz
Maker:
1. 1711.097 MHz
13.00 dBm
2. 1744.048 MHz
11.99 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.988 MHz
Maker:
1. 1746.381 MHz
13.99 dBm
2. 1779.369 MHz
11.75 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.941 MHz
Maker:
1. 1711.070 MHz
11.25 dBm
2. 1744.011 MHz
13.39 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.923 MHz
Maker:
1. 1746.421 MHz
13.18 dBm
2. 1779.344 MHz
11.54 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.959 MHz
Maker:
1. 1711.097 MHz
9.75 dBm
2. 1744.056 MHz
9.96 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=32.988 MHz
Maker:
1. 1746.390 MHz
10.59 dBm
2. 1779.378 MHz
10.34 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1729.9 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=37.835 MHz
Maker:
1. 1711.053 MHz
11.84 dBm
2. 1748.888 MHz
12.89 dBm
Trace
Level (dBm)
Frequency (MHz)
1669.9
1789.9


Ant: Ant41
CENT: 1760.1 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=37.785 MHz
Maker:
1. 1741.166 MHz
12.26 dBm
2. 1778.951 MHz
12.46 dBm
Trace
Level (dBm)
Frequency (MHz)
1700.1
1820.1


Ant: Ant41
CENT: 1729.9 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=37.739 MHz
Maker:
1. 1711.102 MHz
11.73 dBm
2. 1748.841 MHz
10.96 dBm
Trace
Level (dBm)
Frequency (MHz)
1669.9
1789.9


Ant: Ant41
CENT: 1760.1 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=37.776 MHz
Maker:
1. 1741.199 MHz
12.14 dBm
2. 1778.975 MHz
11.06 dBm
Trace
Level (dBm)
Frequency (MHz)
1700.1
1820.1


Ant: Ant41
CENT: 1729.9 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=37.773 MHz
Maker:
1. 1711.058 MHz
11.78 dBm
2. 1748.831 MHz
10.84 dBm
Trace
Level (dBm)
Frequency (MHz)
1669.9
1789.9


Ant: Ant41
CENT: 1760.1 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=37.831 MHz
Maker:
1. 1741.203 MHz
13.24 dBm
2. 1779.034 MHz
10.23 dBm
Trace
Level (dBm)
Frequency (MHz)
1700.1
1820.1


Ant: Ant41
CENT: 1729.9 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=37.762 MHz
Maker:
1. 1711.074 MHz
10.38 dBm
2. 1748.836 MHz
8.70 dBm
Trace
Level (dBm)
Frequency (MHz)
1669.9
1789.9


Ant: Ant41
CENT: 1760.1 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
99% OBW=37.811 MHz
Maker:
1. 1741.165 MHz
9.79 dBm
2. 1778.976 MHz
10.20 dBm
Trace
Level (dBm)
Frequency (MHz)
1700.1
1820.1

2.2 CA_66C_NTNV_XDB

2.2.1 Test Result

Band: CA_66C / NTNV						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	26dB Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:5 CC2:20	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	24.49	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	24.34	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	24.43	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	24.38	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	24.41	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	24.39	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1724.2	CC1: 25@0 CC2: 100@0	24.37	/	Pass
		CC1:1758.3 CC2:1770	CC1: 25@0 CC2: 100@0	24.33	/	Pass
CC1:10 CC2:15	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	24.83	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	24.93	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	24.84	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	24.69	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	24.90	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	24.84	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1727	CC1: 50@0 CC2: 75@0	24.82	/	Pass
		CC1:1760.5 CC2:1772.5	CC1: 50@0 CC2: 75@0	24.75	/	Pass
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	30.51	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	30.52	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	30.35	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	30.36	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	30.41	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	30.21	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1729.4	CC1: 50@0 CC2: 100@0	30.26	/	Pass
		CC1:1755.6 CC2:1770	CC1: 50@0 CC2: 100@0	30.27	/	Pass
CC1:15 CC2:10	CC1: QPSK	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	24.93	/	Pass

	CC2: QPSK	CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	25.06	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	24.79	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	24.73	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	24.87	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	24.85	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1729.5	CC1: 75@0 CC2: 50@0	24.83	/	Pass
		CC1:1763 CC2:1775	CC1: 75@0 CC2: 50@0	24.87	/	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	31.34	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	31.17	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	30.98	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	31.12	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	31.08	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	31.11	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1732.5	CC1: 75@0 CC2: 75@0	31.04	/	Pass
		CC1:1757.5 CC2:1772.5	CC1: 75@0 CC2: 75@0	31.25	/	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	35.63	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	35.48	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	35.53	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	35.40	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	35.45	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	35.48	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1734.6	CC1: 75@0 CC2: 100@0	35.37	/	Pass
		CC1:1752.9 CC2:1770	CC1: 75@0 CC2: 100@0	35.44	/	Pass
CC1:20 CC2:5	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	24.42	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	24.48	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	24.32	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	24.42	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	24.32	/	Pass
		CC1:1765.8 CC2:1777.5	CC1: 100@0 CC2: 25@0	24.40	/	Pass
	CC1: 256QAM CC2:	CC1:1720 CC2:1731.7	CC1: 100@0 CC2: 25@0	24.36	/	Pass
		CC1:1765.8	CC1: 100@0	24.29	/	Pass

	256QAM	CC2:1777.5	CC2: 25@0			
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	30.41	/	Pass
		CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	30.52	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	30.36	/	Pass
		CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	30.79	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	30.36	/	Pass
		CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	30.35	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1734.4	CC1: 100@0 CC2: 50@0	30.45	/	Pass
		CC1:1760.6 CC2:1775	CC1: 100@0 CC2: 50@0	30.45	/	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	35.18	/	Pass
		CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	35.57	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	35.50	/	Pass
		CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	35.44	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	35.45	/	Pass
		CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	35.59	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1737.1	CC1: 100@0 CC2: 75@0	35.48	/	Pass
		CC1:1755.4 CC2:1772.5	CC1: 100@0 CC2: 75@0	35.31	/	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	40.72	/	Pass
		CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	40.58	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	40.38	/	Pass
		CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	40.70	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	40.49	/	Pass
		CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	40.43	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1720 CC2:1739.8	CC1: 100@0 CC2: 100@0	40.55	/	Pass
		CC1:1750.2 CC2:1770	CC1: 100@0 CC2: 100@0	40.45	/	Pass

2.2.2 Test Graph






Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.429MHz
Maker:
1. 1709.588 MHz
-7.45 dBm
2. 1711.000 MHz
18.55 dBm
3. 1734.017 MHz
-7.45 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.377MHz
Maker:
1. 1755.351 MHz
-7.36 dBm
2. 1759.125 MHz
18.64 dBm
3. 1779.728 MHz
-7.36 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.413MHz
Maker:
1. 1709.595 MHz
-7.80 dBm
2. 1713.250 MHz
18.20 dBm
3. 1734.008 MHz
-7.80 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.393MHz
Maker:
1. 1755.397 MHz
-7.79 dBm
2. 1759.725 MHz
18.21 dBm
3. 1779.790 MHz
-7.79 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.370MHz
Maker:
1. 1709.602 MHz
-9.38 dBm
2. 1714.075 MHz
16.62 dBm
3. 1733.972 MHz
-9.38 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.328MHz
Maker:
1. 1755.411 MHz
-9.30 dBm
2. 1757.175 MHz
16.70 dBm
3. 1779.739 MHz
-9.30 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.831MHz
Maker:
1. 1709.747 MHz
-9.32 dBm
2. 1725.475 MHz
16.68 dBm
3. 1734.578 MHz
-9.32 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.926MHz
Maker:
1. 1755.239 MHz
-9.05 dBm
2. 1762.050 MHz
16.95 dBm
3. 1780.165 MHz
-9.05 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.835MHz
Maker:
1. 1709.783 MHz
-8.83 dBm
2. 1714.975 MHz
17.17 dBm
3. 1734.618 MHz
-8.83 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.693MHz
Maker:
1. 1755.343 MHz
-9.00 dBm
2. 1757.850 MHz
17.00 dBm
3. 1780.036 MHz
-9.00 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.903MHz
Maker:
1. 1709.717 MHz
-9.84 dBm
2. 1718.950 MHz
16.16 dBm
3. 1734.620 MHz
-9.84 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.845MHz
Maker:
1. 1755.198 MHz
-9.32 dBm
2. 1763.100 MHz
16.68 dBm
3. 1780.043 MHz
-9.32 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.824MHz
Maker:
1. 1709.728 MHz
-11.49 dBm
2. 1717.300 MHz
14.51 dBm
3. 1734.552 MHz
-11.49 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.751MHz
Maker:
1. 1755.349 MHz
-11.11 dBm
2. 1758.450 MHz
14.89 dBm
3. 1780.100 MHz
-11.11 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.510MHz
Maker:
1. 1709.259 MHz
-7.05 dBm
2. 1718.760 MHz
18.95 dBm
3. 1739.769 MHz
-7.05 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.515MHz
Maker:
1. 1749.834 MHz
-7.32 dBm
2. 1752.250 MHz
18.68 dBm
3. 1780.349 MHz
-7.32 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.352MHz
Maker:
1. 1709.345 MHz
-7.59 dBm
2. 1715.880 MHz
18.41 dBm
3. 1739.697 MHz
-7.59 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.356MHz
Maker:
1. 1749.867 MHz
-7.45 dBm
2. 1757.650 MHz
18.55 dBm
3. 1780.223 MHz
-7.45 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.413MHz
Maker:
1. 1709.347 MHz
-7.20 dBm
2. 1713.090 MHz
18.80 dBm
3. 1739.760 MHz
-7.20 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.214MHz
Maker:
1. 1749.919 MHz
-6.77 dBm
2. 1758.910 MHz
19.23 dBm
3. 1780.133 MHz
-6.77 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.263MHz
Maker:
1. 1709.347 MHz
-8.64 dBm
2. 1712.910 MHz
17.36 dBm
3. 1739.610 MHz
-8.64 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.265MHz
Maker:
1. 1749.933 MHz
-8.46 dBm
2. 1756.660 MHz
17.54 dBm
3. 1780.198 MHz
-8.46 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.931MHz
Maker:
1. 1709.945 MHz
-9.19 dBm
2. 1732.300 MHz
16.81 dBm
3. 1734.876 MHz
-9.19 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:25.060MHz
Maker:
1. 1755.284 MHz
-9.45 dBm
2. 1771.575 MHz
16.55 dBm
3. 1780.344 MHz
-9.45 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.790MHz
Maker:
1. 1710.038 MHz
-9.50 dBm
2. 1730.875 MHz
16.50 dBm
3. 1734.828 MHz
-9.50 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.729MHz
Maker:
1. 1755.510 MHz
-8.72 dBm
2. 1773.225 MHz
17.28 dBm
3. 1780.239 MHz
-8.72 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.867MHz
Maker:
1. 1710.004 MHz
-9.34 dBm
2. 1727.575 MHz
16.66 dBm
3. 1734.871 MHz
-9.34 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.851MHz
Maker:
1. 1755.525 MHz
-9.39 dBm
2. 1771.950 MHz
16.61 dBm
3. 1780.376 MHz
-9.39 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1722.25 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.832MHz
Maker:
1. 1709.922 MHz
-11.10 dBm
2. 1727.425 MHz
14.90 dBm
3. 1734.754 MHz
-11.10 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.75
1759.75


Ant: Ant41
CENT: 1767.75 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.867MHz
Maker:
1. 1755.468 MHz
-11.53 dBm
2. 1772.925 MHz
14.47 dBm
3. 1780.335 MHz
-11.53 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.25
1805.25


Ant: Ant41
CENT: 1725 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:31.335MHz
Maker:
1. 1709.439 MHz
-8.38 dBm
2. 1723.380 MHz
17.62 dBm
3. 1740.774 MHz
-8.38 dBm
Trace
Level (dBm)
Frequency (MHz)
1680.0
1770.0


Ant: Ant41
CENT: 1765 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:31.168MHz
Maker:
1. 1749.433 MHz
-7.78 dBm
2. 1751.320 MHz
18.22 dBm
3. 1780.601 MHz
-7.78 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.0
1810.0


Ant: Ant41
CENT: 1725 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.982MHz
Maker:
1. 1709.552 MHz
-8.62 dBm
2. 1722.390 MHz
17.38 dBm
3. 1740.534 MHz
-8.62 dBm
Trace
Level (dBm)
Frequency (MHz)
1680.0
1770.0


Ant: Ant41
CENT: 1765 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:31.122MHz
Maker:
1. 1749.429 MHz
-7.74 dBm
2. 1767.790 MHz
18.26 dBm
3. 1780.551 MHz
-7.74 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.0
1810.0


Ant: Ant41
CENT: 1725 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:31.079MHz
Maker:
1. 1709.612 MHz
-8.29 dBm
2. 1718.070 MHz
17.71 dBm
3. 1740.691 MHz
-8.29 dBm
Trace
Level (dBm)
Frequency (MHz)
1680.0
1770.0


Ant: Ant41
CENT: 1765 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:31.108MHz
Maker:
1. 1749.461 MHz
-8.03 dBm
2. 1770.220 MHz
17.97 dBm
3. 1780.569 MHz
-8.03 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.0
1810.0


Ant: Ant41
CENT: 1725 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:31.043MHz
Maker:
1. 1709.548 MHz
-9.97 dBm
2. 1738.140 MHz
16.03 dBm
3. 1740.591 MHz
-9.97 dBm
Trace
Level (dBm)
Frequency (MHz)
1680.0
1770.0


Ant: Ant41
CENT: 1765 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:31.245MHz
Maker:
1. 1749.306 MHz
-10.14 dBm
2. 1770.310 MHz
15.86 dBm
3. 1780.551 MHz
-10.14 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.0
1810.0


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.630MHz
Maker:
1. 1709.404 MHz
-8.31 dBm
2. 1719.425 MHz
17.69 dBm
3. 1745.034 MHz
-8.31 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.485MHz
Maker:
1. 1744.872 MHz
-7.94 dBm
2. 1749.260 MHz
18.06 dBm
3. 1780.357 MHz
-7.94 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.528MHz
Maker:
1. 1709.574 MHz
-8.67 dBm
2. 1721.000 MHz
17.33 dBm
3. 1745.102 MHz
-8.67 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.402MHz
Maker:
1. 1744.875 MHz
-8.19 dBm
2. 1754.090 MHz
17.81 dBm
3. 1780.277 MHz
-8.19 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.454MHz
Maker:
1. 1709.474 MHz
-8.65 dBm
2. 1719.425 MHz
17.35 dBm
3. 1744.928 MHz
-8.65 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.483MHz
Maker:
1. 1744.897 MHz
-8.17 dBm
2. 1752.095 MHz
17.83 dBm
3. 1780.380 MHz
-8.17 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.367MHz
Maker:
1. 1709.546 MHz
-10.66 dBm
2. 1714.280 MHz
15.34 dBm
3. 1744.913 MHz
-10.66 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.444MHz
Maker:
1. 1744.872 MHz
-10.16 dBm
2. 1752.410 MHz
15.84 dBm
3. 1780.316 MHz
-10.16 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.423MHz
Maker:
1. 1710.302 MHz
-7.36 dBm
2. 1732.975 MHz
18.64 dBm
3. 1734.725 MHz
-7.36 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.484MHz
Maker:
1. 1756.018 MHz
-7.58 dBm
2. 1775.775 MHz
18.42 dBm
3. 1780.502 MHz
-7.58 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.324MHz
Maker
1. 1710.372 MHz
-7.31 dBm
2. 1731.175 MHz
18.69 dBm
3. 1734.696 MHz
-7.31 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.421MHz
Maker
1. 1756.079 MHz
-7.80 dBm
2. 1775.700 MHz
18.20 dBm
3. 1780.500 MHz
-7.80 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.319MHz
Maker:
1. 1710.370 MHz
-7.24 dBm
2. 1730.575 MHz
18.76 dBm
3. 1734.689 MHz
-7.24 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.396MHz
Maker:
1. 1756.124 MHz
-6.98 dBm
2. 1776.375 MHz
19.02 dBm
3. 1780.520 MHz
-6.98 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1722.1 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.360MHz
Maker:
1. 1710.321 MHz
-8.53 dBm
2. 1732.900 MHz
17.47 dBm
3. 1734.681 MHz
-8.53 dBm
Trace
Level (dBm)
Frequency (MHz)
1684.6
1759.6


Ant: Ant41
CENT: 1767.9 MHz
Span: 75 MHz
RBW: 500 kHz
VBW: 2 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:24.293MHz
Maker:
1. 1756.208 MHz
-9.67 dBm
2. 1775.775 MHz
16.33 dBm
3. 1780.501 MHz
-9.67 dBm
Trace
Level (dBm)
Frequency (MHz)
1730.4
1805.4


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.413MHz
Maker:
1. 1709.802 MHz
-6.95 dBm
2. 1736.850 MHz
19.05 dBm
3. 1740.215 MHz
-6.95 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.524MHz
Maker:
1. 1750.313 MHz
-6.35 dBm
2. 1771.240 MHz
19.65 dBm
3. 1780.837 MHz
-6.35 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.356MHz
Maker:
1. 1709.854 MHz
-7.47 dBm
2. 1738.110 MHz
18.53 dBm
3. 1740.210 MHz
-7.47 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.787MHz
Maker:
1. 1750.392 MHz
-7.73 dBm
2. 1773.130 MHz
18.27 dBm
3. 1781.179 MHz
-7.73 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.364MHz
Maker:
1. 1709.872 MHz
-6.85 dBm
2. 1732.170 MHz
19.15 dBm
3. 1740.236 MHz
-6.85 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.347MHz
Maker:
1. 1750.419 MHz
-6.83 dBm
2. 1771.420 MHz
19.17 dBm
3. 1780.766 MHz
-6.83 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1724.7 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.449MHz
Maker:
1. 1709.738 MHz
-9.13 dBm
2. 1733.250 MHz
16.87 dBm
3. 1740.187 MHz
-9.13 dBm
Trace
Level (dBm)
Frequency (MHz)
1679.7
1769.7


Ant: Ant41
CENT: 1765.3 MHz
Span: 90 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:30.446MHz
Maker:
1. 1750.337 MHz
-9.05 dBm
2. 1772.410 MHz
16.95 dBm
3. 1780.783 MHz
-9.05 dBm
Trace
Level (dBm)
Frequency (MHz)
1720.3
1810.3


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.176MHz
Maker:
1. 1709.950 MHz
-6.52 dBm
2. 1743.260 MHz
19.48 dBm
3. 1745.126 MHz
-6.52 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.574MHz
Maker:
1. 1745.024 MHz
-7.89 dBm
2. 1766.375 MHz
18.11 dBm
3. 1780.598 MHz
-7.89 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.503MHz
Maker:
1. 1709.836 MHz
-8.51 dBm
2. 1734.860 MHz
17.49 dBm
3. 1745.339 MHz
-8.51 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.440MHz
Maker:
1. 1745.029 MHz
-7.78 dBm
2. 1770.470 MHz
18.22 dBm
3. 1780.469 MHz
-7.78 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.450MHz
Maker:
1. 1709.778 MHz
-8.70 dBm
2. 1740.320 MHz
17.30 dBm
3. 1745.228 MHz
-8.70 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.593MHz
Maker:
1. 1745.036 MHz
-8.15 dBm
2. 1766.795 MHz
17.85 dBm
3. 1780.629 MHz
-8.15 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1727.3 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.481MHz
Maker:
1. 1709.741 MHz
-10.33 dBm
2. 1732.550 MHz
15.67 dBm
3. 1745.222 MHz
-10.33 dBm
Trace
Level (dBm)
Frequency (MHz)
1674.8
1779.8


Ant: Ant41
CENT: 1762.7 MHz
Span: 105 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:35.309MHz
Maker:
1. 1745.177 MHz
-9.82 dBm
2. 1769.210 MHz
16.18 dBm
3. 1780.486 MHz
-9.82 dBm
Trace
Level (dBm)
Frequency (MHz)
1710.2
1815.2


Ant: Ant41
CENT: 1729.9 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:40.722MHz
Maker:
1. 1709.584 MHz
-9.12 dBm
2. 1726.300 MHz
16.88 dBm
3. 1750.306 MHz
-9.12 dBm
Trace
Level (dBm)
Frequency (MHz)
1669.9
1789.9


Ant: Ant41
CENT: 1760.1 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:40.581MHz
Maker:
1. 1739.854 MHz
-8.75 dBm
2. 1749.180 MHz
17.25 dBm
3. 1780.435 MHz
-8.75 dBm
Trace
Level (dBm)
Frequency (MHz)
1700.1
1820.1


Ant: Ant41
CENT: 1729.9 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:40.375MHz
Maker:
1. 1709.865 MHz
-8.19 dBm
2. 1738.300 MHz
17.81 dBm
3. 1750.240 MHz
-8.19 dBm
Trace
Level (dBm)
Frequency (MHz)
1669.9
1789.9


Ant: Ant41
CENT: 1760.1 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:40.698MHz
Maker:
1. 1739.865 MHz
-9.58 dBm
2. 1764.300 MHz
16.42 dBm
3. 1780.563 MHz
-9.58 dBm
Trace
Level (dBm)
Frequency (MHz)
1700.1
1820.1


Ant: Ant41
CENT: 1729.9 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:40.489MHz
Maker:
1. 1709.679 MHz
-9.41 dBm
2. 1717.780 MHz
16.59 dBm
3. 1750.168 MHz
-9.41 dBm
Trace
Level (dBm)
Frequency (MHz)
1669.9
1789.9


Ant: Ant41
CENT: 1760.1 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:40.428MHz
Maker:
1. 1739.914 MHz
-9.19 dBm
2. 1746.180 MHz
16.81 dBm
3. 1780.342 MHz
-9.19 dBm
Trace
Level (dBm)
Frequency (MHz)
1700.1
1820.1


Ant: Ant41
CENT: 1729.9 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:40.549MHz
Maker:
1. 1709.712 MHz
-11.55 dBm
2. 1737.580 MHz
14.45 dBm
3. 1750.261 MHz
-11.55 dBm
Trace
Level (dBm)
Frequency (MHz)
1669.9
1789.9


Ant: Ant41
CENT: 1760.1 MHz
Span: 120 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: Peak
TraceType: MAX Hold
SweepPoint: 1001
SweepTime: 1.01 ms
Sweep: Continue
-26dB BW:40.451MHz
Maker:
1. 1739.870 MHz
-11.29 dBm
2. 1743.900 MHz
14.71 dBm
3. 1780.321 MHz
-11.29 dBm
Trace
Level (dBm)
Frequency (MHz)
1700.1
1820.1

3. Spurious Emission & Band Edges

3.1 CA_66C_NTNV

3.1.1 Test Result

Band: CA_66C / NTNV								
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
				CC1	CC2	Sum	Limit	
CC1:5 CC2:20	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1724.2	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 25@0 CC2: 100@0	Refer To Test Graph				Pass
		CC1:1758.3 CC2:1770	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@24 CC2: 1@99	Refer To Test Graph				Pass
			CC1: 25@0 CC2: 100@0	Refer To Test Graph				Pass
CC1:10 CC2:15	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1727	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 75@0	Refer To Test Graph				Pass
		CC1:1760.5 CC2:1772.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@49 CC2: 1@74	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 75@0	Refer To Test Graph				Pass
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1729.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass
		CC1:1755.6 CC2:1770	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@49 CC2: 1@99	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1729.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph				Pass
		CC1:1763 CC2:1775	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@74 CC2: 1@49	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph				Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1732.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph				Pass
		CC1:1757.5 CC2:1772.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@74 CC2: 1@74	Refer To Test Graph				Pass

			CC1: 75@0 CC2: 75@0	Refer To Test Graph	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1734.6	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:1752.9 CC2:1770	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
CC1:20 CC2:5	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1731.7	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 25@0	Refer To Test Graph	Pass
		CC1:1765.8 CC2:1777.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@24	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 25@0	Refer To Test Graph	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1734.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:1760.6 CC2:1775	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1737.1	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:1755.4 CC2:1772.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:1720 CC2:1739.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:1750.2 CC2:1770	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass

3.1.2 Test Graph



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1705.510	-23.14	-13	Pass
1709	1710	0.05	/	2	1710.000	-29.87	-13	Pass
1710	1715	0.05	/	/	/	/	/	/







Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1707.320	-28.94	-13	Pass
1709	1710	0.05	/	2	1710.000	-27.83	-13	Pass
1710	1715	0.05	/	/	/	/	/	/


Ant: Ant41
Start: 30 MHz
Stop: 10 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 19941
SweepTime: 30 ms
Sweep: Single
Maker:
1 1698.000 MHz
-24.71 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
30.0
10000.0


Ant: Ant41
Start: 10 GHz
Stop: 17.8 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 15601
SweepTime: 23.4 ms
Sweep: Single
Maker:
1 14923.500 MHz
-41.48 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
10000.0
17800.0


Ant: Ant41
Start: 30 MHz
Stop: 10 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 19941
SweepTime: 30 ms
Sweep: Single
Maker:
1 1745.500 MHz
-27.02 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
30.0
10000.0


Ant: Ant41
Start: 10 GHz
Stop: 17.8 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 15601
SweepTime: 23.4 ms
Sweep: Single
Maker:
1 15019.500 MHz
-41.36 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
10000.0
17800.0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.2	/	/	/	/	/	/
1780	1781	0.2	/	1	1780.200	-41.52	-13	Pass
1781	1800	1	CHP	2	1797.280	-29.01	-13	Pass



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.2	/	/	/	/	/	/
1780	1781	0.2	/	1	1780.000	-32.46	-13	Pass
1781	1800	1	CHP	2	1781.040	-28.59	-13	Pass


Ant: Ant41
Start: 30 MHz
Stop: 10 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 19941
SweepTime: 30 ms
Sweep: Single
Maker:
1 1745.500 MHz
-18.64 dBm
2 6986.000 MHz
-35.12 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
30.0
10000.0


Ant: Ant41
Start: 10 GHz
Stop: 17.8 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 15601
SweepTime: 23.4 ms
Sweep: Single
Maker:
1 15039.000 MHz
-41.43 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
10000.0
17800.0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1700.780	-25.13	-13	Pass
1709	1710	0.1	/	2	1710.000	-40.91	-13	Pass
1710	1720	0.1	/	/	/	/	/	/







Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1707.180	-28.31	-13	Pass
1709	1710	0.1	/	2	1710.000	-34.16	-13	Pass
1710	1720	0.1	/	/	/	/	/	/


Ant: Ant41
Start: 30 MHz
Stop: 10 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 19941
SweepTime: 30 ms
Sweep: Single
Maker:
1 1689.500 MHz
-29.89 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
30.0
10000.0


Ant: Ant41
Start: 10 GHz
Stop: 17.8 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 15601
SweepTime: 23.4 ms
Sweep: Single
Maker:
1 15383.000 MHz
-41.57 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
10000.0
17800.0


Ant: Ant41
Start: 30 MHz
Stop: 10 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 19941
SweepTime: 30 ms
Sweep: Single
Maker:
1 1727.000 MHz
-28.37 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
30.0
10000.0


Ant: Ant41
Start: 10 GHz
Stop: 17.8 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 15601
SweepTime: 23.4 ms
Sweep: Single
Maker:
1 14935.500 MHz
-41.09 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
10000.0
17800.0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.2	/	/	/	/	/	/
1780	1781	0.2	/	1	1780.000	-28.14	-13	Pass
1781	1795	1	CHP	2	1793.350	-23.06	-13	Pass



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.2	/	/	/	/	/	/
1780	1781	0.2	/	1	1780.180	-29.86	-13	Pass
1781	1795	1	CHP	2	1781.020	-26.16	-13	Pass


Ant: Ant41
Start: 30 MHz
Stop: 10 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 19941
SweepTime: 30 ms
Sweep: Single
Maker:
1 1734.500 MHz
-28.57 dBm
Level (dBm)
Frequency (MHz)
30.0
10000.0
Trace
Limit


Ant: Ant41
Start: 10 GHz
Stop: 17.8 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 15601
SweepTime: 23.4 ms
Sweep: Single
Maker:
1 14952.000 MHz
-41.47 dBm
Level (dBm)
Frequency (MHz)
10000.0
17800.0
Trace
Limit



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1700.620	-26.03	-13	Pass
1709	1710	0.1	/	2	1710.000	-42.56	-13	Pass
1710	1720	0.1	/	/	/	/	/	/







Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.480	-28.97	-13	Pass
1709	1710	0.1	/	2	1710.000	-35.42	-13	Pass
1710	1720	0.1	/	/	/	/	/	/


Ant: Ant41
Start: 30 MHz
Stop: 10 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 19941
SweepTime: 30 ms
Sweep: Single
Maker:
1 1689.500 MHz
-29.11 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
30.0
10000.0


Ant: Ant41
Start: 10 GHz
Stop: 17.8 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 15601
SweepTime: 23.4 ms
Sweep: Single
Maker:
1 16472.500 MHz
-41.11 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
10000.0
17800.0


Ant: Ant41
Start: 30 MHz
Stop: 10 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 19941
SweepTime: 30 ms
Sweep: Single
Maker:
1 1721.500 MHz
-29.41 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
30.0
10000.0


Ant: Ant41
Start: 10 GHz
Stop: 17.8 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 15601
SweepTime: 23.4 ms
Sweep: Single
Maker:
1 14964.500 MHz
-41.19 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
10000.0
17800.0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.2	/	/	/	/	/	/
1780	1781	0.2	/	1	1780.080	-34.14	-13	Pass
1781	1800	1	CHP	2	1797.680	-29.37	-13	Pass



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.2	/	/	/	/	/	/
1780	1781	0.2	/	1	1780.960	-32.34	-13	Pass
1781	1800	1	CHP	2	1781.040	-27.10	-13	Pass


Ant: Ant41
Start: 30 MHz
Stop: 10 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 19941
SweepTime: 30 ms
Sweep: Single
Maker:
1. 1730.500 MHz
-24.73 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
30.0
10000.0


Ant: Ant41
Start: 10 GHz
Stop: 17.8 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 15601
SweepTime: 23.4 ms
Sweep: Single
Maker:
1. 14885.000 MHz
-41.47 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
10000.0
17800.0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1696.470	-25.53	-13	Pass
1709	1710	0.2	/	2	1709.970	-35.00	-13	Pass
1710	1725	0.2	/	/	/	/	/	/







Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.470	-28.17	-13	Pass
1709	1710	0.2	/	2	1710.000	-32.48	-13	Pass
1710	1725	0.2	/	/	/	/	/	/


Ant: Ant41
Start: 30 MHz
Stop: 10 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 19941
SweepTime: 30 ms
Sweep: Single
Maker:
1 1755.000 MHz
-28.92 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
30.0
10000.0


Ant: Ant41
Start: 10 GHz
Stop: 17.8 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 15601
SweepTime: 23.4 ms
Sweep: Single
Maker:
1 14947.500 MHz
-40.99 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
10000.0
17800.0


Ant: Ant41
Start: 30 MHz
Stop: 10 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 19941
SweepTime: 30 ms
Sweep: Single
Maker:
1 1714.000 MHz
-30.33 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
30.0
10000.0


Ant: Ant41
Start: 10 GHz
Stop: 17.8 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 15601
SweepTime: 23.4 ms
Sweep: Single
Maker:
1 15302.500 MHz
-41.25 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
10000.0
17800.0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.1	/	/	/	/	/	/
1780	1781	0.1	/	1	1780.040	-39.58	-13	Pass
1781	1790	1	CHP	2	1789.040	-18.64	-13	Pass



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.1	/	/	/	/	/	/
1780	1781	0.1	/	1	1780.020	-32.21	-13	Pass
1781	1790	1	CHP	2	1781.020	-24.68	-13	Pass


Ant: Ant41
Start: 30 MHz
Stop: 10 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 19941
SweepTime: 30 ms
Sweep: Single
Maker:
1 1725.000 MHz
-32.51 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
30.0
10000.0


Ant: Ant41
Start: 10 GHz
Stop: 17.8 GHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 15601
SweepTime: 23.4 ms
Sweep: Single
Maker:
1 14960.500 MHz
-41.59 dBm
Trace
Limit
Level (dBm)
Frequency (MHz)
10000.0
17800.0