

Appendix for NR Band n2

Content

1	APPENDIX A: EFFECTIVE RADIATED RESULT OUTPUT DATA	3
1.1	Test Result	3
2	APPENDIX B: PEAK-TO-AVERAGE RATIO	8
2.1	Test Result	8
2.2	Test Plots	9
3	APPENDIX C: 26DB BANDWIDTH AND OCCUPIED BANDWIDTH	18
3.1	Test Result	18
3.2	Test Plots	19
4	APPENDIX D: BAND EDGE	60
4.1	Test Result	60
4.2	Test Plots	60
5	APPENDIX E: CONDUCTED SPURIOUS EMISSION	77
5.1	Test Result	77
5.2	Test Plots	78
6	APPENDIX F: RADIATED SPURIOUS EMISSIONS	133
6.1	Test Result	133
7	APPENDIX G: FREQUENCY STABILITY	136
7.1	Test Result	136

1 Appendix A: Effective Radiated Result Output Data**1.1 Test Result**

Ant13

Band	SCS	Channel bandwidth	Modulation	Channel	RB Configure	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
N2	15KHz	5MHz	DFT-s-OFDM PI/2 BPSK	370500	1RB#1	23.82	22.42	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM 16QAM	370500	1RB#1	22.93	21.53	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM QPSK	370500	1RB#1	23.85	22.45	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM PI/2 BPSK	370500	1RB#23	23.74	22.34	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM 16QAM	370500	1RB#23	22.85	21.45	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM QPSK	370500	1RB#23	23.75	22.35	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM PI/2 BPSK	370500	12RB#6	23.67	22.27	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM 16QAM	370500	12RB#6	22.65	21.25	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM QPSK	370500	12RB#6	23.69	22.29	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM PI/2 BPSK	376000	1RB#1	23.86	22.46	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM 16QAM	376000	1RB#1	21.55	20.15	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM QPSK	376000	1RB#1	22.26	20.86	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM PI/2 BPSK	376000	1RB#23	23.68	22.28	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM 16QAM	376000	1RB#23	21.49	20.09	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM QPSK	376000	1RB#23	22.29	20.89	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM PI/2 BPSK	376000	12RB#6	23.55	22.15	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM 16QAM	376000	12RB#6	21.6	20.2	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM QPSK	376000	12RB#6	22.19	20.79	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM PI/2 BPSK	381500	1RB#1	23.31	21.91	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM 16QAM	381500	1RB#1	22.42	21.02	33	PASS

N2	15KHz	5MHz	DFT-s-OFDM QPSK	381500	1RB#1	23.29	21.89	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM PI/2 BPSK	381500	1RB#23	23.22	21.82	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM 16QAM	381500	1RB#23	22.27	20.87	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM QPSK	381500	1RB#23	23.21	21.81	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM PI/2 BPSK	381500	12RB#6	23.16	21.76	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM 16QAM	381500	12RB#6	22.12	20.72	33	PASS
N2	15KHz	5MHz	DFT-s-OFDM QPSK	381500	12RB#6	23.2	21.8	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM PI/2 BPSK	371000	1RB#1	23.9	22.5	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM 16QAM	371000	1RB#1	23.0	21.6	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM QPSK	371000	1RB#1	23.72	22.32	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM PI/2 BPSK	371000	1RB#50	23.72	22.32	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM 16QAM	371000	1RB#50	22.91	21.51	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM QPSK	371000	1RB#50	23.64	22.24	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM PI/2 BPSK	371000	25RB#12	23.69	22.29	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM 16QAM	371000	25RB#12	22.69	21.29	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM QPSK	371000	25RB#12	23.67	22.27	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM PI/2 BPSK	376000	1RB#1	23.96	22.56	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM 16QAM	376000	1RB#1	21.65	20.25	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM QPSK	376000	1RB#1	22.26	20.86	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM PI/2 BPSK	376000	1RB#50	23.64	22.24	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM 16QAM	376000	1RB#50	21.51	20.11	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM QPSK	376000	1RB#50	22.15	20.75	33	PASS

N2	15KHz	10MHz	DFT-s-OFDM PI/2 BPSK	376000	25RB#12	23.56	22.16	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM 16QAM	376000	25RB#12	21.63	20.23	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM QPSK	376000	25RB#12	22.14	20.74	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM PI/2 BPSK	381000	1RB#1	23.36	21.96	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM 16QAM	381000	1RB#1	22.48	21.08	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM QPSK	381000	1RB#1	23.38	21.98	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM PI/2 BPSK	381000	1RB#50	23.24	21.84	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM 16QAM	381000	1RB#50	22.37	20.97	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM QPSK	381000	1RB#50	23.28	21.88	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM PI/2 BPSK	381000	25RB#12	23.25	21.85	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM 16QAM	381000	25RB#12	22.3	20.9	33	PASS
N2	15KHz	10MHz	DFT-s-OFDM QPSK	381000	25RB#12	23.24	21.84	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM PI/2 BPSK	371500	1RB#1	23.91	22.51	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM 16QAM	371500	1RB#1	22.95	21.55	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM QPSK	371500	1RB#1	23.86	22.46	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM PI/2 BPSK	371500	1RB#77	23.69	22.29	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM 16QAM	371500	1RB#77	22.82	21.42	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM QPSK	371500	1RB#77	23.7	22.3	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM PI/2 BPSK	371500	36RB#18	23.77	22.37	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM 16QAM	371500	36RB#18	22.88	21.48	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM QPSK	371500	36RB#18	23.78	22.38	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM PI/2 BPSK	376000	1RB#1	23.81	22.41	33	PASS

N2	15KHz	15MHz	DFT-s-OFDM 16QAM	376000	1RB#1	21.58	20.18	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM QPSK	376000	1RB#1	22.36	20.96	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM PI/2 BPSK	376000	1RB#77	23.53	22.13	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM 16QAM	376000	1RB#77	21.31	19.91	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM QPSK	376000	1RB#77	22.03	20.63	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM PI/2 BPSK	376000	36RB#18	23.63	22.23	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM 16QAM	376000	36RB#18	21.6	20.2	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM QPSK	376000	36RB#18	22.23	20.83	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM PI/2 BPSK	380500	1RB#1	23.35	21.95	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM 16QAM	380500	1RB#1	22.46	21.06	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM QPSK	380500	1RB#1	23.36	21.96	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM PI/2 BPSK	380500	1RB#77	23.22	21.82	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM 16QAM	380500	1RB#77	22.33	20.93	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM QPSK	380500	1RB#77	23.23	21.83	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM PI/2 BPSK	380500	36RB#18	23.29	21.89	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM 16QAM	380500	36RB#18	22.43	21.03	33	PASS
N2	15KHz	15MHz	DFT-s-OFDM QPSK	380500	36RB#18	23.32	21.92	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM PI/2 BPSK	372000	1RB#1	22.96	21.56	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM 16QAM	372000	1RB#1	22.02	20.62	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM QPSK	372000	1RB#1	22.98	21.58	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM PI/2 BPSK	372000	1RB#104	22.71	21.31	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM 16QAM	372000	1RB#104	21.77	20.37	33	PASS


N2	15KHz	20MHz	DFT-s-OFDM QPSK	372000	1RB#104	22.66	21.26	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM PI/2 BPSK	372000	50RB#25	22.94	21.54	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM 16QAM	372000	50RB#25	22.03	20.63	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM QPSK	372000	50RB#25	22.94	21.54	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM PI/2 BPSK	376000	1RB#1	22.93	21.53	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM 16QAM	376000	1RB#1	21.55	20.15	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM QPSK	376000	1RB#1	22.36	20.96	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM PI/2 BPSK	376000	1RB#104	22.64	21.24	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM 16QAM	376000	1RB#104	21.4	20.0	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM QPSK	376000	1RB#104	22.03	20.63	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM PI/2 BPSK	376000	50RB#25	22.75	21.35	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM 16QAM	376000	50RB#25	21.62	20.22	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM QPSK	376000	50RB#25	22.24	20.84	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM PI/2 BPSK	380000	1RB#1	22.46	21.06	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM 16QAM	380000	1RB#1	21.52	20.12	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM QPSK	380000	1RB#1	22.43	21.03	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM PI/2 BPSK	380000	1RB#104	22.39	20.99	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM 16QAM	380000	1RB#104	21.51	20.11	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM QPSK	380000	1RB#104	22.39	20.99	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM PI/2 BPSK	380000	50RB#25	22.49	21.09	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM 16QAM	380000	50RB#25	21.47	20.07	33	PASS
N2	15KHz	20MHz	DFT-s-OFDM QPSK	380000	50RB#25	22.49	21.09	33	PASS

2 Appendix B: Peak-to-Average Ratio

2.1 Test Result

Band	SCS	Channel bandwidth	Modulation	Channel	RB Configure	Result(dBm)	Limit(dB)	Verdict
N2	15KHz	5MHz	CP-OFDM 256QAM	370500	25RB#0	8.07	≤13	PASS
N2	15KHz	5MHz	DFT-s-OFDM 256QAM	370500	25RB#0	6.5	≤13	PASS
N2	15KHz	5MHz	CP-OFDM 256QAM	376000	25RB#0	8.35	≤13	PASS
N2	15KHz	5MHz	DFT-s-OFDM 256QAM	376000	25RB#0	6.43	≤13	PASS
N2	15KHz	5MHz	CP-OFDM 256QAM	381500	25RB#0	8.32	≤13	PASS
N2	15KHz	5MHz	DFT-s-OFDM 256QAM	381500	25RB#0	6.44	≤13	PASS
N2	15KHz	10MHz	DFT-s-OFDM 256QAM	371000	50RB#0	6.65	≤13	PASS
N2	15KHz	10MHz	CP-OFDM 256QAM	371000	52RB#0	8.47	≤13	PASS
N2	15KHz	10MHz	DFT-s-OFDM 256QAM	376000	50RB#0	6.68	≤13	PASS
N2	15KHz	10MHz	CP-OFDM 256QAM	376000	52RB#0	8.49	≤13	PASS
N2	15KHz	10MHz	DFT-s-OFDM 256QAM	381000	50RB#0	6.58	≤13	PASS
N2	15KHz	10MHz	CP-OFDM 256QAM	381000	52RB#0	8.21	≤13	PASS
N2	15KHz	20MHz	DFT-s-OFDM 256QAM	372000	100RB#0	6.58	≤13	PASS
N2	15KHz	20MHz	CP-OFDM 256QAM	372000	106RB#0	8.4	≤13	PASS
N2	15KHz	20MHz	DFT-s-OFDM 256QAM	376000	100RB#0	6.68	≤13	PASS
N2	15KHz	20MHz	CP-OFDM 256QAM	376000	106RB#0	8.63	≤13	PASS
N2	15KHz	20MHz	DFT-s-OFDM 256QAM	380000	100RB#0	6.59	≤13	PASS
N2	15KHz	20MHz	CP-OFDM 256QAM	380000	106RB#0	8.51	≤13	PASS

2.2 Test Plots








N2-15KHz-5MHz-CP-OFDM 256OAM-376000-25RB#0-8.35-≤13-PASS





N2-15KHz-5MHz-DFT-s-OFDM 256QAM-376000-25RB#0-6.43≤13-PASS


















3 Appendix C: 26dB Bandwidth and Occupied Bandwidth

3.1 Test Result


Band	SCS	Channel bandwidth	Modulation	Channel	RB Configure	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
N2	15KHz	5MHz	CP-OFDM 256QAM	370500	25RB#0	4.54	5.28	See graph
N2	15KHz	5MHz	DFT-s-OFDM PI/2 BPSK	370500	25RB#0	4.53	5.16	See graph
N2	15KHz	5MHz	DFT-s-OFDM 256QAM	370500	25RB#0	4.52	5.21	See graph
N2	15KHz	5MHz	DFT-s-OFDM QPSK	370500	25RB#0	4.52	5.25	See graph
N2	15KHz	5MHz	CP-OFDM QPSK	370500	25RB#0	4.52	5.24	See graph
N2	15KHz	5MHz	CP-OFDM 256QAM	376000	25RB#0	4.53	5.25	See graph
N2	15KHz	5MHz	DFT-s-OFDM PI/2 BPSK	376000	25RB#0	4.52	5.12	See graph
N2	15KHz	5MHz	DFT-s-OFDM 256QAM	376000	25RB#0	4.51	5.21	See graph
N2	15KHz	5MHz	DFT-s-OFDM QPSK	376000	25RB#0	4.53	5.3	See graph
N2	15KHz	5MHz	CP-OFDM QPSK	376000	25RB#0	4.53	5.33	See graph
N2	15KHz	5MHz	CP-OFDM 256QAM	381500	25RB#0	4.53	5.32	See graph
N2	15KHz	5MHz	DFT-s-OFDM PI/2 BPSK	381500	25RB#0	4.52	5.04	See graph
N2	15KHz	5MHz	DFT-s-OFDM 256QAM	381500	25RB#0	4.53	5.18	See graph
N2	15KHz	5MHz	DFT-s-OFDM QPSK	381500	25RB#0	4.52	5.28	See graph
N2	15KHz	5MHz	CP-OFDM QPSK	381500	25RB#0	4.53	5.29	See graph
N2	15KHz	10MHz	DFT-s-OFDM PI/2 BPSK	371000	50RB#0	9.01	9.99	See graph
N2	15KHz	10MHz	DFT-s-OFDM 256QAM	371000	50RB#0	9.0	10.07	See graph
N2	15KHz	10MHz	DFT-s-OFDM QPSK	371000	50RB#0	9.0	9.97	See graph
N2	15KHz	10MHz	CP-OFDM 256QAM	371000	52RB#0	9.33	10.33	See graph
N2	15KHz	10MHz	CP-OFDM QPSK	371000	52RB#0	9.37	10.35	See graph
N2	15KHz	10MHz	DFT-s-OFDM PI/2 BPSK	376000	50RB#0	9.03	9.99	See graph
N2	15KHz	10MHz	DFT-s-OFDM 256QAM	376000	50RB#0	9.01	10.01	See graph
N2	15KHz	10MHz	DFT-s-OFDM QPSK	376000	50RB#0	9.01	10.07	See graph
N2	15KHz	10MHz	CP-OFDM 256QAM	376000	52RB#0	9.34	10.41	See graph
N2	15KHz	10MHz	CP-OFDM QPSK	376000	52RB#0	9.37	10.35	See graph
N2	15KHz	10MHz	DFT-s-OFDM PI/2 BPSK	381000	50RB#0	9.01	9.97	See graph
N2	15KHz	10MHz	DFT-s-OFDM 256QAM	381000	50RB#0	8.99	9.91	See graph
N2	15KHz	10MHz	DFT-s-OFDM QPSK	381000	50RB#0	8.99	10.09	See graph
N2	15KHz	10MHz	CP-OFDM 256QAM	381000	52RB#0	9.33	10.39	See graph
N2	15KHz	10MHz	CP-OFDM QPSK	381000	52RB#0	9.36	10.37	See graph

N2	15KHz	15MHz	DFT-s-OFDM PI/2 BPSK	371500	75RB#0	13.5	14.63	See graph
N2	15KHz	15MHz	DFT-s-OFDM 256QAM	371500	75RB#0	13.45	14.6	See graph
N2	15KHz	15MHz	DFT-s-OFDM QPSK	371500	75RB#0	13.47	14.63	See graph
N2	15KHz	15MHz	CP-OFDM 256QAM	371500	79RB#0	14.19	15.73	See graph
N2	15KHz	15MHz	CP-OFDM QPSK	371500	79RB#0	14.17	15.38	See graph
N2	15KHz	15MHz	DFT-s-OFDM PI/2 BPSK	376000	75RB#0	13.49	14.65	See graph
N2	15KHz	15MHz	DFT-s-OFDM 256QAM	376000	75RB#0	13.47	14.69	See graph
N2	15KHz	15MHz	DFT-s-OFDM QPSK	376000	75RB#0	13.48	14.63	See graph
N2	15KHz	15MHz	CP-OFDM 256QAM	376000	79RB#0	14.22	15.44	See graph
N2	15KHz	15MHz	CP-OFDM QPSK	376000	79RB#0	14.18	15.38	See graph
N2	15KHz	15MHz	DFT-s-OFDM PI/2 BPSK	380500	75RB#0	13.48	14.63	See graph
N2	15KHz	15MHz	DFT-s-OFDM 256QAM	380500	75RB#0	13.44	14.65	See graph
N2	15KHz	15MHz	DFT-s-OFDM QPSK	380500	75RB#0	13.45	14.6	See graph
N2	15KHz	15MHz	CP-OFDM 256QAM	380500	79RB#0	14.17	15.49	See graph
N2	15KHz	15MHz	CP-OFDM QPSK	380500	79RB#0	14.16	15.35	See graph
N2	15KHz	20MHz	DFT-s-OFDM PI/2 BPSK	372000	100RB#0	17.96	19.54	See graph
N2	15KHz	20MHz	DFT-s-OFDM 256QAM	372000	100RB#0	17.95	20.26	See graph
N2	15KHz	20MHz	DFT-s-OFDM QPSK	372000	100RB#0	17.96	19.5	See graph
N2	15KHz	20MHz	CP-OFDM 256QAM	372000	106RB#0	19.03	20.5	See graph
N2	15KHz	20MHz	CP-OFDM QPSK	372000	106RB#0	19.04	20.86	See graph
N2	15KHz	20MHz	DFT-s-OFDM PI/2 BPSK	376000	100RB#0	18.0	19.58	See graph
N2	15KHz	20MHz	DFT-s-OFDM 256QAM	376000	100RB#0	17.98	20.66	See graph
N2	15KHz	20MHz	DFT-s-OFDM QPSK	376000	100RB#0	18.0	19.58	See graph
N2	15KHz	20MHz	CP-OFDM 256QAM	376000	106RB#0	19.06	20.46	See graph
N2	15KHz	20MHz	CP-OFDM QPSK	376000	106RB#0	19.07	20.74	See graph
N2	15KHz	20MHz	DFT-s-OFDM PI/2 BPSK	380000	100RB#0	17.94	19.54	See graph
N2	15KHz	20MHz	DFT-s-OFDM 256QAM	380000	100RB#0	17.94	19.5	See graph
N2	15KHz	20MHz	DFT-s-OFDM QPSK	380000	100RB#0	17.98	19.5	See graph
N2	15KHz	20MHz	CP-OFDM 256QAM	380000	106RB#0	19.01	20.34	See graph
N2	15KHz	20MHz	CP-OFDM QPSK	380000	106RB#0	19.02	20.66	See graph


3.2 Test Plots




N2-15KHz-5MHz-CP-OFDM 256QAM-370500-25RB#0-4.54-5.28




N2-15KHz-5MHz-CP-OFDM 256QAM-370500-25RB#0-4.54-5.28




N2-15KHz-5MHz-DFT-s-OFDM PI/2 BPSK-370500-25RB#0-4.53-5.16




N2-15KHz-5MHz-DFT-s-OFDM PI/2 BPSK-370500-25RB#0-4.53-5.16



N2-15KHz-5MHz-DFT-s-OFDM 256QAM-370500-25RB#0-4.52-5.21




N2-15KHz-5MHz-DFT-s-OFDM 256QAM-370500-25RB#0-4.52-5.21




N2-15KHz-5MHz-DFT-s-OFDM QPSK-370500-25RB#0-4.52-5.25




N2-15KHz-5MHz-DFT-s-OFDM QPSK-370500-25RB#0-4.52-5.25




N2-15KHz-5MHz-CP-OFDM QPSK-370500-25RB#0-4.52-5.24



N2-15KHz-5MHz-CP-OFDM QPSK-370500-25RB#0-4.52-5.24




N2-15KHz-5MHz-CP-OFDM 256QAM-376000-25RB#0-4.53-5.25




N2-15KHz-5MHz-CP-OFDM 256QAM-376000-25RB#0-4.53-5.25




N2-15KHz-5MHz-DFT-s-OFDM PI/2 BPSK-376000-25RB#0-4.52-5.12




N2-15KHz-5MHz-DFT-s-OFDM PI/2 BPSK-376000-25RB#0-4.52-5.12




N2-15KHz-5MHz-DFT-s-OFDM 256QAM-376000-25RB#0-4.51-5.21




N2-15KHz-5MHz-DFT-s-OFDM 256QAM-376000-25RB#0-4.51-5.21




N2-15KHz-5MHz-DFT-s-OFDM QPSK-376000-25RB#0-4.53-5.3




N2-15KHz-5MHz-DFT-s-OFDM QPSK-376000-25RB#0-4.53-5.3




N2-15KHz-5MHz-CP-OFDM QPSK-376000-25RB#0-4.53-5.32




N2-15KHz-5MHz-CP-OFDM QPSK-376000-25RB#0-4.53-5.32




N2-15KHz-5MHz-CP-OFDM 256QAM-381500-25RB#0-4.53-5.33



N2-15KHz-5MHz-CP-OFDM 256QAM-381500-25RB#0-4.53-5.33



N2-15KHz-5MHz-DFT-s-OFDM PI/2 BPSK-381500-25RB#0-4.52-5.04




N2-15KHz-5MHz-DFT-s-OFDM PI/2 BPSK-381500-25RB#0-4.52-5.04




N2-15KHz-5MHz-DFT-s-OFDM 256QAM-381500-25RB#0-4.53-5.18




N2-15KHz-5MHz-DFT-s-OFDM 256QAM-381500-25RB#0-4.53-5.18




N2-15KHz-5MHz-DFT-s-OFDM QPSK-381500-25RB#0-4.52-5.28




N2-15KHz-5MHz-DFT-s-OFDM QPSK-381500-25RB#0-4.52-5.28




N2-15KHz-5MHz-CP-OFDM QPSK-381500-25RB#0-4.53-5.29




N2-15KHz-5MHz-CP-OFDM QPSK-381500-25RB#0-4.53-5.29




N2-15KHz-10MHz-DFT-s-OFDM PI/2 BPSK-371000-50RB#0-9.01-9.99




N2-15KHz-10MHz-DFT-s-OFDM PI/2 BPSK-371000-50RB#0-9.01-9.99




N2-15KHz-10MHz-DFT-s-OFDM 256QAM-371000-50RB#0-9.0-10.07




N2-15KHz-10MHz-DFT-s-OFDM 256QAM-371000-50RB#0-9.0-10.07




N2-15KHz-10MHz-DFT-s-OFDM QPSK-371000-50RB#0-9.0-9.97



N2-15KHz-10MHz-DFT-s-OFDM QPSK-371000-50RB#0-9.0-9.97




N2-15KHz-10MHz-CP-OFDM 256QAM-371000-52RB#0-9.33-10.33




N2-15KHz-10MHz-CP-OFDM 256QAM-371000-52RB#0-9.33-10.33



N2-15KHz-10MHz-CP-OFDM QPSK-371000-52RB#0-9.37-10.35




N2-15KHz-10MHz-CP-OFDM QPSK-371000-52RB#0-9.37-10.35




N2-15KHz-10MHz-DFT-s-OFDM PI/2 BPSK-376000-50RB#0-9.03-9.99




N2-15KHz-10MHz-DFT-s-OFDM PI/2 BPSK-376000-50RB#0-9.03-9.99




N2-15KHz-10MHz-DFT-s-OFDM 256QAM-376000-50RB#0-9.01-10.01



N2-15KHz-10MHz-DFT-s-OFDM 256QAM-376000-50RB#0-9.01-10.01




N2-15KHz-10MHz-DFT-s-OFDM QPSK-376000-50RB#0-9.01-10.07



15:26:56 10.09.2025

N2-15KHz-10MHz-DFT-s-OFDM QPSK-376000-50RB#0-9.01-10.07




15:31:17 10.09.2025

N2-15KHz-10MHz-CP-OFDM 256QAM-376000-52RB#0-9.34-10.41




15:31:39 10.09.2025

N2-15KHz-10MHz-CP-OFDM 256QAM-376000-52RB#0-9.34-10.41



N2-15KHz-10MHz-CP-OFDM QPSK-376000-52RB#0-9.37-10.35



N2-15KHz-10MHz-CP-OFDM QPSK-376000-52RB#0-9.37-10.35



N2-15KHz-10MHz-DFT-s-OFDM PI/2 BPSK-381000-50RB#0-9.01-9.97




N2-15KHz-10MHz-DFT-s-OFDM PI/2 BPSK-381000-50RB#0-9.01-9.97




N2-15KHz-10MHz-DFT-s-OFDM 256QAM-381000-50RB#0-8.99-9.91




N2-15KHz-10MHz-DFT-s-OFDM 256QAM-381000-50RB#0-8.99-9.91




N2-15KHz-10MHz-DFT-s-OFDM QPSK-381000-50RB#0-8.99-10.09



N2-15KHz-10MHz-DFT-s-OFDM QPSK-381000-50RB#0-8.99-10.09




N2-15KHz-10MHz-CP-OFDM 256QAM-381000-52RB#0-9.33-10.39




N2-15KHz-10MHz-CP-OFDM 256QAM-381000-52RB#0-9.33-10.39




N2-15KHz-10MHz-CP-OFDM QPSK-381000-52RB#0-9.36-10.37




N2-15KHz-10MHz-CP-OFDM QPSK-381000-52RB#0-9.36-10.37




N2-15KHz-15MHz-DFT-s-OFDM PI/2 BPSK-371500-75RB#0-13.5-14.63



N2-15KHz-15MHz-DFT-s-OFDM PI/2 BPSK-371500-75RB#0-13.5-14.63




N2-15KHz-15MHz-DFT-s-OFDM 256QAM-371500-75RB#0-13.45-14.6




N2-15KHz-15MHz-DFT-s-OFDM 256QAM-371500-75RB#0-13.45-14.6




N2-15KHz-15MHz-DFT-s-OFDM QPSK-371500-75RB#0-13.47-14.63




N2-15KHz-15MHz-DFT-s-OFDM QPSK-371500-75RB#0-13.47-14.63




N2-15KHz-15MHz-CP-OFDM 256QAM-371500-79RB#0-14.19-15.73




N2-15KHz-15MHz-CP-OFDM 256QAM-371500-79RB#0-14.19-15.73




N2-15KHz-15MHz-CP-OFDM QPSK-371500-79RB#0-14.17-15.38



N2-15KHz-15MHz-CP-OFDM QPSK-371500-79RB#0-14.17-15.38




N2-15KHz-15MHz-DFT-s-OFDM PI/2 BPSK-376000-75RB#0-13.49-14.65




N2-15KHz-15MHz-DFT-s-OFDM PI/2 BPSK-376000-75RB#0-13.49-14.65




N2-15KHz-15MHz-DFT-s-OFDM 256QAM-376000-75RB#0-13.47-14.69




N2-15KHz-15MHz-DFT-s-OFDM 256QAM-376000-75RB#0-13.47-14.69




N2-15KHz-15MHz-DFT-s-OFDM QPSK-376000-75RB#0-13.48-14.63



N2-15KHz-15MHz-DFT-s-OFDM QPSK-376000-75RB#0-13.48-14.63



N2-15KHz-15MHz-CP-OFDM 256QAM-376000-79RB#0-14.22-15.44



N2-15KHz-15MHz-CP-OFDM 256QAM-376000-79RB#0-14.22-15.44