








































Band edge measurements


Test Result



TestMode	Antenna	ChName	Freq(MHz)	RefLevel[dBm/100KHz]	Result[dBm/100KHz]	Limit[dBm/100KHz]	Verdict
BLE_1M	Ant24	Low	2402	6.66	-52.12	≤ -13.34	PASS
	Ant23	Low	2402	7.74	-50.52	≤ -12.26	PASS
	Ant24	High	2480	7.33	-53.81	≤ -12.67	PASS
	Ant23	High	2480	6.70	-53.44	≤ -13.3	PASS
BLE_2M	Ant24	Low	2402	6.66	-41.27	≤ -13.34	PASS
	Ant23	Low	2402	7.72	-39.7	≤ -12.28	PASS
	Ant24	High	2480	7.33	-53.4	≤ -12.67	PASS
	Ant23	High	2480	6.68	-53.39	≤ -13.32	PASS
BLE_125K	Ant24	Low	2402	5.71	-52.91	≤ -14.29	PASS
	Ant23	Low	2402	6.76	-54	≤ -13.24	PASS
	Ant24	High	2480	6.43	-53.5	≤ -13.57	PASS
	Ant23	High	2480	5.73	-53.33	≤ -14.27	PASS
BLE_500K	Ant24	Low	2402	6.77	-53.71	≤ -13.23	PASS
	Ant23	Low	2402	7.96	-53.43	≤ -12.04	PASS
	Ant24	High	2480	7.49	-53.46	≤ -12.51	PASS
	Ant23	High	2480	6.95	-53.56	≤ -13.05	PASS







Test Graphs


























Conducted Spurious Emission


Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
BLE_1M	Ant24	2402	30~1000	6.66	-45.57	≤-13.34	PASS
			1000~26500	6.66	-35.76	≤-13.34	PASS
	Ant23	2402	30~1000	7.74	-44.7	≤-12.26	PASS
			1000~26500	7.74	-35.51	≤-12.26	PASS
	Ant24	2440	30~1000	7.29	-45.41	≤-12.71	PASS
			1000~26500	7.29	-35.37	≤-12.71	PASS
	Ant23	2440	30~1000	7.78	-44.49	≤-12.22	PASS
			1000~26500	7.78	-35.6	≤-12.22	PASS
	Ant24	2480	30~1000	7.33	-44.28	≤-12.67	PASS
			1000~26500	7.33	-35.9	≤-12.67	PASS
	Ant23	2480	30~1000	6.70	-44.82	≤-13.3	PASS
			1000~26500	6.70	-35.44	≤-13.3	PASS
BLE_2M	Ant24	2402	30~1000	6.66	-45.28	≤-13.34	PASS
			1000~26500	6.66	-35.15	≤-13.34	PASS
	Ant23	2402	30~1000	7.72	-44.56	≤-12.28	PASS
			1000~26500	7.72	-35.13	≤-12.28	PASS
	Ant24	2440	30~1000	7.29	-44.49	≤-12.71	PASS
			1000~26500	7.29	-35.63	≤-12.71	PASS
	Ant23	2440	30~1000	7.78	-44.7	≤-12.22	PASS
			1000~26500	7.78	-35.12	≤-12.22	PASS
	Ant24	2480	30~1000	7.33	-45.29	≤-12.67	PASS
			1000~26500	7.33	-34.93	≤-12.67	PASS
	Ant23	2480	30~1000	6.68	-45	≤-13.32	PASS
			1000~26500	6.68	-35.63	≤-13.32	PASS
BLE_125K	Ant24	2402	30~1000	5.71	-45.47	≤-14.29	PASS
			1000~26500	5.71	-34.65	≤-14.29	PASS
	Ant23	2402	30~1000	6.76	-44.81	≤-13.24	PASS
			1000~26500	6.76	-34.56	≤-13.24	PASS
	Ant24	2440	30~1000	6.37	-44.28	≤-13.63	PASS
			1000~26500	6.37	-36.02	≤-13.63	PASS
	Ant23	2440	30~1000	6.87	-44.7	≤-13.13	PASS
			1000~26500	6.87	-35.09	≤-13.13	PASS
	Ant24	2480	30~1000	6.43	-44.79	≤-13.57	PASS
			1000~26500	6.43	-35.95	≤-13.57	PASS
	Ant23	2480	30~1000	5.73	-45.5	≤-14.27	PASS
			1000~26500	5.73	-35.19	≤-14.27	PASS
BLE_500K	Ant24	2402	30~1000	6.77	-45.42	≤-13.23	PASS
			1000~26500	6.77	-35.36	≤-13.23	PASS
	Ant23	2402	30~1000	7.96	-44.69	≤-12.04	PASS
			1000~26500	7.96	-35.82	≤-12.04	PASS
	Ant24	2440	30~1000	7.48	-45.16	≤-12.52	PASS
			1000~26500	7.48	-35.42	≤-12.52	PASS
	Ant23	2440	30~1000	7.99	-44.91	≤-12.01	PASS
			1000~26500	7.99	-35.17	≤-12.01	PASS
	Ant24	2480	30~1000	7.49	-45.38	≤-12.51	PASS
			1000~26500	7.49	-36.28	≤-12.51	PASS
	Ant23	2480	30~1000	6.95	-44.88	≤-13.05	PASS
			1000~26500	6.95	-35.26	≤-13.05	PASS





Test Graphs












































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15C_QP LISN-N_2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	33.17	-22.43	55.60	13.19	9.79	10.19	Average
2	0.16	44.37	-21.23	65.60	24.39	9.79	10.19	QP
3	0.26	32.08	-19.26	51.34	12.10	9.78	10.20	Average
4	0.26	41.58	-19.76	61.34	21.60	9.78	10.20	QP
5	0.40	30.30	-17.60	47.90	10.30	9.77	10.23	Average
6	0.40	40.60	-17.30	57.90	20.60	9.77	10.23	QP
7	0.46	30.97	-15.74	46.71	11.01	9.73	10.23	Average
8 *	0.46	41.47	-15.24	56.71	21.51	9.73	10.23	QP
9	0.64	30.01	-15.99	46.00	10.00	9.77	10.24	Average
10	0.64	38.21	-17.79	56.00	18.20	9.77	10.24	QP
11	7.21	27.27	-22.73	50.00	7.31	9.74	10.22	Average
12	7.21	34.67	-25.33	60.00	14.71	9.74	10.22	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

**Appendix C Radiated Spurious Emission Test Data**

Test Engineer :	Winter	Relative Humidity :	48~49%
		Temperature :	24°C-25°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	24	Bluetooth-LE	00	2402	125kbps	-	-
Mode 2	2400-2483.5	24	Bluetooth-LE	19	2440	125kbps	-	-
Mode 3	2400-2483.5	24	Bluetooth-LE	39	2480	125kbps	-	-
Mode 4	2400-2483.5	24	Bluetooth-LE	00	2402	2Mbps	-	-
Mode 5	2400-2483.5	24	Bluetooth-LE	19	2440	2Mbps	-	-
Mode 6	2400-2483.5	24	Bluetooth-LE	39	2480	2Mbps	-	-
Mode 7	2400-2483.5	23	Bluetooth-LE	00	2402	125kbps	-	-
Mode 8	2400-2483.5	23	Bluetooth-LE	19	2440	125kbps	-	-
Mode 9	2400-2483.5	23	Bluetooth-LE	39	2480	125kbps	-	-
Mode 10	2400-2483.5	23	Bluetooth-LE	00	2402	2Mbps	-	-
Mode 11	2400-2483.5	23	Bluetooth-LE	19	2440	2Mbps	-	-
Mode 12	2400-2483.5	23	Bluetooth-LE	39	2480	2Mbps	-	-
Mode 13	2400-2483.5	23	Bluetooth-LE	39	2480	125kbps	-	LF

Co-location

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 14	2400-2483.5	23	Bluetooth-LE	39	2480	2Mbps	-	-

LTE B13LINK



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth-LE	00	2363.76	35.29	54.00	-18.71	V	AVERAGE	Pass	Band Edge
1	Bluetooth-LE	00	4804.00	43.10	74.00	-30.90	H	Peak	Pass	Harmonic
2	Bluetooth-LE	19	-	-	-	-	-	-	-	Band Edge
2	Bluetooth-LE	19	7320.00	44.21	74.00	-29.79	H	Peak	Pass	Harmonic
3	Bluetooth-LE	39	2488.24	36.44	54.00	-17.56	V	AVERAGE	Pass	Band Edge
3	Bluetooth-LE	39	7440.00	44.44	74.00	-29.56	H	Peak	Pass	Harmonic
4	Bluetooth-LE	00	2343.08	37.14	54.00	-16.86	H	AVERAGE	Pass	Band Edge
4	Bluetooth-LE	00	4804.00	42.83	74.00	-31.17	V	Peak	Pass	Harmonic
5	Bluetooth-LE	19	-	-	-	-	-	-	-	Band Edge
5	Bluetooth-LE	19	7320.00	43.62	74.00	-30.38	V	Peak	Pass	Harmonic
6	Bluetooth-LE	39	2491.08	37.78	54.00	-16.22	H	AVERAGE	Pass	Band Edge
6	Bluetooth-LE	39	7440.00	44.02	74.00	-29.98	H	Peak	Pass	Harmonic
7	Bluetooth-LE	00	2367.86	40.33	54.00	-13.67	V	AVERAGE	Pass	Band Edge
7	Bluetooth-LE	00	4804.00	43.52	74.00	-30.48	V	Peak	Pass	Harmonic
8	Bluetooth-LE	19	-	-	-	-	-	-	-	Band Edge
8	Bluetooth-LE	19	7320.00	44.88	74.00	-29.12	V	Peak	Pass	Harmonic
9	Bluetooth-LE	39	2491.26	41.28	54.00	-12.72	H	AVERAGE	Pass	Band Edge
9	Bluetooth-LE	39	7440.00	46.07	74.00	-27.93	H	Peak	Pass	Harmonic
10	Bluetooth-LE	00	2373.95	42.20	54.00	-11.80	H	AVERAGE	Pass	Band Edge
10	Bluetooth-LE	00	4804.00	43.17	74.00	-30.83	H	Peak	Pass	Harmonic
11	Bluetooth-LE	19	-	-	-	-	-	-	-	Band Edge
11	Bluetooth-LE	19	7320.00	45.37	74.00	-28.63	V	Peak	Pass	Harmonic
12	Bluetooth-LE	39	2487.90	43.13	54.00	-10.87	H	AVERAGE	Pass	Band Edge
12	Bluetooth-LE	39	7440.00	45.56	74.00	-28.44	V	Peak	Pass	Harmonic
13	Bluetooth-LE	39	38.73	26.76	40	-13.24	V	Peak	Pass	LF





Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
14	Bluetooth-LE	39	2483.80	40.00	54.00	-14.00	V	AVERAGE	Pass	Band Edge
14	Bluetooth-LE	39	7440.00	46.35	74.00	-27.65	V	Peak	Pass	Harmonic





Mode	1	
	Band Edge	
	2400-2483.5 Bluetooth-LE_CH00_2402MHz	
ANT	24	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2025-11-04 <	



Mode	1																																																																															
	Band Edge																																																																															
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																															
ANT	24																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	Date: 2025-11-04 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2341.61</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>41.12</td><td>32.35</td><td>5.32</td><td>34.16</td><td>300</td><td>50 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2341.61	44.63	74.00	-29.37	41.12	32.35	5.32	34.16	300	50 PEAK	Date: 2025-11-04 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>83.83</td><td>-----</td><td>-----</td><td>80.16</td><td>32.44</td><td>5.37</td><td>34.14</td><td>300</td><td>50 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2402.00	83.83	-----	-----	80.16	32.44	5.37	34.14	300	50 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2341.61	44.63	74.00	-29.37	41.12	32.35	5.32	34.16	300	50 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2402.00	83.83	-----	-----	80.16	32.44	5.37	34.14	300	50 PEAK																																																																						
Avg	Date: 2025-11-04 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2363.76</td><td>35.29</td><td>54.00</td><td>-18.71</td><td>31.72</td><td>32.38</td><td>5.34</td><td>34.15</td><td>300</td><td>50 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2363.76	35.29	54.00	-18.71	31.72	32.38	5.34	34.15	300	50 AVERAGE	Date: 2025-11-04 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>82.62</td><td>-----</td><td>-----</td><td>78.95</td><td>32.44</td><td>5.37</td><td>34.14</td><td>300</td><td>50 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2402.00	82.62	-----	-----	78.95	32.44	5.37	34.14	300	50 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2363.76	35.29	54.00	-18.71	31.72	32.38	5.34	34.15	300	50 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2402.00	82.62	-----	-----	78.95	32.44	5.37	34.14	300	50 AVERAGE																																																																						







Mode	1																																																																																													
	Harmonic																																																																																													
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																													
ANT	24																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>43.10</td><td>74.00</td><td>-30.90</td><td>62.61</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4804.00	43.10	74.00	-30.90	62.61	36.39	8.94	64.84	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>42.60</td><td>74.00</td><td>-31.40</td><td>62.11</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4804.00	42.60	74.00	-31.40	62.11	36.39	8.94	64.84	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4804.00	43.10	74.00	-30.90	62.61	36.39	8.94	64.84	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4804.00	42.60	74.00	-31.40	62.11	36.39	8.94	64.84	---	---	Peak																																																																																			



Mode	2																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																																																	
ANT	24																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg	Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 3000 to 18000 MHz. Two red horizontal lines represent limits: PEAK_74 at 74.00 dBuV/m and AVG_54 at 54.00 dBuV/m. The blue spectrum line shows two peaks labeled 1 and 2. Peak 1 is at 4880.00 MHz (42.81 dBuV/m) and Peak 2 is at 7320.00 MHz (44.21 dBuV/m). <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>42.81</td><td>74.00</td><td>-31.19</td><td>62.41</td><td>36.51</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>44.21</td><td>74.00</td><td>-29.79</td><td>62.15</td><td>36.88</td><td>10.18</td><td>65.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	42.81	74.00	-31.19	62.41	36.51	8.71	64.82	---	---	Peak	2	7320.00	44.21	74.00	-29.79	62.15	36.88	10.18	65.00	---	---	Peak	Graph showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 3000 to 18000 MHz. Two red horizontal lines represent limits: PEAK_74 at 74.00 dBuV/m and AVG_54 at 54.00 dBuV/m. The blue spectrum line shows two peaks labeled 1 and 2. Peak 1 is at 4880.00 MHz (43.56 dBuV/m) and Peak 2 is at 7320.00 MHz (43.79 dBuV/m). <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>43.56</td><td>74.00</td><td>-30.44</td><td>63.16</td><td>36.51</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>61.73</td><td>36.88</td><td>10.18</td><td>65.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	43.56	74.00	-30.44	63.16	36.51	8.71	64.82	---	---	Peak	2	7320.00	43.79	74.00	-30.21	61.73	36.88	10.18	65.00	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4880.00	42.81	74.00	-31.19	62.41	36.51	8.71	64.82	---	---	Peak																																																																																																																							
2	7320.00	44.21	74.00	-29.79	62.15	36.88	10.18	65.00	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4880.00	43.56	74.00	-30.44	63.16	36.51	8.71	64.82	---	---	Peak																																																																																																																							
2	7320.00	43.79	74.00	-30.21	61.73	36.88	10.18	65.00	---	---	Peak																																																																																																																							



Mode	3																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																	
ANT	24																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Date: 2025-11-04  PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.28</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>41.43</td><td>32.57</td><td>5.94</td><td>34.11</td><td>300</td></tr></tbody></table> 0 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	45.83	74.00	-28.17	41.43	32.57	5.94	34.11	300	Date: 2025-11-04  PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>98.52</td><td>-----</td><td>94.14</td><td>32.57</td><td>5.92</td><td>34.11</td><td>300</td><td>0</td></tr></tbody></table> 0 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.52	-----	94.14	32.57	5.92	34.11	300	0
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2484.28	45.83	74.00	-28.17	41.43	32.57	5.94	34.11	300																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	98.52	-----	94.14	32.57	5.92	34.11	300	0																																																																									
Avg	Date: 2025-11-04  AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.52</td><td>36.12</td><td>54.00</td><td>-17.88</td><td>31.71</td><td>32.58</td><td>5.93</td><td>34.10</td><td>300</td></tr></tbody></table> 0 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2488.52	36.12	54.00	-17.88	31.71	32.58	5.93	34.10	300	Date: 2025-11-04  AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>97.31</td><td>-----</td><td>92.93</td><td>32.57</td><td>5.92</td><td>34.11</td><td>300</td><td>0</td></tr></tbody></table> 0 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.31	-----	92.93	32.57	5.92	34.11	300	0
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2488.52	36.12	54.00	-17.88	31.71	32.58	5.93	34.10	300																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	97.31	-----	92.93	32.57	5.92	34.11	300	0																																																																									







Mode	3	
	Band Edge	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz	
ANT	24	
Pol.	Vertical	Fundamental
Peak		



Mode	3																																																																																														
	Harmonic																																																																																														
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																														
ANT	24																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>42.66</td><td>74.00</td><td>-31.34</td><td>62.37</td><td>36.64</td><td>8.46</td><td>64.81</td><td>--- Peak</td></tr><tr><td>2</td><td>7440.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>62.48</td><td>36.76</td><td>10.17</td><td>64.97</td><td>--- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	4960.00	42.66	74.00	-31.34	62.37	36.64	8.46	64.81	--- Peak	2	7440.00	44.44	74.00	-29.56	62.48	36.76	10.17	64.97	--- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>42.86</td><td>74.00</td><td>-31.14</td><td>62.57</td><td>36.64</td><td>8.46</td><td>64.81</td><td>--- Peak</td></tr><tr><td>2</td><td>7440.00</td><td>44.04</td><td>74.00</td><td>-29.96</td><td>62.08</td><td>36.76</td><td>10.17</td><td>64.97</td><td>--- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	4960.00	42.86	74.00	-31.14	62.57	36.64	8.46	64.81	--- Peak	2	7440.00	44.04	74.00	-29.96	62.08	36.76	10.17	64.97	--- Peak							
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
1	4960.00	42.66	74.00	-31.34	62.37	36.64	8.46	64.81	--- Peak																																																																																						
2	7440.00	44.44	74.00	-29.56	62.48	36.76	10.17	64.97	--- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
1	4960.00	42.86	74.00	-31.14	62.57	36.64	8.46	64.81	--- Peak																																																																																						
2	7440.00	44.04	74.00	-29.96	62.08	36.76	10.17	64.97	--- Peak																																																																																						
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>42.66</td><td>74.00</td><td>-31.34</td><td>62.37</td><td>36.64</td><td>8.46</td><td>64.81</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>62.48</td><td>36.76</td><td>10.17</td><td>64.97</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	42.66	74.00	-31.34	62.37	36.64	8.46	64.81	---	Peak	2	7440.00	44.44	74.00	-29.56	62.48	36.76	10.17	64.97	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>42.86</td><td>74.00</td><td>-31.14</td><td>62.57</td><td>36.64</td><td>8.46</td><td>64.81</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>44.04</td><td>74.00</td><td>-29.96</td><td>62.08</td><td>36.76</td><td>10.17</td><td>64.97</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	42.86	74.00	-31.14	62.57	36.64	8.46	64.81	---	Peak	2	7440.00	44.04	74.00	-29.96	62.08	36.76	10.17	64.97	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4960.00	42.66	74.00	-31.34	62.37	36.64	8.46	64.81	---	Peak																																																																																					
2	7440.00	44.44	74.00	-29.56	62.48	36.76	10.17	64.97	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4960.00	42.86	74.00	-31.14	62.57	36.64	8.46	64.81	---	Peak																																																																																					
2	7440.00	44.04	74.00	-29.96	62.08	36.76	10.17	64.97	---	Peak																																																																																					



		4																																																																																													
Mode		Band Edge																																																																																													
		2400-2483.5 Bluetooth-LE_CH00_2402MHz																																																																																													
ANT		24																																																																																													
Pol.		Horizontal					Fundamental																																																																																								
Peak	 Date: 2025-11-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2346.75</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>41.29</td><td>32.35</td><td>5.32</td><td>34.16</td><td>334 0 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2346.75	44.80	74.00	-29.20	41.29	32.35	5.32	34.16	334 0 PEAK	 Date: 2025-11-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>90.83</td><td>-----</td><td>-----</td><td>87.16</td><td>32.44</td><td>5.37</td><td>34.14</td><td>334 0 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2402.00	90.83	-----	-----	87.16	32.44	5.37	34.14	334 0 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2346.75	44.80	74.00	-29.20	41.29	32.35	5.32	34.16	334 0 PEAK																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2402.00	90.83	-----	-----	87.16	32.44	5.37	34.14	334 0 PEAK																																																																																						
Avg	 Date: 2025-11-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2343.08</td><td>37.14</td><td>54.00</td><td>-16.86</td><td>33.63</td><td>32.35</td><td>5.32</td><td>34.16</td><td>334 0 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2343.08	37.14	54.00	-16.86	33.63	32.35	5.32	34.16	334 0 AVERAGE	 Date: 2025-11-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>88.93</td><td>-----</td><td>-----</td><td>85.26</td><td>32.44</td><td>5.37</td><td>34.14</td><td>334 0 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2402.00	88.93	-----	-----	85.26	32.44	5.37	34.14	334 0 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2343.08	37.14	54.00	-16.86	33.63	32.35	5.32	34.16	334 0 AVERAGE																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2402.00	88.93	-----	-----	85.26	32.44	5.37	34.14	334 0 AVERAGE																																																																																						



Mode	4	
	Band Edge	
	2400-2483.5 Bluetooth-LE_CH00_2402MHz	
ANT	24	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-11-04	



Mode	4																																																																																														
	Harmonic																																																																																														
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																														
ANT	24																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal trace, a red limit line at 74.00 dBuV/m, and a red average line at 54.00 dBuV/m. A peak is marked at 4804.00 MHz with a level of 42.64 dBuV/m.						Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal trace, a red limit line at 74.00 dBuV/m, and a red average line at 54.00 dBuV/m. A peak is marked at 4804.00 MHz with a level of 42.83 dBuV/m.																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>42.64</td><td>74.00</td><td>-31.36</td><td>62.15</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4804.00	42.64	74.00	-31.36	62.15	36.39	8.94	64.84	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>42.83</td><td>74.00</td><td>-31.17</td><td>62.34</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4804.00	42.83	74.00	-31.17	62.34	36.39	8.94	64.84	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	4804.00	42.64	74.00	-31.36	62.15	36.39	8.94	64.84	---	---	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	4804.00	42.83	74.00	-31.17	62.34	36.39	8.94	64.84	---	---	Peak																																																																																				