


Test Mode : TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	1.314	24.62	20.00	44.62	65.23	-20.61	QP	
2		2.180	19.75	20.02	39.77	69.54	-29.77	QP	
3		2.657	15.94	20.05	35.99	69.54	-33.55	QP	

Test Mode : TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	0.031	59.27	20.14	79.41	117.78	-38.37	AVG	
2		0.049	52.54	20.14	72.68	113.80	-41.12	AVG	
3		0.056	48.22	20.14	68.36	112.69	-44.33	AVG	

Test Mode : TX Mode


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	1.643	21.17	20.01	41.18	63.29	-22.11	QP	
2		2.777	14.59	20.06	34.65	69.54	-34.89	QP	
3		3.344	13.25	20.09	33.34	69.54	-36.20	QP	

Test Mode : TX Mode

Ant 90°




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	0.027	63.47	20.20	83.67	118.98	-35.31	AVG	
2		0.040	53.29	20.14	73.43	115.65	-42.22	AVG	
3		0.068	45.53	20.14	65.67	111.02	-45.35	AVG	

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		30.000	41.90	-11.44	30.46	82.30	-51.84	peak	
2		163.860	36.34	-10.75	25.59	82.30	-56.71	peak	
3		339.430	36.11	-8.85	27.26	82.30	-55.04	peak	
4		490.750	37.62	-5.50	32.12	82.30	-50.18	peak	
5		705.120	40.70	-1.78	38.92	82.30	-43.38	peak	
6	*	722.580	41.43	-1.54	39.89	82.30	-42.41	peak	

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		30.000	41.76	-11.44	30.32	82.30	-51.98	peak	
2		157.070	35.57	-10.65	24.92	82.30	-57.38	peak	
3		301.600	36.23	-9.69	26.54	82.30	-55.76	peak	
4		401.510	38.01	-7.58	30.43	82.30	-51.87	peak	
5		506.270	37.63	-5.29	32.34	82.30	-49.96	peak	
6	*	714.820	37.93	-1.65	36.28	82.30	-46.02	peak	

Test Mode : LTE Band 4_TX Low CH_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		33.880	45.66	-12.43	33.23	82.30	-49.07	peak	
2		147.370	35.81	-10.75	25.06	82.30	-57.24	peak	
3		514.030	36.98	-5.19	31.79	82.30	-50.51	peak	
4		731.310	38.48	-1.42	37.06	82.30	-45.24	peak	
5		905.910	37.56	0.19	37.75	82.30	-44.55	peak	
6	*	978.660	37.70	1.50	39.20	82.30	-43.10	peak	

Test Mode : LTE Band 4_TX Low CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		33.880	47.79	-12.43	35.36	82.30	-46.94	peak	
2		166.770	35.54	-10.81	24.73	82.30	-57.57	peak	
3		485.900	37.42	-5.56	31.86	82.30	-50.44	peak	
4		588.720	37.53	-3.46	34.07	82.30	-48.23	peak	
5		808.910	37.83	-0.17	37.66	82.30	-44.64	peak	
6	*	949.560	38.12	1.44	39.56	82.30	-42.74	peak	

Test Mode : LTE Band 4_TX Mid CH_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		33.880	45.57	-12.43	33.14	82.30	-49.16	peak	
2		79.470	41.70	-15.31	26.39	82.30	-55.91	peak	
3		160.950	36.17	-10.71	25.46	82.30	-56.84	peak	
4		485.900	37.17	-5.56	31.61	82.30	-50.69	peak	
5		677.960	37.29	-2.33	34.96	82.30	-47.34	peak	
6 *		814.730	38.66	-0.19	38.47	82.30	-43.83	peak	

Test Mode : LTE Band 4_TX Mid CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		33.880	44.04	-12.43	31.61	82.30	-50.69	peak	
2		172.590	36.86	-11.11	25.75	82.30	-56.55	peak	
3		422.850	37.70	-6.91	30.79	82.30	-51.51	peak	
4		621.700	36.93	-3.03	33.90	82.30	-48.40	peak	
5		801.150	37.36	-0.15	37.21	82.30	-45.09	peak	
6 *		916.580	38.96	0.50	39.46	82.30	-42.84	peak	

Test Mode : LTE Band 4_TX High CH_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		33.880	49.01	-12.43	36.58	82.30	-45.72	peak	
2		155.130	36.31	-10.63	25.68	82.30	-56.62	peak	
3		487.840	37.77	-5.55	32.22	82.30	-50.08	peak	
4		721.610	37.93	-1.55	36.38	82.30	-45.92	peak	
5		818.610	38.12	-0.19	37.93	82.30	-44.37	peak	
6 *		918.520	38.48	0.55	39.03	82.30	-43.27	peak	

Test Mode : LTE Band 4_TX High CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		34.850	47.55	-12.34	35.21	82.30	-47.09	peak	
2		151.250	35.83	-10.60	25.23	82.30	-57.07	peak	
3		326.820	36.72	-8.96	27.76	82.30	-54.54	peak	
4		587.750	36.95	-3.49	33.46	82.30	-48.84	peak	
5		749.740	38.19	-1.17	37.02	82.30	-45.28	peak	
6 *		946.650	37.48	1.36	38.84	82.30	-43.46	peak	

Test Mode : LTE Band 7_TX Low CH_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		33.880	48.70	-12.43	36.27	70.30	-34.03	peak	
2		159.980	36.03	-10.68	25.35	70.30	-44.95	peak	
3		301.600	37.73	-9.69	28.04	70.30	-42.26	peak	
4		538.280	37.40	-4.89	32.51	70.30	-37.79	peak	
5		807.940	37.99	-0.17	37.82	70.30	-32.48	peak	
6	*	957.320	37.89	1.47	39.36	70.30	-30.94	peak	

Test Mode : LTE Band 7_TX Low CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		33.880	45.50	-12.43	33.07	70.30	-37.23	peak	
2		167.740	37.05	-10.84	26.21	70.30	-44.09	peak	
3		449.040	37.27	-6.09	31.18	70.30	-39.12	peak	
4		732.280	37.79	-1.41	36.38	70.30	-33.92	peak	
5		863.230	38.67	-0.19	38.48	70.30	-31.82	peak	
6	*	958.290	37.61	1.47	39.08	70.30	-31.22	peak	

Test Mode : LTE Band 7_TX Mid CH_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		33.880	45.41	-12.43	32.98	70.30	-37.32	peak	
2		161.920	37.82	-10.71	27.11	70.30	-43.19	peak	
3		493.660	37.12	-5.46	31.66	70.30	-38.64	peak	
4		572.230	36.98	-4.01	32.97	70.30	-37.33	peak	
5		872.930	38.40	-0.14	38.26	70.30	-32.04	peak	
6	*	978.660	38.78	1.50	40.28	70.30	-30.02	peak	

Test Mode : LTE Band 7_TX Mid CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		33.880	45.11	-12.43	32.68	70.30	-37.62	peak	
2		152.220	36.02	-10.62	25.40	70.30	-44.90	peak	
3		378.230	37.50	-7.84	29.66	70.30	-40.64	peak	
4		583.870	36.95	-3.62	33.33	70.30	-36.97	peak	
5		767.200	38.61	-0.83	37.78	70.30	-32.52	peak	
6	*	964.110	38.17	1.48	39.65	70.30	-30.65	peak	

Test Mode : LTE Band 7_TX High CH_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	45.60	-12.43	33.17	70.30	-37.13	peak	
2	154.160	37.93	-10.63	27.30	70.30	-43.00	peak	
3	231.760	40.25	-12.70	27.55	70.30	-42.75	peak	
4	550.890	36.91	-4.71	32.20	70.30	-38.10	peak	
5	705.120	38.63	-1.78	36.85	70.30	-33.45	peak	
6 *	927.250	37.75	0.81	38.56	70.30	-31.74	peak	

Test Mode : LTE Band 7_TX High CH_20MHz

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	45.80	-12.43	33.37	70.30	-36.93	peak	
2	154.160	35.54	-10.63	24.91	70.30	-45.39	peak	
3	469.410	36.44	-5.79	30.65	70.30	-39.65	peak	
4	661.470	37.85	-2.70	35.15	70.30	-35.15	peak	
5	832.190	38.27	-0.23	38.04	70.30	-32.26	peak	
6 *	972.840	38.18	1.50	39.68	70.30	-30.62	peak	

Test Mode : LTE Band 13_TX Mid CH_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	48.77	-2.43	46.34	82.30	-35.96	peak	
2	161.920	36.09	-0.71	35.38	82.30	-46.92	peak	
3	504.330	36.88	4.69	41.57	82.30	-40.73	peak	
4	694.450	36.94	8.03	44.97	82.30	-37.33	peak	
5 *	753.620	46.57	8.90	55.47	82.30	-26.83	peak	
6	953.440	37.63	11.46	49.09	82.30	-33.21	peak	

Test Mode : LTE Band 13_TX Mid CH_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	45.86	-2.43	43.43	82.30	-38.87	peak	
2	154.160	35.62	-0.63	34.99	82.30	-47.31	peak	
3	474.260	36.83	4.27	41.10	82.30	-41.20	peak	
4	602.300	38.03	6.93	44.96	82.30	-37.34	peak	
5 *	752.650	41.30	8.87	50.17	82.30	-32.13	peak	
6	981.570	37.47	11.51	48.98	82.30	-33.32	peak	

Test Mode : LTE Band 38_TX Low CH_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	46.50	-12.43	34.07	70.30	-36.23	peak	
2	155.130	35.81	-10.63	25.18	70.30	-45.12	peak	
3	233.700	43.96	-12.47	31.49	70.30	-38.81	peak	
4	501.420	37.23	-5.35	31.88	70.30	-38.42	peak	
5	755.560	38.26	-1.06	37.20	70.30	-33.10	peak	
6 *	908.820	37.76	0.28	38.04	70.30	-32.26	peak	

Test Mode : LTE Band 38_TX Low CH_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	45.31	-12.43	32.88	70.30	-37.42	peak	
2	159.010	36.25	-10.66	25.59	70.30	-44.71	peak	
3	510.150	38.02	-5.24	32.78	70.30	-37.52	peak	
4	739.070	38.84	-1.32	37.52	70.30	-32.78	peak	
5	901.060	38.11	0.05	38.16	70.30	-32.14	peak	
6 *	957.320	38.73	1.47	40.20	70.30	-30.10	peak	

Test Mode : LTE Band 38_TX Mid CH_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	44.74	-12.43	32.31	70.30	-37.99	peak	
2	159.010	36.92	-10.66	26.26	70.30	-44.04	peak	
3	499.480	36.92	-5.38	31.54	70.30	-38.76	peak	
4	571.260	36.45	-4.04	32.41	70.30	-37.89	peak	
5	783.690	38.38	-0.48	37.90	70.30	-32.40	peak	
6 *	986.420	38.28	1.52	39.80	70.30	-30.50	peak	

Test Mode : LTE Band 38_TX Mid CH_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	43.32	-12.43	30.89	70.30	-39.41	peak	
2	149.310	35.65	-10.64	25.01	70.30	-45.29	peak	
3	431.580	37.63	-6.64	30.99	70.30	-39.31	peak	
4	607.150	36.66	-3.05	33.60	70.30	-36.70	peak	
5	721.610	38.29	-1.55	36.74	70.30	-33.56	peak	
6 *	801.150	37.78	-0.15	37.63	70.30	-32.67	peak	

Test Mode : LTE Band 38_TX High CH_20MHz


Vertical



No. Mk.	Freq	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	32.910	45.67	-12.47	33.20	70.30	-37.10	peak	
2	159.010	36.98	-10.66	26.32	70.30	-44.98	peak	
3	284.140	36.34	-10.16	26.18	70.30	-44.12	peak	
4	548.950	37.05	-4.75	32.30	70.30	-38.00	peak	
5	737.130	37.98	-1.35	36.63	70.30	-33.67	peak	
6 *	919.490	37.51	0.58	38.09	70.30	-32.21	peak	

Test Mode : LTE Band 38_TX High CH_20MHz


Horizontal



No. Mk.	Freq	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	46.34	-12.43	33.91	70.30	-36.39	peak	
2	156.100	36.93	-10.65	26.28	70.30	-44.02	peak	
3	485.900	37.49	-5.56	31.93	70.30	-38.37	peak	
4	733.250	37.09	-1.40	35.69	70.30	-34.61	peak	
5	901.060	38.39	0.05	38.44	70.30	-31.86	peak	
6 *	964.180	37.86	1.53	39.39	70.30	-30.91	peak	

Test Mode : LTE Band 41_Low TX CH_20MHz


Vertical



No. Mk.	Freq	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	44.31	-12.43	31.88	70.30	-38.42	peak	
2	86.260	41.81	-16.56	25.25	70.30	-45.05	peak	
3	148.340	36.69	-10.69	26.00	70.30	-44.30	peak	
4	456.800	37.18	-5.96	31.22	70.30	-39.08	peak	
5	726.460	37.03	-1.49	35.54	70.30	-34.76	peak	
6 *	910.760	37.83	0.33	38.16	70.30	-32.14	peak	

Test Mode : LTE Band 41_Low TX CH_20MHz


Horizontal



No. Mk.	Freq	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	43.37	-12.43	30.94	70.30	-39.36	peak	
2	148.340	36.21	-10.69	25.52	70.30	-44.78	peak	
3	468.440	36.79	-5.80	30.99	70.30	-39.31	peak	
4	680.870	36.83	-2.27	34.56	70.30	-35.74	peak	
5	834.130	37.97	-0.24	37.73	70.30	-32.57	peak	
6 *	934.040	37.99	0.99	38.98	70.30	-31.32	peak	

Test Mode : LTE Band 41_Mid TX CH_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	44.39	-12.43	31.96	70.30	-38.34	peak	
2	146.400	35.83	-10.80	25.03	70.30	-45.27	peak	
3	216.240	40.79	-13.80	26.99	70.30	-43.31	peak	
4	559.620	36.18	-4.42	31.76	70.30	-38.54	peak	
5	762.350	37.89	-0.92	36.97	70.30	-33.33	peak	
6 *	928.220	37.29	0.83	38.12	70.30	-32.18	peak	

Test Mode : LTE Band 41_Mid TX CH_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	43.62	-12.43	31.19	70.30	-39.11	peak	
2	148.340	36.21	-10.69	25.52	70.30	-44.78	peak	
3	474.260	36.69	-5.73	30.96	70.30	-39.34	peak	
4	641.100	36.83	-2.97	33.86	70.30	-36.44	peak	
5	796.300	37.99	-0.23	37.76	70.30	-32.54	peak	
6 *	864.200	38.46	-0.19	38.27	70.30	-32.03	peak	

Test Mode : LTE Band 41_High TX CH_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	34.850	44.39	-12.34	32.05	70.30	-38.25	peak	
2	167.740	35.86	-10.84	25.02	70.30	-45.28	peak	
3	424.790	36.78	-6.85	29.93	70.30	-40.37	peak	
4	625.580	36.81	-3.01	33.80	70.30	-36.50	peak	
5	811.820	38.32	-0.18	38.14	70.30	-32.16	peak	
6 *	935.010	37.57	1.02	38.59	70.30	-31.71	peak	

Test Mode : LTE Band 41_High TX CH_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	43.84	-12.43	31.41	70.30	-38.89	peak	
2	164.830	35.82	-10.77	25.05	70.30	-45.25	peak	
3	375.320	38.62	-7.92	30.70	70.30	-39.60	peak	
4	613.940	36.71	-3.05	33.66	70.30	-36.64	peak	
5	810.850	38.93	-0.18	38.75	70.30	-31.55	peak	
6 *	947.620	38.15	1.38	39.53	70.30	-30.77	peak	

Test Mode : LTE Band 66_TX Low CH_20MHz


Vertical



No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	45.87	-12.43	33.44	82.30	-48.86	peak	
2	152.220	36.91	-10.62	26.29	82.30	-56.01	peak	
3	432.550	36.23	-8.60	29.63	82.30	-52.67	peak	
4	687.660	37.58	-2.11	35.47	82.30	-46.83	peak	
5	850.620	37.19	-0.28	36.91	82.30	-45.39	peak	
6 *	937.920	38.15	1.10	39.25	82.30	-43.05	peak	

Test Mode : LTE Band 66_TX Low CH_20MHz

Horizontal



No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	47.41	-12.43	34.98	82.30	-47.32	peak	
2	148.340	35.62	-10.69	24.93	82.30	-57.37	peak	
3	416.060	37.29	-7.13	30.16	82.30	-52.14	peak	
4	695.420	38.64	-1.94	34.70	82.30	-47.60	peak	
5	841.890	38.23	-0.26	37.97	82.30	-44.33	peak	
6 *	941.800	38.08	1.21	39.29	82.30	-43.01	peak	

Test Mode : LTE Band 66_TX Mid CH_20MHz


Vertical



No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	34.850	47.44	-12.34	35.10	82.30	-47.20	peak	
2	171.620	37.14	-11.04	26.10	82.30	-56.20	peak	
3	389.870	36.83	-7.71	29.12	82.30	-53.18	peak	
4	523.730	37.28	-5.07	32.21	82.30	-50.09	peak	
5	764.290	37.40	-0.88	36.52	82.30	-45.78	peak	
6 *	877.780	38.33	-0.11	38.22	82.30	-44.08	peak	

Test Mode : LTE Band 66_TX Mid CH_20MHz

Horizontal




No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	45.09	-12.43	32.66	82.30	-49.64	peak	
2	148.340	36.18	-10.69	25.49	82.30	-56.81	peak	
3	491.720	37.33	-5.49	31.84	82.30	-50.46	peak	
4	705.120	37.43	-1.78	35.65	82.30	-46.65	peak	
5	822.490	38.81	-0.21	38.60	82.30	-43.70	peak	
6 *	948.590	37.95	1.41	39.36	82.30	-42.94	peak	

Test Mode : LTE Band 66_TX High CH_20MHz


Test Mode : LTE Band 66_TX High CH_20MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	33.880	45.84	-12.43	33.41	82.30	-48.89	peak	
2	166.770	35.97	-10.81	25.16	82.30	-57.14	peak	
3	513.060	37.58	-5.20	32.38	82.30	-49.92	peak	
4	767.200	38.67	-0.83	37.84	82.30	-44.46	peak	
5	833.160	38.98	-0.23	38.75	82.30	-43.55	peak	
6 *	993.210	37.56	1.53	39.09	82.30	-43.21	peak	

Horizontal




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	33.880	47.86	-12.43	35.43	82.30	-46.87	peak	
2	157.070	36.14	-10.65	25.49	82.30	-56.81	peak	
3	487.840	37.25	-5.55	31.70	82.30	-50.60	peak	
4	570.290	37.18	-4.07	33.11	82.30	-49.19	peak	
5	762.350	38.10	-0.92	37.18	82.30	-45.12	peak	
6 *	928.220	37.68	0.83	38.51	82.30	-43.79	peak	


APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413

Vertical




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2538.000	42.09	13.59	55.68	82.30	-26.62	peak	




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16395.000	43.50	25.83	69.33	82.30	-12.97	peak	

Test Mode : WCDMA Band IV_TX CH1413

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2742.000	41.93	13.86	55.79	82.30	-26.51	peak	




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16845.000	43.32	26.33	69.65	82.30	-12.65	peak	

Test Mode : LTE Band 4_TX Low CH_20MHz

Vertical




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2672.000	44.14	13.77	57.91	82.30	-24.39	peak	




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17820.000	38.95	16.85	55.80	82.30	-26.50	peak	

Test Mode : LTE Band 4_TX Low CH_20MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2660.000	45.00	13.75	58.75	82.30	-23.55	peak	



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	9675.000	37.81	13.12	50.93	82.30	-31.37	peak	

Test Mode : LTE Band 4_TX Mid CH_20MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2548.000	43.65	13.61	57.26	82.30	-25.04	peak	

Test Mode : LTE Band 4_TX Mid CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2626.000	43.67	13.71	57.38	82.30	-24.92	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	18000.000	37.92	17.23	55.15	82.30	-27.15	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17970.000	39.09	17.16	56.25	82.30	-26.05	peak	

Test Mode : LTE Band 4_TX High CH_20MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2926.000	43.90	14.10	58.00	82.30	-24.30	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17970.000	38.75	17.16	55.91	82.30	-26.39	peak	

Test Mode : LTE Band 4_TX High CH_20MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2760.000	43.81	13.88	57.69	82.30	-24.61	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	18000.000	38.09	17.23	55.32	82.30	-26.98	peak	

Test Mode : LTE Band 7_TX Low CH_20MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2578.000	43.70	13.92	57.62	70.30	-12.68	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17970.000	38.24	17.16	55.40	70.30	-14.90	peak	

Test Mode : LTE Band 7_TX Low CH_20MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2578.000	44.63	13.65	58.28	70.30	-12.02	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17940.000	38.48	17.10	55.58	70.30	-14.72	peak	

Test Mode : LTE Band 7_TX Mid CH_20MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2670.000	44.16	13.77	57.93	70.30	-12.37	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17970.000	38.36	17.16	55.52	70.30	-14.78	peak	

Test Mode : LTE Band 7_TX Mid CH_20MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2626.000	43.50	14.10	57.60	70.30	-12.70	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17940.000	38.72	17.10	55.82	70.30	-14.48	peak	




Test Mode : LTE Band 7_TX High CH_20MHz

Vertical




Test Mode : LTE Band 7_TX High CH_20MHz

Horizontal




Test Mode : LTE Band 13_TX Mid CH_10MHz

Vertical




Test Mode : LTE Band 13_TX Mid CH_10MHz

Horizontal




Test Mode : LTE Band 38_TX Low CH_20MHz

Vertical




No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2692.000	41.36	13.80	55.16	70.30	-15.14	peak	




No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17970.000	38.36	17.16	55.52	70.30	-14.78	peak	

Test Mode : LTE Band 38_TX Low CH_20MHz

Horizontal




No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2708.000	42.96	13.82	56.78	70.30	-13.52	peak	




No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17955.000	38.87	17.13	56.00	70.30	-14.30	peak	

Test Mode : LTE Band 38_TX Mid CH_20MHz

Vertical




No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2676.000	41.70	13.77	55.47	70.30	-14.83	peak	




No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17955.000	37.10	17.13	54.23	70.30	-16.07	peak	

Test Mode : LTE Band 38_TX Mid CH_20MHz

Horizontal



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2912.000	41.94	14.08	56.02	70.30	-14.28	peak	




No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17715.000	38.64	16.62	55.26	70.30	-15.04	peak	

Test Mode : LTE Band 38_TX High CH_20MHz


Test Mode : LTE Band 38_TX High CH_20MHz

Vertical




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2572.000	41.11	14.17	55.28	70.30	-15.02	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2704.000	42.68	13.82	56.50	70.30	-13.80	peak	



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17805.000	37.81	16.81	54.62	70.30	-15.68	peak	




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	6210.000	37.39	8.49	45.88	70.30	-24.42	peak	

Test Mode : LTE Band 38_TX Low CH_20MHz


Test Mode : LTE Band 38_TX Low CH_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	20074.000	48.63	3.19	51.82	70.30	-18.48	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	24740.500	46.42	5.43	51.85	70.30	-18.45	peak	

Test Mode : LTE Band 38_TX Mid CH_20MHz


Test Mode : LTE Band 38_TX Mid CH_20MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	24706.500	46.20	5.75	51.95	70.30	-18.35	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	24706.500	46.68	5.47	52.15	70.30	-18.15	peak	

Test Mode : LTE Band 38_TX High CH_20MHz


Test Mode : LTE Band 38_TX High CH_20MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	24706.500	47.11	5.47	52.58	70.30	-17.72	peak	



Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	24698.000	46.11	5.49	51.60	70.30	-18.70	peak	



Test Mode : LTE Band 41_Low TX CH_20MHz

Vertical





Test Mode : LTE Band 41_Low TX CH_20MHz

Horizontal





Test Mode : LTE Band 41_Mid TX CH_20MHz

Vertical




Test Mode : LTE Band 41_Mid TX CH_20MHz

Horizontal



Test Mode : LTE Band 41_High TX CH_20MHz


Vertical




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2980.000	42.24	14.17	56.41	70.30	-13.89	peak	

Test Mode : LTE Band 41_High TX CH_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2982.000	40.86	14.18	55.04	70.30	-15.26	peak	




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17715.000	37.17	16.62	53.79	70.30	-16.51	peak	



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17970.000	38.39	17.16	55.55	70.30	-14.75	peak	

Test Mode : LTE Band 41_Low TX CH_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	24732.000	46.25	5.43	51.68	70.30	-18.62	peak	

Test Mode : LTE Band 41_Low TX CH_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	25854.000	45.71	5.73	51.44	70.30	-18.86	peak	


Test Mode : LTE Band 41_Mid TX CH_20MHz

Vertical




Test Mode : LTE Band 41_Mid TX CH_20MHz

Horizontal




Test Mode : LTE Band 41_High TX CH_20MHz

Vertical




Test Mode : LTE Band 41_High TX CH_20MHz

Horizontal



Test Mode : LTE Band 66_TX Low CH_20MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2610.000	41.32	13.68	55.00	82.30	-27.30	peak	

Test Mode : LTE Band 66_TX Low CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2722.000	41.23	13.83	55.06	82.30	-27.24	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17970.000	37.59	17.16	54.75	82.30	-27.55	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17970.000	39.01	17.16	56.17	82.30	-26.13	peak	

Test Mode : LTE Band 66_TX Mid CH_20MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2548.000	40.95	13.61	54.56	82.30	-27.74	peak	

Test Mode : LTE Band 66_TX Mid CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2148.000	42.84	11.76	54.60	82.30	-27.70	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	13950.000	37.06	17.08	54.14	82.30	-28.16	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17820.000	39.03	16.85	55.88	82.30	-26.42	peak	

Test Mode : LTE Band 66_TX High CH_20MHz


Test Mode : LTE Band 66_TX High CH_20MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2162.000	42.47	11.83	54.30	82.30	-28.00	peak	


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2178.000	42.78	11.91	54.69	82.30	-27.61	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17760.000	38.57	16.72	55.29	82.30	-27.01	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17955.000	38.00	17.13	55.13	82.30	-27.17	peak	

APPENDIX G - BAND EDGE


For WCDMA

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band4	1312	1710.00	-25.91	-13	PASS
Band4	1513	1755.00	-26.24	-13	PASS



Date: 16.MAR.2026 08:52:54

Band4-1312-PASS







Date: 16.MAR.2026 08:53:14

Band4-1513-PASS

For LTE



Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band4	1.4MHz	QPSK	19957	1RB#0	-25.96	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	-44.02	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	-30.33	PASS
Band4	1.4MHz	64QAM	19957	1RB#0	-28.73	PASS
Band4	1.4MHz	64QAM	19957	1RB#5	-45.78	PASS
Band4	1.4MHz	64QAM	19957	6RB#0	-31.10	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	-26.76	PASS
Band4	1.4MHz	16QAM	19957	1RB#5	-44.60	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	-30.78	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	-42.01	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	-26.02	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	-31.85	PASS
Band4	1.4MHz	64QAM	20393	1RB#0	-43.75	PASS
Band4	1.4MHz	64QAM	20393	1RB#5	-28.85	PASS
Band4	1.4MHz	64QAM	20393	6RB#0	-32.55	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	-42.77	PASS
Band4	1.4MHz	16QAM	20393	1RB#5	-27.05	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	-31.93	PASS
Band4	3MHz	QPSK	19965	1RB#0	-21.86	PASS
Band4	3MHz	QPSK	19965	1RB#14	-44.78	PASS
Band4	3MHz	QPSK	19965	15RB#0	-27.77	PASS
Band4	3MHz	QPSK	20385	1RB#0	-44.95	PASS
Band4	3MHz	QPSK	20385	1RB#14	-22.04	PASS
Band4	3MHz	QPSK	20385	15RB#0	-28.45	PASS
Band4	5MHz	QPSK	19975	1RB#0	-23.77	PASS
Band4	5MHz	QPSK	19975	1RB#24	-49.86	PASS
Band4	5MHz	QPSK	19975	25RB#0	-29.32	PASS
Band4	5MHz	64QAM	19975	1RB#0	-25.12	PASS
Band4	5MHz	64QAM	19975	1RB#24	-50.48	PASS
Band4	5MHz	64QAM	19975	25RB#0	-30.58	PASS
Band4	5MHz	16QAM	19975	1RB#0	-23.71	PASS
Band4	5MHz	16QAM	19975	1RB#24	-50.18	PASS
Band4	5MHz	16QAM	19975	25RB#0	-30.17	PASS
Band4	5MHz	QPSK	20375	1RB#0	-49.99	PASS
Band4	5MHz	QPSK	20375	1RB#24	-23.73	PASS
Band4	5MHz	QPSK	20375	25RB#0	-30.02	PASS
Band4	5MHz	64QAM	20375	1RB#0	-50.02	PASS
Band4	5MHz	64QAM	20375	1RB#24	-25.47	PASS
Band4	5MHz	64QAM	20375	25RB#0	-31.52	PASS
Band4	5MHz	16QAM	20375	1RB#0	-50.25	PASS
Band4	5MHz	16QAM	20375	1RB#24	-24.02	PASS
Band4	5MHz	16QAM	20375	25RB#0	-30.68	PASS
Band4	10MHz	QPSK	20000	1RB#0	-33.74	PASS
Band4	10MHz	QPSK	20000	1RB#49	-47.97	PASS
Band4	10MHz	QPSK	20000	50RB#0	-32.21	PASS
Band4	10MHz	64QAM	20000	1RB#0	-34.64	PASS
Band4	10MHz	64QAM	20000	1RB#49	-47.96	PASS
Band4	10MHz	64QAM	20000	50RB#0	-33.05	PASS
Band4	10MHz	16QAM	20000	1RB#0	-33.44	PASS
Band4	10MHz	16QAM	20000	1RB#49	-47.92	PASS
Band4	10MHz	16QAM	20000	50RB#0	-32.85	PASS
Band4	10MHz	QPSK	20350	1RB#0	-47.20	PASS
Band4	10MHz	QPSK	20350	1RB#49	-34.56	PASS
Band4	10MHz	QPSK	20350	50RB#0	-32.02	PASS
Band4	10MHz	64QAM	20350	1RB#0	-47.26	PASS
Band4	10MHz	64QAM	20350	1RB#49	-35.35	PASS
Band4	10MHz	64QAM	20350	50RB#0	-33.76	PASS
Band4	10MHz	16QAM	20350	1RB#0	-47.37	PASS
Band4	10MHz	16QAM	20350	1RB#49	-33.96	PASS

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band4	10MHz	16QAM	20350	50RB#0	-32.48	PASS
Band4	15MHz	QPSK	20025	1RB#0	-29.48	PASS
Band4	15MHz	QPSK	20025	1RB#74	-48.33	PASS
Band4	15MHz	QPSK	20025	75RB#0	-32.77	PASS
Band4	15MHz	64QAM	20025	1RB#0	-29.73	PASS
Band4	15MHz	64QAM	20025	1RB#74	-48.32	PASS
Band4	15MHz	64QAM	20025	75RB#0	-33.35	PASS
Band4	15MHz	16QAM	20025	1RB#0	-29.49	PASS
Band4	15MHz	16QAM	20025	1RB#74	-48.22	PASS
Band4	15MHz	16QAM	20025	75RB#0	-33.47	PASS
Band4	15MHz	QPSK	20325	1RB#0	-47.86	PASS
Band4	15MHz	QPSK	20325	1RB#74	-29.77	PASS
Band4	15MHz	QPSK	20325	75RB#0	-31.99	PASS
Band4	15MHz	64QAM	20325	1RB#0	-47.96	PASS
Band4	15MHz	64QAM	20325	1RB#74	-30.24	PASS
Band4	15MHz	64QAM	20325	75RB#0	-32.49	PASS
Band4	15MHz	16QAM	20325	1RB#0	-47.92	PASS
Band4	15MHz	16QAM	20325	1RB#74	-30.58	PASS
Band4	15MHz	16QAM	20325	75RB#0	-32.30	PASS
Band4	20MHz	QPSK	20050	1RB#0	-32.81	PASS
Band4	20MHz	QPSK	20050	1RB#99	-47.29	PASS
Band4	20MHz	QPSK	20050	100RB#0	-32.46	PASS
Band4	20MHz	64QAM	20050	1RB#0	-33.66	PASS
Band4	20MHz	64QAM	20050	1RB#99	-47.32	PASS
Band4	20MHz	64QAM	20050	100RB#0	-32.86	PASS
Band4	20MHz	16QAM	20050	1RB#0	-32.14	PASS
Band4	20MHz	16QAM	20050	1RB#99	-47.22	PASS
Band4	20MHz	16QAM	20050	100RB#0	-32.50	PASS
Band4	20MHz	QPSK	20300	1RB#0	-47.04	PASS
Band4	20MHz	QPSK	20300	1RB#99	-32.56	PASS
Band4	20MHz	QPSK	20300	100RB#0	-31.34	PASS
Band4	20MHz	64QAM	20300	1RB#0	-47.01	PASS
Band4	20MHz	64QAM	20300	1RB#99	-33.68	PASS
Band4	20MHz	64QAM	20300	100RB#0	-32.10	PASS
Band4	20MHz	16QAM	20300	1RB#0	-46.91	PASS
Band4	20MHz	16QAM	20300	1RB#99	-32.94	PASS
Band4	20MHz	16QAM	20300	100RB#0	-31.78	PASS




Band4-1.4MHz-QPSK-19957-6RB#0-PASS


Band4-1.4MHz-64QAM-19957-1RB#0-PASS



Band4-1.4MHz-64QAM-19957-1RB#5-PASS












Band4-1.4MHz-64QAM-19957-6RB#0-PASS



Band4-1.4MHz-16QAM-19957-1RB#0-PASS





Band4-1.4MHz-16QAM-19957-1RB#5-PASS





Band4-1.4MHz-64QAM-20393-6RB#0-PASS

Band4-1.4MHz-16QAM-20393-1RB#0-PASS



Band4-3MHz-QPSK-19965-1RB#0-PASS

Band4-3MHz-QPSK-19965-1RB#14-PASS