


Annex A.6 Band Edge

GSM

1. GSM_GSM850


1.1. GSM Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.985	-42.04	-13	Pass	401
823	824	0.003	RMS	823.998	-17.23	-13	Pass	401
824	824.5	0.01	RMS	824.221	24.14	35	Pass	401



1.2. GSM Band Edge_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.821	23.66	35	Pass	401
849	850	0.003	RMS	849.023	-16.63	-13	Pass	401
850	855	0.1	RMS	850	-41.67	-13	Pass	401



2. GSM_PCS


2.1. GSM Band Edge_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1848.2	-27.87	-13	Pass	41
1849	1850	0.003	RMS	1849.978	-21.44	-13	Pass	401
1850	1851	0.01	RMS	1850.228	19.58	35	Pass	401



2.2. GSM Band Edge_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.825	19.57	35	Pass	401
1910	1911	0.003	RMS	1910.033	-19.77	-13	Pass	401
1911	1915	1	RMS	1911.3	-27.98	-13	Pass	41




EGPRS

1. EGPRS_GSM850


1.1. EGPRS Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.835	-43.2	-13	Pass	401
823	824	0.003	RMS	823.98	-25.36	-13	Pass	401
824	824.5	0.01	RMS	824.203	17.24	35	Pass	401



1.2. EGPRS Band Edge_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.818	17.21	35	Pass	401
849	850	0.003	RMS	849.01	-27.03	-13	Pass	401
850	855	0.1	RMS	850.15	-43.25	-13	Pass	401



2. EGPRS_PCS


2.1. EGPRS Band Edge_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1848	-28.15	-13	Pass	41
1849	1850	0.003	RMS	1849.983	-25.79	-13	Pass	401
1850	1851	0.01	RMS	1850.228	15.63	35	Pass	401



2.2. EGPRS Band Edge_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.823	15.17	35	Pass	401
1910	1911	0.003	RMS	1910.025	-28.76	-13	Pass	401
1911	1915	1	RMS	1912.2	-27.92	-13	Pass	41




WCDMA

1. WCDMA_Band2


1.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-26.03	-13	13.03	Pass	41
1849	1850	0.051	RMS	1850	-26.4	-13	13.4	Pass	401
1850	1855	0.1	RMS	1851.538	8.36	35	26.64	Pass	401



1.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1907.55	8.37	35	26.63	Pass	401
1910	1911	0.051	RMS	1910	-23.52	-13	10.52	Pass	401
1911	1915	1	RMS	1911	-21.64	-13	8.64	Pass	41



2. WCDMA_Band4


2.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-25.64	-13	12.64	Pass	41
1709	1710	0.051	RMS	1710	-24.34	-13	11.34	Pass	401
1710	1715	0.1	RMS	1712.825	8.08	35	26.92	Pass	401



2.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1753.025	8.11	35	26.89	Pass	401
1755	1756	0.051	RMS	1755	-24.23	-13	11.23	Pass	401
1756	1760	1	RMS	1756	-23.75	-13	10.75	Pass	41



3. WCDMA_Band5


3.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.82	-32.59	-13	19.59	Pass	401
823	824	0.051	RMS	823.84	-26.59	-13	13.59	Pass	401
824	829	0.1	RMS	826.363	8.98	35	26.02	Pass	401



3.3. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	846.65	8.87	35	26.13	Pass	401
849	850	0.051	RMS	849.15	-26.26	-13	13.26	Pass	401
850	855	0.1	RMS	850.2	-32.19	-13	19.19	Pass	401




LTE

1. LTE_Band5


1.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.5	-46.56	-13	Pass	401
823	824	0.02	RMS	824	-24.15	-13	Pass	401
824	826	0.1	RMS	824.25	21.46	30	Pass	401




1.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.09	-13	Pass	401
823	824	0.02	RMS	824	-29.4	-13	Pass	401
824	826	0.1	RMS	825.125	12.81	30	Pass	401




1.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.5	-47.63	-13	Pass	401
823	824	0.02	RMS	824	-25.45	-13	Pass	401
824	826	0.1	RMS	824.26	20.56	30	Pass	401




1.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-40.09	-13	Pass	401
823	824	0.02	RMS	824	-29.79	-13	Pass	401
824	826	0.1	RMS	825.105	11.88	30	Pass	401




1.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	21.37	30	Pass	401
849	850	0.02	RMS	849	-23.29	-13	Pass	401
850	860	0.1	RMS	850.025	-47.41	-13	Pass	401




1.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.92	12.84	30	Pass	401
849	850	0.02	RMS	849	-29.1	-13	Pass	401
850	860	0.1	RMS	850	-36.24	-13	Pass	401




1.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.76	20.75	30	Pass	401
849	850	0.02	RMS	849.003	-24.17	-13	Pass	401
850	860	0.1	RMS	850	-48.03	-13	Pass	401




1.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.955	12.2	30	Pass	401
849	850	0.02	RMS	849	-29.76	-13	Pass	401
850	860	0.1	RMS	850	-36.98	-13	Pass	401




1.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.6	-13	Pass	401
823	824	0.03	RMS	824	-22.89	-13	Pass	35
824	827	0.1	RMS	824.233	21.21	30	Pass	401




1.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-33.41	-13	Pass	401
823	824	0.03	RMS	824	-27.74	-13	Pass	401
824	827	0.1	RMS	825.44	8.96	30	Pass	401




1.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.8	-13	Pass	401
823	823.985	0.03	RMS	823.985	-26.25	-13	Pass	401
824	827	0.1	RMS	824.248	20.15	30	Pass	401




1.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-32.83	-13	Pass	401
823	824	0.03	RMS	824	-29.41	-13	Pass	401
824	827	0.1	RMS	825.178	7.72	30	Pass	401




1.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	21.56	30	Pass	401
849	850	0.03	RMS	849	-21.1	-13	Pass	35
850	860	0.1	RMS	850	-46.73	-13	Pass	401




1.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.088	9.15	30	Pass	401
849	850	0.03	RMS	849	-28.41	-13	Pass	401
850	860	0.1	RMS	850	-31.46	-13	Pass	401




1.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	20.91	30	Pass	401
849	850	0.03	RMS	849	-21.16	-13	Pass	35
850	860	0.1	RMS	850	-47.26	-13	Pass	401




1.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.388	8.3	30	Pass	401
849	850	0.03	RMS	849	-28.52	-13	Pass	401
850	860	0.1	RMS	850	-31.11	-13	Pass	401




1.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-45.81	-13	Pass	401
823	824	0.051	RMS	823.998	-23.17	-13	Pass	401
824	829	0.1	RMS	824.338	20.84	30	Pass	401




1.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-33.87	-13	Pass	401
823	824	0.051	RMS	824	-29.21	-13	Pass	401
824	829	0.1	RMS	826.75	6.93	30	Pass	401




1.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.3	-49	-13	Pass	401
823	824	0.051	RMS	824	-23.9	-13	Pass	401
824	829	0.1	RMS	824.35	19.8	30	Pass	401




1.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.55	-13	Pass	401
823	824	0.051	RMS	824	-29.99	-13	Pass	401
824	829	0.1	RMS	827.313	5.9	30	Pass	401




1.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.91	30	Pass	401
849	850	0.051	RMS	849	-23.07	-13	Pass	401
850	860	0.1	RMS	850.075	-46.56	-13	Pass	401




1.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.863	6.93	30	Pass	401
849	850	0.051	RMS	849.003	-28.72	-13	Pass	401
850	860	0.1	RMS	850.025	-32.65	-13	Pass	401




1.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.37	30	Pass	401
849	850	0.051	RMS	849	-23.28	-13	Pass	401
850	860	0.1	RMS	850	-48.41	-13	Pass	401




1.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.25	6.03	30	Pass	401
849	850	0.051	RMS	849	-29.61	-13	Pass	401
850	860	0.1	RMS	850.125	-32.68	-13	Pass	401




1.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.64	-13	Pass	401
823	824	0.1	RMS	823.998	-33.89	-13	Pass	401
824	834	0.1	RMS	824.6	21.14	30	Pass	401




1.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-33.73	-13	Pass	401
823	824	0.1	RMS	823.993	-30.97	-13	Pass	401
824	834	0.1	RMS	828.275	3.89	30	Pass	401




**1.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20450,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.36	-13	Pass	401
823	824	0.1	RMS	824	-34.22	-13	Pass	401
824	834	0.1	RMS	824.6	20.19	30	Pass	401




1.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-34.04	-13	Pass	401
823	824	0.1	RMS	823.998	-31.85	-13	Pass	401
824	834	0.1	RMS	830.575	2.71	30	Pass	401




1.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.24	30	Pass	401
849	850	0.1	RMS	849	-33.9	-13	Pass	401
850	860	0.1	RMS	850.025	-49.03	-13	Pass	401




1.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.325	4	30	Pass	401
849	850	0.1	RMS	849.003	-31.13	-13	Pass	401
850	860	0.1	RMS	850	-33.7	-13	Pass	401




1.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	20.8	30	Pass	401
849	850	0.1	RMS	849	-33.96	-13	Pass	401
850	860	0.1	RMS	850	-49.27	-13	Pass	401



1.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	843.4	2.87	30	Pass	401
849	850	0.1	RMS	849	-31.85	-13	Pass	401
850	860	0.1	RMS	850.075	-34.2	-13	Pass	401



2. LTE_Band7


2.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.673	-41.33	-25	Pass	401
2494	2496	1	RMS	2495.9	-35.1	-13	Pass	401
2496	2499	1	RMS	2499	-33.41	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-18.92	-10	Pass	401
2500	2505	0.1	RMS	2500.338	19.8	30	Pass	401




2.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-38.83	-25	Pass	401
2494	2496	1	RMS	2496	-30.66	-13	Pass	401
2496	2499	1	RMS	2499	-22.76	-10	Pass	4
2499	2500	0.1	RMS	2500	-25.95	-10	Pass	401
2500	2505	0.1	RMS	2501.663	5.96	30	Pass	401




2.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.768	-44.18	-25	Pass	401
2494	2496	1	RMS	2495.985	-36.76	-13	Pass	401
2496	2499	1	RMS	2496	-36.71	-10	Pass	4
2499	2500	0.1	RMS	2500	-19.17	-10	Pass	401
2500	2505	0.1	RMS	2500.35	19.1	30	Pass	401




2.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-40.13	-25	Pass	401
2494	2496	1	RMS	2496	-32.9	-13	Pass	401
2496	2499	1	RMS	2499	-24.41	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-27	-10	Pass	401
2500	2505	0.1	RMS	2502.825	5.07	30	Pass	401




2.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	19.79	30	Pass	401
2570	2571	0.051	RMS	2570	-23.86	-10	Pass	401
2571	2575	1	RMS	2574	-34.9	-10	Pass	5
2575	2576	1	RMS	2575	-43.29	-13	Pass	401
2576	2595	1	RMS	2578.233	-42.87	-25	Pass	401




2.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.863	5.95	30	Pass	401
2570	2571	0.1	RMS	2570	-26.53	-10	Pass	401
2571	2575	1	RMS	2571	-22.79	-10	Pass	5
2575	2576	1	RMS	2575.003	-35.36	-13	Pass	401
2576	2595	1	RMS	2576	-38.79	-25	Pass	401




2.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	19.11	30	Pass	401
2570	2571	0.1	RMS	2570	-19	-10	Pass	401
2571	2575	1	RMS	2574	-35.97	-10	Pass	5
2575	2576	1	RMS	2575	-43.93	-13	Pass	401
2576	2595	1	RMS	2578.28	-43.73	-25	Pass	401




2.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2567.25	5.07	30	Pass	401
2570	2571	0.1	RMS	2570	-27.94	-10	Pass	401
2571	2575	1	RMS	2571	-24.22	-10	Pass	5
2575	2576	1	RMS	2575.008	-37.28	-13	Pass	401
2576	2595	1	RMS	2576	-40.33	-25	Pass	401




2.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.875	-44.31	-25	Pass	401
2490	2496	1	RMS	2491.8	-35.32	-13	Pass	401
2496	2499	1	RMS	2499	-39.91	-10	Pass	4
2499	2500	0.2	RMS	2500	-26.21	-10	Pass	401
2500	2510	0.1	RMS	2500.6	20.12	30	Pass	401




2.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.47	-25	Pass	401
2490	2496	1	RMS	2496	-27.14	-13	Pass	401
2496	2499	1	RMS	2499	-24.25	-10	Pass	4
2499	2500	0.2	RMS	2499.993	-27.63	-10	Pass	401
2500	2510	0.1	RMS	2504.25	3.04	30	Pass	401




2.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.913	-44.79	-25	Pass	401
2490	2496	1	RMS	2491.785	-36.63	-13	Pass	401
2496	2499	1	RMS	2499	-40.68	-10	Pass	4
2499	2500	0.2	RMS	2500	-26.96	-10	Pass	401
2500	2510	0.1	RMS	2500.6	19.12	30	Pass	401




2.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-40.46	-25	Pass	401
2490	2496	1	RMS	2496	-29.03	-13	Pass	401
2496	2499	1	RMS	2499	-26.18	-10	Pass	4
2499	2500	0.2	RMS	2500	-29.51	-10	Pass	401
2500	2510	0.1	RMS	2503.975	1.93	30	Pass	401




2.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.37	30	Pass	401
2570	2571	0.2	RMS	2570	-26.01	-10	Pass	401
2571	2575	1	RMS	2574	-38.4	-10	Pass	5
2575	2580	1	RMS	2578.213	-34.47	-13	Pass	401
2580	2595	1	RMS	2587.088	-43.07	-25	Pass	401




2.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2563.85	2.91	30	Pass	401
2570	2571	0.2	RMS	2570.003	-30.37	-10	Pass	401
2571	2575	1	RMS	2571	-27.53	-10	Pass	5
2575	2580	1	RMS	2575.013	-31.73	-13	Pass	401
2580	2595	1	RMS	2580	-40.19	-25	Pass	401




2.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	19.3	30	Pass	401
2570	2571	0.2	RMS	2570	-26.93	-10	Pass	401
2571	2575	1	RMS	2574	-39.43	-10	Pass	5
2575	2580	1	RMS	2578.2	-35.71	-13	Pass	401
2580	2595	1	RMS	2587.163	-43.94	-25	Pass	401




2.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2564.425	1.9	30	Pass	401
2570	2571	0.2	RMS	2570.003	-31.58	-10	Pass	401
2571	2575	1	RMS	2571	-28.51	-10	Pass	5
2575	2580	1	RMS	2575.013	-32.54	-13	Pass	401
2580	2595	1	RMS	2580	-40.64	-25	Pass	401




2.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.563	-35.63	-25	Pass	401
2490	2496	1	RMS	2494.275	-44.07	-13	Pass	401
2496	2499	1	RMS	2499	-41.05	-10	Pass	4
2499	2500	0.3	RMS	2500	-23.43	-10	Pass	401
2500	2515	0.1	RMS	2500.825	19.93	30	Pass	401




2.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.62	-25	Pass	401
2490	2496	1	RMS	2496	-27.66	-13	Pass	401
2496	2499	1	RMS	2499	-23.99	-10	Pass	4
2499	2500	0.3	RMS	2499.993	-28.35	-10	Pass	401
2500	2515	0.1	RMS	2508.1	1.19	30	Pass	401




2.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.563	-37.05	-25	Pass	401
2490	2496	1	RMS	2494.2	-44.87	-13	Pass	401
2496	2499	1	RMS	2499	-41.52	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-24.18	-10	Pass	401
2500	2515	0.1	RMS	2500.825	18.92	30	Pass	401




2.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.03	-25	Pass	401
2490	2496	1	RMS	2495.31	-29.58	-13	Pass	401
2496	2499	1	RMS	2499	-28.1	-10	Pass	4
2499	2500	0.3	RMS	2500	-31.78	-10	Pass	401
2500	2515	0.1	RMS	2508.738	0.27	30	Pass	401




2.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	19.99	30	Pass	401
2570	2571	0.3	RMS	2570	-24.09	-10	Pass	401
2571	2575	1	RMS	2571	-40.6	-10	Pass	5
2575	2585	1	RMS	2582.475	-36.01	-13	Pass	401
2585	2595	1	RMS	2588.9	-47.19	-25	Pass	401




2.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2561.188	1.29	30	Pass	401
2570	2571	0.3	RMS	2570.003	-31.19	-10	Pass	401
2571	2575	1	RMS	2571	-27.15	-10	Pass	5
2575	2585	1	RMS	2575	-30.72	-13	Pass	401
2585	2595	1	RMS	2585.025	-42.08	-25	Pass	401




2.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	19.2	30	Pass	401
2570	2571	0.3	RMS	2570	-24.13	-10	Pass	401
2571	2575	1	RMS	2571	-41.07	-10	Pass	5
2575	2585	1	RMS	2582.5	-37.6	-13	Pass	401
2585	2595	1	RMS	2589.125	-47.18	-25	Pass	401




2.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2561.075	0.27	30	Pass	401
2570	2571	0.3	RMS	2570.005	-32.67	-10	Pass	401
2571	2575	1	RMS	2571	-29.02	-10	Pass	5
2575	2585	1	RMS	2575.025	-32.51	-13	Pass	401
2585	2595	1	RMS	2585	-42.98	-25	Pass	401




2.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.288	-39.42	-25	Pass	401
2490	2496	1	RMS	2492.19	-35.81	-13	Pass	401
2496	2499	1	RMS	2499	-41.6	-10	Pass	4
2499	2500	0.51	RMS	2499.998	-22.92	-10	Pass	401
2500	2520	0.1	RMS	2501.1	19.8	30	Pass	401




2.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.79	-25	Pass	16
2490	2496	1	RMS	2496	-29.89	-13	Pass	401
2496	2499	1	RMS	2499	-27.91	-10	Pass	4
2499	2500	0.51	RMS	2499.993	-29.13	-10	Pass	401
2500	2520	0.1	RMS	2509	-0.19	30	Pass	401




2.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.288	-40.08	-25	Pass	401
2490	2496	1	RMS	2492.175	-36.1	-13	Pass	401
2496	2499	1	RMS	2499	-41.71	-10	Pass	4
2499	2500	0.51	RMS	2500	-22.13	-10	Pass	401
2500	2520	0.1	RMS	2501.1	19.65	30	Pass	401




2.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-36.26	-25	Pass	401
2490	2496	1	RMS	2496	-30.77	-13	Pass	401
2496	2499	1	RMS	2499	-29.06	-10	Pass	4
2499	2500	0.51	RMS	2499.998	-30.33	-10	Pass	401
2500	2520	0.1	RMS	2509.2	-0.92	30	Pass	401




2.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.09	30	Pass	401
2570	2571	0.51	RMS	2570.005	-22.58	-10	Pass	401
2571	2575	1	RMS	2571	-41.48	-10	Pass	5
2575	2590	1	RMS	2577.813	-35.08	-13	Pass	401
2590	2595	1	RMS	2594.925	-47.22	-25	Pass	401




2.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2559	-0.14	30	Pass	401
2570	2571	0.51	RMS	2570.003	-30.82	-10	Pass	401
2571	2575	1	RMS	2571	-29.89	-10	Pass	5
2575	2590	1	RMS	2575.038	-32.44	-13	Pass	401
2590	2595	1	RMS	2590.013	-45.81	-25	Pass	401




2.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	18.84	30	Pass	401
2570	2571	0.51	RMS	2570	-23.1	-10	Pass	401
2571	2575	1	RMS	2571	-42.36	-10	Pass	5
2575	2590	1	RMS	2577.813	-37.63	-13	Pass	401
2590	2595	1	RMS	2593.5	-47.21	-25	Pass	401



2.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2556.95	-0.96	30	Pass	401
2570	2571	0.51	RMS	2570.008	-32.54	-10	Pass	401
2571	2575	1	RMS	2571	-30.27	-10	Pass	5
2575	2590	1	RMS	2575.075	-31.81	-13	Pass	401
2590	2595	1	RMS	2590	-45.32	-25	Pass	401



3. LTE_Band13


3.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.98	-57.55	-35	Pass	1201
775	775.9	0.1	RMS	775.884	-46.04	-13	Pass	401
775.9	776	0.03	RMS	776	-50.84	-13	Pass	401
776	788	0.1	RMS	777.35	21.4	30	Pass	401




3.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	772.97	-47.06	-35	Pass	1201
775	775.9	0.1	RMS	775.864	-37.63	-13	Pass	401
775.9	776	0.03	RMS	775.9	-42.62	-13	Pass	401
776	788	0.1	RMS	779.72	7.31	30	Pass	401




3.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.63	-58.79	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-47.3	-13	Pass	401
775.9	776	0.03	RMS	775.997	-51.9	-13	Pass	401
776	788	0.1	RMS	777.32	20.36	30	Pass	401




3.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.94	-45.92	-35	Pass	1201
775	775.9	0.1	RMS	775.864	-36.72	-13	Pass	401
775.9	776	0.03	RMS	775.927	-41.77	-13	Pass	401
776	788	0.1	RMS	779.84	6.41	30	Pass	401




3.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	21.2	30	Pass	401
788	788.1	0.03	RMS	788.008	-51.08	-13	Pass	401
788.1	793	0.1	RMS	788.823	-45.84	-13	Pass	401
793	806	0.01	RMS	795.35	-61.87	-35	Pass	1301




3.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	783.86	7.21	30	Pass	401
788	788.1	0.03	RMS	788.059	-43.12	-13	Pass	401
788.1	793	0.1	RMS	788.149	-37.96	-13	Pass	401
793	806	0.01	RMS	793.06	-57.64	-35	Pass	1301




3.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	20.58	30	Pass	401
788	788.1	0.03	RMS	788.035	-51.47	-13	Pass	401
788.1	793	0.1	RMS	788.811	-46.42	-13	Pass	401
793	806	0.01	RMS	795.31	-62.72	-35	Pass	1301




3.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	784.28	6.36	30	Pass	401
788	788.1	0.03	RMS	788.095	-42.93	-13	Pass	401
788.1	793	0.1	RMS	788.112	-37.83	-13	Pass	401
793	806	0.01	RMS	793.09	-59.99	-35	Pass	1301




3.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.95	-57.86	-35	Pass	1201
775	775.9	0.1	RMS	775.898	-47.23	-13	Pass	401
775.9	776	0.03	RMS	775.982	-51.02	-13	Pass	401
776	788	0.1	RMS	777.59	21.55	30	Pass	401




3.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.96	-51.08	-35	Pass	1201
775	775.9	0.1	RMS	775.745	-40.77	-13	Pass	401
775.9	776	0.03	RMS	775.989	-45.71	-13	Pass	401
776	788	0.1	RMS	781.28	4.41	30	Pass	401




3.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.85	-58.32	-35	Pass	1201
775	775.9	0.1	RMS	775.887	-47.89	-13	Pass	401
775.9	776	0.03	RMS	775.965	-51.9	-13	Pass	401
776	788	0.1	RMS	777.59	20.62	30	Pass	401




3.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.94	-49.68	-35	Pass	1201
775	775.9	0.1	RMS	775.752	-39.52	-13	Pass	401
775.9	776	0.03	RMS	775.996	-44.41	-13	Pass	401
776	788	0.1	RMS	781.01	3.38	30	Pass	401




3.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	21.59	30	Pass	401
788	788.1	0.03	RMS	788.017	-51.05	-13	Pass	401
788.1	793	0.1	RMS	788.1	-46.72	-13	Pass	401
793	806	0.01	RMS	804.14	-63.05	-35	Pass	1301




3.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	781.25	4.51	30	25.49	Pass	401
788	788.1	0.03	RMS	788.006	-43.3	-13	30.3	Pass	401
788.1	793	0.1	RMS	788.48	-37.52	-13	24.52	Pass	401
793	806	0.01	RMS	793.53	-49.59	-35	14.59	Pass	1301




3.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	20.38	30	Pass	401
788	788.1	0.03	RMS	788.079	-51.87	-13	Pass	401
788.1	793	0.1	RMS	788.1	-47.75	-13	Pass	401
793	806	0.01	RMS	804.15	-64.34	-35	Pass	1301



3.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	781.01	3.65	30	26.35	Pass	401
788	788.1	0.03	RMS	788.013	-43.76	-13	30.76	Pass	401
788.1	793	0.1	RMS	788.296	-38.43	-13	25.43	Pass	401
793	806	0.01	RMS	793.26	-51.2	-35	16.2	Pass	1301



4. LTE_Band26(part22)


4.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.54	-46.43	-13	Pass	401
823	824	0.02	RMS	824	-22.94	-13	Pass	401
824	826	0.1	RMS	824.245	21.87	30	Pass	401




4.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-39.1	-13	Pass	401
823	824	0.02	RMS	823.998	-29.46	-13	Pass	401
824	826	0.1	RMS	825.11	12.93	30	Pass	401




4.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.44	-47.62	-13	Pass	401
823	824	0.02	RMS	824	-24.76	-13	Pass	401
824	826	0.1	RMS	824.255	20.5	30	Pass	401




4.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-40.41	-13	Pass	401
823	824	0.02	RMS	824	-29.59	-13	Pass	401
824	826	0.1	RMS	824.74	12.23	30	Pass	401




4.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	21.41	30	Pass	401
849	850	0.02	RMS	849.003	-23.07	-13	Pass	401
850	860	0.1	RMS	850	-47.3	-13	Pass	401




4.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.93	13.02	30	Pass	401
849	850	0.02	RMS	849	-29.05	-13	Pass	401
850	860	0.1	RMS	850	-37.25	-13	Pass	401




4.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	21.07	30	Pass	401
849	850	0.02	RMS	849	-23.38	-13	Pass	401
850	860	0.1	RMS	850	-47.49	-13	Pass	401




4.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.33	12.19	30	Pass	401
849	850	0.02	RMS	849	-29.82	-13	Pass	401
850	860	0.1	RMS	850	-38.74	-13	Pass	401




4.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.11	-13	Pass	401
823	823.985	0.03	RMS	823.985	-23.86	-13	Pass	34
824	827	0.1	RMS	824.233	21.55	30	Pass	401




4.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.28	-13	Pass	401
823	824	0.03	RMS	824	-27.86	-13	Pass	401
824	827	0.1	RMS	825.433	9.22	30	Pass	401




4.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.74	-47.93	-13	Pass	401
823	823.985	0.03	RMS	823.985	-24.98	-13	Pass	401
824	827	0.1	RMS	824.233	20.34	30	Pass	401




4.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.07	-13	Pass	401
823	824	0.03	RMS	824	-29.26	-13	Pass	401
824	827	0.1	RMS	825.163	7.96	30	Pass	401



4.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	21.51	30	Pass	401
849.015	850	0.03	RMS	849.015	-22.32	-13	Pass	34
850	860	0.1	RMS	850	-45.92	-13	Pass	401




4.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.095	9.24	30	Pass	401
849	850	0.03	RMS	849	-28.86	-13	Pass	401
850	860	0.1	RMS	850.025	-32.24	-13	Pass	401




4.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	20.5	30	Pass	401
849.015	850	0.03	RMS	849.015	-24.73	-13	Pass	34
850	860	0.1	RMS	850.025	-46.23	-13	Pass	401




4.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.62	8.4	30	Pass	401
849	850	0.03	RMS	849	-28.97	-13	Pass	401
850	860	0.1	RMS	850	-31.55	-13	Pass	401




4.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.96	-13	Pass	401
823	824	0.051	RMS	824	-22.35	-13	Pass	401
824	829	0.1	RMS	824.338	21.2	30	Pass	401




4.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-34.52	-13	Pass	401
823	824	0.051	RMS	823.998	-29.33	-13	Pass	401
824	829	0.1	RMS	826.725	7.15	30	Pass	401




4.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-48.91	-13	Pass	401
823	824	0.051	RMS	824	-23.21	-13	Pass	401
824	829	0.1	RMS	824.338	20.23	30	Pass	401




4.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-34	-13	Pass	401
823	824	0.051	RMS	824	-29.7	-13	Pass	401
824	829	0.1	RMS	827.313	6.25	30	Pass	401




4.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.13	30	Pass	401
849	850	0.051	RMS	849	-22.46	-13	Pass	401
850	860	0.1	RMS	850.025	-47.43	-13	Pass	401




4.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.888	7.1	30	Pass	401
849	850	0.051	RMS	849	-29.08	-13	Pass	401
850	860	0.1	RMS	850	-33.11	-13	Pass	401




4.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	20.51	30	Pass	401
849	850	0.051	RMS	849	-23.1	-13	Pass	401
850	860	0.1	RMS	850.05	-48.16	-13	Pass	401




4.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.288	6.31	30	Pass	401
849	850	0.051	RMS	849	-29.59	-13	Pass	401
850	860	0.1	RMS	850.125	-32.89	-13	Pass	401




4.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.1	-13	Pass	401
823	824	0.1	RMS	823.998	-33.09	-13	Pass	401
824	834	0.1	RMS	824.575	21.48	30	Pass	401




4.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.41	-13	Pass	401
823	824	0.1	RMS	823.995	-31.27	-13	Pass	401
824	834	0.1	RMS	828.275	4.17	30	Pass	401




4.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-49.05	-13	Pass	401
823	824	0.1	RMS	823.995	-32.9	-13	Pass	401
824	834	0.1	RMS	824.6	20.54	30	Pass	401




4.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-34.46	-13	Pass	401
823	824	0.1	RMS	823.998	-31.93	-13	Pass	401
824	834	0.1	RMS	829.025	3.06	30	Pass	401




4.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.37	30	Pass	401
849	850	0.1	RMS	849	-33.24	-13	Pass	401
850	860	0.1	RMS	850	-48.64	-13	Pass	401




4.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.375	4.21	30	Pass	401
849	850	0.1	RMS	849	-31.51	-13	Pass	401
850	860	0.1	RMS	850	-34.17	-13	Pass	401




4.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	20.65	30	Pass	401
849	850	0.1	RMS	849	-33.87	-13	Pass	401
850	860	0.1	RMS	850	-49.3	-13	Pass	401




4.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	843.375	3.07	30	Pass	401
849	850	0.1	RMS	849.003	-32.17	-13	Pass	401
850	860	0.1	RMS	850.05	-34.45	-13	Pass	401




4.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.78	-13	Pass	401
823	824	0.15	RMS	823.998	-28.87	-13	Pass	401
824	839	0.1	RMS	824.825	21.26	30	Pass	401




4.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.76	-33.91	-13	Pass	401
823	824	0.15	RMS	824	-32.32	-13	Pass	401
824	839	0.1	RMS	830.375	2.62	30	Pass	401



4.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-49.51	-13	Pass	401
823	824	0.15	RMS	824	-29.08	-13	Pass	401
824	839	0.1	RMS	824.825	20.32	30	Pass	401




4.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.94	-34.04	-13	Pass	401
823	824	0.15	RMS	823.993	-32.36	-13	Pass	401
824	839	0.1	RMS	830.488	1.65	30	Pass	401



4.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.138	21.36	30	Pass	401
849	850	0.15	RMS	849	-29.1	-13	Pass	401
850	860	0.1	RMS	850.05	-48.64	-13	Pass	401




4.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	840.188	2.48	30	Pass	401
849	850	0.15	RMS	849.988	-32.25	-13	Pass	401
850	860	0.1	RMS	850.05	-33.95	-13	Pass	401



4.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.42	30	Pass	401
849	850	0.15	RMS	849	-29.55	-13	Pass	401
850	860	0.1	RMS	850	-49.36	-13	Pass	401



4.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	840.075	1.41	30	Pass	401
849	850	0.15	RMS	849.003	-32.77	-13	Pass	401
850	860	0.1	RMS	850.125	-34.86	-13	Pass	401



1. LTE_Band26(part90)


1.1. LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.54	-13	Pass	51
813.9625	814	0.002	RMS	813.994	-30.04	-20	Pass	401
814	819	0.1	RMS	814.25	21.88	30	Pass	401




1.2. LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.63	-13	Pass	401
813.9625	814	0.02	RMS	814	-29.29	-20	Pass	401
814	819	0.1	RMS	815.113	13.07	30	Pass	401




1.3. LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.71	-13	Pass	51
813.9625	814	0.002	RMS	813.994	-33.08	-20	Pass	401
814	819	0.1	RMS	814.25	20.57	30	Pass	401




1.4. LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.47	-13	Pass	401
813.9625	814	0.02	RMS	814	-29.55	-20	Pass	401
814	819	0.1	RMS	815.1	12.38	30	Pass	401




1.5. LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	21.51	30	Pass	401
824	824.0375	0.002	RMS	824.004	-32.33	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-20.84	-13	Pass	51




1.6. LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.688	13.05	30	Pass	401
824	824.0375	0.02	RMS	824	-28.87	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.69	-13	Pass	401




1.7. LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.738	20.96	30	Pass	401
824	824.0375	0.002	RMS	824.008	-33	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-21.84	-13	Pass	51




1.8. LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.313	12.14	30	Pass	401
824	824.0375	0.02	RMS	824	-29.6	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.39	-13	Pass	401



1.9. LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.65	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-31.87	-20	Pass	20
814	819	0.1	RMS	814.238	21.53	30	Pass	401




1.10. LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.32	-13	Pass	401
813.9625	814	0.03	RMS	814	-27.61	-20	Pass	401
814	819	0.1	RMS	815.45	9.37	30	Pass	401




1.11. LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.76	-13	Pass	51
813.9625	814	0.002	RMS	814	-33.15	-20	Pass	20
814	819	0.1	RMS	814.238	20.57	30	Pass	401




1.12. LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.37	-13	Pass	401
813.9625	814	0.03	RMS	814	-29.12	-20	Pass	401
814	819	0.1	RMS	815.238	8.41	30	Pass	401




1.13. LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	21.51	30	Pass	401
824	824.0375	0.002	RMS	824.002	-33.13	-20	Pass	20
824.0375	829	0.1	RMS	824.038	-20.7	-13	Pass	51




1.14. LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.075	9.28	30	Pass	401
824	824.0375	0.03	RMS	824	-28.37	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-24.69	-13	Pass	401




1.15. LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	20.72	30	Pass	401
824	824.0375	0.002	RMS	824.002	-33.16	-20	Pass	20
824.0375	829	0.1	RMS	824.038	-21.85	-13	Pass	51




1.16. LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.838	8.38	30	Pass	401
824	824.0375	0.03	RMS	824	-28.4	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-24.77	-13	Pass	401




1.17. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.65	-13	Pass	401
813.9625	814	0.02	RMS	814	-26.46	-20	Pass	401
814	819	0.1	RMS	814.338	21.2	30	Pass	401




1.18. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.69	-13	Pass	401
813.9625	814	0.051	RMS	814	-28.92	-20	Pass	401
814	819	0.1	RMS	815.688	7.25	30	Pass	401




1.19. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.6	-13	Pass	401
813.9625	814	0.02	RMS	814	-27.5	-20	Pass	401
814	819	0.1	RMS	814.338	20.35	30	Pass	401




1.20. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.21	-13	Pass	401
813.9625	814	0.051	RMS	814	-29.63	-20	Pass	401
814	819	0.1	RMS	815.675	6.29	30	Pass	401



1.21. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	21.16	30	Pass	401
824	824.0375	0.02	RMS	824	-27.15	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.5	-13	Pass	401




1.22. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820.875	7.22	30	Pass	401
824	824.0375	0.051	RMS	824	-28.55	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-26.91	-13	Pass	401




1.23. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	20.5	30	Pass	401
824	824.0375	0.02	RMS	824	-27.77	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.98	-13	Pass	401




1.24. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.263	6.18	30	Pass	401
824	824.0375	0.051	RMS	824	-29.26	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-27.63	-13	Pass	401




1.25. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.21	-13	Pass	401
813.9625	814	0.02	RMS	814	-41.49	-20	Pass	401
814	819	0.1	RMS	814.6	21.49	30	Pass	401




1.26. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-31.92	-13	Pass	401
813.9625	814	0.1	RMS	814	-31.05	-20	Pass	401
814	819	0.1	RMS	818.263	4.27	30	Pass	401




1.27. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.01	-13	Pass	401
813.9625	814	0.02	RMS	814	-40.86	-20	Pass	401
814	819	0.1	RMS	814.6	20.64	30	Pass	401




1.28. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.93	-13	Pass	401
813.9625	814	0.1	RMS	814	-32.29	-20	Pass	401
814	819	0.1	RMS	819	3.09	30	Pass	401




1.29. LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.4	21.46	30	Pass	401
824	824.0375	0.02	RMS	824	-41.57	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-36.26	-13	Pass	401




1.30. LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.825	4.03	30	Pass	401
824	824.0375	0.1	RMS	824	-30.93	-20	Pass	401
824.0375	829	0.1	RMS	824.05	-31.54	-13	Pass	401




1.31. LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	20.68	30	Pass	401
824	824.0375	0.02	RMS	824.001	-40.54	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-35.46	-13	Pass	401



1.32. LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819	3.32	30	Pass	401
824	824.0375	0.1	RMS	824	-31.29	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-31.86	-13	Pass	401



5. LTE_Band66


5.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.16	-13	Pass	401
1708	1709	1	RMS	1709	-21.42	-13	Pass	2
1709	1710	0.02	RMS	1710	-24.51	-13	Pass	401
1710	1712	0.1	RMS	1710.245	21.05	30	Pass	401




5.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.84	-13	Pass	401
1708	1709	1	RMS	1709	-26.58	-13	Pass	2
1709	1710	0.02	RMS	1710	-27.3	-13	Pass	401
1710	1712	0.1	RMS	1710.765	12.59	30	Pass	401




5.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.18	-13	Pass	401
1708	1709	1	RMS	1709	-22.64	-13	Pass	2
1709	1710	0.02	RMS	1710	-25.97	-13	Pass	401
1710	1712	0.1	RMS	1710.24	20.33	30	Pass	401



5.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.21	-13	Pass	401
1708	1709	1	RMS	1709	-28.7	-13	Pass	2
1709	1710	0.02	RMS	1710	-29.1	-13	Pass	401
1710	1712	0.1	RMS	1710.605	11.81	30	Pass	401




5.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.755	21.09	30	Pass	401
1780	1781	0.02	RMS	1780	-24.08	-13	Pass	401
1781	1782	1	RMS	1781	-19	-13	Pass	2
1782	1790	1	RMS	1782	-33.39	-13	Pass	401



5.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.88	12.61	30	Pass	401
1780	1781	0.02	RMS	1780	-26.26	-13	Pass	401
1781	1782	1	RMS	1781	-26.5	-13	Pass	2
1782	1790	1	RMS	1782	-34.56	-13	Pass	401




5.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.755	20.1	30	Pass	401
1780	1781	0.02	RMS	1780	-24.52	-13	Pass	401
1781	1782	1	RMS	1781	-20.27	-13	Pass	2
1782	1790	1	RMS	1782	-34.54	-13	Pass	401




5.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.715	11.77	30	Pass	401
1780	1781	0.02	RMS	1780	-27.65	-13	Pass	401
1781	1782	1	RMS	1781	-28.91	-13	Pass	2
1782	1790	1	RMS	1782	-36.23	-13	Pass	401




5.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.7	-28.78	-13	Pass	401
1708	1709	1	RMS	1708	-28.71	-13	Pass	2
1709	1710	0.03	RMS	1710	-21.99	-13	Pass	35
1710	1713	0.1	RMS	1710.24	21.08	30	Pass	401




5.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.25	-13	Pass	401
1708	1709	1	RMS	1709	-24.77	-13	Pass	2
1709	1710	0.03	RMS	1710	-27.31	-13	Pass	401
1710	1713	0.1	RMS	1711.8	8.82	30	Pass	401




5.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.78	-30.06	-13	Pass	401
1708	1709	1	RMS	1708	-30.04	-13	Pass	2
1709	1710	0.03	RMS	1710	-22.56	-13	Pass	35
1710	1713	0.1	RMS	1710.233	20.06	30	Pass	401




5.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.55	-13	Pass	401
1708	1709	1	RMS	1709	-28.97	-13	Pass	2
1709	1710	0.03	RMS	1710	-29.75	-13	Pass	401
1710	1713	0.1	RMS	1712.393	7.58	30	Pass	401




5.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	21.03	30	Pass	401
1780	1781	0.03	RMS	1780	-21.63	-13	Pass	35
1781	1782	1	RMS	1782	-28.35	-13	Pass	2
1782	1790	1	RMS	1782.22	-28.43	-13	Pass	401




5.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.08	8.97	30	Pass	401
1780	1781	0.03	RMS	1780	-28.36	-13	Pass	401
1781	1782	1	RMS	1781	-23.63	-13	Pass	2
1782	1790	1	RMS	1782	-27.99	-13	Pass	401



5.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	20.28	30	Pass	401
1780	1781	0.03	RMS	1780	-23.04	-13	Pass	35
1781	1782	1	RMS	1782	-28.63	-13	Pass	2
1782	1790	1	RMS	1782.24	-28.7	-13	Pass	401




5.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.855	7.86	30	Pass	401
1780	1781	0.03	RMS	1780	-28.81	-13	Pass	401
1781	1782	1	RMS	1781	-24.87	-13	Pass	2
1782	1790	1	RMS	1782	-29.85	-13	Pass	401




5.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1705.98	-31.69	-13	Pass	401
1708	1709	1	RMS	1708	-33.57	-13	Pass	2
1709	1710	0.01	RMS	1710	-29.92	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.82	30	Pass	401




5.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.8	-13	Pass	401
1708	1709	1	RMS	1709	-26.51	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-28.87	-13	Pass	401
1710	1715	0.1	RMS	1711.675	6.71	30	Pass	401




5.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.02	-33.4	-13	Pass	401
1708	1709	1	RMS	1708	-34.91	-13	Pass	2
1709	1710	0.01	RMS	1710	-30.76	-13	Pass	401
1710	1715	0.1	RMS	1710.35	19.86	30	Pass	401




5.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.54	-13	Pass	401
1708	1709	1	RMS	1709	-29.39	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-30.45	-13	Pass	401
1710	1715	0.1	RMS	1713.338	5.72	30	Pass	401




5.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	20.76	30	Pass	401
1780	1781	0.01	RMS	1780	-29.98	-13	Pass	401
1781	1782	1	RMS	1782	-31.51	-13	Pass	2
1782	1790	1	RMS	1782	-31.81	-13	Pass	401




5.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.85	6.85	30	Pass	401
1780	1781	0.051	RMS	1780	-28.62	-13	Pass	401
1781	1782	1	RMS	1781	-24.17	-13	Pass	2
1782	1790	1	RMS	1782	-25.91	-13	Pass	401



5.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	20.15	30	Pass	401
1780	1781	0.01	RMS	1780	-29.55	-13	Pass	401
1781	1782	1	RMS	1782	-32.08	-13	Pass	2
1782	1790	1	RMS	1782	-32.41	-13	Pass	401




5.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.275	5.68	30	Pass	401
1780	1781	0.051	RMS	1780	-30.17	-13	Pass	401
1781	1782	1	RMS	1781	-27.63	-13	Pass	2
1782	1790	1	RMS	1782	-29.56	-13	Pass	401




5.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.76	-32.77	-13	Pass	401
1708	1709	1	RMS	1709	-35.25	-13	Pass	2
1709	1710	0.1	RMS	1710	-32.41	-13	Pass	401
1710	1720	0.1	RMS	1710.575	21.03	30	Pass	401




5.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-29.94	-13	Pass	401
1708	1709	1	RMS	1709	-29.17	-13	Pass	2
1709	1710	0.1	RMS	1710	-30.99	-13	Pass	401
1710	1720	0.1	RMS	1714.275	3.84	30	Pass	401




5.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.76	-34.26	-13	Pass	401
1708	1709	1	RMS	1709	-36.12	-13	Pass	2
1709	1710	0.1	RMS	1710	-32.91	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.14	30	Pass	401




5.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.01	-13	Pass	401
1708	1709	1	RMS	1709	-32.24	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-33.98	-13	Pass	401
1710	1720	0.1	RMS	1715.025	2.8	30	Pass	401




5.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	20.95	30	Pass	401
1780	1781	0.002	RMS	1780	-48.94	-13	Pass	501
1781	1782	1	RMS	1781	-35.51	-13	Pass	2
1782	1790	1	RMS	1783.8	-32.19	-13	Pass	401




5.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1773.825	3.87	30	Pass	401
1780	1781	0.1	RMS	1780	-31.15	-13	Pass	401
1781	1782	1	RMS	1781	-26.4	-13	Pass	2
1782	1790	1	RMS	1782	-27.44	-13	Pass	401




5.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	20.58	30	Pass	401
1780	1781	0.1	RMS	1780	-32.66	-13	Pass	401
1781	1782	1	RMS	1781	-36.14	-13	Pass	2
1782	1790	1	RMS	1783.8	-33.06	-13	Pass	401



5.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1774.4	2.57	30	Pass	401
1780	1781	0.1	RMS	1780.003	-33.79	-13	Pass	401
1781	1782	1	RMS	1781	-29.57	-13	Pass	2
1782	1790	1	RMS	1782	-30.46	-13	Pass	401



5.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.24	-34.1	-13	Pass	401
1708	1709	1	RMS	1709	-35.69	-13	Pass	2
1709	1710	0.15	RMS	1710	-27.54	-13	Pass	401
1710	1725	0.1	RMS	1710.863	21.37	30	Pass	401

