

**Appendix A.14****1. Effective (Isotropic) Radiated Power Output Data****1.1 Test Result****1.1.1 B26b_1.4MHz_ERP**

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	22.64	-1.14	19.35	<=38.45	Pass
			2	22.68	-1.14	19.39	<=38.45	Pass
			5	22.65	-1.14	19.36	<=38.45	Pass
		3	0	22.67	-1.14	19.38	<=38.45	Pass
			2	22.67	-1.14	19.38	<=38.45	Pass
			3	22.74	-1.14	19.45	<=38.45	Pass
		6	0	21.73	-1.14	18.44	<=38.45	Pass
	836.5	1	0	22.66	-1.14	19.37	<=38.45	Pass
			2	22.66	-1.14	19.37	<=38.45	Pass
			5	22.61	-1.14	19.32	<=38.45	Pass
		3	0	22.64	-1.14	19.35	<=38.45	Pass
			2	22.60	-1.14	19.31	<=38.45	Pass
			3	22.72	-1.14	19.43	<=38.45	Pass
		6	0	21.63	-1.14	18.34	<=38.45	Pass
	848.3	1	0	22.66	-1.14	19.37	<=38.45	Pass
			2	22.66	-1.14	19.37	<=38.45	Pass
			5	22.61	-1.14	19.32	<=38.45	Pass
		3	0	22.73	-1.14	19.44	<=38.45	Pass
			2	22.66	-1.14	19.37	<=38.45	Pass
			3	22.63	-1.14	19.34	<=38.45	Pass
		6	0	21.71	-1.14	18.42	<=38.45	Pass
16QAM	824.7	1	0	21.90	-1.14	18.61	<=38.45	Pass
			2	21.90	-1.14	18.61	<=38.45	Pass
			5	21.98	-1.14	18.69	<=38.45	Pass
		3	0	21.81	-1.14	18.52	<=38.45	Pass
			2	21.72	-1.14	18.43	<=38.45	Pass
			3	21.82	-1.14	18.53	<=38.45	Pass
		6	0	20.69	-1.14	17.40	<=38.45	Pass
	836.5	1	0	21.78	-1.14	18.49	<=38.45	Pass
			2	21.75	-1.14	18.46	<=38.45	Pass
			5	22.00	-1.14	18.71	<=38.45	Pass
		3	0	21.79	-1.14	18.50	<=38.45	Pass
			2	21.65	-1.14	18.36	<=38.45	Pass
			3	21.78	-1.14	18.49	<=38.45	Pass
		6	0	20.76	-1.14	17.47	<=38.45	Pass
	848.3	1	0	22.06	-1.14	18.77	<=38.45	Pass
			2	21.94	-1.14	18.65	<=38.45	Pass
			5	21.90	-1.14	18.61	<=38.45	Pass
		3	0	21.72	-1.14	18.43	<=38.45	Pass
			2	21.87	-1.14	18.58	<=38.45	Pass
			5	21.87	-1.14	18.58	<=38.45	Pass

64QAM	824.7	6	3	21.78	-1.14	18.49	<=38.45	Pass
			0	20.75	-1.14	17.46	<=38.45	Pass
		1	0	21.69	-1.14	18.40	<=38.45	Pass
			2	21.84	-1.14	18.55	<=38.45	Pass
			5	21.72	-1.14	18.43	<=38.45	Pass
		3	0	21.54	-1.14	18.25	<=38.45	Pass
			2	21.53	-1.14	18.24	<=38.45	Pass
			3	21.72	-1.14	18.43	<=38.45	Pass
		6	0	20.77	-1.14	17.48	<=38.45	Pass
	836.5	1	0	21.60	-1.14	18.31	<=38.45	Pass
			2	21.74	-1.14	18.45	<=38.45	Pass
			5	21.79	-1.14	18.50	<=38.45	Pass
		3	0	21.76	-1.14	18.47	<=38.45	Pass
			2	21.17	-1.14	17.88	<=38.45	Pass
			3	21.73	-1.14	18.44	<=38.45	Pass
		6	0	20.69	-1.14	17.40	<=38.45	Pass
	848.3	1	0	21.66	-1.14	18.37	<=38.45	Pass
			2	21.63	-1.14	18.34	<=38.45	Pass
			5	21.46	-1.14	18.17	<=38.45	Pass
		3	0	21.73	-1.14	18.44	<=38.45	Pass
			2	21.70	-1.14	18.41	<=38.45	Pass
			3	21.79	-1.14	18.50	<=38.45	Pass
		6	0	20.68	-1.14	17.39	<=38.45	Pass
256QAM	824.7	1	0	17.70	-1.14	14.41	<=38.45	Pass
			2	17.76	-1.14	14.47	<=38.45	Pass
			5	17.73	-1.14	14.44	<=38.45	Pass
		3	0	17.87	-1.14	14.58	<=38.45	Pass
			2	17.82	-1.14	14.53	<=38.45	Pass
			3	17.78	-1.14	14.49	<=38.45	Pass
		6	0	17.77	-1.14	14.48	<=38.45	Pass
	836.5	1	0	17.66	-1.14	14.37	<=38.45	Pass
			2	17.55	-1.14	14.26	<=38.45	Pass
			5	17.68	-1.14	14.39	<=38.45	Pass
		3	0	17.74	-1.14	14.45	<=38.45	Pass
			2	17.76	-1.14	14.47	<=38.45	Pass
			3	17.80	-1.14	14.51	<=38.45	Pass
		6	0	17.60	-1.14	14.31	<=38.45	Pass
	848.3	1	0	17.73	-1.14	14.44	<=38.45	Pass
			2	17.63	-1.14	14.34	<=38.45	Pass
			5	17.75	-1.14	14.46	<=38.45	Pass
		3	0	17.73	-1.14	14.44	<=38.45	Pass
			2	17.85	-1.14	14.56	<=38.45	Pass
			3	17.66	-1.14	14.37	<=38.45	Pass
		6	0	17.71	-1.14	14.42	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	825.5	1	0	22.67	-1.14	19.38	<=38.45	Pass
			7	22.66	-1.14	19.37	<=38.45	Pass
			14	22.64	-1.14	19.35	<=38.45	Pass
		8	0	21.73	-1.14	18.44	<=38.45	Pass
			4	21.76	-1.14	18.47	<=38.45	Pass
			7	21.74	-1.14	18.45	<=38.45	Pass
		15	0	21.73	-1.14	18.44	<=38.45	Pass
	836.5	1	0	22.58	-1.14	19.29	<=38.45	Pass
			7	22.67	-1.14	19.38	<=38.45	Pass
			14	22.61	-1.14	19.32	<=38.45	Pass
		8	0	21.61	-1.14	18.32	<=38.45	Pass
			4	21.63	-1.14	18.34	<=38.45	Pass
			7	21.67	-1.14	18.38	<=38.45	Pass
		15	0	21.68	-1.14	18.39	<=38.45	Pass
	847.5	1	0	22.69	-1.14	19.40	<=38.45	Pass
			7	22.72	-1.14	19.43	<=38.45	Pass
			14	22.66	-1.14	19.37	<=38.45	Pass
		8	0	21.68	-1.14	18.39	<=38.45	Pass
			4	21.78	-1.14	18.49	<=38.45	Pass
			7	21.81	-1.14	18.52	<=38.45	Pass
		15	0	21.75	-1.14	18.46	<=38.45	Pass
16QAM	825.5	1	0	21.86	-1.14	18.57	<=38.45	Pass
			7	22.07	-1.14	18.78	<=38.45	Pass
			14	21.97	-1.14	18.68	<=38.45	Pass
		8	0	20.80	-1.14	17.51	<=38.45	Pass
			4	20.83	-1.14	17.54	<=38.45	Pass
			7	20.87	-1.14	17.58	<=38.45	Pass
		15	0	20.79	-1.14	17.50	<=38.45	Pass
	836.5	1	0	21.94	-1.14	18.65	<=38.45	Pass
			7	22.03	-1.14	18.74	<=38.45	Pass
			14	21.79	-1.14	18.50	<=38.45	Pass
		8	0	20.69	-1.14	17.40	<=38.45	Pass
			4	20.70	-1.14	17.41	<=38.45	Pass
			7	20.72	-1.14	17.43	<=38.45	Pass
		15	0	20.69	-1.14	17.40	<=38.45	Pass
	847.5	1	0	22.21	-1.14	18.92	<=38.45	Pass
			7	21.64	-1.14	18.35	<=38.45	Pass
			14	21.98	-1.14	18.69	<=38.45	Pass
		8	0	20.82	-1.14	17.53	<=38.45	Pass
			4	20.84	-1.14	17.55	<=38.45	Pass
			7	20.80	-1.14	17.51	<=38.45	Pass
		15	0	20.82	-1.14	17.53	<=38.45	Pass
64QAM	825.5	1	0	21.75	-1.14	18.46	<=38.45	Pass
			7	21.81	-1.14	18.52	<=38.45	Pass
			14	21.77	-1.14	18.48	<=38.45	Pass
		8	0	20.69	-1.14	17.40	<=38.45	Pass
			4	20.77	-1.14	17.48	<=38.45	Pass
			7	20.68	-1.14	17.39	<=38.45	Pass
		15	0	20.74	-1.14	17.45	<=38.45	Pass
	836.5	1	0	21.82	-1.14	18.53	<=38.45	Pass
			7	21.78	-1.14	18.49	<=38.45	Pass
			14	21.57	-1.14	18.28	<=38.45	Pass
		8	0	20.62	-1.14	17.33	<=38.45	Pass

256QAM		15	4	20.63	-1.14	17.34	<=38.45	Pass
			7	20.72	-1.14	17.43	<=38.45	Pass
			0	20.64	-1.14	17.35	<=38.45	Pass
	847.5	1	0	21.61	-1.14	18.32	<=38.45	Pass
			7	21.80	-1.14	18.51	<=38.45	Pass
			14	21.70	-1.14	18.41	<=38.45	Pass
		8	0	20.81	-1.14	17.52	<=38.45	Pass
			4	20.79	-1.14	17.50	<=38.45	Pass
			7	20.78	-1.14	17.49	<=38.45	Pass
		15	0	20.77	-1.14	17.48	<=38.45	Pass
	825.5	1	0	17.64	-1.14	14.35	<=38.45	Pass
			7	17.54	-1.14	14.25	<=38.45	Pass
			14	17.93	-1.14	14.64	<=38.45	Pass
		8	0	17.80	-1.14	14.51	<=38.45	Pass
			4	17.78	-1.14	14.49	<=38.45	Pass
			7	17.68	-1.14	14.39	<=38.45	Pass
		15	0	17.66	-1.14	14.37	<=38.45	Pass
	836.5	1	0	17.78	-1.14	14.49	<=38.45	Pass
			7	17.79	-1.14	14.50	<=38.45	Pass
			14	17.72	-1.14	14.43	<=38.45	Pass
		8	0	17.75	-1.14	14.46	<=38.45	Pass
			4	17.73	-1.14	14.44	<=38.45	Pass
			7	17.75	-1.14	14.46	<=38.45	Pass
		15	0	17.70	-1.14	14.41	<=38.45	Pass
	847.5	1	0	17.55	-1.14	14.26	<=38.45	Pass
			7	17.84	-1.14	14.55	<=38.45	Pass
			14	17.84	-1.14	14.55	<=38.45	Pass
		8	0	17.86	-1.14	14.57	<=38.45	Pass
			4	17.77	-1.14	14.48	<=38.45	Pass
			7	17.79	-1.14	14.50	<=38.45	Pass
		15	0	17.80	-1.14	14.51	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	22.68	-1.14	19.39	<=38.45	Pass
			13	22.58	-1.14	19.29	<=38.45	Pass
			24	22.66	-1.14	19.37	<=38.45	Pass
		12	0	21.65	-1.14	18.36	<=38.45	Pass
			6	21.81	-1.14	18.52	<=38.45	Pass
			13	21.68	-1.14	18.39	<=38.45	Pass
		25	0	21.70	-1.14	18.41	<=38.45	Pass
	836.5	1	0	22.57	-1.14	19.28	<=38.45	Pass
			13	22.66	-1.14	19.37	<=38.45	Pass
			24	22.50	-1.14	19.21	<=38.45	Pass
		12	0	21.67	-1.14	18.38	<=38.45	Pass
			6	21.64	-1.14	18.35	<=38.45	Pass
			13	21.66	-1.14	18.37	<=38.45	Pass

		25	0	21.62	-1.14	18.33	<=38.45	Pass		
	846.5	1	0	22.80	-1.14	19.51	<=38.45	Pass		
			13	22.79	-1.14	19.50	<=38.45	Pass		
			24	22.57	-1.14	19.28	<=38.45	Pass		
			0	21.77	-1.14	18.48	<=38.45	Pass		
		12	6	21.83	-1.14	18.54	<=38.45	Pass		
			13	21.73	-1.14	18.44	<=38.45	Pass		
			25	0	21.76	-1.14	18.47	<=38.45	Pass	
	16QAM	826.5	1	0	21.87	-1.14	18.58	<=38.45	Pass	
13				22.11	-1.14	18.82	<=38.45	Pass		
24				22.03	-1.14	18.74	<=38.45	Pass		
12			0	20.76	-1.14	17.47	<=38.45	Pass		
			6	20.79	-1.14	17.50	<=38.45	Pass		
			13	20.78	-1.14	17.49	<=38.45	Pass		
25			0	20.78	-1.14	17.49	<=38.45	Pass		
836.5			1	0	21.77	-1.14	18.48	<=38.45	Pass	
				13	21.86	-1.14	18.57	<=38.45	Pass	
				24	21.90	-1.14	18.61	<=38.45	Pass	
		12	0	20.71	-1.14	17.42	<=38.45	Pass		
			6	20.68	-1.14	17.39	<=38.45	Pass		
			13	20.76	-1.14	17.47	<=38.45	Pass		
		25	0	20.60	-1.14	17.31	<=38.45	Pass		
846.5		1	0	21.97	-1.14	18.68	<=38.45	Pass		
			13	22.04	-1.14	18.75	<=38.45	Pass		
			24	21.95	-1.14	18.66	<=38.45	Pass		
		12	0	20.91	-1.14	17.62	<=38.45	Pass		
			6	20.84	-1.14	17.55	<=38.45	Pass		
			13	20.76	-1.14	17.47	<=38.45	Pass		
		25	0	20.76	-1.14	17.47	<=38.45	Pass		
		64QAM	826.5	1	0	21.69	-1.14	18.40	<=38.45	Pass
13					21.82	-1.14	18.53	<=38.45	Pass	
24					21.57	-1.14	18.28	<=38.45	Pass	
12				0	20.69	-1.14	17.40	<=38.45	Pass	
				6	20.77	-1.14	17.48	<=38.45	Pass	
				13	20.69	-1.14	17.40	<=38.45	Pass	
25				0	20.78	-1.14	17.49	<=38.45	Pass	
836.5				1	0	21.74	-1.14	18.45	<=38.45	Pass
	13				21.76	-1.14	18.47	<=38.45	Pass	
	24		21.92		-1.14	18.63	<=38.45	Pass		
	12		0	20.65	-1.14	17.36	<=38.45	Pass		
			6	20.68	-1.14	17.39	<=38.45	Pass		
			13	20.78	-1.14	17.49	<=38.45	Pass		
25	0		20.64	-1.14	17.35	<=38.45	Pass			
846.5	1		0	21.75	-1.14	18.46	<=38.45	Pass		
			13	21.75	-1.14	18.46	<=38.45	Pass		
			24	21.76	-1.14	18.47	<=38.45	Pass		
	12		0	20.76	-1.14	17.47	<=38.45	Pass		
			6	20.79	-1.14	17.50	<=38.45	Pass		
			13	20.73	-1.14	17.44	<=38.45	Pass		
	25		0	20.86	-1.14	17.57	<=38.45	Pass		
	256QAM		826.5	1	0	17.47	-1.14	14.18	<=38.45	Pass
					13	17.87	-1.14	14.58	<=38.45	Pass
		24			17.61	-1.14	14.32	<=38.45	Pass	

	836.5	12	0	17.71	-1.14	14.42	<=38.45	Pass
			6	17.85	-1.14	14.56	<=38.45	Pass
			13	17.81	-1.14	14.52	<=38.45	Pass
		25	0	17.75	-1.14	14.46	<=38.45	Pass
			0	17.62	-1.14	14.33	<=38.45	Pass
			13	17.92	-1.14	14.63	<=38.45	Pass
		12	24	17.74	-1.14	14.45	<=38.45	Pass
			0	17.84	-1.14	14.55	<=38.45	Pass
			6	17.62	-1.14	14.33	<=38.45	Pass
	846.5	1	13	17.75	-1.14	14.46	<=38.45	Pass
			0	17.66	-1.14	14.37	<=38.45	Pass
			0	17.92	-1.14	14.63	<=38.45	Pass
		12	13	17.81	-1.14	14.52	<=38.45	Pass
			24	17.82	-1.14	14.53	<=38.45	Pass
			0	17.84	-1.14	14.55	<=38.45	Pass
		25	6	17.77	-1.14	14.48	<=38.45	Pass
			13	17.69	-1.14	14.40	<=38.45	Pass
			0	17.75	-1.14	14.46	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.70	-1.14	19.41	<=38.45	Pass
			25	22.78	-1.14	19.49	<=38.45	Pass
			49	22.69	-1.14	19.40	<=38.45	Pass
		25	0	21.72	-1.14	18.43	<=38.45	Pass
			13	21.80	-1.14	18.51	<=38.45	Pass
			25	21.73	-1.14	18.44	<=38.45	Pass
		50	0	21.73	-1.14	18.44	<=38.45	Pass
			0	22.56	-1.14	19.27	<=38.45	Pass
			25	22.74	-1.14	19.45	<=38.45	Pass
	836.5	1	49	22.64	-1.14	19.35	<=38.45	Pass
			0	21.69	-1.14	18.40	<=38.45	Pass
			13	21.70	-1.14	18.41	<=38.45	Pass
		25	25	21.68	-1.14	18.39	<=38.45	Pass
			0	21.74	-1.14	18.45	<=38.45	Pass
			0	21.74	-1.14	18.45	<=38.45	Pass
		50	0	21.74	-1.14	18.45	<=38.45	Pass
			0	22.63	-1.14	19.34	<=38.45	Pass
			25	22.68	-1.14	19.39	<=38.45	Pass
	844	1	49	22.58	-1.14	19.29	<=38.45	Pass
			0	21.66	-1.14	18.37	<=38.45	Pass
			13	21.76	-1.14	18.47	<=38.45	Pass
		25	25	21.72	-1.14	18.43	<=38.45	Pass
			0	21.71	-1.14	18.42	<=38.45	Pass
			0	21.80	-1.14	18.51	<=38.45	Pass
		25	25	22.01	-1.14	18.72	<=38.45	Pass
			49	21.97	-1.14	18.68	<=38.45	Pass
			0	20.75	-1.14	17.46	<=38.45	Pass
16QAM	829	1	13	20.83	-1.14	17.54	<=38.45	Pass

			25	20.78	-1.14	17.49	<=38.45	Pass
		50	0	20.79	-1.14	17.50	<=38.45	Pass
	836.5	1	0	21.80	-1.14	18.51	<=38.45	Pass
			25	21.90	-1.14	18.61	<=38.45	Pass
			49	21.65	-1.14	18.36	<=38.45	Pass
		25	0	20.74	-1.14	17.45	<=38.45	Pass
			13	20.74	-1.14	17.45	<=38.45	Pass
			25	20.72	-1.14	17.43	<=38.45	Pass
		50	0	20.59	-1.14	17.30	<=38.45	Pass
	844	1	0	22.03	-1.14	18.74	<=38.45	Pass
			25	21.78	-1.14	18.49	<=38.45	Pass
			49	21.59	-1.14	18.30	<=38.45	Pass
		25	0	20.73	-1.14	17.44	<=38.45	Pass
			13	20.74	-1.14	17.45	<=38.45	Pass
			25	20.73	-1.14	17.44	<=38.45	Pass
50		0	20.65	-1.14	17.36	<=38.45	Pass	
64QAM	829	1	0	21.84	-1.14	18.55	<=38.45	Pass
			25	21.77	-1.14	18.48	<=38.45	Pass
			49	21.69	-1.14	18.40	<=38.45	Pass
		25	0	20.64	-1.14	17.35	<=38.45	Pass
			13	20.80	-1.14	17.51	<=38.45	Pass
			25	20.79	-1.14	17.50	<=38.45	Pass
			50	0	20.68	-1.14	17.39	<=38.45
	836.5	1	0	21.84	-1.14	18.55	<=38.45	Pass
			25	21.48	-1.14	18.19	<=38.45	Pass
			49	21.92	-1.14	18.63	<=38.45	Pass
		25	0	20.70	-1.14	17.41	<=38.45	Pass
			13	20.63	-1.14	17.34	<=38.45	Pass
			25	20.72	-1.14	17.43	<=38.45	Pass
		50	0	20.65	-1.14	17.36	<=38.45	Pass
	844	1	0	21.76	-1.14	18.47	<=38.45	Pass
			25	21.73	-1.14	18.44	<=38.45	Pass
			49	21.63	-1.14	18.34	<=38.45	Pass
		25	0	20.73	-1.14	17.44	<=38.45	Pass
			13	20.75	-1.14	17.46	<=38.45	Pass
			25	20.71	-1.14	17.42	<=38.45	Pass
		50	0	20.68	-1.14	17.39	<=38.45	Pass
	256QAM	829	1	0	17.23	-1.14	13.94	<=38.45
25				17.73	-1.14	14.44	<=38.45	Pass
49				17.71	-1.14	14.42	<=38.45	Pass
25			0	17.22	-1.14	13.93	<=38.45	Pass
			13	17.64	-1.14	14.35	<=38.45	Pass
			25	17.94	-1.14	14.65	<=38.45	Pass
50		0	17.77	-1.14	14.48	<=38.45	Pass	
836.5		1	0	17.43	-1.14	14.14	<=38.45	Pass
			25	17.96	-1.14	14.67	<=38.45	Pass
			49	17.60	-1.14	14.31	<=38.45	Pass
		25	0	18.20	-1.14	14.91	<=38.45	Pass
			13	17.76	-1.14	14.47	<=38.45	Pass
			25	17.60	-1.14	14.31	<=38.45	Pass
		50	0	17.73	-1.14	14.44	<=38.45	Pass
844		1	0	17.56	-1.14	14.27	<=38.45	Pass
	25		17.87	-1.14	14.58	<=38.45	Pass	



Report No.: SUCR260400031709

Page: 8 of 64

		49	17.60	-1.14	14.31	<=38.45	Pass
	25	0	17.77	-1.14	14.48	<=38.45	Pass
		13	17.76	-1.14	14.47	<=38.45	Pass
		25	17.74	-1.14	14.45	<=38.45	Pass
	50	0	17.75	-1.14	14.46	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	22.51	-1.14	19.22	<=38.45	Pass
			38	22.52	-1.14	19.23	<=38.45	Pass
			74	22.50	-1.14	19.21	<=38.45	Pass
		36	0	21.61	-1.14	18.32	<=38.45	Pass
			18	21.56	-1.14	18.27	<=38.45	Pass
			39	21.60	-1.14	18.31	<=38.45	Pass
		75	0	21.51	-1.14	18.22	<=38.45	Pass
	836.5	1	0	22.50	-1.14	19.21	<=38.45	Pass
			38	22.74	-1.14	19.45	<=38.45	Pass
			74	22.41	-1.14	19.12	<=38.45	Pass
		36	0	21.57	-1.14	18.28	<=38.45	Pass
			18	21.51	-1.14	18.22	<=38.45	Pass
			39	21.58	-1.14	18.29	<=38.45	Pass
		75	0	21.60	-1.14	18.31	<=38.45	Pass
	841.5	1	0	22.58	-1.14	19.29	<=38.45	Pass
			38	22.48	-1.14	19.19	<=38.45	Pass
			74	22.35	-1.14	19.06	<=38.45	Pass
		36	0	21.51	-1.14	18.22	<=38.45	Pass
			18	21.46	-1.14	18.17	<=38.45	Pass
			39	21.50	-1.14	18.21	<=38.45	Pass
		75	0	21.59	-1.14	18.30	<=38.45	Pass
16QAM	831.5	1	0	21.33	-1.14	18.04	<=38.45	Pass
			38	21.81	-1.14	18.52	<=38.45	Pass
			74	21.84	-1.14	18.55	<=38.45	Pass
		36	0	20.49	-1.14	17.20	<=38.45	Pass
			18	20.57	-1.14	17.28	<=38.45	Pass
			39	20.62	-1.14	17.33	<=38.45	Pass
		75	0	20.52	-1.14	17.23	<=38.45	Pass
	836.5	1	0	21.75	-1.14	18.46	<=38.45	Pass
			38	21.87	-1.14	18.58	<=38.45	Pass
			74	21.39	-1.14	18.10	<=38.45	Pass
		36	0	20.54	-1.14	17.25	<=38.45	Pass
			18	20.41	-1.14	17.12	<=38.45	Pass
			39	20.46	-1.14	17.17	<=38.45	Pass
		75	0	20.55	-1.14	17.26	<=38.45	Pass
	841.5	1	0	21.84	-1.14	18.55	<=38.45	Pass
			38	21.58	-1.14	18.29	<=38.45	Pass
			74	21.38	-1.14	18.09	<=38.45	Pass
		36	0	20.53	-1.14	17.24	<=38.45	Pass

64QAM	831.5	75	18	20.34	-1.14	17.05	<=38.45	Pass
			39	20.60	-1.14	17.31	<=38.45	Pass
			0	20.59	-1.14	17.30	<=38.45	Pass
		1	0	21.66	-1.14	18.37	<=38.45	Pass
			38	21.65	-1.14	18.36	<=38.45	Pass
			74	21.63	-1.14	18.34	<=38.45	Pass
		36	0	20.55	-1.14	17.26	<=38.45	Pass
			18	20.55	-1.14	17.26	<=38.45	Pass
			39	20.58	-1.14	17.29	<=38.45	Pass
		75	0	20.56	-1.14	17.27	<=38.45	Pass
	836.5	1	0	21.55	-1.14	18.26	<=38.45	Pass
			38	21.40	-1.14	18.11	<=38.45	Pass
			74	21.41	-1.14	18.12	<=38.45	Pass
		36	0	20.54	-1.14	17.25	<=38.45	Pass
			18	20.60	-1.14	17.31	<=38.45	Pass
			39	20.50	-1.14	17.21	<=38.45	Pass
		75	0	20.48	-1.14	17.19	<=38.45	Pass
	841.5	1	0	21.50	-1.14	18.21	<=38.45	Pass
			38	21.69	-1.14	18.40	<=38.45	Pass
			74	21.46	-1.14	18.17	<=38.45	Pass
		36	0	20.55	-1.14	17.26	<=38.45	Pass
			18	20.46	-1.14	17.17	<=38.45	Pass
			39	20.55	-1.14	17.26	<=38.45	Pass
		75	0	20.48	-1.14	17.19	<=38.45	Pass
256QAM	831.5	1	0	17.52	-1.14	14.23	<=38.45	Pass
			38	18.12	-1.14	14.83	<=38.45	Pass
			74	17.72	-1.14	14.43	<=38.45	Pass
		36	0	17.10	-1.14	13.81	<=38.45	Pass
			18	17.77	-1.14	14.48	<=38.45	Pass
			39	17.68	-1.14	14.39	<=38.45	Pass
		75	0	17.64	-1.14	14.35	<=38.45	Pass
	836.5	1	0	17.66	-1.14	14.37	<=38.45	Pass
			38	17.67	-1.14	14.38	<=38.45	Pass
			74	17.64	-1.14	14.35	<=38.45	Pass
		36	0	17.71	-1.14	14.42	<=38.45	Pass
			18	17.56	-1.14	14.27	<=38.45	Pass
			39	17.61	-1.14	14.32	<=38.45	Pass
		75	0	17.51	-1.14	14.22	<=38.45	Pass
	841.5	1	0	17.99	-1.14	14.70	<=38.45	Pass
			38	16.91	-1.14	13.62	<=38.45	Pass
			74	17.44	-1.14	14.15	<=38.45	Pass
		36	0	17.97	-1.14	14.68	<=38.45	Pass
			18	17.61	-1.14	14.32	<=38.45	Pass
			39	17.66	-1.14	14.37	<=38.45	Pass
		75	0	17.62	-1.14	14.33	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result



Report No.: SUCR260400031709

Page: 10 of 64

2.1.1 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	LV	-0.993	-0.0012	-2.5 to 2.5	Pass
					NV	-0.484	-0.0006	-2.5 to 2.5	Pass
					HV	-0.285	-0.0003	-2.5 to 2.5	Pass
				-30	NV	-0.332	-0.0004	-2.5 to 2.5	Pass
				-20	NV	-0.435	-0.0005	-2.5 to 2.5	Pass
				-10	NV	-0.190	-0.0002	-2.5 to 2.5	Pass
				0	NV	0.427	0.0005	-2.5 to 2.5	Pass
				10	NV	-0.899	-0.0011	-2.5 to 2.5	Pass
				30	NV	-0.728	-0.0009	-2.5 to 2.5	Pass
				40	NV	-0.488	-0.0006	-2.5 to 2.5	Pass
				50	NV	-0.296	-0.0004	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.094	/	Pass
	16QAM	836.5	6	0	1.089	/	Pass
	64QAM	836.5	6	0	1.092	/	Pass
	256QAM	836.5	6	0	1.095	/	Pass
3	QPSK	836.5	15	0	2.685	/	Pass
	16QAM	836.5	15	0	2.685	/	Pass
	64QAM	836.5	15	0	2.688	/	Pass
	256QAM	836.5	15	0	2.685	/	Pass
5	QPSK	836.5	25	0	4.521	/	Pass
	16QAM	836.5	25	0	4.515	/	Pass
	64QAM	836.5	25	0	4.522	/	Pass
	256QAM	836.5	25	0	4.512	/	Pass
10	QPSK	836.5	50	0	8.953	/	Pass
	16QAM	836.5	50	0	8.945	/	Pass
	64QAM	836.5	50	0	8.946	/	Pass
	256QAM	836.5	50	0	8.946	/	Pass
15	QPSK	836.5	75	0	13.406	/	Pass
	16QAM	836.5	75	0	13.437	/	Pass
	64QAM	836.5	75	0	13.423	/	Pass
	256QAM	836.5	75	0	13.419	/	Pass

3.1.2 Band26b_XDB





Report No.: SUCR260400031709
Page: 11 of 64

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.316	/	Pass
	16QAM	836.5	6	0	1.316	/	Pass
	64QAM	836.5	6	0	1.299	/	Pass
	256QAM	836.5	6	0	1.311	/	Pass
3	QPSK	836.5	15	0	3.022	/	Pass
	16QAM	836.5	15	0	2.970	/	Pass
	64QAM	836.5	15	0	3.003	/	Pass
	256QAM	836.5	15	0	2.973	/	Pass
5	QPSK	836.5	25	0	5.107	/	Pass
	16QAM	836.5	25	0	5.122	/	Pass
	64QAM	836.5	25	0	5.081	/	Pass
	256QAM	836.5	25	0	5.117	/	Pass
10	QPSK	836.5	50	0	9.659	/	Pass
	16QAM	836.5	50	0	9.639	/	Pass
	64QAM	836.5	50	0	9.795	/	Pass
	256QAM	836.5	50	0	9.836	/	Pass
15	QPSK	836.5	75	0	14.567	/	Pass
	16QAM	836.5	75	0	14.503	/	Pass
	64QAM	836.5	75	0	14.773	/	Pass
	256QAM	836.5	75	0	14.557	/	Pass


3.2 Test Graph

3.2.1 Band26b_OBW







Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_256QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_256QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_256QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_256QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_256QAM_MCH_836.5MHz_RB_75_0_NTNV




3.2.2 Band26b_XDB







Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_256QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_256QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_256QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_256QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_256QAM_MCH_836.5MHz_RB_75_0_NTNV





Report No.: SUCR260400031709
Page: 34 of 64

4. Peak-Average Ratio

4.1 Test Result


4.1.1 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	5.72	<=13	Pass
16QAM	836.5	75	0	6.25	<=13	Pass
64QAM	836.5	75	0	6.51	<=13	Pass
256QAM	836.5	75	0	6.70	<=13	Pass




4.2 Test Graph

4.2.1 B26b_15MHz






Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_256QAM_MCH_836.5MHz_RB_75_0_NTNV





5. Spurious Emission

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTNV				
Modulation	Frequency	RB Allocation	Spurious Emission	Verdict



Report No.: SUCR260400031709

Page: 39 of 64


	(MHz)	Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass


5.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		841.5	1	0	Refer To Test Graph	
	74			Refer To Test Graph		Pass
	75		0	Refer To Test Graph		Pass


5.2 Test Graph

5.2.1 B26b_1.4MHz






Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.695	-40.47	-13	Pass
823	824	0.013	CHP	2	823.995	-32.56	-13	Pass
824	827	0.013	CHP	/	/	/	/	/


Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-32.23	-13	Pass
850	852	0.1	CHP	2	850.052	-56.50	-13	Pass





Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.005	-34.69	-13	Pass
850	852	0.1	CHP	2	850.145	-42.37	-13	Pass

5.2.2 B26b_3MHz






Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.410	-38.57	-13	Pass
823	824	0.03	/	2	823.982	-30.86	-13	Pass
824	827	0.03	/	/	/	/	/	/


Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-36.58	-13	Pass
850	852	0.1	CHP	2	850.056	-56.64	-13	Pass




5.2.3 B26b_5MHz






Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	821.950	-40.10	-13	Pass
823	824	0.051	CHP	2	823.990	-32.31	-13	Pass
824	829	0.051	CHP	/	/	/	/	/


Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-39.16	-13	Pass
850	854	0.1	CHP	2	850.050	-56.88	-13	Pass


Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	CHP	/	/	/	/	/
849	850	0.051	CHP	1	849.010	-34.82	-13	Pass
850	854	0.1	CHP	2	850.110	-44.53	-13	Pass

5.2.4 B26b_10MHz






Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	822.927	-42.94	-13	Pass
823	824	0.097	CHP	2	823.992	-36.40	-13	Pass
824	834	0.097	CHP	/	/	/	/	/


Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.002	-49.43	-13	Pass
850	859	0.1	CHP	2	850.051	-57.58	-13	Pass


Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.097	CHP	/	/	/	/	/
849	850	0.097	CHP	1	849.008	-39.98	-13	Pass
850	859	0.1	CHP	2	850.268	-47.59	-13	Pass

5.2.5 B26b_15MHz






Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	815.600	-42.50	-13	Pass
823	824	0.146	CHP	2	823.790	-40.96	-13	Pass
824	839	0.146	CHP	/	/	/	/	/


Band26b_15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV



Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-49.65	-13	Pass
850	864	0.1	CHP	2	850.167	-56.58	-13	Pass



---End of Attachment---