


A.6 Band Edge

1. LTE_Band2


1.1. LTE Band Edge(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.92	-13	Pass	401
1848	1849	1	RMS	1849	-29.9	-13	Pass	2
1849	1850	0.02	RMS	1850	-18.9	-13	Pass	401
1850	1852	0.1	RMS	1850.245	22.38	30	Pass	401




1.2. LTE Band Edge(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.17	-13	Pass	401
1848	1849	1	RMS	1849	-18.69	-13	Pass	2
1849	1850	0.02	RMS	1850	-19.57	-13	Pass	401
1850	1852	0.1	RMS	1851.08	14.56	30	Pass	401




1.3. LTE Band Edge(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.47	-13	Pass	401
1848	1849	1	RMS	1849	-29.06	-13	Pass	2
1849	1850	0.02	RMS	1850	-19.05	-13	Pass	401
1850	1852	0.1	RMS	1850.25	21.94	30	Pass	401




1.4. LTE Band Edge(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.33	-13	Pass	401
1848	1849	1	RMS	1849	-20.16	-13	Pass	2
1849	1850	0.02	RMS	1850	-21.6	-13	Pass	401
1850	1852	0.1	RMS	1851.11	13.8	30	Pass	401




1.5. LTE Band Edge(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.755	21.97	30	Pass	401
1910	1911	0.02	RMS	1910	-18.3	-13	Pass	401
1911	1912	1	RMS	1911	-29.17	-13	Pass	2
1912	1920	1	RMS	1912	-32.53	-13	Pass	401




1.6. LTE Band Edge(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.445	14.51	30	Pass	401
1910	1911	0.02	RMS	1910	-19.54	-13	Pass	401
1911	1912	1	RMS	1911	-21.72	-13	Pass	2
1912	1920	1	RMS	1912	-32.39	-13	Pass	401




1.7. LTE Band Edge(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.75	22.43	30	Pass	401
1910	1911	0.02	RMS	1910	-18.06	-13	Pass	401
1911	1912	1	RMS	1911	-28.01	-13	Pass	2
1912	1920	1	RMS	1912	-32.43	-13	Pass	401




1.8. LTE Band Edge(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.34	13.57	30	Pass	401
1910	1911	0.02	RMS	1910	-22.51	-13	Pass	401
1911	1912	1	RMS	1911	-23.36	-13	Pass	2
1912	1920	1	RMS	1912	-33.36	-13	Pass	401




1.9. LTE Band Edge(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.06	-13	Pass	401
1848	1849	1	RMS	1849	-30.84	-13	Pass	2
1849	1850	0.03	RMS	1850	-16.46	-13	Pass	401
1850	1853	0.1	RMS	1850.233	22.41	30	Pass	401




1.10. LTE Band Edge(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-19.36	-13	Pass	401
1848	1849	1	RMS	1849	-15.33	-13	Pass	2
1849	1850	0.03	RMS	1850	-20.53	-13	Pass	401
1850	1853	0.1	RMS	1851.028	10.82	30	Pass	401




1.11. LTE Band Edge(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.82	-30.8	-13	Pass	401
1848	1849	1	RMS	1848	-30.55	-13	Pass	2
1849	1850	0.03	RMS	1850	-16.96	-13	Pass	401
1850	1853	0.1	RMS	1850.233	21.8	30	Pass	401




1.12. LTE Band Edge(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-21.92	-13	Pass	401
1848	1849	1	RMS	1849	-17.02	-13	Pass	2
1849	1850	0.03	RMS	1850	-23.22	-13	Pass	401
1850	1853	0.1	RMS	1852.385	9.67	30	Pass	401




1.13. LTE Band Edge(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.768	22.18	30	Pass	401
1910	1911	0.01	RMS	1910	-21.41	-13	Pass	401
1911	1912	1	RMS	1911	-30.56	-13	Pass	2
1912	1920	1	RMS	1912	-32.58	-13	Pass	401




1.14. LTE Band Edge(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.715	11.14	30	Pass	401
1910	1911	0.03	RMS	1910	-19.9	-13	Pass	401
1911	1912	1	RMS	1911	-15.85	-13	Pass	2
1912	1920	1	RMS	1912	-20.65	-13	Pass	401




1.15. LTE Band Edge(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.768	22.3	30	Pass	401
1910	1911	0.01	RMS	1910	-21.36	-13	Pass	401
1911	1912	1	RMS	1911	-30.55	-13	Pass	2
1912	1920	1	RMS	1912.02	-32.43	-13	Pass	401




1.16. LTE Band Edge(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.73	9.71	30	Pass	401
1910	1911	0.03	RMS	1910	-21.95	-13	Pass	401
1911	1912	1	RMS	1911	-18.39	-13	Pass	2
1912	1920	1	RMS	1912	-22.52	-13	Pass	401




1.17. LTE Band Edge(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.78	-13	Pass	401
1848	1849	1	RMS	1849	-32.6	-13	Pass	2
1849	1850	0.051	RMS	1850	-19.49	-13	Pass	401
1850	1855	0.1	RMS	1850.338	21.91	30	Pass	401




1.18. LTE Band Edge(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-17.92	-13	Pass	401
1848	1849	1	RMS	1849	-15.74	-13	Pass	2
1849	1850	0.051	RMS	1850	-20.53	-13	Pass	401
1850	1855	0.1	RMS	1851.675	8.55	30	Pass	401




1.19. LTE Band Edge(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-34.03	-13	Pass	401
1848	1849	1	RMS	1849	-33.01	-13	Pass	2
1849	1850	0.051	RMS	1850	-19.65	-13	Pass	401
1850	1855	0.1	RMS	1850.338	21.74	30	Pass	401




1.20. LTE Band Edge(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-19.91	-13	Pass	401
1848	1849	1	RMS	1849	-17.81	-13	Pass	2
1849	1850	0.051	RMS	1850	-22.82	-13	Pass	401
1850	1855	0.1	RMS	1853.325	7.58	30	Pass	401




1.21. LTE Band Edge(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	21.8	30	Pass	401
1910	1911	0.051	RMS	1910	-18.46	-13	Pass	401
1911	1912	1	RMS	1911	-31.28	-13	Pass	2
1912	1920	1	RMS	1912.02	-32.8	-13	Pass	401




1.22. LTE Band Edge(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.425	8.87	30	Pass	401
1910	1911	0.051	RMS	1910.003	-20.38	-13	Pass	401
1911	1912	1	RMS	1911	-16.59	-13	Pass	2
1912	1920	1	RMS	1912	-17.75	-13	Pass	401




1.23. LTE Band Edge(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	22.16	30	Pass	401
1910	1911	0.051	RMS	1910	-17.34	-13	Pass	401
1911	1912	1	RMS	1911	-31.07	-13	Pass	2
1912	1920	1	RMS	1912	-32.5	-13	Pass	401




1.24. LTE Band Edge(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.238	7.86	30	Pass	401
1910	1911	0.051	RMS	1910	-22.83	-13	Pass	401
1911	1912	1	RMS	1911	-18.93	-13	Pass	2
1912	1920	1	RMS	1912	-20.9	-13	Pass	401




1.25. LTE Band Edge(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.44	-13	Pass	401
1848	1849	1	RMS	1849	-32.3	-13	Pass	2
1849	1850	0.1	RMS	1850	-29.84	-13	Pass	401
1850	1860	0.1	RMS	1850.575	21.91	30	Pass	401




1.26. LTE Band Edge(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-17.47	-13	Pass	401
1848	1849	1	RMS	1849	-16.24	-13	Pass	2
1849	1850	0.1	RMS	1849.995	-19.85	-13	Pass	401
1850	1860	0.1	RMS	1854.25	5.87	30	Pass	401




1.27. LTE Band Edge(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.47	-13	Pass	401
1848	1849	1	RMS	1849	-32.28	-13	Pass	2
1849	1850	0.1	RMS	1850	-29.08	-13	Pass	401
1850	1860	0.1	RMS	1850.6	21.64	30	Pass	401




1.28. LTE Band Edge(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-19.63	-13	Pass	401
1848	1849	1	RMS	1849	-18.95	-13	Pass	2
1849	1850	0.1	RMS	1849.995	-23.31	-13	Pass	401
1850	1860	0.1	RMS	1855.05	4.76	30	Pass	401




1.29. LTE Band Edge(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	21.98	30	Pass	401
1910	1911	0.1	RMS	1910	-27.88	-13	Pass	401
1911	1912	1	RMS	1911	-31.31	-13	Pass	2
1912	1920	1	RMS	1912	-33.62	-13	Pass	401




1.30. LTE Band Edge(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1907.55	5.83	30	Pass	401
1910	1911	0.1	RMS	1910.003	-20.56	-13	Pass	401
1911	1912	1	RMS	1911	-17.74	-13	Pass	2
1912	1920	1	RMS	1912.02	-18.76	-13	Pass	401




1.31. LTE Band Edge(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	22.08	30	Pass	401
1910	1911	0.1	RMS	1910.003	-28.3	-13	Pass	401
1911	1912	1	RMS	1911	-31.2	-13	Pass	2
1912	1920	1	RMS	1912	-33.67	-13	Pass	401




1.32. LTE Band Edge(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1908.6	4.6	30	Pass	401
1910	1911	0.1	RMS	1910.003	-23.45	-13	Pass	401
1911	1912	1	RMS	1911	-20.39	-13	Pass	2
1912	1920	1	RMS	1912	-21.34	-13	Pass	401




1.33. LTE Band Edge(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.92	-13	Pass	401
1848	1849	1	RMS	1849	-32.13	-13	Pass	2
1849	1850	0.15	RMS	1850	-26.55	-13	Pass	401
1850	1865	0.1	RMS	1850.825	21.84	30	Pass	401




1.34. LTE Band Edge(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-15.99	-13	Pass	9
1848	1849	1	RMS	1849	-15.14	-13	Pass	2
1849	1850	0.15	RMS	1850	-18.54	-13	Pass	401
1850	1865	0.1	RMS	1856.413	4.28	30	Pass	401




1.35. LTE Band Edge(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-34.93	-13	Pass	401
1848	1849	1	RMS	1849	-32.1	-13	Pass	2
1849	1850	0.15	RMS	1850	-26.12	-13	Pass	401
1850	1865	0.1	RMS	1850.863	21.59	30	Pass	401




1.36. LTE Band Edge(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.66	-18.94	-13	Pass	401
1848	1849	1	RMS	1849	-18.29	-13	Pass	2
1849	1850	0.15	RMS	1849.993	-21.88	-13	Pass	401
1850	1865	0.1	RMS	1856.45	3.25	30	Pass	401




1.37. LTE Band Edge(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	21.4	30	Pass	401
1910	1911	0.15	RMS	1910.003	-26.71	-13	Pass	401
1911	1912	1	RMS	1911	-32.65	-13	Pass	2
1912	1920	1	RMS	1912	-34.71	-13	Pass	401




1.38. LTE Band Edge(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.863	3.75	30	Pass	401
1910	1911	0.15	RMS	1910	-19.18	-13	Pass	401
1911	1912	1	RMS	1912	-17.63	-13	Pass	2
1912	1920	1	RMS	1912.34	-17.26	-13	Pass	401




1.39. LTE Band Edge(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	22.21	30	Pass	401
1910	1911	0.15	RMS	1910.003	-25.09	-13	Pass	401
1911	1912	1	RMS	1911	-32	-13	Pass	2
1912	1920	1	RMS	1912	-34.38	-13	Pass	401




1.40. LTE Band Edge(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.938	2.74	30	Pass	401
1910	1911	0.15	RMS	1910.005	-23.15	-13	Pass	401
1911	1912	1	RMS	1912	-21.06	-13	Pass	2
1912	1920	1	RMS	1912.36	-20.71	-13	Pass	401




1.41. LTE Band Edge(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.68	-13	Pass	401
1848	1849	1	RMS	1849	-32.9	-13	Pass	2
1849	1850	0.2	RMS	1850	-29.8	-13	Pass	401
1850	1870	0.1	RMS	1851.1	21.86	30	Pass	401




1.42. LTE Band Edge(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-16.24	-13	Pass	401
1848	1849	1	RMS	1849	-15.54	-13	Pass	2
1849	1850	0.2	RMS	1849.995	-18.84	-13	Pass	401
1850	1870	0.1	RMS	1858.95	3.17	30	Pass	401




1.43. LTE Band Edge(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.41	-13	Pass	401
1848	1849	1	RMS	1849	-32.57	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-27.89	-13	Pass	401
1850	1870	0.1	RMS	1851.1	22.07	30	Pass	401




1.44. LTE Band Edge(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-18.46	-13	Pass	401
1848	1849	1	RMS	1849	-18.05	-13	Pass	2
1849	1850	0.2	RMS	1849.993	-21.7	-13	Pass	401
1850	1870	0.1	RMS	1857.65	2.14	30	Pass	401




1.45. LTE Band Edge(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	21.59	30	Pass	401
1910	1911	0.2	RMS	1910.003	-29.22	-13	Pass	401
1911	1912	1	RMS	1911	-32.42	-13	Pass	2
1912	1920	1	RMS	1912	-34.9	-13	Pass	401




1.46. LTE Band Edge(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1892.85	3.27	30	Pass	401
1910	1911	0.2	RMS	1910	-20.13	-13	Pass	401
1911	1912	1	RMS	1911	-17.05	-13	Pass	2
1912	1920	1	RMS	1912.02	-18.01	-13	Pass	401




1.47. LTE Band Edge(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	21.28	30	Pass	401
1910	1911	0.2	RMS	1910.003	-28.92	-13	Pass	401
1911	1912	1	RMS	1911	-32.68	-13	Pass	2
1912	1920	1	RMS	1912.02	-35.44	-13	Pass	401



1.48. LTE Band Edge(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1893.3	2.34	30	Pass	401
1910	1911	0.2	RMS	1910.005	-24.02	-13	Pass	401
1911	1912	1	RMS	1911	-21.23	-13	Pass	2
1912	1920	1	RMS	1912.02	-21.6	-13	Pass	401



2. LTE_Band4


2.1. LTE Band Edge(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.5	-13	Pass	401
1708	1709	1	RMS	1709	-23.79	-13	Pass	2
1709	1710	0.02	RMS	1710	-16.32	-13	Pass	401
1710	1712	0.1	RMS	1710.25	23.22	30	Pass	401




2.2. LTE Band Edge(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-28.48	-13	Pass	401
1708	1709	1	RMS	1709	-16.97	-13	Pass	2
1709	1710	0.02	RMS	1710	-18	-13	Pass	401
1710	1712	0.1	RMS	1710.62	15.54	30	Pass	401




2.3. LTE Band Edge(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.31	-13	Pass	401
1708	1709	1	RMS	1709	-23.35	-13	Pass	2
1709	1710	0.02	RMS	1710	-16.53	-13	Pass	401
1710	1712	0.1	RMS	1710.26	22.71	30	Pass	401




2.4. LTE Band Edge(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.08	-13	Pass	401
1708	1709	1	RMS	1709	-19.64	-13	Pass	2
1709	1710	0.02	RMS	1710	-19.48	-13	Pass	401
1710	1712	0.1	RMS	1711.12	14.31	30	Pass	401




2.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.75	22.7	30	Pass	401
1755	1756	0.02	RMS	1755	-16.82	-13	Pass	401
1756	1757	1	RMS	1756	-26	-13	Pass	2
1757	1765	1	RMS	1757	-33.4	-13	Pass	401




2.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.43	15.29	30	Pass	401
1755	1756	0.02	RMS	1755	-17.99	-13	Pass	401
1756	1757	1	RMS	1756	-16.09	-13	Pass	2
1757	1765	1	RMS	1757	-28.18	-13	Pass	401




2.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.75	23.09	30	Pass	401
1755	1756	0.01	RMS	1755	-18.46	-13	Pass	401
1756	1757	1	RMS	1756	-23.4	-13	Pass	2
1757	1765	1	RMS	1757	-32.54	-13	Pass	401




2.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.335	14.26	30	Pass	401
1755	1756	0.02	RMS	1755	-20.83	-13	Pass	401
1756	1757	1	RMS	1756	-18.36	-13	Pass	2
1757	1765	1	RMS	1757	-29.85	-13	Pass	401




2.9. LTE Band Edge(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.78	-28.89	-13	Pass	401
1708	1709	1	RMS	1708	-28.82	-13	Pass	2
1709	1710	0.02	RMS	1710	-16.64	-13	Pass	401
1710	1713	0.1	RMS	1710.233	22.75	30	Pass	401




2.10. LTE Band Edge(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.88	-17.58	-13	Pass	401
1708	1709	1	RMS	1709	-16.4	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.7	-13	Pass	401
1710	1713	0.1	RMS	1711.035	11.63	30	Pass	401




2.11. LTE Band Edge(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.86	-28.87	-13	Pass	401
1708	1709	1	RMS	1708	-28.88	-13	Pass	2
1709	1710	0.01	RMS	1710	-19.23	-13	Pass	401
1710	1713	0.1	RMS	1710.24	23.02	30	Pass	401




2.12. LTE Band Edge(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-21.29	-13	Pass	401
1708	1709	1	RMS	1709	-18.75	-13	Pass	2
1709	1710	0.03	RMS	1710	-22.19	-13	Pass	401
1710	1713	0.1	RMS	1712.385	10.96	30	Pass	401



2.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	22.7	30	Pass	401
1755	1756	0.01	RMS	1755	-19.47	-13	Pass	401
1756	1757	1	RMS	1757	-29.95	-13	Pass	2
1757	1765	1	RMS	1757.2	-30.14	-13	Pass	401




2.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.02	11.62	30	Pass	401
1755	1756	0.03	RMS	1755	-19.41	-13	Pass	401
1756	1757	1	RMS	1756	-15	-13	Pass	2
1757	1765	1	RMS	1757	-18.03	-13	Pass	401



2.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	22.74	30	Pass	401
1755	1756	0.01	RMS	1755.003	-20.02	-13	Pass	401
1756	1757	1	RMS	1757	-28.9	-13	Pass	2
1757	1765	1	RMS	1757.22	-29.02	-13	Pass	401




2.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.403	10.58	30	Pass	401
1755	1756	0.03	RMS	1755	-21.27	-13	Pass	401
1756	1757	1	RMS	1756	-16.08	-13	Pass	2
1757	1765	1	RMS	1757	-18.84	-13	Pass	401




2.17. LTE Band Edge(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.04	-29.19	-13	Pass	401
1708	1709	1	RMS	1709	-31.95	-13	Pass	2
1709	1710	0.051	RMS	1710	-16.5	-13	Pass	401
1710	1715	0.1	RMS	1710.35	22.91	30	Pass	401




2.18. LTE Band Edge(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.6	-18.39	-13	Pass	401
1708	1709	1	RMS	1709	-19.12	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-19.49	-13	Pass	401
1710	1715	0.1	RMS	1711.675	9.3	30	Pass	401




2.19. LTE Band Edge(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.04	-30.36	-13	Pass	401
1708	1709	1	RMS	1709	-32.25	-13	Pass	2
1709	1710	0.051	RMS	1710	-16.82	-13	Pass	401
1710	1715	0.1	RMS	1710.35	22.95	30	Pass	401




2.20. LTE Band Edge(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-22.05	-13	Pass	401
1708	1709	1	RMS	1709	-20.97	-13	Pass	2
1709	1710	0.051	RMS	1709.995	-23.27	-13	Pass	401
1710	1715	0.1	RMS	1712.2	8.43	30	Pass	401




2.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	22.6	30	Pass	401
1755	1756	0.051	RMS	1755	-16.88	-13	Pass	401
1756	1757	1	RMS	1756	-31.98	-13	Pass	2
1757	1765	1	RMS	1758.88	-32.57	-13	Pass	401




2.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.675	9.54	30	Pass	401
1755	1756	0.051	RMS	1755	-19.71	-13	Pass	401
1756	1757	1	RMS	1756	-15.73	-13	Pass	2
1757	1765	1	RMS	1757	-17.55	-13	Pass	401




2.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	22.74	30	Pass	401
1755	1756	0.051	RMS	1755	-16.91	-13	Pass	401
1756	1757	1	RMS	1756	-32.02	-13	Pass	2
1757	1765	1	RMS	1758.94	-31.7	-13	Pass	401




2.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.688	8.37	30	Pass	401
1755	1756	0.051	RMS	1755	-21.73	-13	Pass	401
1756	1757	1	RMS	1756	-17.38	-13	Pass	2
1757	1765	1	RMS	1757	-18.75	-13	Pass	401




2.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.72	-31.37	-13	Pass	401
1708	1709	1	RMS	1709	-32.86	-13	Pass	2
1709	1710	0.1	RMS	1710	-28.14	-13	Pass	401
1710	1720	0.1	RMS	1710.575	22.93	30	Pass	401




2.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1705.9	-18.75	-13	Pass	401
1708	1709	1	RMS	1709	-20.9	-13	Pass	2
1709	1710	0.1	RMS	1709.993	-20.74	-13	Pass	401
1710	1720	0.1	RMS	1713.875	6.89	30	Pass	401




2.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.74	-28.22	-13	Pass	401
1708	1709	1	RMS	1709	-33.34	-13	Pass	2
1709	1710	0.1	RMS	1710	-27.7	-13	Pass	401
1710	1720	0.1	RMS	1710.575	22.75	30	Pass	401




2.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.86	-24.92	-13	Pass	401
1708	1709	1	RMS	1709	-25.71	-13	Pass	2
1709	1710	0.1	RMS	1710	-24.79	-13	Pass	401
1710	1720	0.1	RMS	1714.225	5.44	30	Pass	401




2.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	22.46	30	Pass	401
1755	1756	0.1	RMS	1755	-28.11	-13	Pass	401
1756	1757	1	RMS	1756	-33.17	-13	Pass	2
1757	1765	1	RMS	1763.24	-34.16	-13	Pass	401




2.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1749.25	6.78	30	Pass	401
1755	1756	0.1	RMS	1755	-19.93	-13	Pass	401
1756	1757	1	RMS	1756	-18.54	-13	Pass	2
1757	1765	1	RMS	1757.02	-19.06	-13	Pass	401




2.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	22.67	30	Pass	401
1755	1756	0.1	RMS	1755	-25.81	-13	Pass	401
1756	1757	1	RMS	1756	-32.84	-13	Pass	2
1757	1765	1	RMS	1763.2	-34.32	-13	Pass	401




2.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1750	5.66	30	Pass	401
1755	1756	0.1	RMS	1755.005	-23.71	-13	Pass	401
1756	1757	1	RMS	1756	-22.15	-13	Pass	2
1757	1765	1	RMS	1757	-22.28	-13	Pass	401




2.33. LTE Band Edge(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36	-13	Pass	401
1708	1709	1	RMS	1709	-33.26	-13	Pass	2
1709	1710	0.15	RMS	1710	-25.24	-13	Pass	401
1710	1725	0.1	RMS	1710.825	22.8	30	Pass	401




2.34. LTE Band Edge(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.62	-20.73	-13	Pass	401
1708	1709	1	RMS	1708	-21.27	-13	Pass	2
1709	1710	0.15	RMS	1710	-21.12	-13	Pass	401
1710	1725	0.1	RMS	1716.375	4.95	30	Pass	401




2.35. LTE Band Edge(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.96	-13	Pass	401
1708	1709	1	RMS	1709	-33.01	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-24.75	-13	Pass	401
1710	1725	0.1	RMS	1710.863	22.65	30	Pass	401




2.36. LTE Band Edge(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.78	-23.74	-13	Pass	401
1708	1709	1	RMS	1708	-24.95	-13	Pass	2
1709	1710	0.15	RMS	1709.985	-24.76	-13	Pass	401
1710	1725	0.1	RMS	1716.488	4.1	30	Pass	401




2.37. LTE Band Edge(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	22.88	30	Pass	401
1755	1756	0.15	RMS	1755	-25.03	-13	Pass	401
1756	1757	1	RMS	1756	-34.11	-13	Pass	2
1757	1765	1	RMS	1757.02	-36.59	-13	Pass	401




2.38. LTE Band Edge(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1746.825	5.1	30	Pass	401
1755	1756	0.15	RMS	1755	-19.88	-13	Pass	401
1756	1757	1	RMS	1756	-19.08	-13	Pass	2
1757	1765	1	RMS	1757.42	-18.63	-13	Pass	401




2.39. LTE Band Edge(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	22.8	30	Pass	401
1755	1756	0.15	RMS	1755.005	-23.06	-13	Pass	401
1756	1757	1	RMS	1756	-33.21	-13	Pass	2
1757	1765	1	RMS	1757.04	-36.19	-13	Pass	401




2.40. LTE Band Edge(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1746.075	3.86	30	Pass	401
1755	1756	0.15	RMS	1755	-23.26	-13	Pass	401
1756	1757	1	RMS	1756	-22.42	-13	Pass	2
1757	1765	1	RMS	1757.58	-18.76	-13	Pass	401




2.41. LTE Band Edge(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.76	-13	Pass	401
1708	1709	1	RMS	1709	-34.15	-13	Pass	2
1709	1710	0.2	RMS	1710	-29.29	-13	Pass	401
1710	1730	0.1	RMS	1711.1	22.58	30	Pass	401




2.42. LTE Band Edge(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.62	-24.73	-13	Pass	401
1708	1709	1	RMS	1708	-25.09	-13	Pass	2
1709	1710	0.2	RMS	1710	-24.14	-13	Pass	401
1710	1730	0.1	RMS	1718.9	3.61	30	Pass	401




2.43. LTE Band Edge(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.37	-13	Pass	401
1708	1709	1	RMS	1709	-33.43	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-27.54	-13	Pass	401
1710	1730	0.1	RMS	1711.1	22.68	30	Pass	401




2.44. LTE Band Edge(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.38	-25.92	-13	Pass	401
1708	1709	1	RMS	1708	-26.93	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-26.97	-13	Pass	401
1710	1730	0.1	RMS	1719.25	2.77	30	Pass	401




2.45. LTE Band Edge(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	22.84	30	Pass	401
1755	1756	0.2	RMS	1755.003	-28.21	-13	Pass	401
1756	1757	1	RMS	1756	-34.02	-13	Pass	2
1757	1765	1	RMS	1757	-36.75	-13	Pass	401




2.46. LTE Band Edge(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1745.55	3.61	30	Pass	401
1755	1756	0.2	RMS	1755	-22.27	-13	Pass	401
1756	1757	1	RMS	1757	-21.21	-13	Pass	2
1757	1765	1	RMS	1757.2	-21	-13	Pass	401




2.47. LTE Band Edge(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	22.45	30	Pass	401
1755	1756	0.2	RMS	1755.003	-27.21	-13	Pass	401
1756	1757	1	RMS	1756	-34.15	-13	Pass	2
1757	1765	1	RMS	1757	-37.24	-13	Pass	401



2.48. LTE Band Edge(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1746.2	2.66	30	Pass	401
1755	1756	0.2	RMS	1755.073	-24.11	-13	Pass	401
1756	1757	1	RMS	1757	-23.65	-13	Pass	2
1757	1765	1	RMS	1757.32	-23.36	-13	Pass	401



3. LTE_Band5


3.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.48	-44.03	-13	Pass	401
823	824	0.02	RMS	824	-17.5	-13	Pass	401
824	826	0.1	RMS	824.255	22.74	30	Pass	401




3.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.41	-13	Pass	401
823	824	0.02	RMS	824	-20.98	-13	Pass	401
824	826	0.1	RMS	825.11	13.83	30	Pass	401




3.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.5	-45.67	-13	Pass	401
823	824	0.02	RMS	824	-20.21	-13	Pass	401
824	826	0.1	RMS	824.25	21.46	30	Pass	401




3.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.16	-13	Pass	401
823	824	0.02	RMS	824	-23.38	-13	Pass	401
824	826	0.1	RMS	825.1	13.31	30	Pass	401




3.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	22.01	30	Pass	401
849	850	0.02	RMS	849	-19.14	-13	Pass	401
850	860	0.1	RMS	850	-45.44	-13	Pass	401




3.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.915	13.83	30	Pass	401
849	850	0.02	RMS	849	-23.33	-13	Pass	401
850	860	0.1	RMS	850	-37.55	-13	Pass	401




3.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	21.68	30	Pass	401
849	850	0.02	RMS	849.003	-20.49	-13	Pass	401
850	860	0.1	RMS	850	-46.09	-13	Pass	401




3.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.95	12.92	30	Pass	401
849	850	0.02	RMS	849	-26.37	-13	Pass	401
850	860	0.1	RMS	850	-39.69	-13	Pass	401




3.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-38.8	-13	Pass	401
823	824	0.01	RMS	824	-21.02	-13	Pass	401
824	827	0.1	RMS	824.24	22.44	30	Pass	401




3.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-21.9	-13	Pass	401
823	824	0.03	RMS	824	-21.09	-13	Pass	401
824	827	0.1	RMS	826.7	10.1	30	Pass	401




3.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-40.61	-13	Pass	401
823	824	0.03	RMS	824	-17.65	-13	Pass	401
824	827	0.1	RMS	824.24	21.19	30	Pass	401




3.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-25.18	-13	Pass	401
823	824	0.03	RMS	824	-25.04	-13	Pass	401
824	827	0.1	RMS	826.415	9.25	30	Pass	401




3.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	22.17	30	Pass	401
849	850	0.01	RMS	849	-21.16	-13	Pass	401
850	860	0.1	RMS	850.025	-39.07	-13	Pass	401




3.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.278	10.31	30	Pass	401
849	850	0.03	RMS	849	-26.61	-13	Pass	401
850	860	0.1	RMS	850.075	-27.36	-13	Pass	401




3.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	21.67	30	Pass	401
849	850	0.03	RMS	849.005	-17.55	-13	Pass	401
850	860	0.1	RMS	850	-40.13	-13	Pass	401




3.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.465	9.4	30	Pass	401
849	850	0.03	RMS	849	-28.56	-13	Pass	401
850	860	0.1	RMS	850.075	-30.07	-13	Pass	401




3.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-38.74	-13	Pass	401
823	824	0.051	RMS	824	-19.13	-13	Pass	401
824	829	0.1	RMS	824.338	22.16	30	Pass	401




3.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-23.82	-13	Pass	401
823	824	0.051	RMS	824	-22.57	-13	Pass	401
824	829	0.1	RMS	827.338	7.91	30	Pass	401




3.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.16	-41.32	-13	Pass	401
823	824	0.051	RMS	824	-20.91	-13	Pass	401
824	829	0.1	RMS	824.338	20.81	30	Pass	401




3.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-25.99	-13	Pass	401
823	824	0.051	RMS	824	-25.27	-13	Pass	401
824	829	0.1	RMS	827.338	6.96	30	Pass	401




3.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	22.29	30	Pass	401
849	850	0.051	RMS	849	-19.08	-13	Pass	401
850	860	0.1	RMS	850.8	-40.16	-13	Pass	401




3.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.85	8.19	30	Pass	401
849	850	0.051	RMS	849.003	-26.96	-13	Pass	401
850	860	0.1	RMS	850	-30.88	-13	Pass	401




3.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.32	30	Pass	401
849	850	0.051	RMS	849	-19.74	-13	Pass	401
850	860	0.1	RMS	850.8	-42.1	-13	Pass	401




3.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.163	7.06	30	Pass	401
849	850	0.051	RMS	849	-29.34	-13	Pass	401
850	860	0.1	RMS	850	-34.37	-13	Pass	401




3.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.2	-38.58	-13	Pass	401
823	824	0.1	RMS	824	-28.03	-13	Pass	401
824	834	0.1	RMS	824.575	22.31	30	Pass	401




3.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-27.38	-13	Pass	401
823	824	0.1	RMS	823.993	-25.02	-13	Pass	401
824	834	0.1	RMS	829.875	5.15	30	Pass	401




3.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.18	-40.72	-13	Pass	401
823	824	0.1	RMS	824	-28.78	-13	Pass	401
824	834	0.1	RMS	824.6	21.48	30	Pass	401




3.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-30.07	-13	Pass	401
823	824	0.1	RMS	823.995	-28.06	-13	Pass	401
824	834	0.1	RMS	830.6	4.21	30	Pass	401




3.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	22.32	30	Pass	401
849	850	0.1	RMS	849	-27.7	-13	Pass	401
850	860	0.1	RMS	850.025	-46.66	-13	Pass	401




3.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.35	5.35	30	Pass	401
849	850	0.1	RMS	849	-26	-13	Pass	401
850	860	0.1	RMS	850.025	-28.91	-13	Pass	401




3.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.39	30	Pass	401
849	850	0.1	RMS	849	-29.52	-13	Pass	401
850	860	0.1	RMS	850.025	-47.78	-13	Pass	401



3.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.675	4.35	30	Pass	401
849	850	0.1	RMS	849.003	-29.11	-13	Pass	401
850	860	0.1	RMS	850.05	-31.82	-13	Pass	401



4. LTE_Band13


4.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.98	-58.03	-35	Pass	1200
775	775.9	0.1	RMS	775.205	-44.07	-13	Pass	401
775.9	776	0.03	RMS	775.999	-50.15	-13	Pass	401
776	788	0.1	RMS	777.32	21.9	30	Pass	401




4.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.92	-43.04	-35	Pass	1200
775	775.9	0.1	RMS	775.853	-31.31	-13	Pass	401
775.9	776	0.03	RMS	775.984	-36.32	-13	Pass	401
776	788	0.1	RMS	777.35	8.56	30	Pass	401




4.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	775	-59.08	-35	Pass	1200
775	775.9	0.1	RMS	775.185	-47.14	-13	Pass	401
775.9	776	0.03	RMS	775.998	-51.57	-13	Pass	401
776	788	0.1	RMS	777.35	21.07	30	Pass	401




4.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.86	-46.63	-35	Pass	1200
775	775.9	0.1	RMS	775.893	-33.56	-13	Pass	401
775.9	776	0.03	RMS	775.913	-38.51	-13	Pass	401
776	788	0.1	RMS	777.35	7.58	30	Pass	401




4.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	21.95	30	Pass	401
788	788.1	0.03	RMS	788.029	-50.55	-13	Pass	401
788.1	793	0.1	RMS	788.125	-46.15	-13	Pass	401
793	805	0.01	RMS	795.302	-69	-35	Pass	1200




4.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.44	8.54	30	Pass	401
788	788.1	0.03	RMS	788.069	-37.11	-13	Pass	401
788.1	793	0.1	RMS	788.186	-32.29	-13	Pass	401
793	805	0.01	RMS	793.09	-59.59	-35	Pass	1200




4.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	21.33	30	Pass	401
788	788.1	0.03	RMS	788.036	-51.2	-13	Pass	401
788.1	793	0.1	RMS	788.174	-46.75	-13	Pass	401
793	805	0.01	RMS	795.312	-69.2	-35	Pass	1200




4.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.23	7.55	30	Pass	401
788	788.1	0.03	RMS	788.02	-40.11	-13	Pass	401
788.1	793	0.1	RMS	788.125	-35.27	-13	Pass	401
793	805	0.01	RMS	793.08	-61.35	-35	Pass	1200




4.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.96	-59.12	-35	Pass	1200
775	775.9	0.1	RMS	775.9	-46.63	-13	Pass	401
775.9	776	0.03	RMS	775.991	-50.55	-13	Pass	401
776	788	0.1	RMS	777.59	22.2	30	Pass	401




4.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	775	-46.35	-35	Pass	1200
775	775.9	0.1	RMS	775.774	-35.04	-13	Pass	401
775.9	776	0.03	RMS	775.97	-39.77	-13	Pass	401
776	788	0.1	RMS	786.29	5.25	30	Pass	401




4.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.86	-60.84	-35	Pass	1200
775	775.9	0.1	RMS	775.896	-47.83	-13	Pass	401
775.9	776	0.03	RMS	775.998	-51.8	-13	Pass	401
776	788	0.1	RMS	777.59	21.2	30	Pass	401




4.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.93	-48.13	-35	Pass	1200
775	775.9	0.1	RMS	775.61	-37.13	-13	Pass	401
775.9	776	0.03	RMS	775.964	-41.89	-13	Pass	401
776	788	0.1	RMS	786.05	4.19	30	Pass	401




4.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	22.37	30	Pass	401
788	788.1	0.03	RMS	788.013	-50.46	-13	Pass	401
788.1	793	0.1	RMS	788.1	-46.38	-13	Pass	401
793	805	0.01	RMS	795.192	-56.97	-35	Pass	1200




4.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	777.89	5.16	30	Pass	401
788	788.1	0.03	RMS	788.016	-35.88	-13	Pass	401
788.1	793	0.1	RMS	788.321	-30.41	-13	Pass	401
793	805	0.01	RMS	793.52	-47.89	-35	Pass	1200



4.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	20.85	30	Pass	401
788	788.1	0.03	RMS	788.008	-51.52	-13	Pass	401
788.1	793	0.1	RMS	788.1	-47.68	-13	Pass	401
793	805	0.01	RMS	795.272	-59.56	-35	Pass	1200




4.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	778.31	4.24	30	Pass	401
788	788.1	0.03	RMS	788.015	-37.16	-13	Pass	401
788.1	793	0.1	RMS	788.112	-32.72	-13	Pass	401
793	805	0.01	RMS	793.02	-50.43	-35	Pass	1200




4.17. LTE Emission Mask(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
769	12	0.01	RMS	774.955	-59.74	Pass	2400




4.18. LTE Emission Mask(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




4.19. LTE Emission Mask(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.20. LTE Emission Mask(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)




4.21. LTE Emission Mask(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




4.22. LTE Emission Mask(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)




4.23. LTE Emission Mask(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)




4.24. LTE Emission Mask(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)




4.25. LTE Emission Mask(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.26. LTE Emission Mask(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




4.27. LTE Emission Mask(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.28. LTE Emission Mask(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



4.29. LTE Emission Mask(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




4.30. LTE Emission Mask(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)




4.31. LTE Emission Mask(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
799	12	0.01	RMS	795.276	-63.01	Pass	2400



4.32. LTE Emission Mask(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
799	12	0.01	RMS	793.105	-55.21	Pass	2400



END