



Radiated Emission Band Edge

Transmit at 5180MHz by 802.11a with Ant2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5014.65	39.4	48.82	9.430	74.00	25.18	PK	Horizo	PASS
2	5150.00	40.2	49.82	9.590	74.00	24.18	PK	Horizo	PASS


Transmit at 5180MHz by 802.11a with Ant2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5023.45	28.2	37.66	9.450	54.00	16.34	AV	Horizo	PASS
2	5150.00	32.1	41.72	9.590	54.00	12.28	AV	Horizo	PASS

Transmit at 5180MHz by 802.11a with Ant2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5120.05	38.9	48.42	9.520	74.00	25.58	PK	Vertic	PASS
2	5150.00	39.0	48.56	9.590	74.00	25.44	PK	Vertic	PASS


Transmit at 5180MHz by 802.11a with Ant2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5085.90	28.2	37.65	9.480	54.00	16.35	AV	Vertic	PASS
2	5150.00	30.6	40.22	9.590	54.00	13.78	AV	Vertic	PASS

Transmit at 5320MHz by 802.11a with Ant2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	44.7	54.12	9.460	74.00	19.88	PK	Horizo	PASS
2	5352.96	49.4	58.86	9.460	74.00	15.14	PK	Horizo	PASS

Transmit at 5320MHz by 802.11a with Ant2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.0	42.41	9.460	54.00	11.59	AV	Horizo	PASS
2	5353.05	33.3	42.75	9.460	54.00	11.25	AV	Horizo	PASS

Transmit at 5320MHz by 802.11a with Ant2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	42.6	52.04	9.460	74.00	21.96	PK	Vertic	PASS
2	5352.21	50.6	60.10	9.460	74.00	13.90	PK	Vertic	PASS


Transmit at 5320MHz by 802.11a with Ant2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.0	42.45	9.460	54.00	11.55	AV	Vertic	PASS
2	5352.23	34.1	43.51	9.460	54.00	10.49	AV	Vertic	PASS

Transmit at 5500MHz by 802.11a with Ant2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	40.5	50.28	9.800	68.30	18.02	PK	Horizo	PASS
2	5466.85	46.0	55.81	9.810	68.30	12.49	PK	Horizo	PASS


Transmit at 5500MHz by 802.11a with Ant2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5442.58	29.5	39.24	9.750	54.00	14.76	AV	Horizo	PASS
2	5460.00	29.6	39.38	9.800	54.00	14.62	AV	Horizo	PASS


Transmit at 5500MHz by 802.11a with Ant2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	40.0	49.76	9.800	68.30	18.54	PK	Vertic	PASS
2	5466.43	48.1	57.91	9.810	68.30	10.39	PK	Vertic	PASS




Transmit at 5500MHz by 802.11a with Ant2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5431.04	29.5	39.24	9.720	54.00	14.76	AV	Vertic	PASS
2	5460.00	30.7	40.48	9.800	54.00	13.52	AV	Vertic	PASS

Transmit at 5700MHz by 802.11a with Ant2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	45.5	56.86	11.350	68.30	11.44	PK	Horizo	PASS
2	5731.55	46.9	58.28	11.380	68.30	10.02	PK	Horizo	PASS

Transmit at 5700MHz by 802.11a with Ant2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	46.6	57.90	11.350	68.30	10.40	PK	Vertic	PASS
2	5734.85	44.8	56.23	11.400	68.30	12.07	PK	Vertic	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5038.89	39.9	49.38	9.480	74.00	24.62	PK	Horizo	PASS
2	5150.00	49.2	58.77	9.590	74.00	15.23	PK	Horizo	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5119.36	30.1	39.62	9.520	54.00	14.38	AV	Horizo	PASS
2	5150.00	34.9	44.47	9.590	54.00	9.53	AV	Horizo	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5087.02	38.5	47.99	9.480	74.00	26.01	PK	Vertic	PASS
2	5150.00	50.9	60.53	9.590	74.00	13.47	PK	Vertic	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5002.49	27.8	37.24	9.400	54.00	16.76	AV	Vertic	PASS
2	5150.00	35.4	44.98	9.590	54.00	9.02	AV	Vertic	PASS


Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	42.2	51.70	9.460	74.00	22.30	PK	Horizo	PASS
2	5355.51	51.1	60.59	9.480	74.00	13.41	PK	Horizo	PASS




Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.4	42.87	9.460	54.00	11.13	AV	Horizo	PASS
2	5352.75	34.0	43.50	9.460	54.00	10.50	AV	Horizo	PASS


Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	41.6	51.03	9.460	74.00	22.97	PK	Vertic	PASS
2	5356.03	52.5	61.95	9.480	74.00	12.05	PK	Vertic	PASS


Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.9	42.33	9.460	54.00	11.67	AV	Vertic	PASS
2	5356.37	31.4	40.84	9.480	54.00	13.16	AV	Vertic	PASS

Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	39.4	49.21	9.800	68.30	19.09	PK	Horizo	PASS
2	5468.51	51.5	61.35	9.820	68.30	6.95	PK	Horizo	PASS

Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5444.70	30.0	39.78	9.750	54.00	14.22	AV	Horizo	PASS
2	5460.00	30.0	39.82	9.800	54.00	14.18	AV	Horizo	PASS

Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	40.7	50.51	9.800	68.30	17.79	PK	Vertic	PASS
2	5468.40	51.5	61.35	9.820	68.30	6.95	PK	Vertic	PASS

Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5443.40	29.3	39.06	9.750	54.00	14.94	AV	Vertic	PASS
2	5460.00	29.4	39.23	9.800	54.00	14.77	AV	Vertic	PASS

Transmit at 5700MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	49.4	60.76	11.350	68.30	7.54	PK	Horizo	PASS
2	5725.65	52.3	63.69	11.350	68.30	4.61	PK	Horizo	PASS


Transmit at 5700MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	50.0	61.39	11.350	68.30	6.91	PK	Vertic	PASS
2	5728.15	51.3	62.63	11.370	68.30	5.67	PK	Vertic	PASS




Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5087.54	39.1	48.54	9.490	74.00	25.46	PK	Horizo	PASS
2	5150.00	39.6	49.18	9.590	74.00	24.82	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5015.69	28.0	37.47	9.440	54.00	16.53	AV	Horizo	PASS
2	5150.00	32.0	41.63	9.590	54.00	12.37	AV	Horizo	PASS




Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5101.08	39.3	48.73	9.480	74.00	25.27	PK	Vertic	PASS
2	5150.00	48.0	57.61	9.590	74.00	16.39	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5012.15	27.8	37.18	9.420	54.00	16.82	AV	Vertic	PASS
2	5150.00	32.4	42.00	9.590	54.00	12.00	AV	Vertic	PASS


Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	47.5	56.95	9.460	74.00	17.05	PK	Horizo	PASS
2	5351.18	54.9	64.31	9.460	74.00	9.69	PK	Horizo	PASS


Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.3	44.80	9.460	54.00	9.20	AV	Horizo	PASS
2	5355.94	33.9	43.34	9.480	54.00	10.66	AV	Horizo	PASS

Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	46.9	56.36	9.460	74.00	17.64	PK	Vertic	PASS
2	5351.78	49.6	59.07	9.460	74.00	14.93	PK	Vertic	PASS


Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.6	41.01	9.460	54.00	12.99	AV	Vertic	PASS
2	5353.26	32.6	42.09	9.460	54.00	11.91	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	45.2	55.04	9.800	68.30	13.26	PK	Horizo	PASS
2	5468.19	50.1	59.93	9.820	68.30	8.37	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5426.44	29.6	39.30	9.710	54.00	14.70	AV	Horizo	PASS
2	5460.00	29.8	39.63	9.800	54.00	14.37	AV	Horizo	PASS


Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	40.0	49.77	9.800	68.30	18.53	PK	Vertic	PASS
2	5463.01	50.1	59.86	9.800	68.30	8.44	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5437.44	28.9	38.67	9.730	54.00	15.33	AV	Vertic	PASS
2	5460.00	29.3	39.07	9.800	54.00	14.93	AV	Vertic	PASS

Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	52.7	64.02	11.350	68.30	4.28	PK	Horizo	PASS
2	5734.40	50.0	61.36	11.400	68.30	6.94	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	48.5	59.88	11.350	68.30	8.42	PK	Vertic	PASS
2	5725.80	50.4	61.76	11.350	68.30	6.54	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5067.09	39.2	48.73	9.500	74.00	25.27	PK	Horizo	PASS
2	5150.00	50.9	60.48	9.590	74.00	13.52	PK	Horizo	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5146.01	35.3	44.83	9.580	54.00	9.17	AV	Horizo	PASS
2	5150.00	34.8	44.38	9.590	54.00	9.62	AV	Horizo	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5074.94	38.7	48.20	9.490	74.00	25.80	PK	Vertic	PASS
2	5150.00	52.3	61.89	9.590	74.00	12.11	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5144.37	33.1	42.67	9.580	54.00	11.33	AV	Vertic	PASS
2	5150.00	35.9	45.50	9.590	54.00	8.50	AV	Vertic	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	49.6	59.09	9.460	74.00	14.91	PK	Horizo	PASS
2	5351.44	53.6	63.10	9.460	74.00	10.90	PK	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	37.1	46.52	9.460	54.00	7.48	AV	Horizo	PASS
2	5350.80	39.3	48.80	9.460	54.00	5.20	AV	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	50.7	60.17	9.460	74.00	13.83	PK	Vertic	PASS
2	5351.63	53.7	63.20	9.460	74.00	10.80	PK	Vertic	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.4	45.88	9.460	54.00	8.12	AV	Vertic	PASS
2	5351.53	36.7	46.11	9.460	54.00	7.89	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	42.7	52.48	9.800	68.30	15.82	PK	Horizo	PASS
2	5468.61	54.7	64.49	9.820	68.30	3.81	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5436.88	30.1	39.80	9.730	54.00	14.20	AV	Horizo	PASS
2	5460.00	31.6	41.37	9.800	54.00	12.63	AV	Horizo	PASS


Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	46.3	56.09	9.800	68.30	12.21	PK	Vertic	PASS
2	5467.23	53.3	63.13	9.810	68.30	5.17	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5443.22	29.4	39.19	9.750	54.00	14.81	AV	Vertic	PASS
2	5460.00	30.4	40.16	9.800	54.00	13.84	AV	Vertic	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	53.0	64.30	11.350	68.30	4.00	PK	Horizo	PASS
2	5725.30	53.8	65.18	11.350	68.30	3.12	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	48.5	59.88	11.350	68.30	8.42	PK	Vertic	PASS
2	5726.50	50.8	62.13	11.350	68.30	6.17	PK	Vertic	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.74	58.8	68.42	9.590	74.00	5.58	PK	Horizo	PASS
2	5150.00	53.7	63.25	9.590	74.00	10.75	PK	Horizo	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.38	42.3	51.91	9.590	54.00	2.09	AV	Horizo	PASS
2	5150.00	40.8	50.35	9.590	54.00	3.65	AV	Horizo	PASS


Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	5147.70	56.9	66.45	9.590	74.00	7.55	PK	Vertic	PASS
2	5150.00	51.5	61.06	9.590	74.00	12.94	PK	Vertic	PASS


Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5145.57	40.7	50.23	9.580	54.00	3.77	AV	Vertic	PASS
2	5150.00	41.2	50.75	9.590	54.00	3.25	AV	Vertic	PASS


Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	58.7	68.11	9.460	74.00	5.89	PK	Horizo	PASS
2	5352.26	61.2	70.61	9.460	74.00	3.39	PK	Horizo	PASS

Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	41.6	51.07	9.460	54.00	2.93	AV	Horizo	PASS
2	5352.41	41.5	50.96	9.460	54.00	3.04	AV	Horizo	PASS

Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	58.5	67.95	9.460	74.00	6.05	PK	Vertic	PASS
2	5358.32	56.5	66.03	9.490	74.00	7.97	PK	Vertic	PASS

Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	38.7	48.11	9.460	54.00	5.89	AV	Vertic	PASS
2	5352.41	38.6	48.03	9.460	54.00	5.97	AV	Vertic	PASS




Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	49.3	59.11	9.800	68.30	9.19	PK	Horizo	PASS
2	5468.62	56.6	66.44	9.820	68.30	1.86	PK	Horizo	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5424.54	30.5	40.15	9.690	54.00	13.85	AV	Horizo	PASS
2	5460.00	32.4	42.23	9.800	54.00	11.77	AV	Horizo	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	46.3	56.13	9.800	68.30	12.17	PK	Vertic	PASS
2	5462.86	54.3	64.05	9.800	68.30	4.25	PK	Vertic	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5428.44	29.8	39.50	9.710	54.00	14.50	AV	Vertic	PASS
2	5460.00	31.2	40.95	9.800	54.00	13.05	AV	Vertic	PASS


Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.0	46.82	9.820	68.30	21.48	PK	Horizo	PASS
2	5725.00	47.5	58.86	11.350	68.30	9.44	PK	Horizo	PASS
3	5743.42	51.3	62.75	11.430	68.30	5.55	PK	Horizo	PASS

Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5376.87	26.8	36.33	9.560	54.00	17.67	AV	Horizo	PASS
2	5460.00	26.7	36.51	9.800	54.00	17.49	AV	Horizo	PASS


Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.5	47.31	9.820	68.30	20.99	PK	Vertic	PASS
2	5725.00	48.2	59.54	11.350	68.30	8.76	PK	Vertic	PASS
3	5727.10	49.0	60.35	11.360	68.30	7.95	PK	Vertic	PASS


Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5397.36	27.0	36.62	9.630	54.00	17.38	AV	Vertic	PASS
2	5460.00	26.5	36.34	9.800	54.00	17.66	AV	Vertic	PASS

Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5143.26	57.0	66.53	9.580	74.00	7.47	PK	Horizo	PASS
2	5150.00	51.5	61.13	9.590	74.00	12.87	PK	Horizo	PASS




Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5148.23	42.2	51.78	9.590	54.00	2.22	AV	Horizo	PASS
2	5150.00	42.2	51.74	9.590	54.00	2.26	AV	Horizo	PASS


Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5144.41	55.7	65.25	9.580	74.00	8.75	PK	Vertic	PASS
2	5150.00	55.1	64.71	9.590	74.00	9.29	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5145.57	39.8	49.34	9.580	54.00	4.66	AV	Vertic	PASS
2	5150.00	41.8	51.41	9.590	54.00	2.59	AV	Vertic	PASS


Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	52.2	61.62	9.460	74.00	12.38	PK	Horizo	PASS
2	5351.56	56.0	65.41	9.460	74.00	8.59	PK	Horizo	PASS


Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	41.3	50.77	9.460	54.00	3.23	AV	Horizo	PASS
2	5352.56	41.9	51.38	9.460	54.00	2.62	AV	Horizo	PASS


Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	52.7	62.18	9.460	74.00	11.82	PK	Vertic	PASS
2	5359.11	54.5	64.00	9.490	74.00	10.00	PK	Vertic	PASS


Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.3	44.71	9.460	54.00	9.29	AV	Vertic	PASS
2	5350.03	40.2	49.63	9.460	54.00	4.37	AV	Vertic	PASS


Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	47.8	57.63	9.800	68.30	10.67	PK	Horizo	PASS
2	5467.18	54.7	64.50	9.810	68.30	3.80	PK	Horizo	PASS

Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5426.19	30.7	40.36	9.710	54.00	13.64	AV	Horizo	PASS
2	5460.00	32.3	42.07	9.800	54.00	11.93	AV	Horizo	PASS

Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	46.2	55.97	9.800	68.30	12.33	PK	Vertic	PASS
2	5463.64	52.8	62.56	9.810	68.30	5.74	PK	Vertic	PASS


Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5416.67	29.1	38.73	9.680	54.00	15.27	AV	Vertic	PASS
2	5460.00	32.3	42.05	9.800	54.00	11.95	AV	Vertic	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	36.9	46.68	9.820	68.30	21.62	PK	Horizo	PASS
2	5725.00	49.2	60.53	11.350	68.30	7.77	PK	Horizo	PASS
3	5729.73	49.0	60.38	11.370	68.30	7.92	PK	Horizo	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5418.32	27.3	36.99	9.680	54.00	17.01	AV	Horizo	PASS
2	5460.00	26.5	36.32	9.800	54.00	17.68	AV	Horizo	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.6	47.42	9.820	68.30	20.88	PK	Vertic	PASS
2	5725.00	47.9	59.26	11.350	68.30	9.04	PK	Vertic	PASS
3	5735.40	46.3	57.66	11.400	68.30	10.64	PK	Vertic	PASS


Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5388.08	26.7	36.32	9.600	54.00	17.68	AV	Vertic	PASS
2	5460.00	27.4	37.22	9.800	54.00	16.78	AV	Vertic	PASS


Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5147.88	51.5	61.04	9.590	74.00	12.96	PK	Horizo	PASS
2	5150.00	49.4	59.00	9.590	74.00	15.00	PK	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.56	41.0	50.58	9.590	54.00	3.42	AV	Horizo	PASS
2	5150.00	39.7	49.30	9.590	54.00	4.70	AV	Horizo	PASS


Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5147.96	50.6	60.18	9.590	74.00	13.82	PK	Vertic	PASS
2	5150.00	50.3	59.92	9.590	74.00	14.08	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5148.14	39.2	48.81	9.590	54.00	5.19	AV	Vertic	PASS
2	5150.00	40.3	49.91	9.590	54.00	4.09	AV	Vertic	PASS


Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	54.6	64.07	9.460	74.00	9.93	PK	Horizo	PASS
2	5352.45	57.6	67.04	9.460	74.00	6.96	PK	Horizo	PASS


Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	41.9	51.33	9.460	54.00	2.67	AV	Horizo	PASS
2	5351.09	42.6	52.10	9.460	54.00	1.90	AV	Horizo	PASS


Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	52.3	61.73	9.460	74.00	12.27	PK	Vertic	PASS
2	5353.94	56.6	66.06	9.470	74.00	7.94	PK	Vertic	PASS


Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	39.6	49.05	9.460	54.00	4.95	AV	Vertic	PASS
2	5352.11	40.2	49.61	9.460	54.00	4.39	AV	Vertic	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	48.5	58.26	9.800	68.30	10.04	PK	Horizo	PASS
2	5466.46	54.5	64.28	9.810	68.30	4.02	PK	Horizo	PASS


Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5429.92	30.3	40.00	9.710	54.00	14.00	AV	Horizo	PASS
2	5460.00	33.3	43.13	9.800	54.00	10.87	AV	Horizo	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	44.7	54.47	9.800	68.30	13.83	PK	Vertic	PASS
2	5466.94	54.9	64.72	9.810	68.30	3.58	PK	Vertic	PASS


Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5409.65	28.8	38.49	9.670	54.00	15.51	AV	Vertic	PASS
2	5460.00	31.5	41.34	9.800	54.00	12.66	AV	Vertic	PASS


Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	38.2	48.03	9.820	68.30	20.27	PK	Horizo	PASS
2	5725.00	50.9	62.27	11.350	68.30	6.03	PK	Horizo	PASS
3	5731.25	52.6	64.02	11.380	68.30	4.28	PK	Horizo	PASS


Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5429.84	27.2	36.91	9.710	54.00	17.09	AV	Horizo	PASS
2	5460.00	26.9	36.70	9.800	54.00	17.30	AV	Horizo	PASS


Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	38.0	47.79	9.820	68.30	20.51	PK	Vertic	PASS
2	5725.00	47.7	59.08	11.350	68.30	9.22	PK	Vertic	PASS
3	5729.73	51.6	62.92	11.370	68.30	5.38	PK	Vertic	PASS


Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5424.65	27.3	36.95	9.690	54.00	17.05	AV	Vertic	PASS
2	5460.00	27.3	37.05	9.800	54.00	16.95	AV	Vertic	PASS


Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5133.66	55.2	64.77	9.550	74.00	9.23	PK	Horizo	PASS
2	5150.00	48.1	57.67	9.590	74.00	16.33	PK	Horizo	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5139.00	41.0	50.60	9.560	54.00	3.40	AV	Horizo	PASS
2	5150.00	38.7	48.27	9.590	54.00	5.73	AV	Horizo	PASS


Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5126.06	51.4	60.92	9.540	74.00	13.08	PK	Vertic	PASS
2	5150.00	46.2	55.75	9.590	74.00	18.25	PK	Vertic	PASS


Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5134.69	39.2	48.78	9.560	54.00	5.22	AV	Vertic	PASS
2	5150.00	38.4	48.01	9.590	54.00	5.99	AV	Vertic	PASS

Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	56.9	66.38	9.460	74.00	7.62	PK	Horizo	PASS
2	5354.08	58.0	67.45	9.470	74.00	6.55	PK	Horizo	PASS


Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	39.5	49.00	9.460	54.00	5.00	AV	Horizo	PASS
2	5357.39	42.5	52.02	9.480	54.00	1.98	AV	Horizo	PASS


Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	48.3	57.73	9.460	74.00	16.27	PK	Vertic	PASS
2	5373.77	57.3	66.80	9.540	74.00	7.20	PK	Vertic	PASS


Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	37.3	46.73	9.460	54.00	7.27	AV	Vertic	PASS
2	5353.40	40.7	50.14	9.460	54.00	3.86	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	51.1	60.86	9.800	68.30	7.44	PK	Horizo	PASS
2	5464.77	56.0	65.79	9.810	68.30	2.51	PK	Horizo	PASS