



Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5452.60	40.4	50.20	9.770	54.00	3.80	AV	Horizo	PASS
2	5460.00	37.5	47.34	9.800	54.00	6.66	AV	Horizo	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	50.3	60.13	9.800	68.30	8.17	PK	Vertic	PASS
2	5463.89	54.1	63.87	9.810	68.30	4.43	PK	Vertic	PASS


Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.50	39.9	49.69	9.770	54.00	4.31	AV	Vertic	PASS
2	5460.00	36.6	46.42	9.800	54.00	7.58	AV	Vertic	PASS


Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.30	56.4	66.17	9.770	74.00	7.83	PK	Horizo	PASS
2	5470.00	54.1	63.91	9.820	68.30	4.39	PK	Horizo	PASS
3	5725.00	41.5	52.85	11.350	68.30	15.45	PK	Horizo	PASS


Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5452.66	40.6	50.40	9.770	54.00	3.60	AV	Horizo	PASS
2	5460.00	38.1	47.93	9.800	54.00	6.07	AV	Horizo	PASS


Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5468.41	55.1	64.90	9.820	68.30	3.40	PK	Vertic	PASS
2	5470.00	53.0	62.86	9.820	68.30	5.44	PK	Vertic	PASS
3	5725.00	39.9	51.20	11.350	68.30	17.10	PK	Vertic	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.63	39.7	49.42	9.770	54.00	4.58	AV	Vertic	PASS
2	5460.00	37.2	46.99	9.800	54.00	7.01	AV	Vertic	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5133.19	59.4	68.92	9.550	74.00	5.08	PK	Horizo	PASS
2	5150.00	55.0	64.62	9.590	74.00	9.38	PK	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.69	43.2	52.78	9.590	54.00	1.22	AV	Horizo	PASS
2	5150.00	41.2	50.75	9.590	54.00	3.25	AV	Horizo	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5134.97	57.7	67.29	9.560	74.00	6.71	PK	Vertic	PASS
2	5150.00	48.3	57.86	9.590	74.00	16.14	PK	Vertic	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.88	42.0	51.59	9.590	54.00	2.41	AV	Vertic	PASS
2	5150.00	40.5	50.07	9.590	54.00	3.93	AV	Vertic	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	50.7	60.12	9.460	74.00	13.88	PK	Horizo	PASS
2	5357.36	60.9	70.38	9.480	74.00	3.62	PK	Horizo	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	41.1	50.58	9.460	54.00	3.42	AV	Horizo	PASS
2	5355.37	41.9	51.33	9.480	54.00	2.67	AV	Horizo	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	51.6	61.05	9.460	74.00	12.95	PK	Vertic	PASS
2	5358.44	58.6	68.04	9.490	74.00	5.96	PK	Vertic	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	37.8	47.26	9.460	54.00	6.74	AV	Vertic	PASS
2	5356.50	39.6	49.12	9.480	54.00	4.88	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	51.6	61.39	9.800	68.30	6.91	PK	Horizo	PASS
2	5469.75	56.4	66.19	9.820	68.30	2.11	PK	Horizo	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5433.90	34.0	43.71	9.720	54.00	10.29	AV	Horizo	PASS
2	5460.00	35.9	45.71	9.800	54.00	8.29	AV	Horizo	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	52.2	61.99	9.800	68.30	6.31	PK	Vertic	PASS
2	5467.33	52.3	62.11	9.820	68.30	6.19	PK	Vertic	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5416.77	28.9	38.59	9.680	54.00	15.41	AV	Vertic	PASS
2	5460.00	32.6	42.43	9.800	54.00	11.57	AV	Vertic	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5453.06	57.3	67.08	9.770	74.00	6.92	PK	Horizo	PASS
2	5470.00	55.4	65.26	9.820	68.30	3.04	PK	Horizo	PASS
3	5725.00	39.2	50.51	11.350	68.30	17.79	PK	Horizo	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5449.34	34.7	44.48	9.760	54.00	9.52	AV	Horizo	PASS
2	5460.00	34.8	44.64	9.800	54.00	9.36	AV	Horizo	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.44	55.7	65.50	9.770	74.00	8.50	PK	Vertic	PASS
2	5470.00	53.1	62.95	9.820	68.30	5.35	PK	Vertic	PASS
3	5725.00	38.1	49.47	11.350	68.30	18.83	PK	Vertic	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5449.91	33.5	43.28	9.760	54.00	10.72	AV	Vertic	PASS
2	5460.00	32.9	42.66	9.800	54.00	11.34	AV	Vertic	PASS


Transmit at 5745MHz by 802.11a with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.55	38.5	49.39	10.900	68.30	18.91	PK	Horizo	PASS
2	5671.64	39.2	50.29	11.080	84.35	34.06	PK	Horizo	PASS
3	5713.56	51.0	62.25	11.300	109.10	46.85	PK	Horizo	PASS
4	5722.50	54.9	66.19	11.340	116.60	50.41	PK	Horizo	PASS
5	5855.75	38.7	50.33	11.660	110.69	60.36	PK	Horizo	PASS
6	5867.61	38.9	50.53	11.650	107.37	56.84	PK	Horizo	PASS
7	5902.71	38.6	50.27	11.630	84.75	34.48	PK	Horizo	PASS
8	5935.54	39.1	50.82	11.740	68.30	17.48	PK	Horizo	PASS

Transmit at 5745MHz by 802.11a with Ant2**Test Graph****Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.53	37.9	48.85	10.910	68.30	19.45	PK	Vertic	PASS
2	5670.50	38.8	49.85	11.070	83.51	33.66	PK	Vertic	PASS
3	5704.95	44.8	56.05	11.260	106.69	50.64	PK	Vertic	PASS
4	5722.99	53.4	64.77	11.340	117.71	52.94	PK	Vertic	PASS
5	5853.80	38.2	49.85	11.660	113.64	63.79	PK	Vertic	PASS
6	5866.64	38.3	49.95	11.650	107.64	57.69	PK	Vertic	PASS
7	5897.68	37.6	49.26	11.620	88.48	39.22	PK	Vertic	PASS
8	5937.81	38.1	49.83	11.750	68.30	18.47	PK	Vertic	PASS

Transmit at 5825MHz by 802.11a with Ant2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.76	38.3	49.16	10.890	68.30	19.14	PK	Horizo	PASS
2	5677.00	37.5	48.58	11.110	88.32	39.74	PK	Horizo	PASS
3	5711.61	38.0	49.30	11.290	108.55	59.25	PK	Horizo	PASS
4	5722.66	39.0	50.30	11.340	116.97	66.67	PK	Horizo	PASS
5	5850.06	51.0	62.64	11.660	122.16	59.52	PK	Horizo	PASS
6	5865.34	41.6	53.22	11.650	108.00	54.78	PK	Horizo	PASS
7	5891.66	41.2	52.79	11.630	92.93	40.14	PK	Horizo	PASS
8	5933.26	38.6	50.32	11.730	68.30	17.98	PK	Horizo	PASS

Transmit at 5825MHz by 802.11a with Ant2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5647.59	38.3	49.23	10.940	68.30	19.07	PK	Vertic	PASS
2	5664.65	37.9	48.93	11.030	79.17	30.24	PK	Vertic	PASS
3	5708.04	38.7	49.92	11.270	107.55	57.63	PK	Vertic	PASS
4	5722.34	38.4	49.74	11.340	116.23	66.49	PK	Vertic	PASS
5	5852.01	48.0	59.65	11.660	117.71	58.06	PK	Vertic	PASS
6	5868.26	39.6	51.28	11.650	107.18	55.90	PK	Vertic	PASS
7	5897.19	38.9	50.47	11.620	88.84	38.37	PK	Vertic	PASS
8	5937.16	39.0	50.78	11.750	68.30	17.52	PK	Vertic	PASS

Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.18	39.4	50.36	10.920	68.30	17.94	PK	Horizo	PASS
2	5667.09	40.4	51.44	11.050	80.98	29.54	PK	Horizo	PASS
3	5707.39	45.2	56.47	11.270	107.37	50.90	PK	Horizo	PASS
4	5723.96	55.9	67.21	11.350	119.94	52.73	PK	Horizo	PASS
5	5853.31	39.8	51.44	11.660	114.75	63.31	PK	Horizo	PASS
6	5867.61	38.9	50.53	11.650	107.37	56.84	PK	Horizo	PASS
7	5892.80	38.2	49.87	11.630	92.09	42.22	PK	Horizo	PASS
8	5941.71	39.3	51.08	11.760	68.30	17.22	PK	Horizo	PASS


Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.48	39.0	49.94	10.930	68.30	18.36	PK	Vertic	PASS
2	5663.84	38.9	49.91	11.030	78.57	28.66	PK	Vertic	PASS
3	5702.51	45.6	56.87	11.250	106.00	49.13	PK	Vertic	PASS
4	5721.53	52.9	64.23	11.330	114.38	50.15	PK	Vertic	PASS
5	5853.31	38.5	50.14	11.660	114.75	64.61	PK	Vertic	PASS
6	5867.78	37.8	49.45	11.650	107.32	57.87	PK	Vertic	PASS
7	5891.18	38.0	49.65	11.630	93.30	43.65	PK	Vertic	PASS
8	5931.48	38.4	50.08	11.730	68.30	18.22	PK	Vertic	PASS

Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.14	38.3	49.20	10.880	68.30	19.10	PK	Horizo	PASS
2	5665.63	37.8	48.88	11.040	79.90	31.02	PK	Horizo	PASS
3	5712.26	38.2	49.47	11.290	108.74	59.27	PK	Horizo	PASS
4	5724.78	37.9	49.29	11.350	121.79	72.50	PK	Horizo	PASS
5	5851.20	51.0	62.65	11.660	119.56	56.91	PK	Horizo	PASS
6	5866.64	43.5	55.13	11.650	107.64	52.51	PK	Horizo	PASS
7	5900.28	39.7	51.35	11.620	86.56	35.21	PK	Horizo	PASS
8	5937.65	39.1	50.89	11.750	68.30	17.41	PK	Horizo	PASS

Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.44	38.2	49.13	10.890	68.30	19.17	PK	Vertic	PASS
2	5671.48	39.3	50.39	11.080	84.23	33.84	PK	Vertic	PASS
3	5707.06	37.9	49.16	11.270	107.28	58.12	PK	Vertic	PASS
4	5722.66	38.7	50.06	11.340	116.97	66.91	PK	Vertic	PASS
5	5851.69	47.0	58.63	11.660	118.45	59.82	PK	Vertic	PASS
6	5864.04	40.6	52.21	11.650	108.37	56.16	PK	Vertic	PASS
7	5892.80	39.4	51.05	11.630	92.09	41.04	PK	Vertic	PASS
8	5939.76	38.3	50.09	11.750	68.30	18.21	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.01	39.0	49.87	10.920	68.30	18.43	PK	Horizo	PASS
2	5679.28	40.0	51.07	11.120	90.00	38.93	PK	Horizo	PASS
3	5704.30	45.1	56.34	11.260	106.51	50.17	PK	Horizo	PASS
4	5724.78	59.0	70.32	11.350	121.79	51.47	PK	Horizo	PASS
5	5850.39	38.7	50.40	11.660	121.42	71.02	PK	Horizo	PASS
6	5868.43	38.2	49.89	11.650	107.14	57.25	PK	Horizo	PASS
7	5897.51	38.4	50.02	11.620	88.60	38.58	PK	Horizo	PASS
8	5936.68	39.3	51.06	11.740	68.30	17.24	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.28	38.6	49.48	10.890	68.30	18.82	PK	Vertic	PASS
2	5660.43	39.1	50.15	11.010	76.04	25.89	PK	Vertic	PASS
3	5703.98	44.2	55.43	11.260	106.41	50.98	PK	Vertic	PASS
4	5722.83	54.2	65.49	11.340	117.34	51.85	PK	Vertic	PASS
5	5852.01	38.2	49.85	11.660	117.71	67.86	PK	Vertic	PASS
6	5863.39	38.5	50.15	11.650	108.55	58.40	PK	Vertic	PASS
7	5894.59	38.7	50.32	11.620	90.77	40.45	PK	Vertic	PASS
8	5935.05	39.1	50.84	11.740	68.30	17.46	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.44	38.4	49.32	10.890	68.30	18.98	PK	Horizo	PASS
2	5673.59	37.6	48.68	11.090	85.80	37.12	PK	Horizo	PASS
3	5711.13	38.0	49.28	11.290	108.42	59.14	PK	Horizo	PASS
4	5724.94	39.0	50.36	11.350	122.16	71.80	PK	Horizo	PASS
5	5852.18	47.1	58.80	11.660	117.34	58.54	PK	Horizo	PASS
6	5868.10	42.8	54.42	11.650	107.23	52.81	PK	Horizo	PASS
7	5892.64	39.8	51.44	11.630	92.21	40.77	PK	Horizo	PASS
8	5930.01	38.7	50.46	11.720	68.30	17.84	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.74	38.2	49.12	10.900	68.30	19.18	PK	Vertic	PASS
2	5672.13	38.8	49.84	11.080	84.71	34.87	PK	Vertic	PASS
3	5708.04	38.7	49.98	11.270	107.55	57.57	PK	Vertic	PASS
4	5722.18	38.3	49.68	11.340	115.86	66.18	PK	Vertic	PASS
5	5852.01	44.9	56.57	11.660	117.71	61.14	PK	Vertic	PASS
6	5872.81	40.1	51.77	11.640	105.91	54.14	PK	Vertic	PASS
7	5893.61	39.1	50.76	11.630	91.49	40.73	PK	Vertic	PASS
8	5932.61	38.6	50.35	11.730	68.30	17.95	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.81	38.6	49.45	10.880	68.30	18.85	PK	Horizo	PASS
2	5676.84	44.7	55.84	11.100	88.20	32.36	PK	Horizo	PASS
3	5707.88	51.5	62.79	11.270	107.51	44.72	PK	Horizo	PASS
4	5723.80	61.6	72.96	11.350	119.56	46.60	PK	Horizo	PASS
5	5854.29	38.3	49.97	11.660	112.52	62.55	PK	Horizo	PASS
6	5872.16	38.1	49.74	11.640	106.09	56.35	PK	Horizo	PASS
7	5892.31	38.4	49.98	11.630	92.45	42.47	PK	Horizo	PASS
8	5935.05	38.2	49.93	11.740	68.30	18.37	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.98	38.3	49.16	10.880	68.30	19.14	PK	Vertic	PASS
2	5670.50	41.1	52.14	11.070	83.51	31.37	PK	Vertic	PASS
3	5707.88	49.4	60.65	11.270	107.51	46.86	PK	Vertic	PASS
4	5724.94	60.4	71.76	11.350	122.16	50.40	PK	Vertic	PASS
5	5852.83	38.2	49.82	11.660	115.86	66.04	PK	Vertic	PASS
6	5872.00	38.1	49.74	11.640	106.14	56.40	PK	Vertic	PASS
7	5892.96	37.8	49.46	11.630	91.97	42.51	PK	Vertic	PASS
8	5931.64	38.4	50.12	11.730	68.30	18.18	PK	Vertic	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.83	44.6	55.54	10.920	68.30	12.76	PK	Horizo	PASS
2	5674.40	49.2	60.24	11.090	86.40	26.16	PK	Horizo	PASS
3	5710.96	54.5	65.81	11.290	108.37	42.56	PK	Horizo	PASS
4	5723.80	66.1	77.44	11.350	119.56	42.12	PK	Horizo	PASS
5	5851.36	44.9	56.60	11.660	119.19	62.59	PK	Horizo	PASS
6	5868.26	41.5	53.19	11.650	107.18	53.99	PK	Horizo	PASS
7	5902.06	41.2	52.81	11.630	85.23	32.42	PK	Horizo	PASS
8	5943.66	39.8	51.61	11.770	68.30	16.69	PK	Horizo	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.11	41.3	52.19	10.890	68.30	16.11	PK	Vertic	PASS
2	5681.88	43.7	54.81	11.140	91.93	37.12	PK	Vertic	PASS
3	5712.75	56.5	67.83	11.300	108.87	41.04	PK	Vertic	PASS
4	5724.13	65.4	76.79	11.350	120.31	43.52	PK	Vertic	PASS
5	5853.48	42.5	54.13	11.660	114.38	60.25	PK	Vertic	PASS
6	5872.65	40.6	52.28	11.640	105.96	53.68	PK	Vertic	PASS
7	5880.13	40.6	52.24	11.640	101.49	49.25	PK	Vertic	PASS
8	5929.20	40.7	52.37	11.720	68.30	15.93	PK	Vertic	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5647.10	38.3	49.20	10.930	68.30	19.10	PK	Horizo	PASS
2	5674.24	38.5	49.60	11.090	86.28	36.68	PK	Horizo	PASS
3	5714.54	47.5	58.79	11.300	109.37	50.58	PK	Horizo	PASS
4	5723.96	46.5	57.89	11.350	119.94	62.05	PK	Horizo	PASS
5	5851.04	56.5	68.14	11.660	119.93	51.79	PK	Horizo	PASS
6	5867.45	47.6	59.20	11.650	107.41	48.21	PK	Horizo	PASS
7	5888.09	42.5	54.12	11.630	95.58	41.46	PK	Horizo	PASS
8	5931.64	39.9	51.67	11.730	68.30	16.63	PK	Horizo	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.85	38.1	48.99	10.920	68.30	19.31	PK	Vertic	PASS
2	5672.78	38.2	49.28	11.080	85.19	35.91	PK	Vertic	PASS
3	5707.23	40.6	51.88	11.270	107.33	55.45	PK	Vertic	PASS
4	5723.96	44.5	55.88	11.350	119.94	64.06	PK	Vertic	PASS
5	5851.53	55.0	66.70	11.660	118.82	52.12	PK	Vertic	PASS
6	5864.20	49.4	61.03	11.650	108.32	47.29	PK	Vertic	PASS
7	5886.46	39.4	50.99	11.630	96.79	45.80	PK	Vertic	PASS
8	5940.41	38.5	50.30	11.760	68.30	18.00	PK	Vertic	PASS


Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.55	40.9	51.77	10.900	68.30	16.53	PK	Horizo	PASS
2	5679.28	46.4	57.48	11.120	90.00	32.52	PK	Horizo	PASS
3	5711.13	54.7	65.96	11.290	108.42	42.46	PK	Horizo	PASS
4	5722.18	62.7	74.01	11.340	115.86	41.85	PK	Horizo	PASS
5	5851.85	42.8	54.44	11.660	118.08	63.64	PK	Horizo	PASS
6	5865.50	42.3	53.96	11.650	107.96	54.00	PK	Horizo	PASS
7	5886.63	41.1	52.73	11.630	96.67	43.94	PK	Horizo	PASS
8	5930.34	40.0	51.69	11.720	68.30	16.61	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.36	39.7	50.58	10.900	68.30	17.72	PK	Vertic	PASS
2	5667.41	43.1	54.15	11.050	81.22	27.07	PK	Vertic	PASS
3	5708.69	54.4	65.66	11.270	107.73	42.07	PK	Vertic	PASS
4	5722.83	60.5	71.83	11.340	117.34	45.51	PK	Vertic	PASS
5	5852.18	41.5	53.16	11.660	117.34	64.18	PK	Vertic	PASS
6	5867.61	41.1	52.76	11.650	107.37	54.61	PK	Vertic	PASS
7	5899.46	40.4	52.05	11.620	87.16	35.11	PK	Vertic	PASS
8	5930.01	39.6	51.35	11.720	68.30	16.95	PK	Vertic	PASS


Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.01	38.9	49.77	10.920	68.30	18.53	PK	Horizo	PASS
2	5674.73	37.9	48.97	11.090	86.64	37.67	PK	Horizo	PASS
3	5710.15	42.5	53.77	11.290	108.14	54.37	PK	Horizo	PASS
4	5722.50	44.3	55.66	11.340	116.60	60.94	PK	Horizo	PASS
5	5851.85	47.9	59.59	11.660	118.08	58.49	PK	Horizo	PASS
6	5869.24	43.7	55.31	11.640	106.91	51.60	PK	Horizo	PASS
7	5887.76	40.2	51.81	11.630	95.83	44.02	PK	Horizo	PASS
8	5939.60	39.3	51.07	11.750	68.30	17.23	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.58	38.6	49.44	10.890	68.30	18.86	PK	Vertic	PASS
2	5672.29	38.0	49.11	11.080	84.83	35.72	PK	Vertic	PASS
3	5710.31	42.2	53.50	11.290	108.19	54.69	PK	Vertic	PASS
4	5721.69	43.6	54.88	11.330	114.75	59.87	PK	Vertic	PASS
5	5851.36	45.6	57.23	11.660	119.19	61.96	PK	Vertic	PASS
6	5868.59	40.3	51.98	11.650	107.09	55.11	PK	Vertic	PASS
7	5889.88	39.4	51.04	11.630	94.26	43.22	PK	Vertic	PASS
8	5931.80	38.8	50.51	11.730	68.30	17.79	PK	Vertic	PASS


Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.11	43.1	53.98	10.890	68.30	14.32	PK	Horizo	PASS
2	5669.85	46.4	57.49	11.070	83.03	25.54	PK	Horizo	PASS
3	5709.66	60.3	71.60	11.290	108.01	36.41	PK	Horizo	PASS
4	5722.83	62.8	74.16	11.340	117.34	43.18	PK	Horizo	PASS
5	5852.34	44.4	56.05	11.660	116.97	60.92	PK	Horizo	PASS
6	5866.96	43.5	55.18	11.650	107.55	52.37	PK	Horizo	PASS
7	5898.65	41.2	52.85	11.620	87.76	34.91	PK	Horizo	PASS
8	5940.41	40.4	52.19	11.760	68.30	16.11	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.98	41.3	52.15	10.880	68.30	16.15	PK	Vertic	PASS
2	5661.40	42.2	53.22	11.020	76.76	23.54	PK	Vertic	PASS
3	5710.15	57.2	68.49	11.290	108.14	39.65	PK	Vertic	PASS
4	5723.31	61.1	72.49	11.350	118.45	45.96	PK	Vertic	PASS
5	5852.50	42.5	54.16	11.660	116.60	62.44	PK	Vertic	PASS
6	5864.85	41.0	52.66	11.650	108.14	55.48	PK	Vertic	PASS
7	5888.25	39.7	51.36	11.630	95.46	44.10	PK	Vertic	PASS
8	5930.18	40.4	52.08	11.720	68.30	16.22	PK	Vertic	PASS


Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.21	39.1	50.00	10.870	68.30	18.30	PK	Horizo	PASS
2	5662.21	38.7	49.74	11.020	77.37	27.63	PK	Horizo	PASS
3	5710.80	44.5	55.83	11.290	108.33	52.50	PK	Horizo	PASS
4	5722.83	47.0	58.31	11.340	117.34	59.03	PK	Horizo	PASS
5	5851.85	49.4	61.03	11.660	118.08	57.05	PK	Horizo	PASS
6	5869.40	46.0	57.65	11.640	106.87	49.22	PK	Horizo	PASS
7	5892.48	41.4	53.00	11.630	92.33	39.33	PK	Horizo	PASS
8	5935.05	39.0	50.74	11.740	68.30	17.56	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.48	38.6	49.51	10.930	68.30	18.79	PK	Vertic	PASS
2	5676.03	38.3	49.38	11.100	87.60	38.22	PK	Vertic	PASS
3	5705.76	42.6	53.91	11.270	106.92	53.01	PK	Vertic	PASS
4	5722.83	44.9	56.21	11.340	117.34	61.13	PK	Vertic	PASS
5	5853.64	48.8	60.42	11.660	114.01	53.59	PK	Vertic	PASS
6	5868.26	43.4	55.03	11.650	107.18	52.15	PK	Vertic	PASS
7	5902.71	39.8	51.47	11.630	84.75	33.28	PK	Vertic	PASS
8	5940.25	38.5	50.28	11.750	68.30	18.02	PK	Vertic	PASS


Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.14	43.1	54.00	10.880	68.30	14.30	PK	Horizo	PASS
2	5661.89	42.8	53.78	11.020	77.13	23.35	PK	Horizo	PASS
3	5703.81	54.2	65.42	11.260	106.37	40.95	PK	Horizo	PASS
4	5723.31	58.8	70.12	11.350	118.45	48.33	PK	Horizo	PASS
5	5851.36	51.2	62.89	11.660	119.19	56.30	PK	Horizo	PASS
6	5865.66	52.2	63.86	11.650	107.91	44.05	PK	Horizo	PASS
7	5906.61	45.0	56.62	11.640	81.87	25.25	PK	Horizo	PASS
8	5935.86	44.2	55.90	11.740	68.30	12.40	PK	Horizo	PASS




Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.55	43.4	54.26	10.900	68.30	14.04	PK	Vertic	PASS
2	5684.15	54.9	66.08	11.150	93.61	27.53	PK	Vertic	PASS
3	5709.18	54.8	66.12	11.280	107.87	41.75	PK	Vertic	PASS
4	5724.13	56.1	67.40	11.350	120.31	52.91	PK	Vertic	PASS
5	5851.20	49.3	60.94	11.660	119.56	58.62	PK	Vertic	PASS
6	5863.39	51.3	62.98	11.650	108.55	45.57	PK	Vertic	PASS
7	5891.18	44.4	56.04	11.630	93.30	37.26	PK	Vertic	PASS
8	5935.05	43.5	55.26	11.740	68.30	13.04	PK	Vertic	PASS


Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.63	53.1	63.99	10.880	68.30	4.31	PK	Horizo	PASS
2	5667.74	52.9	63.98	11.050	81.46	17.48	PK	Horizo	PASS
3	5709.01	59.5	70.75	11.280	107.83	37.08	PK	Horizo	PASS
4	5722.34	67.5	78.87	11.340	116.23	37.36	PK	Horizo	PASS
5	5852.34	57.0	68.67	11.660	116.97	48.30	PK	Horizo	PASS
6	5869.73	58.1	69.73	11.640	106.78	37.05	PK	Horizo	PASS
7	5921.24	52.3	64.01	11.690	71.07	7.06	PK	Horizo	PASS
8	5929.69	47.4	59.08	11.720	68.30	9.22	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.95	50.7	61.55	10.890	68.30	6.75	PK	Vertic	PASS
2	5660.10	52.7	63.66	11.010	75.80	12.14	PK	Vertic	PASS
3	5699.43	62.9	74.16	11.240	104.88	30.72	PK	Vertic	PASS
4	5720.06	65.4	76.69	11.330	111.04	34.35	PK	Vertic	PASS
5	5851.69	56.9	68.53	11.660	118.45	49.92	PK	Vertic	PASS
6	5870.05	57.8	69.47	11.640	106.68	37.21	PK	Vertic	PASS
7	5898.81	46.9	58.56	11.620	87.64	29.08	PK	Vertic	PASS
8	5924.65	50.3	62.00	11.700	68.56	6.56	PK	Vertic	PASS

Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

Dynamic Frequency Selection
DFS Detection Thresholds

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11AC80	5290	Type0	-59.01	-58.99	PASS
11AC80	5530	Type0	-59.18	-58.99	PASS


Test Graphs




Channel Move Time and Channel Closing Transmission Time

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC80	5290	200+19.5	200+60	267.7	10000	PASS
11AC80	5530	200+0	200+60	200.1	10000	PASS

Test Graphs



11AC80ISO-5290-Type0-PASS




11AC80ISO-5530-Type0-PASS

Non-Occupancy Period

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
11AC80	5290	see test graph	≥1800	PASS
11AC80	5530	see test graph	≥1800	PASS

Test Graphs



The End