



Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.61	54.87	17.26	68.30	13.43	PK	Horizo	PASS
2	5725.00	43.41	61.39	17.98	68.30	6.91	PK	Horizo	PASS


Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.78	27.62	44.78	17.16	54.00	9.22	AV	Horizo	PASS
2	5460.00	26.79	43.96	17.17	54.00	10.04	AV	Horizo	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	36.85	54.11	17.26	68.30	14.19	PK	Vertic	PASS
2	5725.00	44.35	62.33	17.98	68.30	5.97	PK	Vertic	PASS


Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5453.23	27.71	44.82	17.11	54.00	9.18	AV	Vertic	PASS
2	5460.00	26.82	43.99	17.17	54.00	10.01	AV	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5128.69	41.23	57.36	16.13	74.00	16.64	PK	Horizo	PASS
2	5150.00	34.90	51.01	16.11	74.00	22.99	PK	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5148.66	30.33	46.45	16.12	54.00	7.55	AV	Horizo	PASS
2	5150.00	28.25	44.36	16.11	54.00	9.64	AV	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5133.00	45.29	61.43	16.14	74.00	12.57	PK	Vertic	PASS
2	5150.00	39.07	55.18	16.11	74.00	18.82	PK	Vertic	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5148.66	32.37	48.49	16.12	54.00	5.51	AV	Vertic	PASS
2	5150.00	31.46	47.57	16.11	54.00	6.43	AV	Vertic	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.16	52.62	16.46	74.00	21.38	PK	Horizo	PASS
2	5357.31	45.50	61.99	16.49	74.00	12.01	PK	Horizo	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	28.85	45.31	16.46	54.00	8.69	AV	Horizo	PASS
2	5353.87	32.76	49.24	16.48	54.00	4.76	AV	Horizo	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.57	52.03	16.46	74.00	21.97	PK	Vertic	PASS
2	5353.74	46.23	62.71	16.48	74.00	11.29	PK	Vertic	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	30.40	46.86	16.46	54.00	7.14	AV	Vertic	PASS
2	5354.40	33.59	50.07	16.48	54.00	3.93	AV	Vertic	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	40.72	57.89	17.17	68.30	10.41	PK	Horizo	PASS
2	5463.52	43.96	61.17	17.21	68.30	7.13	PK	Horizo	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.57	30.84	48.00	17.16	54.00	6.00	AV	Horizo	PASS
2	5460.00	28.65	45.82	17.17	54.00	8.18	AV	Horizo	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	41.50	58.67	17.17	68.30	9.63	PK	Vertic	PASS
2	5465.35	45.21	62.43	17.22	68.30	5.87	PK	Vertic	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5457.47	32.17	49.31	17.14	54.00	4.69	AV	Vertic	PASS
2	5460.00	30.94	48.11	17.17	54.00	5.89	AV	Vertic	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5468.55	39.71	56.96	17.25	68.30	11.34	PK	Horizo	PASS
2	5725.00	37.34	55.32	17.98	68.30	12.98	PK	Horizo	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.22	27.69	44.81	17.12	54.00	9.19	AV	Horizo	PASS
2	5460.00	26.74	43.91	17.17	54.00	10.09	AV	Horizo	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.11	39.17	56.34	17.17	68.30	11.96	PK	Vertic	PASS
2	5725.00	38.63	56.61	17.98	68.30	11.69	PK	Vertic	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5450.43	28.39	45.47	17.08	54.00	8.53	AV	Vertic	PASS
2	5460.00	27.02	44.19	17.17	54.00	9.81	AV	Vertic	PASS

Transmit at 5745MHz by 802.11a with Ant1


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5629.88	36.95	54.65	17.70	68.30	13.65	PK	Horizo	PASS
2	5672.13	37.85	55.67	17.82	84.71	29.04	PK	Horizo	PASS
3	5701.38	37.20	55.10	17.90	105.69	50.59	PK	Horizo	PASS
4	5722.99	42.41	60.38	17.97	117.71	57.33	PK	Horizo	PASS
5	5856.40	38.43	56.96	18.53	110.51	53.55	PK	Horizo	PASS
6	5900.76	38.07	56.84	18.77	86.20	29.36	PK	Horizo	PASS
7	5917.66	38.28	57.14	18.86	73.71	16.57	PK	Horizo	PASS
8	5940.74	38.46	57.43	18.97	68.30	10.87	PK	Horizo	PASS

Transmit at 5745MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5628.41	37.27	54.96	17.69	68.30	13.34	PK	Vertic	PASS
2	5681.06	37.53	55.38	17.85	91.32	35.94	PK	Vertic	PASS
3	5717.14	39.09	57.05	17.96	110.10	53.05	PK	Vertic	PASS
4	5723.31	43.76	61.73	17.97	118.45	56.72	PK	Vertic	PASS
5	5860.46	38.28	56.84	18.56	109.37	52.53	PK	Vertic	PASS
6	5869.56	38.77	57.38	18.61	106.82	49.44	PK	Vertic	PASS
7	5901.58	38.09	56.87	18.78	85.60	28.73	PK	Vertic	PASS
8	5936.03	38.04	56.99	18.95	68.30	11.31	PK	Vertic	PASS

Transmit at 5825MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.74	36.99	54.72	17.73	68.30	13.58	PK	Horizo	PASS
2	5654.41	37.42	55.19	17.77	71.58	16.39	PK	Horizo	PASS
3	5694.71	37.75	55.64	17.89	101.40	45.76	PK	Horizo	PASS
4	5719.90	37.16	55.12	17.96	110.87	55.75	PK	Horizo	PASS
5	5850.71	40.16	58.66	18.50	120.67	62.01	PK	Horizo	PASS
6	5880.94	39.03	57.70	18.67	100.89	43.19	PK	Horizo	PASS
7	5909.54	38.55	57.37	18.82	79.71	22.34	PK	Horizo	PASS
8	5930.99	39.08	58.00	18.92	68.30	10.30	PK	Horizo	PASS

Transmit at 5825MHz by 802.11a with Ant1**Test Graph****Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5629.71	37.14	54.84	17.70	68.30	13.46	PK	Vertic	PASS
2	5667.58	37.27	55.08	17.81	81.34	26.26	PK	Vertic	PASS
3	5699.43	37.89	55.79	17.90	104.88	49.09	PK	Vertic	PASS
4	5722.34	38.18	56.15	17.97	116.23	60.08	PK	Vertic	PASS
5	5852.18	40.59	59.10	18.51	117.34	58.24	PK	Vertic	PASS
6	5887.93	38.92	57.63	18.71	95.71	38.08	PK	Vertic	PASS
7	5920.10	39.84	58.71	18.87	71.91	13.20	PK	Vertic	PASS
8	5933.43	38.89	57.83	18.94	68.30	10.47	PK	Vertic	PASS

Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5647.75	37.74	55.49	17.75	68.30	12.81	PK	Horizo	PASS
2	5689.03	37.38	55.25	17.87	97.21	41.96	PK	Horizo	PASS
3	5706.09	39.87	57.79	17.92	107.01	49.22	PK	Horizo	PASS
4	5722.18	47.46	65.43	17.97	115.86	50.43	PK	Horizo	PASS
5	5860.46	38.47	57.03	18.56	109.37	52.34	PK	Horizo	PASS
6	5870.70	38.34	56.95	18.61	106.50	49.55	PK	Horizo	PASS
7	5916.69	38.10	56.96	18.86	74.43	17.47	PK	Horizo	PASS
8	5929.36	38.65	57.57	18.92	68.30	10.73	PK	Horizo	PASS

Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5653.28	37.06	54.83	17.77	70.73	15.90	PK	Vertic	PASS
2	5695.85	39.61	57.50	17.89	102.24	44.74	PK	Vertic	PASS
3	5713.24	43.93	61.87	17.94	109.01	47.14	PK	Vertic	PASS
4	5724.29	47.81	65.78	17.97	120.68	54.90	PK	Vertic	PASS
5	5865.50	38.51	57.09	18.58	107.96	50.87	PK	Vertic	PASS
6	5878.50	38.56	57.22	18.66	102.70	45.48	PK	Vertic	PASS
7	5902.71	38.25	57.04	18.79	84.75	27.71	PK	Vertic	PASS
8	5927.25	38.77	57.67	18.90	68.30	10.63	PK	Vertic	PASS

Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5626.63	37.40	55.09	17.69	68.30	13.21	PK	Horizo	PASS
2	5648.89	37.16	54.91	17.75	68.30	13.39	PK	Horizo	PASS
3	5689.84	36.82	54.69	17.87	97.81	43.12	PK	Horizo	PASS
4	5718.11	37.74	55.70	17.96	110.37	54.67	PK	Horizo	PASS
5	5851.53	42.87	61.38	18.51	118.82	57.44	PK	Horizo	PASS
6	5861.60	41.47	60.03	18.56	109.05	49.02	PK	Horizo	PASS
7	5893.45	37.98	56.72	18.74	91.61	34.89	PK	Horizo	PASS
8	5919.29	39.07	57.94	18.87	72.51	14.57	PK	Horizo	PASS

Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5631.83	36.92	54.62	17.70	68.30	13.68	PK	Vertic	PASS
2	5649.70	36.85	54.60	17.75	68.30	13.70	PK	Vertic	PASS
3	5687.24	37.05	54.91	17.86	95.89	40.98	PK	Vertic	PASS
4	5705.28	37.86	55.78	17.92	106.78	51.00	PK	Vertic	PASS
5	5851.53	42.66	61.17	18.51	118.82	57.65	PK	Vertic	PASS
6	5877.04	39.70	58.34	18.64	103.79	45.45	PK	Vertic	PASS
7	5893.78	38.56	57.30	18.74	91.37	34.07	PK	Vertic	PASS
8	5932.29	38.37	57.30	18.93	68.30	11.00	PK	Vertic	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5652.95	38.12	55.89	17.77	70.49	14.60	PK	Horizo	PASS
2	5686.10	37.45	55.31	17.86	95.05	39.74	PK	Horizo	PASS
3	5702.84	41.15	59.06	17.91	106.10	47.04	PK	Horizo	PASS
4	5718.11	49.80	67.76	17.96	110.37	42.61	PK	Horizo	PASS
5	5865.18	38.89	57.47	18.58	108.05	50.58	PK	Horizo	PASS
6	5888.90	39.18	57.89	18.71	94.98	37.09	PK	Horizo	PASS
7	5902.06	38.87	57.66	18.79	85.23	27.57	PK	Horizo	PASS
8	5931.48	38.18	57.10	18.92	68.30	11.20	PK	Horizo	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.80	37.44	55.18	17.74	68.30	13.12	PK	Vertic	PASS
2	5667.25	37.08	54.89	17.81	81.10	26.21	PK	Vertic	PASS
3	5688.38	38.33	56.19	17.86	96.73	40.54	PK	Vertic	PASS
4	5719.90	51.05	69.01	17.96	110.87	41.86	PK	Vertic	PASS
5	5851.85	38.23	56.74	18.51	118.08	61.34	PK	Vertic	PASS
6	5880.13	38.47	57.13	18.66	101.49	44.36	PK	Vertic	PASS
7	5915.55	38.12	56.97	18.85	75.27	18.30	PK	Vertic	PASS
8	5924.81	38.30	57.20	18.90	68.44	11.24	PK	Vertic	PASS


Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.70	36.84	54.56	17.72	68.30	13.74	PK	Horizo	PASS
2	5648.73	37.24	54.99	17.75	68.30	13.31	PK	Horizo	PASS
3	5682.85	36.63	54.48	17.85	92.65	38.17	PK	Horizo	PASS
4	5718.76	37.77	55.73	17.96	110.55	54.82	PK	Horizo	PASS
5	5858.35	40.21	58.75	18.54	109.96	51.21	PK	Horizo	PASS
6	5888.25	38.31	57.02	18.71	95.46	38.44	PK	Horizo	PASS
7	5910.03	38.08	56.91	18.83	79.35	22.44	PK	Horizo	PASS
8	5936.51	38.29	57.24	18.95	68.30	11.06	PK	Horizo	PASS


Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5653.11	36.90	54.67	17.77	70.61	15.94	PK	Vertic	PASS
2	5666.93	36.90	54.71	17.81	80.86	26.15	PK	Vertic	PASS
3	5702.51	37.34	55.25	17.91	106.00	50.75	PK	Vertic	PASS
4	5722.99	38.04	56.01	17.97	117.71	61.70	PK	Vertic	PASS
5	5853.96	39.29	57.80	18.51	113.26	55.46	PK	Vertic	PASS
6	5882.73	38.87	57.55	18.68	99.56	42.01	PK	Vertic	PASS
7	5905.80	37.93	56.74	18.81	82.47	25.73	PK	Vertic	PASS
8	5928.88	38.49	57.41	18.92	68.30	10.89	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5648.08	37.61	55.36	17.75	68.30	12.94	PK	Horizo	PASS
2	5696.34	37.08	54.97	17.89	102.60	47.63	PK	Horizo	PASS
3	5715.51	41.53	59.48	17.95	109.65	50.17	PK	Horizo	PASS
4	5723.80	46.88	64.85	17.97	119.56	54.71	PK	Horizo	PASS
5	5867.29	38.68	57.27	18.59	107.46	50.19	PK	Horizo	PASS
6	5884.19	38.33	57.02	18.69	98.48	41.46	PK	Horizo	PASS
7	5912.30	38.27	57.10	18.83	77.67	20.57	PK	Horizo	PASS
8	5940.09	38.30	57.27	18.97	68.30	11.03	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5650.03	37.29	55.05	17.76	68.32	13.27	PK	Vertic	PASS
2	5684.96	37.46	55.32	17.86	94.21	38.89	PK	Vertic	PASS
3	5715.35	43.38	61.33	17.95	109.60	48.27	PK	Vertic	PASS
4	5723.15	47.64	65.61	17.97	118.08	52.47	PK	Vertic	PASS
5	5852.18	38.71	57.22	18.51	117.34	60.12	PK	Vertic	PASS
6	5888.90	39.03	57.74	18.71	94.98	37.24	PK	Vertic	PASS
7	5905.80	38.12	56.93	18.81	82.47	25.54	PK	Vertic	PASS
8	5945.61	38.36	57.35	18.99	68.30	10.95	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5649.38	36.85	54.60	17.75	68.30	13.70	PK	Horizo	PASS
2	5673.43	36.84	54.66	17.82	85.68	31.02	PK	Horizo	PASS
3	5697.48	36.72	54.61	17.89	103.44	48.83	PK	Horizo	PASS
4	5718.93	37.42	55.38	17.96	110.60	55.22	PK	Horizo	PASS
5	5855.26	41.72	60.25	18.53	110.83	50.58	PK	Horizo	PASS
6	5883.70	38.47	57.15	18.68	98.84	41.69	PK	Horizo	PASS
7	5912.30	38.16	56.99	18.83	77.67	20.68	PK	Horizo	PASS
8	5938.95	38.52	57.49	18.97	68.30	10.81	PK	Horizo	PASS


Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5650.03	37.24	55.00	17.76	68.32	13.32	PK	Vertic	PASS
2	5674.40	37.44	55.26	17.82	86.40	31.14	PK	Vertic	PASS
3	5693.74	37.38	55.27	17.89	100.68	45.41	PK	Vertic	PASS
4	5723.15	37.27	55.24	17.97	118.08	62.84	PK	Vertic	PASS
5	5856.08	44.92	63.45	18.53	110.60	47.15	PK	Vertic	PASS
6	5870.70	40.46	59.07	18.61	106.50	47.43	PK	Vertic	PASS
7	5906.78	38.44	57.25	18.81	81.75	24.50	PK	Vertic	PASS
8	5932.61	38.50	57.43	18.93	68.30	10.87	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2**Test Graph****Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5631.01	37.02	54.72	17.70	68.30	13.58	PK	Horizo	PASS
2	5680.41	37.30	55.15	17.85	90.84	35.69	PK	Horizo	PASS
3	5707.55	43.05	60.98	17.93	107.42	46.44	PK	Horizo	PASS
4	5722.18	49.87	67.84	17.97	115.86	48.02	PK	Horizo	PASS
5	5854.13	38.90	57.41	18.51	112.89	55.48	PK	Horizo	PASS
6	5876.06	39.37	58.01	18.64	104.51	46.50	PK	Horizo	PASS
7	5912.30	38.27	57.10	18.83	77.67	20.57	PK	Horizo	PASS
8	5943.01	38.25	57.24	18.99	68.30	11.06	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.20	37.04	54.78	17.74	68.30	13.52	PK	Vertic	PASS
2	5682.20	37.32	55.17	17.85	92.17	37.00	PK	Vertic	PASS
3	5693.58	37.81	55.70	17.89	100.56	44.86	PK	Vertic	PASS
4	5722.34	49.68	67.65	17.97	116.23	48.58	PK	Vertic	PASS
5	5861.44	38.12	56.68	18.56	109.10	52.42	PK	Vertic	PASS
6	5874.76	38.72	57.35	18.63	105.37	48.02	PK	Vertic	PASS
7	5896.86	38.73	57.49	18.76	89.08	31.59	PK	Vertic	PASS
8	5944.80	38.33	57.32	18.99	68.30	10.98	PK	Vertic	PASS


Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.85	36.70	54.44	17.74	68.30	13.86	PK	Horizo	PASS
2	5680.90	37.23	55.08	17.85	91.20	36.12	PK	Horizo	PASS
3	5704.14	37.28	55.19	17.91	106.46	51.27	PK	Horizo	PASS
4	5724.13	37.26	55.23	17.97	120.31	65.08	PK	Horizo	PASS
5	5859.16	40.31	58.85	18.54	109.73	50.88	PK	Horizo	PASS
6	5884.19	37.84	56.53	18.69	98.48	41.95	PK	Horizo	PASS
7	5903.85	38.66	57.45	18.79	83.91	26.46	PK	Horizo	PASS
8	5922.70	38.23	57.11	18.88	70.00	12.89	PK	Horizo	PASS


Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5629.71	37.08	54.78	17.70	68.30	13.52	PK	Vertic	PASS
2	5654.74	36.78	54.55	17.77	71.82	17.27	PK	Vertic	PASS
3	5696.01	37.16	55.05	17.89	102.36	47.31	PK	Vertic	PASS
4	5718.11	37.39	55.35	17.96	110.37	55.02	PK	Vertic	PASS
5	5853.80	40.80	59.31	18.51	113.64	54.33	PK	Vertic	PASS
6	5877.53	38.22	56.86	18.64	103.42	46.56	PK	Vertic	PASS
7	5905.15	38.29	57.08	18.79	82.95	25.87	PK	Vertic	PASS
8	5919.13	38.51	57.37	18.86	72.63	15.26	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5648.40	37.27	55.02	17.75	68.30	13.28	PK	Horizo	PASS
2	5678.95	44.24	62.08	17.84	89.76	27.68	PK	Horizo	PASS
3	5698.94	45.13	63.03	17.90	104.52	41.49	PK	Horizo	PASS
4	5718.76	49.90	67.86	17.96	110.55	42.69	PK	Horizo	PASS
5	5858.84	46.52	65.06	18.54	109.82	44.76	PK	Horizo	PASS
6	5888.41	38.83	57.54	18.71	95.34	37.80	PK	Horizo	PASS
7	5917.83	39.35	58.21	18.86	73.59	15.38	PK	Horizo	PASS
8	5939.11	38.53	57.50	18.97	68.30	10.80	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.01	37.35	55.09	17.74	68.30	13.21	PK	Vertic	PASS
2	5683.34	44.68	62.53	17.85	93.01	30.48	PK	Vertic	PASS
3	5707.06	46.60	64.53	17.93	107.28	42.75	PK	Vertic	PASS
4	5718.76	49.65	67.61	17.96	110.55	42.94	PK	Vertic	PASS
5	5859.00	44.83	63.37	18.54	109.78	46.41	PK	Vertic	PASS
6	5873.14	43.95	62.58	18.63	105.82	43.24	PK	Vertic	PASS
7	5892.15	40.32	59.05	18.73	92.57	33.52	PK	Vertic	PASS
8	5948.38	39.33	58.34	19.01	68.30	9.96	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5633.29	37.12	54.83	17.71	68.30	13.47	PK	Horizo	PASS
2	5675.05	37.22	55.05	17.83	86.88	31.83	PK	Horizo	PASS
3	5695.53	38.57	56.46	17.89	102.00	45.54	PK	Horizo	PASS
4	5723.15	50.18	68.15	17.97	118.08	49.93	PK	Horizo	PASS
5	5865.99	38.52	57.10	18.58	107.82	50.72	PK	Horizo	PASS
6	5892.96	37.92	56.66	18.74	91.97	35.31	PK	Horizo	PASS
7	5926.60	37.94	56.84	18.90	68.30	11.46	PK	Horizo	PASS
8	5947.89	38.57	57.58	19.01	68.30	10.72	PK	Horizo	PASS


Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5628.25	36.91	54.60	17.69	68.30	13.70	PK	Vertic	PASS
2	5664.98	37.33	55.13	17.80	79.42	24.29	PK	Vertic	PASS
3	5701.54	39.71	57.61	17.90	105.73	48.12	PK	Vertic	PASS
4	5722.50	52.25	70.22	17.97	116.60	46.38	PK	Vertic	PASS
5	5857.54	38.34	56.88	18.54	110.19	53.31	PK	Vertic	PASS
6	5885.16	38.49	57.18	18.69	97.75	40.57	PK	Vertic	PASS
7	5929.85	38.46	57.38	18.92	68.30	10.92	PK	Vertic	PASS
8	5944.48	38.68	57.67	18.99	68.30	10.63	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.28	36.91	54.64	17.73	68.30	13.66	PK	Horizo	PASS
2	5671.48	37.37	55.19	17.82	84.23	29.04	PK	Horizo	PASS
3	5697.80	37.01	54.91	17.90	103.68	48.77	PK	Horizo	PASS
4	5718.44	37.65	55.61	17.96	110.46	54.85	PK	Horizo	PASS
5	5851.53	49.57	68.08	18.51	118.82	50.74	PK	Horizo	PASS
6	5873.79	40.73	59.36	18.63	105.64	46.28	PK	Horizo	PASS
7	5891.99	38.55	57.28	18.73	92.69	35.41	PK	Horizo	PASS
8	5935.54	38.13	57.08	18.95	68.30	11.22	PK	Horizo	PASS


Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.74	38.04	55.77	17.73	68.30	12.53	PK	Vertic	PASS
2	5662.21	36.56	54.35	17.79	77.37	23.02	PK	Vertic	PASS
3	5679.60	36.73	54.58	17.85	90.24	35.66	PK	Vertic	PASS
4	5701.70	37.30	55.20	17.90	105.78	50.58	PK	Vertic	PASS
5	5851.36	50.52	69.02	18.50	119.19	50.17	PK	Vertic	PASS
6	5865.01	43.64	62.22	18.58	108.09	45.87	PK	Vertic	PASS
7	5904.99	38.18	56.97	18.79	83.07	26.10	PK	Vertic	PASS
8	5944.64	38.67	57.66	18.99	68.30	10.64	PK	Vertic	PASS


Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5633.29	37.40	55.11	17.71	68.30	13.19	PK	Horizo	PASS
2	5679.44	38.58	56.43	17.85	90.12	33.69	PK	Horizo	PASS
3	5709.01	47.83	65.76	17.93	107.83	42.07	PK	Horizo	PASS
4	5724.29	53.46	71.43	17.97	120.68	49.25	PK	Horizo	PASS
5	5857.70	38.63	57.17	18.54	110.14	52.97	PK	Horizo	PASS
6	5879.64	38.32	56.98	18.66	101.86	44.88	PK	Horizo	PASS
7	5908.08	38.39	57.20	18.81	80.79	23.59	PK	Horizo	PASS
8	5939.11	38.59	57.56	18.97	68.30	10.74	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.20	37.45	55.19	17.74	68.30	13.11	PK	Vertic	PASS
2	5683.99	37.76	55.62	17.86	93.49	37.87	PK	Vertic	PASS
3	5709.50	49.67	67.60	17.93	107.96	40.36	PK	Vertic	PASS
4	5723.48	52.13	70.10	17.97	118.82	48.72	PK	Vertic	PASS
5	5862.90	38.68	57.24	18.56	108.69	51.45	PK	Vertic	PASS
6	5872.49	38.44	57.06	18.62	106.00	48.94	PK	Vertic	PASS
7	5907.43	38.30	57.11	18.81	81.27	24.16	PK	Vertic	PASS
8	5937.81	38.07	57.03	18.96	68.30	11.27	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.71	36.83	54.57	17.74	68.30	13.73	PK	Horizo	PASS
2	5658.31	37.18	54.96	17.78	74.47	19.51	PK	Horizo	PASS
3	5690.98	37.26	55.13	17.87	98.65	43.52	PK	Horizo	PASS
4	5718.76	37.89	55.85	17.96	110.55	54.70	PK	Horizo	PASS
5	5857.21	43.37	61.90	18.53	110.28	48.38	PK	Horizo	PASS
6	5893.61	38.55	57.29	18.74	91.49	34.20	PK	Horizo	PASS
7	5914.90	38.37	57.22	18.85	75.75	18.53	PK	Horizo	PASS
8	5943.83	38.19	57.18	18.99	68.30	11.12	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.70	37.28	55.00	17.72	68.30	13.30	PK	Vertic	PASS
2	5676.51	37.67	55.50	17.83	87.96	32.46	PK	Vertic	PASS
3	5700.24	37.46	55.36	17.90	105.37	50.01	PK	Vertic	PASS
4	5723.15	37.74	55.71	17.97	118.08	62.37	PK	Vertic	PASS
5	5859.65	43.08	61.63	18.55	109.60	47.97	PK	Vertic	PASS
6	5883.38	38.67	57.35	18.68	99.08	41.73	PK	Vertic	PASS
7	5901.25	38.51	57.29	18.78	85.84	28.55	PK	Vertic	PASS
8	5941.39	38.03	57.00	18.97	68.30	11.30	PK	Vertic	PASS


Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.53	39.19	56.93	17.74	68.30	11.37	PK	Horizo	PASS
2	5658.64	40.98	58.76	17.78	74.72	15.96	PK	Horizo	PASS
3	5702.19	48.70	66.60	17.90	105.91	39.31	PK	Horizo	PASS
4	5721.85	52.37	70.34	17.97	115.12	44.78	PK	Horizo	PASS
5	5852.01	47.77	66.28	18.51	117.71	51.43	PK	Horizo	PASS
6	5871.68	47.71	66.32	18.61	106.23	39.91	PK	Horizo	PASS
7	5882.73	44.21	62.89	18.68	99.56	36.67	PK	Horizo	PASS
8	5922.86	41.60	60.48	18.88	69.88	9.40	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5660.91	40.70	58.49	17.79	76.40	17.91	PK	Vertic	PASS
2	5690.00	46.22	64.09	17.87	97.93	33.84	PK	Vertic	PASS
3	5701.86	48.68	66.58	17.90	105.82	39.24	PK	Vertic	PASS
4	5720.06	51.85	69.81	17.96	111.04	41.23	PK	Vertic	PASS
5	5851.20	48.27	66.77	18.50	119.56	52.79	PK	Vertic	PASS
6	5870.38	48.43	67.04	18.61	106.59	39.55	PK	Vertic	PASS
7	5884.84	44.53	63.22	18.69	98.00	34.78	PK	Vertic	PASS
8	5919.61	40.56	59.43	18.87	72.27	12.84	PK	Vertic	PASS


Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

Dynamic Frequency Selection

DFS Detection Thresholds

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11AC80	5290	Type0	-62.45	-62.00	PASS
11AC80	5530	Type0	-62.27	-62.00	PASS


Test Graphs



Channel Move Time and Channel Closing Transmission Time

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC80	5290	200+11.7	200+60	319.4	10000	PASS
11AC80	5530	200+42.9	200+60	457.3	10000	PASS

Test Graphs






Non-Occupancy Period

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
11AC80	5290	see test graph	≥1800	PASS
11AC80	5530	see test graph	≥1800	PASS

Test Graphs



The End