



Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.50	39.9	49.69	9.770	54.00	4.31	AV	Vertic	PASS
2	5460.00	36.6	46.42	9.800	54.00	7.58	AV	Vertic	PASS


Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.30	56.4	66.17	9.770	74.00	7.83	PK	Horizo	PASS
2	5470.00	54.1	63.91	9.820	68.30	4.39	PK	Horizo	PASS
3	5725.00	41.5	52.85	11.350	68.30	15.45	PK	Horizo	PASS


Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5452.66	40.6	50.40	9.770	54.00	3.60	AV	Horizo	PASS
2	5460.00	38.1	47.93	9.800	54.00	6.07	AV	Horizo	PASS


Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5468.41	55.1	64.90	9.820	68.30	3.40	PK	Vertic	PASS
2	5470.00	53.0	62.86	9.820	68.30	5.44	PK	Vertic	PASS
3	5725.00	39.9	51.20	11.350	68.30	17.10	PK	Vertic	PASS


Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.63	39.7	49.42	9.770	54.00	4.58	AV	Vertic	PASS
2	5460.00	37.2	46.99	9.800	54.00	7.01	AV	Vertic	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5133.19	59.4	68.92	9.550	74.00	5.08	PK	Horizo	PASS
2	5150.00	55.0	64.62	9.590	74.00	9.38	PK	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.69	43.2	52.78	9.590	54.00	1.22	AV	Horizo	PASS
2	5150.00	41.2	50.75	9.590	54.00	3.25	AV	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5134.97	57.7	67.29	9.560	74.00	6.71	PK	Vertic	PASS
2	5150.00	48.3	57.86	9.590	74.00	16.14	PK	Vertic	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.88	42.0	51.59	9.590	54.00	2.41	AV	Vertic	PASS
2	5150.00	40.5	50.07	9.590	54.00	3.93	AV	Vertic	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	50.7	60.12	9.460	74.00	13.88	PK	Horizo	PASS
2	5357.36	60.9	70.38	9.480	74.00	3.62	PK	Horizo	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	41.1	50.58	9.460	54.00	3.42	AV	Horizo	PASS
2	5355.37	41.9	51.33	9.480	54.00	2.67	AV	Horizo	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	51.6	61.05	9.460	74.00	12.95	PK	Vertic	PASS
2	5358.44	58.6	68.04	9.490	74.00	5.96	PK	Vertic	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	37.8	47.26	9.460	54.00	6.74	AV	Vertic	PASS
2	5356.50	39.6	49.12	9.480	54.00	4.88	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	51.6	61.39	9.800	68.30	6.91	PK	Horizo	PASS
2	5469.75	56.4	66.19	9.820	68.30	2.11	PK	Horizo	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5433.90	34.0	43.71	9.720	54.00	10.29	AV	Horizo	PASS
2	5460.00	35.9	45.71	9.800	54.00	8.29	AV	Horizo	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	52.2	61.99	9.800	68.30	6.31	PK	Vertic	PASS
2	5467.33	52.3	62.11	9.820	68.30	6.19	PK	Vertic	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5416.77	28.9	38.59	9.680	54.00	15.41	AV	Vertic	PASS
2	5460.00	32.6	42.43	9.800	54.00	11.57	AV	Vertic	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5453.06	57.3	67.08	9.770	74.00	6.92	PK	Horizo	PASS
2	5470.00	55.4	65.26	9.820	68.30	3.04	PK	Horizo	PASS
3	5725.00	39.2	50.51	11.350	68.30	17.79	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5449.34	34.7	44.48	9.760	54.00	9.52	AV	Horizo	PASS
2	5460.00	34.8	44.64	9.800	54.00	9.36	AV	Horizo	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.44	55.7	65.50	9.770	74.00	8.50	PK	Vertic	PASS
2	5470.00	53.1	62.95	9.820	68.30	5.35	PK	Vertic	PASS
3	5725.00	38.1	49.47	11.350	68.30	18.83	PK	Vertic	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5449.91	33.5	43.28	9.760	54.00	10.72	AV	Vertic	PASS
2	5460.00	32.9	42.66	9.800	54.00	11.34	AV	Vertic	PASS

Transmit at 5745MHz by 802.11a with Ant2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.55	38.5	49.39	10.900	68.30	18.91	PK	Horizo	PASS
2	5671.64	39.2	50.29	11.080	84.35	34.06	PK	Horizo	PASS
3	5713.56	51.0	62.25	11.300	109.10	46.85	PK	Horizo	PASS
4	5722.50	54.9	66.19	11.340	116.60	50.41	PK	Horizo	PASS
5	5855.75	38.7	50.33	11.660	110.69	60.36	PK	Horizo	PASS
6	5867.61	38.9	50.53	11.650	107.37	56.84	PK	Horizo	PASS
7	5902.71	38.6	50.27	11.630	84.75	34.48	PK	Horizo	PASS
8	5935.54	39.1	50.82	11.740	68.30	17.48	PK	Horizo	PASS

Transmit at 5745MHz by 802.11a with Ant2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.53	37.9	48.85	10.910	68.30	19.45	PK	Vertic	PASS
2	5670.50	38.8	49.85	11.070	83.51	33.66	PK	Vertic	PASS
3	5704.95	44.8	56.05	11.260	106.69	50.64	PK	Vertic	PASS
4	5722.99	53.4	64.77	11.340	117.71	52.94	PK	Vertic	PASS
5	5853.80	38.2	49.85	11.660	113.64	63.79	PK	Vertic	PASS
6	5866.64	38.3	49.95	11.650	107.64	57.69	PK	Vertic	PASS
7	5897.68	37.6	49.26	11.620	88.48	39.22	PK	Vertic	PASS
8	5937.81	38.1	49.83	11.750	68.30	18.47	PK	Vertic	PASS

Transmit at 5825MHz by 802.11a with Ant2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.76	38.3	49.16	10.890	68.30	19.14	PK	Horizo	PASS
2	5677.00	37.5	48.58	11.110	88.32	39.74	PK	Horizo	PASS
3	5711.61	38.0	49.30	11.290	108.55	59.25	PK	Horizo	PASS
4	5722.66	39.0	50.30	11.340	116.97	66.67	PK	Horizo	PASS
5	5850.06	51.0	62.64	11.660	122.16	59.52	PK	Horizo	PASS
6	5865.34	41.6	53.22	11.650	108.00	54.78	PK	Horizo	PASS
7	5891.66	41.2	52.79	11.630	92.93	40.14	PK	Horizo	PASS
8	5933.26	38.6	50.32	11.730	68.30	17.98	PK	Horizo	PASS

Transmit at 5825MHz by 802.11a with Ant2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5647.59	38.3	49.23	10.940	68.30	19.07	PK	Vertic	PASS
2	5664.65	37.9	48.93	11.030	79.17	30.24	PK	Vertic	PASS
3	5708.04	38.7	49.92	11.270	107.55	57.63	PK	Vertic	PASS
4	5722.34	38.4	49.74	11.340	116.23	66.49	PK	Vertic	PASS
5	5852.01	48.0	59.65	11.660	117.71	58.06	PK	Vertic	PASS
6	5868.26	39.6	51.28	11.650	107.18	55.90	PK	Vertic	PASS
7	5897.19	38.9	50.47	11.620	88.84	38.37	PK	Vertic	PASS
8	5937.16	39.0	50.78	11.750	68.30	17.52	PK	Vertic	PASS


Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.18	39.4	50.36	10.920	68.30	17.94	PK	Horizo	PASS
2	5667.09	40.4	51.44	11.050	80.98	29.54	PK	Horizo	PASS
3	5707.39	45.2	56.47	11.270	107.37	50.90	PK	Horizo	PASS
4	5723.96	55.9	67.21	11.350	119.94	52.73	PK	Horizo	PASS
5	5853.31	39.8	51.44	11.660	114.75	63.31	PK	Horizo	PASS
6	5867.61	38.9	50.53	11.650	107.37	56.84	PK	Horizo	PASS
7	5892.80	38.2	49.87	11.630	92.09	42.22	PK	Horizo	PASS
8	5941.71	39.3	51.08	11.760	68.30	17.22	PK	Horizo	PASS

Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.48	39.0	49.94	10.930	68.30	18.36	PK	Vertic	PASS
2	5663.84	38.9	49.91	11.030	78.57	28.66	PK	Vertic	PASS
3	5702.51	45.6	56.87	11.250	106.00	49.13	PK	Vertic	PASS
4	5721.53	52.9	64.23	11.330	114.38	50.15	PK	Vertic	PASS
5	5853.31	38.5	50.14	11.660	114.75	64.61	PK	Vertic	PASS
6	5867.78	37.8	49.45	11.650	107.32	57.87	PK	Vertic	PASS
7	5891.18	38.0	49.65	11.630	93.30	43.65	PK	Vertic	PASS
8	5931.48	38.4	50.08	11.730	68.30	18.22	PK	Vertic	PASS


Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.14	38.3	49.20	10.880	68.30	19.10	PK	Horizo	PASS
2	5665.63	37.8	48.88	11.040	79.90	31.02	PK	Horizo	PASS
3	5712.26	38.2	49.47	11.290	108.74	59.27	PK	Horizo	PASS
4	5724.78	37.9	49.29	11.350	121.79	72.50	PK	Horizo	PASS
5	5851.20	51.0	62.65	11.660	119.56	56.91	PK	Horizo	PASS
6	5866.64	43.5	55.13	11.650	107.64	52.51	PK	Horizo	PASS
7	5900.28	39.7	51.35	11.620	86.56	35.21	PK	Horizo	PASS
8	5937.65	39.1	50.89	11.750	68.30	17.41	PK	Horizo	PASS

Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.44	38.2	49.13	10.890	68.30	19.17	PK	Vertic	PASS
2	5671.48	39.3	50.39	11.080	84.23	33.84	PK	Vertic	PASS
3	5707.06	37.9	49.16	11.270	107.28	58.12	PK	Vertic	PASS
4	5722.66	38.7	50.06	11.340	116.97	66.91	PK	Vertic	PASS
5	5851.69	47.0	58.63	11.660	118.45	59.82	PK	Vertic	PASS
6	5864.04	40.6	52.21	11.650	108.37	56.16	PK	Vertic	PASS
7	5892.80	39.4	51.05	11.630	92.09	41.04	PK	Vertic	PASS
8	5939.76	38.3	50.09	11.750	68.30	18.21	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.01	39.0	49.87	10.920	68.30	18.43	PK	Horizo	PASS
2	5679.28	40.0	51.07	11.120	90.00	38.93	PK	Horizo	PASS
3	5704.30	45.1	56.34	11.260	106.51	50.17	PK	Horizo	PASS
4	5724.78	59.0	70.32	11.350	121.79	51.47	PK	Horizo	PASS
5	5850.39	38.7	50.40	11.660	121.42	71.02	PK	Horizo	PASS
6	5868.43	38.2	49.89	11.650	107.14	57.25	PK	Horizo	PASS
7	5897.51	38.4	50.02	11.620	88.60	38.58	PK	Horizo	PASS
8	5936.68	39.3	51.06	11.740	68.30	17.24	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.28	38.6	49.48	10.890	68.30	18.82	PK	Vertic	PASS
2	5660.43	39.1	50.15	11.010	76.04	25.89	PK	Vertic	PASS
3	5703.98	44.2	55.43	11.260	106.41	50.98	PK	Vertic	PASS
4	5722.83	54.2	65.49	11.340	117.34	51.85	PK	Vertic	PASS
5	5852.01	38.2	49.85	11.660	117.71	67.86	PK	Vertic	PASS
6	5863.39	38.5	50.15	11.650	108.55	58.40	PK	Vertic	PASS
7	5894.59	38.7	50.32	11.620	90.77	40.45	PK	Vertic	PASS
8	5935.05	39.1	50.84	11.740	68.30	17.46	PK	Vertic	PASS




Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.44	38.4	49.32	10.890	68.30	18.98	PK	Horizo	PASS
2	5673.59	37.6	48.68	11.090	85.80	37.12	PK	Horizo	PASS
3	5711.13	38.0	49.28	11.290	108.42	59.14	PK	Horizo	PASS
4	5724.94	39.0	50.36	11.350	122.16	71.80	PK	Horizo	PASS
5	5852.18	47.1	58.80	11.660	117.34	58.54	PK	Horizo	PASS
6	5868.10	42.8	54.42	11.650	107.23	52.81	PK	Horizo	PASS
7	5892.64	39.8	51.44	11.630	92.21	40.77	PK	Horizo	PASS
8	5930.01	38.7	50.46	11.720	68.30	17.84	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.74	38.2	49.12	10.900	68.30	19.18	PK	Vertic	PASS
2	5672.13	38.8	49.84	11.080	84.71	34.87	PK	Vertic	PASS
3	5708.04	38.7	49.98	11.270	107.55	57.57	PK	Vertic	PASS
4	5722.18	38.3	49.68	11.340	115.86	66.18	PK	Vertic	PASS
5	5852.01	44.9	56.57	11.660	117.71	61.14	PK	Vertic	PASS
6	5872.81	40.1	51.77	11.640	105.91	54.14	PK	Vertic	PASS
7	5893.61	39.1	50.76	11.630	91.49	40.73	PK	Vertic	PASS
8	5932.61	38.6	50.35	11.730	68.30	17.95	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.81	38.6	49.45	10.880	68.30	18.85	PK	Horizo	PASS
2	5676.84	44.7	55.84	11.100	88.20	32.36	PK	Horizo	PASS
3	5707.88	51.5	62.79	11.270	107.51	44.72	PK	Horizo	PASS
4	5723.80	61.6	72.96	11.350	119.56	46.60	PK	Horizo	PASS
5	5854.29	38.3	49.97	11.660	112.52	62.55	PK	Horizo	PASS
6	5872.16	38.1	49.74	11.640	106.09	56.35	PK	Horizo	PASS
7	5892.31	38.4	49.98	11.630	92.45	42.47	PK	Horizo	PASS
8	5935.05	38.2	49.93	11.740	68.30	18.37	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.98	38.3	49.16	10.880	68.30	19.14	PK	Vertic	PASS
2	5670.50	41.1	52.14	11.070	83.51	31.37	PK	Vertic	PASS
3	5707.88	49.4	60.65	11.270	107.51	46.86	PK	Vertic	PASS
4	5724.94	60.4	71.76	11.350	122.16	50.40	PK	Vertic	PASS
5	5852.83	38.2	49.82	11.660	115.86	66.04	PK	Vertic	PASS
6	5872.00	38.1	49.74	11.640	106.14	56.40	PK	Vertic	PASS
7	5892.96	37.8	49.46	11.630	91.97	42.51	PK	Vertic	PASS
8	5931.64	38.4	50.12	11.730	68.30	18.18	PK	Vertic	PASS


Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.83	44.6	55.54	10.920	68.30	12.76	PK	Horizo	PASS
2	5674.40	49.2	60.24	11.090	86.40	26.16	PK	Horizo	PASS
3	5710.96	54.5	65.81	11.290	108.37	42.56	PK	Horizo	PASS
4	5723.80	66.1	77.44	11.350	119.56	42.12	PK	Horizo	PASS
5	5851.36	44.9	56.60	11.660	119.19	62.59	PK	Horizo	PASS
6	5868.26	41.5	53.19	11.650	107.18	53.99	PK	Horizo	PASS
7	5902.06	41.2	52.81	11.630	85.23	32.42	PK	Horizo	PASS
8	5943.66	39.8	51.61	11.770	68.30	16.69	PK	Horizo	PASS




Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.11	41.3	52.19	10.890	68.30	16.11	PK	Vertic	PASS
2	5681.88	43.7	54.81	11.140	91.93	37.12	PK	Vertic	PASS
3	5712.75	56.5	67.83	11.300	108.87	41.04	PK	Vertic	PASS
4	5724.13	65.4	76.79	11.350	120.31	43.52	PK	Vertic	PASS
5	5853.48	42.5	54.13	11.660	114.38	60.25	PK	Vertic	PASS
6	5872.65	40.6	52.28	11.640	105.96	53.68	PK	Vertic	PASS
7	5880.13	40.6	52.24	11.640	101.49	49.25	PK	Vertic	PASS
8	5929.20	40.7	52.37	11.720	68.30	15.93	PK	Vertic	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5647.10	38.3	49.20	10.930	68.30	19.10	PK	Horizo	PASS
2	5674.24	38.5	49.60	11.090	86.28	36.68	PK	Horizo	PASS
3	5714.54	47.5	58.79	11.300	109.37	50.58	PK	Horizo	PASS
4	5723.96	46.5	57.89	11.350	119.94	62.05	PK	Horizo	PASS
5	5851.04	56.5	68.14	11.660	119.93	51.79	PK	Horizo	PASS
6	5867.45	47.6	59.20	11.650	107.41	48.21	PK	Horizo	PASS
7	5888.09	42.5	54.12	11.630	95.58	41.46	PK	Horizo	PASS
8	5931.64	39.9	51.67	11.730	68.30	16.63	PK	Horizo	PASS


Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.85	38.1	48.99	10.920	68.30	19.31	PK	Vertic	PASS
2	5672.78	38.2	49.28	11.080	85.19	35.91	PK	Vertic	PASS
3	5707.23	40.6	51.88	11.270	107.33	55.45	PK	Vertic	PASS
4	5723.96	44.5	55.88	11.350	119.94	64.06	PK	Vertic	PASS
5	5851.53	55.0	66.70	11.660	118.82	52.12	PK	Vertic	PASS
6	5864.20	49.4	61.03	11.650	108.32	47.29	PK	Vertic	PASS
7	5886.46	39.4	50.99	11.630	96.79	45.80	PK	Vertic	PASS
8	5940.41	38.5	50.30	11.760	68.30	18.00	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.55	40.9	51.77	10.900	68.30	16.53	PK	Horizo	PASS
2	5679.28	46.4	57.48	11.120	90.00	32.52	PK	Horizo	PASS
3	5711.13	54.7	65.96	11.290	108.42	42.46	PK	Horizo	PASS
4	5722.18	62.7	74.01	11.340	115.86	41.85	PK	Horizo	PASS
5	5851.85	42.8	54.44	11.660	118.08	63.64	PK	Horizo	PASS
6	5865.50	42.3	53.96	11.650	107.96	54.00	PK	Horizo	PASS
7	5886.63	41.1	52.73	11.630	96.67	43.94	PK	Horizo	PASS
8	5930.34	40.0	51.69	11.720	68.30	16.61	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.36	39.7	50.58	10.900	68.30	17.72	PK	Vertic	PASS
2	5667.41	43.1	54.15	11.050	81.22	27.07	PK	Vertic	PASS
3	5708.69	54.4	65.66	11.270	107.73	42.07	PK	Vertic	PASS
4	5722.83	60.5	71.83	11.340	117.34	45.51	PK	Vertic	PASS
5	5852.18	41.5	53.16	11.660	117.34	64.18	PK	Vertic	PASS
6	5867.61	41.1	52.76	11.650	107.37	54.61	PK	Vertic	PASS
7	5899.46	40.4	52.05	11.620	87.16	35.11	PK	Vertic	PASS
8	5930.01	39.6	51.35	11.720	68.30	16.95	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.01	38.9	49.77	10.920	68.30	18.53	PK	Horizo	PASS
2	5674.73	37.9	48.97	11.090	86.64	37.67	PK	Horizo	PASS
3	5710.15	42.5	53.77	11.290	108.14	54.37	PK	Horizo	PASS
4	5722.50	44.3	55.66	11.340	116.60	60.94	PK	Horizo	PASS
5	5851.85	47.9	59.59	11.660	118.08	58.49	PK	Horizo	PASS
6	5869.24	43.7	55.31	11.640	106.91	51.60	PK	Horizo	PASS
7	5887.76	40.2	51.81	11.630	95.83	44.02	PK	Horizo	PASS
8	5939.60	39.3	51.07	11.750	68.30	17.23	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.58	38.6	49.44	10.890	68.30	18.86	PK	Vertic	PASS
2	5672.29	38.0	49.11	11.080	84.83	35.72	PK	Vertic	PASS
3	5710.31	42.2	53.50	11.290	108.19	54.69	PK	Vertic	PASS
4	5721.69	43.6	54.88	11.330	114.75	59.87	PK	Vertic	PASS
5	5851.36	45.6	57.23	11.660	119.19	61.96	PK	Vertic	PASS
6	5868.59	40.3	51.98	11.650	107.09	55.11	PK	Vertic	PASS
7	5889.88	39.4	51.04	11.630	94.26	43.22	PK	Vertic	PASS
8	5931.80	38.8	50.51	11.730	68.30	17.79	PK	Vertic	PASS


Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.11	43.1	53.98	10.890	68.30	14.32	PK	Horizo	PASS
2	5669.85	46.4	57.49	11.070	83.03	25.54	PK	Horizo	PASS
3	5709.66	60.3	71.60	11.290	108.01	36.41	PK	Horizo	PASS
4	5722.83	62.8	74.16	11.340	117.34	43.18	PK	Horizo	PASS
5	5852.34	44.4	56.05	11.660	116.97	60.92	PK	Horizo	PASS
6	5866.96	43.5	55.18	11.650	107.55	52.37	PK	Horizo	PASS
7	5898.65	41.2	52.85	11.620	87.76	34.91	PK	Horizo	PASS
8	5940.41	40.4	52.19	11.760	68.30	16.11	PK	Horizo	PASS




Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.98	41.3	52.15	10.880	68.30	16.15	PK	Vertic	PASS
2	5661.40	42.2	53.22	11.020	76.76	23.54	PK	Vertic	PASS
3	5710.15	57.2	68.49	11.290	108.14	39.65	PK	Vertic	PASS
4	5723.31	61.1	72.49	11.350	118.45	45.96	PK	Vertic	PASS
5	5852.50	42.5	54.16	11.660	116.60	62.44	PK	Vertic	PASS
6	5864.85	41.0	52.66	11.650	108.14	55.48	PK	Vertic	PASS
7	5888.25	39.7	51.36	11.630	95.46	44.10	PK	Vertic	PASS
8	5930.18	40.4	52.08	11.720	68.30	16.22	PK	Vertic	PASS


Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.21	39.1	50.00	10.870	68.30	18.30	PK	Horizo	PASS
2	5662.21	38.7	49.74	11.020	77.37	27.63	PK	Horizo	PASS
3	5710.80	44.5	55.83	11.290	108.33	52.50	PK	Horizo	PASS
4	5722.83	47.0	58.31	11.340	117.34	59.03	PK	Horizo	PASS
5	5851.85	49.4	61.03	11.660	118.08	57.05	PK	Horizo	PASS
6	5869.40	46.0	57.65	11.640	106.87	49.22	PK	Horizo	PASS
7	5892.48	41.4	53.00	11.630	92.33	39.33	PK	Horizo	PASS
8	5935.05	39.0	50.74	11.740	68.30	17.56	PK	Horizo	PASS


Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.48	38.6	49.51	10.930	68.30	18.79	PK	Vertic	PASS
2	5676.03	38.3	49.38	11.100	87.60	38.22	PK	Vertic	PASS
3	5705.76	42.6	53.91	11.270	106.92	53.01	PK	Vertic	PASS
4	5722.83	44.9	56.21	11.340	117.34	61.13	PK	Vertic	PASS
5	5853.64	48.8	60.42	11.660	114.01	53.59	PK	Vertic	PASS
6	5868.26	43.4	55.03	11.650	107.18	52.15	PK	Vertic	PASS
7	5902.71	39.8	51.47	11.630	84.75	33.28	PK	Vertic	PASS
8	5940.25	38.5	50.28	11.750	68.30	18.02	PK	Vertic	PASS


Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.14	43.1	54.00	10.880	68.30	14.30	PK	Horizo	PASS
2	5661.89	42.8	53.78	11.020	77.13	23.35	PK	Horizo	PASS
3	5703.81	54.2	65.42	11.260	106.37	40.95	PK	Horizo	PASS
4	5723.31	58.8	70.12	11.350	118.45	48.33	PK	Horizo	PASS
5	5851.36	51.2	62.89	11.660	119.19	56.30	PK	Horizo	PASS
6	5865.66	52.2	63.86	11.650	107.91	44.05	PK	Horizo	PASS
7	5906.61	45.0	56.62	11.640	81.87	25.25	PK	Horizo	PASS
8	5935.86	44.2	55.90	11.740	68.30	12.40	PK	Horizo	PASS


Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.55	43.4	54.26	10.900	68.30	14.04	PK	Vertic	PASS
2	5684.15	54.9	66.08	11.150	93.61	27.53	PK	Vertic	PASS
3	5709.18	54.8	66.12	11.280	107.87	41.75	PK	Vertic	PASS
4	5724.13	56.1	67.40	11.350	120.31	52.91	PK	Vertic	PASS
5	5851.20	49.3	60.94	11.660	119.56	58.62	PK	Vertic	PASS
6	5863.39	51.3	62.98	11.650	108.55	45.57	PK	Vertic	PASS
7	5891.18	44.4	56.04	11.630	93.30	37.26	PK	Vertic	PASS
8	5935.05	43.5	55.26	11.740	68.30	13.04	PK	Vertic	PASS


Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.63	53.1	63.99	10.880	68.30	4.31	PK	Horizo	PASS
2	5667.74	52.9	63.98	11.050	81.46	17.48	PK	Horizo	PASS
3	5709.01	59.5	70.75	11.280	107.83	37.08	PK	Horizo	PASS
4	5722.34	67.5	78.87	11.340	116.23	37.36	PK	Horizo	PASS
5	5852.34	57.0	68.67	11.660	116.97	48.30	PK	Horizo	PASS
6	5869.73	58.1	69.73	11.640	106.78	37.05	PK	Horizo	PASS
7	5921.24	52.3	64.01	11.690	71.07	7.06	PK	Horizo	PASS
8	5929.69	47.4	59.08	11.720	68.30	9.22	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.95	50.7	61.55	10.890	68.30	6.75	PK	Vertic	PASS
2	5660.10	52.7	63.66	11.010	75.80	12.14	PK	Vertic	PASS
3	5699.43	62.9	74.16	11.240	104.88	30.72	PK	Vertic	PASS
4	5720.06	65.4	76.69	11.330	111.04	34.35	PK	Vertic	PASS
5	5851.69	56.9	68.53	11.660	118.45	49.92	PK	Vertic	PASS
6	5870.05	57.8	69.47	11.640	106.68	37.21	PK	Vertic	PASS
7	5898.81	46.9	58.56	11.620	87.64	29.08	PK	Vertic	PASS
8	5924.65	50.3	62.00	11.700	68.56	6.56	PK	Vertic	PASS

Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

Dynamic Frequency Selection
DFS Detection Thresholds

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11AC80	5290	Type0	-62.09	-58.99	PASS
11AC80	5530	Type0	-62.16	-58.99	PASS


Test Graphs



Channel Move Time and Channel Closing Transmission Time

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC80	5290	200+26	200+60	322	10000	PASS
11AC80	5530	200+36.4	200+60	364.9	10000	PASS

Test Graphs






Non-Occupancy Period

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
11AC80	5290	see test graph	≥1800	PASS
11AC80	5530	see test graph	≥1800	PASS

Test Graphs




Variant spot check data

Emission Bandwidth
Test Result

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11AX80SISO	Ant1	5775	97.920	5718.040	5815.960	---	---


Test Graphs



Occupied channel bandwidth
Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11AX80SISO	Ant1	5775	77.870	5735.9789	5813.8489	---	---

Test Graphs






6db emission bandwidth
Test Result B4

TestMode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5785	16.400	5776.760	5793.160	0.5	PASS

Test Graphs B4





Power Output

5GHz WLAN	Mode	Channel	Frequency (MHz)	Average Power (dBm)			Limit (dBm)
				ANT 1	ANT 2	ANT 1+2	
		48	5240	13.71	13.56	16.65	24.00

Note 1: Limit = limit – (Directional gain -6dBi)
Note 2: Average Power = Conducted Power + Duty Cycle Factor

Maximum power spectral density

TestMode	Antenna	Frequency[MHz]	SISO Result [5250~5725] dBm/MHz	MIMO Result [5250~5725] dBm/MHz	EIRP Limit [5150~5250] dBm/MHz	Verdict
11AX20	Ant1+2	5500	4.56	7.57	≤10.05	PASS

Note 1: Only the highest power chain date shown in this report.

Note 2: The Duty Cycle Factor is compensated in the graph.

Note 3: The MIMO PSD is calculate form SISO PSD,which is tight than real result: $MIMO\ PSD = SISO\ PSD + 10\log(n) = SISO\ PSD + 3.01$, n= chain number.


Note 4: MIMO Limit = limit – (Directional gain -6dBi)

5.3G=11 - (5.82 - 6) = 11.00

5.6G=11 - (6.95 - 6) = 10.05


Note 5: Offset = Cable loss + Duty Cycle Factor

Test Graphs




Radiated Emission Band Edge

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	5132.16	58.0	67.54	9.550	74.00	6.46	PK	Horizo	PASS
2	5150.00	51.6	61.21	9.590	74.00	12.79	PK	Horizo	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5148.75	40.4	49.95	9.590	54.00	4.25	AV	Horizo	PASS
2	5150.00	36.6	46.20	9.590	54.00	7.80	AV	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5136.38	54.8	64.38	9.560	74.00	9.62	PK	Vertic	PASS
2	5150.00	51.2	60.76	9.590	74.00	13.24	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5135.25	34.6	44.12	9.560	54.00	9.88	AV	Vertic	PASS
2	5150.00	35.4	44.99	9.590	54.00	9.01	AV	Vertic	PASS

Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

Radiated Emission


Transmit at 5240MHz by 802.11ax(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	42.5	44.20	1.680	68.30	24.10	PK	Horizo	PASS
2	15720.00	37.6	47.13	9.500	74.00	26.87	PK	Horizo	PASS
3	15720.00	28.4	37.88	9.500	54.00	16.12	AV	Horizo	PASS

Transmit at 5240MHz by 802.11ax(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	41.5	43.13	1.680	68.30	25.17	PK	Vertic	PASS
2	15720.00	37.5	47.02	9.500	74.00	26.98	PK	Vertic	PASS
3	15720.00	28.7	38.16	9.500	54.00	15.84	AV	Vertic	PASS

Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

Cross Reference Table

Reference Device				Variant Device				
FCC ID: 2AWWH-CINSABTA				FCC ID: 2AWWH-CINSACHA				
Rule Part	Test item	Data Referencing	Comments	VdB	RdB	Limit	ddB	ddB Limit
FCC 15.407(a)	Power Output	Y	Pointer to full test exhibit	16.65 dBm	16.74 dBm	30 dBm	-0.09	≤3dB
FCC 15.407(a)	Peak Power Spectral Density	Y		7.56 dBm	8.67 dBm	10.05 dBm	-1.11	≤3dB
FCC 15.407(a)	Emission bandwidth and occupied bandwidth	Y		77.87 MHz	78.22 MHz	within frequency range	-0.35	≤3dB
FCC 15.407(e)	6dB Emission Bandwidth	Y		16.4	16.32 MHz	>500kHz	0.08	≤3dB
FCC 15.209 15.407(b)	Emissions Band edge	Y		49.95 (dBμV/m)	52.78 (dBμV/m)	54 (dBμV/m)	-2.83	≤3dB
FCC 15.205, 15.407(b)	Emissions Radiated Emission	Y		38.16 (dBμV/m)	38.95 (dBμV/m)	54 (dBμV/m)	-0.79	≤3dB
FCC 15.407(h)	DFS	N	Refresh test	N/A	N/A	N/A	N/A	N/A
FCC 15.207	AC Power Line Conducted Emission	N	Refresh test	N/A	N/A	N/A	N/A	N/A
Note 1: Based on the original DEKRA report 2610076R.704B, the product has changed the DDR model and removed the secondary camera preISP and I2C resistors. The product has been changed from dual cameras to a single camera, with no changes to the RF module and RF circuit. According to technical evaluation, only spot check verification was performed on the product under worse case conditions. For relevant test data, please refer to DEKRA report 2610076R.704B.								

The End
