

Appendix-C NR Band n66

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	BW	Modulation	CH	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n66	15	5	DFT-BPSK	L	Inner_1RB_Left	23.13	27.13	30.00	PASS
n66	15	5	DFT-BPSK	L	Inner_1RB_Right	23.18	27.18	30.00	PASS
n66	15	5	DFT-BPSK	L	Inner_Full	23.33	27.33	30.00	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	22.69	26.69	30.00	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Left	23.08	27.08	30.00	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Right	23.01	27.01	30.00	PASS
n66	15	5	DFT-QPSK	L	Inner_Full	23.22	27.22	30.00	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	22.12	26.12	30.00	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Left	22.33	26.33	30.00	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Right	22.21	26.21	30.00	PASS
n66	15	5	DFT-16QAM	L	Inner_Full	22.12	26.12	30.00	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	21.12	25.12	30.00	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Left	20.43	24.43	30.00	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Right	20.65	24.65	30.00	PASS
n66	15	5	DFT-64QAM	L	Inner_Full	20.69	24.69	30.00	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	20.65	24.65	30.00	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Left	18.67	22.67	30.00	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Right	18.63	22.63	30.00	PASS
n66	15	5	DFT-256QAM	L	Inner_Full	18.65	22.65	30.00	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	18.61	22.61	30.00	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Left	23.02	27.02	30.00	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Right	23.05	27.05	30.00	PASS
n66	15	5	DFT-BPSK	M	Inner_Full	23.11	27.11	30.00	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	22.47	26.47	30.00	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Left	22.94	26.94	30.00	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Right	22.92	26.92	30.00	PASS
n66	15	5	DFT-QPSK	M	Inner_Full	23.07	27.07	30.00	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	21.99	25.99	30.00	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Left	21.97	25.97	30.00	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Right	22.24	26.24	30.00	PASS
n66	15	5	DFT-16QAM	M	Inner_Full	22.04	26.04	30.00	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	21.04	25.04	30.00	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Left	20.5	24.5	30.00	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Right	20.53	24.53	30.00	PASS
n66	15	5	DFT-64QAM	M	Inner_Full	20.66	24.66	30.00	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	20.54	24.54	30.00	PASS

n66	15	5	DFT-256QAM	M	Inner_1RB_Left	18.69	22.69	30.00	PASS
n66	15	5	DFT-256QAM	M	Inner_1RB_Right	18.82	22.82	30.00	PASS
n66	15	5	DFT-256QAM	M	Inner_Full	18.57	22.57	30.00	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	18.51	22.51	30.00	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Left	22.95	26.95	30.00	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Right	22.99	26.99	30.00	PASS
n66	15	5	DFT-BPSK	H	Inner_Full	23.12	27.12	30.00	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	22.5	26.5	30.00	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Left	22.82	26.82	30.00	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Right	22.9	26.9	30.00	PASS
n66	15	5	DFT-QPSK	H	Inner_Full	23.03	27.03	30.00	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	21.91	25.91	30.00	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Left	21.91	25.91	30.00	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Right	22.13	26.13	30.00	PASS
n66	15	5	DFT-16QAM	H	Inner_Full	22.00	26	30.00	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	20.91	24.91	30.00	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Left	20.52	24.52	30.00	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Right	20.53	24.53	30.00	PASS
n66	15	5	DFT-64QAM	H	Inner_Full	20.44	24.44	30.00	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	20.48	24.48	30.00	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Left	18.44	22.44	30.00	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Right	18.58	22.58	30.00	PASS
n66	15	5	DFT-256QAM	H	Inner_Full	18.39	22.39	30.00	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	18.44	22.44	30.00	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Left	23.3	27.3	30.00	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Right	23.3	27.3	30.00	PASS
n66	15	10	DFT-BPSK	L	Inner_Full	23.27	27.27	30.00	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	22.77	26.77	30.00	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Left	23.14	27.14	30.00	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Right	23.21	27.21	30.00	PASS
n66	15	10	DFT-QPSK	L	Inner_Full	23.25	27.25	30.00	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	22.19	26.19	30.00	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Left	22.17	26.17	30.00	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Right	22.26	26.26	30.00	PASS
n66	15	10	DFT-16QAM	L	Inner_Full	22.2	26.2	30.00	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	21.25	25.25	30.00	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Left	20.59	24.59	30.00	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Right	20.81	24.81	30.00	PASS
n66	15	10	DFT-64QAM	L	Inner_Full	20.62	24.62	30.00	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	20.65	24.65	30.00	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Left	18.53	22.53	30.00	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Right	18.74	22.74	30.00	PASS
n66	15	10	DFT-256QAM	L	Inner_Full	18.57	22.57	30.00	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	18.61	22.61	30.00	PASS

n66	15	10	DFT-BPSK	M	Inner_1RB_Left	23.09	27.09	30.00	PASS
n66	15	10	DFT-BPSK	M	Inner_1RB_Right	23.16	27.16	30.00	PASS
n66	15	10	DFT-BPSK	M	Inner_Full	23.09	27.09	30.00	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	22.54	26.54	30.00	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Left	22.99	26.99	30.00	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Right	23.07	27.07	30.00	PASS
n66	15	10	DFT-QPSK	M	Inner_Full	23.04	27.04	30.00	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	22	26	30.00	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Left	22.25	26.25	30.00	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Right	22.31	26.31	30.00	PASS
n66	15	10	DFT-16QAM	M	Inner_Full	21.98	25.98	30.00	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	21.05	25.05	30.00	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Left	20.58	24.58	30.00	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Right	20.6	24.6	30.00	PASS
n66	15	10	DFT-64QAM	M	Inner_Full	20.56	24.56	30.00	PASS
n66	15	10	DFT-64QAM	M	Outer_Full	20.56	24.56	30.00	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Left	18.57	22.57	30.00	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Right	18.52	22.52	30.00	PASS
n66	15	10	DFT-256QAM	M	Inner_Full	18.53	22.53	30.00	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	18.57	22.57	30.00	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Left	22.95	26.95	30.00	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Right	23.18	27.18	30.00	PASS
n66	15	10	DFT-BPSK	H	Inner_Full	23.08	27.08	30.00	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	22.53	26.53	30.00	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Left	22.92	26.92	30.00	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Right	23.09	27.09	30.00	PASS
n66	15	10	DFT-QPSK	H	Inner_Full	23.01	27.01	30.00	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	21.92	25.92	30.00	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Left	21.83	25.83	30.00	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Right	22.03	26.03	30.00	PASS
n66	15	10	DFT-16QAM	H	Inner_Full	21.9	25.9	30.00	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	20.93	24.93	30.00	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Left	20.61	24.61	30.00	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Right	20.35	24.35	30.00	PASS
n66	15	10	DFT-64QAM	H	Inner_Full	20.38	24.38	30.00	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	20.5	24.5	30.00	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Left	18.47	22.47	30.00	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Right	18.53	22.53	30.00	PASS
n66	15	10	DFT-256QAM	H	Inner_Full	18.41	22.41	30.00	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	18.52	22.52	30.00	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Left	23.08	27.08	30.00	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Right	23.07	27.07	30.00	PASS
n66	15	15	DFT-BPSK	L	Inner_Full	23.26	27.26	30.00	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	22.7	26.7	30.00	PASS

n66	15	15	DFT-QPSK	L	Inner_1RB_Left	22.99	26.99	30.00	PASS
n66	15	15	DFT-QPSK	L	Inner_1RB_Right	22.99	26.99	30.00	PASS
n66	15	15	DFT-QPSK	L	Inner_Full	23.19	27.19	30.00	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	22.22	26.22	30.00	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Left	22.27	26.27	30.00	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Right	22.14	26.14	30.00	PASS
n66	15	15	DFT-16QAM	L	Inner_Full	22.08	26.08	30.00	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	21.17	25.17	30.00	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Left	20.66	24.66	30.00	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Right	20.48	24.48	30.00	PASS
n66	15	15	DFT-64QAM	L	Inner_Full	20.68	24.68	30.00	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	20.72	24.72	30.00	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Left	18.94	22.94	30.00	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Right	18.7	22.7	30.00	PASS
n66	15	15	DFT-256QAM	L	Inner_Full	18.74	22.74	30.00	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	18.7	22.7	30.00	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Left	23.13	27.13	30.00	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Right	23.05	27.05	30.00	PASS
n66	15	15	DFT-BPSK	M	Inner_Full	23.18	27.18	30.00	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	22.61	26.61	30.00	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Left	23.01	27.01	30.00	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Right	22.99	26.99	30.00	PASS
n66	15	15	DFT-QPSK	M	Inner_Full	23.14	27.14	30.00	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	22.1	26.1	30.00	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Left	22.11	26.11	30.00	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Right	22.09	26.09	30.00	PASS
n66	15	15	DFT-16QAM	M	Inner_Full	22.08	26.08	30.00	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	21.06	25.06	30.00	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Left	20.4	24.4	30.00	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Right	20.6	24.6	30.00	PASS
n66	15	15	DFT-64QAM	M	Inner_Full	20.49	24.49	30.00	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	20.57	24.57	30.00	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Left	18.72	22.72	30.00	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Right	18.79	22.79	30.00	PASS
n66	15	15	DFT-256QAM	M	Inner_Full	18.49	22.49	30.00	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	18.53	22.53	30.00	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Left	22.95	26.95	30.00	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Right	23.06	27.06	30.00	PASS
n66	15	15	DFT-BPSK	H	Inner_Full	23.02	27.02	30.00	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	22.45	26.45	30.00	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Left	22.84	26.84	30.00	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Right	22.93	26.93	30.00	PASS
n66	15	15	DFT-QPSK	H	Inner_Full	23	27	30.00	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	22.04	26.04	30.00	PASS

n66	15	15	DFT-16QAM	H	Inner_1RB_Left	22.05	26.05	30.00	PASS
n66	15	15	DFT-16QAM	H	Inner_1RB_Right	22.1	26.1	30.00	PASS
n66	15	15	DFT-16QAM	H	Inner_Full	21.93	25.93	30.00	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	20.97	24.97	30.00	PASS
n66	15	15	DFT-64QAM	H	Inner_1RB_Left	20.51	24.51	30.00	PASS
n66	15	15	DFT-64QAM	H	Inner_1RB_Right	20.56	24.56	30.00	PASS
n66	15	15	DFT-64QAM	H	Inner_Full	20.5	24.5	30.00	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	20.58	24.58	30.00	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Left	18.56	22.56	30.00	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Right	18.51	22.51	30.00	PASS
n66	15	15	DFT-256QAM	H	Inner_Full	18.41	22.41	30.00	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	18.39	22.39	30.00	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Left	23.22	27.22	30.00	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Right	23.09	27.09	30.00	PASS
n66	15	20	DFT-BPSK	L	Inner_Full	23.28	27.28	30.00	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	22.69	26.69	30.00	PASS
n66	15	20	DFT-QPSK	L	Inner_1RB_Left	23.05	27.05	30.00	PASS
n66	15	20	DFT-QPSK	L	Inner_1RB_Right	23	27	30.00	PASS
n66	15	20	DFT-QPSK	L	Inner_Full	23.28	27.28	30.00	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	22.29	26.29	30.00	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Left	22.26	26.26	30.00	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Right	22.13	26.13	30.00	PASS
n66	15	20	DFT-16QAM	L	Inner_Full	22.17	26.17	30.00	PASS
n66	15	20	DFT-16QAM	L	Outer_Full	21.16	25.16	30.00	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Left	20.66	24.66	30.00	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Right	20.43	24.43	30.00	PASS
n66	15	20	DFT-64QAM	L	Inner_Full	20.68	24.68	30.00	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	20.73	24.73	30.00	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Left	18.57	22.57	30.00	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Right	18.59	22.59	30.00	PASS
n66	15	20	DFT-256QAM	L	Inner_Full	18.72	22.72	30.00	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	18.64	22.64	30.00	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Left	22.97	26.97	30.00	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Right	23.11	27.11	30.00	PASS
n66	15	20	DFT-BPSK	M	Inner_Full	23.19	27.19	30.00	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	22.66	26.66	30.00	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Left	22.89	26.89	30.00	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Right	23.02	27.02	30.00	PASS
n66	15	20	DFT-QPSK	M	Inner_Full	23.16	27.16	30.00	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	22.09	26.09	30.00	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Left	21.87	25.87	30.00	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Right	21.85	25.85	30.00	PASS
n66	15	20	DFT-16QAM	M	Inner_Full	21.99	25.99	30.00	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	21	25	30.00	PASS

n66	15	20	DFT-64QAM	M	Inner_1RB_Left	20.28	24.28	30.00	PASS
n66	15	20	DFT-64QAM	M	Inner_1RB_Right	20.67	24.67	30.00	PASS
n66	15	20	DFT-64QAM	M	Inner_Full	20.54	24.54	30.00	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	20.5	24.5	30.00	PASS
n66	15	20	DFT-256QAM	M	Inner_1RB_Left	18.48	22.48	30.00	PASS
n66	15	20	DFT-256QAM	M	Inner_1RB_Right	18.53	22.53	30.00	PASS
n66	15	20	DFT-256QAM	M	Inner_Full	18.55	22.55	30.00	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	18.49	22.49	30.00	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Left	23.03	27.03	30.00	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Right	23.08	27.08	30.00	PASS
n66	15	20	DFT-BPSK	H	Inner_Full	23.05	27.05	30.00	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	22.55	26.55	30.00	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Left	22.95	26.95	30.00	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Right	22.98	26.98	30.00	PASS
n66	15	20	DFT-QPSK	H	Inner_Full	23.06	27.06	30.00	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	22.07	26.07	30.00	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Left	21.89	25.89	30.00	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Right	21.87	25.87	30.00	PASS
n66	15	20	DFT-16QAM	H	Inner_Full	21.8	25.8	30.00	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	20.97	24.97	30.00	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Left	20.46	24.46	30.00	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Right	20.56	24.56	30.00	PASS
n66	15	20	DFT-64QAM	H	Inner_Full	20.4	24.4	30.00	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	20.49	24.49	30.00	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Left	18.31	22.31	30.00	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Right	18.4	22.4	30.00	PASS
n66	15	20	DFT-256QAM	H	Inner_Full	18.38	22.38	30.00	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	18.36	22.36	30.00	PASS
n66	15	25	DFT-BPSK	L	Inner_1RB_Left	23.31	27.31	30.00	PASS
n66	15	25	DFT-BPSK	L	Inner_1RB_Right	23.16	27.16	30.00	PASS
n66	15	25	DFT-BPSK	L	Inner_Full	23.35	27.35	30.00	PASS
n66	15	25	DFT-BPSK	L	Outer_Full	22.73	26.73	30.00	PASS
n66	15	25	DFT-QPSK	L	Inner_1RB_Left	23.25	27.25	30.00	PASS
n66	15	25	DFT-QPSK	L	Inner_1RB_Right	23.07	27.07	30.00	PASS
n66	15	25	DFT-QPSK	L	Inner_Full	23.22	27.22	30.00	PASS
n66	15	25	DFT-QPSK	L	Outer_Full	22.28	26.28	30.00	PASS
n66	15	25	DFT-16QAM	L	Inner_1RB_Left	22.38	26.38	30.00	PASS
n66	15	25	DFT-16QAM	L	Inner_1RB_Right	22.25	26.25	30.00	PASS
n66	15	25	DFT-16QAM	L	Inner_Full	22.15	26.15	30.00	PASS
n66	15	25	DFT-16QAM	L	Outer_Full	21.12	25.12	30.00	PASS
n66	15	25	DFT-64QAM	L	Inner_1RB_Left	21.03	25.03	30.00	PASS
n66	15	25	DFT-64QAM	L	Inner_1RB_Right	20.67	24.67	30.00	PASS
n66	15	25	DFT-64QAM	L	Inner_Full	20.73	24.73	30.00	PASS
n66	15	25	DFT-64QAM	L	Outer_Full	20.66	24.66	30.00	PASS

n66	15	25	DFT-256QAM	L	Inner_1RB_Left	18.97	22.97	30.00	PASS
n66	15	25	DFT-256QAM	L	Inner_1RB_Right	18.82	22.82	30.00	PASS
n66	15	25	DFT-256QAM	L	Inner_Full	18.79	22.79	30.00	PASS
n66	15	25	DFT-256QAM	L	Outer_Full	18.73	22.73	30.00	PASS
n66	15	25	DFT-BPSK	M	Inner_1RB_Left	23.22	27.22	30.00	PASS
n66	15	25	DFT-BPSK	M	Inner_1RB_Right	23.25	27.25	30.00	PASS
n66	15	25	DFT-BPSK	M	Inner_Full	23.2	27.2	30.00	PASS
n66	15	25	DFT-BPSK	M	Outer_Full	22.7	26.7	30.00	PASS
n66	15	25	DFT-QPSK	M	Inner_1RB_Left	23.11	27.11	30.00	PASS
n66	15	25	DFT-QPSK	M	Inner_1RB_Right	23.17	27.17	30.00	PASS
n66	15	25	DFT-QPSK	M	Inner_Full	23.14	27.14	30.00	PASS
n66	15	25	DFT-QPSK	M	Outer_Full	22.08	26.08	30.00	PASS
n66	15	25	DFT-16QAM	M	Inner_1RB_Left	22.17	26.17	30.00	PASS
n66	15	25	DFT-16QAM	M	Inner_1RB_Right	22.26	26.26	30.00	PASS
n66	15	25	DFT-16QAM	M	Inner_Full	22.06	26.06	30.00	PASS
n66	15	25	DFT-16QAM	M	Outer_Full	21.08	25.08	30.00	PASS
n66	15	25	DFT-64QAM	M	Inner_1RB_Left	20.59	24.59	30.00	PASS
n66	15	25	DFT-64QAM	M	Inner_1RB_Right	20.75	24.75	30.00	PASS
n66	15	25	DFT-64QAM	M	Inner_Full	20.61	24.61	30.00	PASS
n66	15	25	DFT-64QAM	M	Outer_Full	20.63	24.63	30.00	PASS
n66	15	25	DFT-256QAM	M	Inner_1RB_Left	18.56	22.56	30.00	PASS
n66	15	25	DFT-256QAM	M	Inner_1RB_Right	18.75	22.75	30.00	PASS
n66	15	25	DFT-256QAM	M	Inner_Full	18.66	22.66	30.00	PASS
n66	15	25	DFT-256QAM	M	Outer_Full	18.72	22.72	30.00	PASS
n66	15	25	DFT-BPSK	H	Inner_1RB_Left	23.23	27.23	30.00	PASS
n66	15	25	DFT-BPSK	H	Inner_1RB_Right	23.22	27.22	30.00	PASS
n66	15	25	DFT-BPSK	H	Inner_Full	23.23	27.23	30.00	PASS
n66	15	25	DFT-BPSK	H	Outer_Full	22.57	26.57	30.00	PASS
n66	15	25	DFT-QPSK	H	Inner_1RB_Left	23.11	27.11	30.00	PASS
n66	15	25	DFT-QPSK	H	Inner_1RB_Right	23.16	27.16	30.00	PASS
n66	15	25	DFT-QPSK	H	Inner_Full	23.04	27.04	30.00	PASS
n66	15	25	DFT-QPSK	H	Outer_Full	22.13	26.13	30.00	PASS
n66	15	25	DFT-16QAM	H	Inner_1RB_Left	22.16	26.16	30.00	PASS
n66	15	25	DFT-16QAM	H	Inner_1RB_Right	22.25	26.25	30.00	PASS
n66	15	25	DFT-16QAM	H	Inner_Full	21.95	25.95	30.00	PASS
n66	15	25	DFT-16QAM	H	Outer_Full	21	25	30.00	PASS
n66	15	25	DFT-64QAM	H	Inner_1RB_Left	20.82	24.82	30.00	PASS
n66	15	25	DFT-64QAM	H	Inner_1RB_Right	20.75	24.75	30.00	PASS
n66	15	25	DFT-64QAM	H	Inner_Full	20.53	24.53	30.00	PASS
n66	15	25	DFT-64QAM	H	Outer_Full	20.54	24.54	30.00	PASS
n66	15	25	DFT-256QAM	H	Inner_1RB_Left	18.79	22.79	30.00	PASS
n66	15	25	DFT-256QAM	H	Inner_1RB_Right	18.89	22.89	30.00	PASS
n66	15	25	DFT-256QAM	H	Inner_Full	18.63	22.63	30.00	PASS
n66	15	25	DFT-256QAM	H	Outer_Full	18.57	22.57	30.00	PASS

n66	15	30	DFT-BPSK	L	Inner_1RB_Left	23.26	27.26	30.00	PASS
n66	15	30	DFT-BPSK	L	Inner_1RB_Right	23.18	27.18	30.00	PASS
n66	15	30	DFT-BPSK	L	Inner_Full	23.33	27.33	30.00	PASS
n66	15	30	DFT-BPSK	L	Outer_Full	22.68	26.68	30.00	PASS
n66	15	30	DFT-QPSK	L	Inner_1RB_Left	23.17	27.17	30.00	PASS
n66	15	30	DFT-QPSK	L	Inner_1RB_Right	23.13	27.13	30.00	PASS
n66	15	30	DFT-QPSK	L	Inner_Full	23.19	27.19	30.00	PASS
n66	15	30	DFT-QPSK	L	Outer_Full	22.06	26.06	30.00	PASS
n66	15	30	DFT-16QAM	L	Inner_1RB_Left	22.28	26.28	30.00	PASS
n66	15	30	DFT-16QAM	L	Inner_1RB_Right	22.16	26.16	30.00	PASS
n66	15	30	DFT-16QAM	L	Inner_Full	22.08	26.08	30.00	PASS
n66	15	30	DFT-16QAM	L	Outer_Full	21.13	25.13	30.00	PASS
n66	15	30	DFT-64QAM	L	Inner_1RB_Left	20.65	24.65	30.00	PASS
n66	15	30	DFT-64QAM	L	Inner_1RB_Right	20.42	24.42	30.00	PASS
n66	15	30	DFT-64QAM	L	Inner_Full	20.63	24.63	30.00	PASS
n66	15	30	DFT-64QAM	L	Outer_Full	20.63	24.63	30.00	PASS
n66	15	30	DFT-256QAM	L	Inner_1RB_Left	18.55	22.55	30.00	PASS
n66	15	30	DFT-256QAM	L	Inner_1RB_Right	18.69	22.69	30.00	PASS
n66	15	30	DFT-256QAM	L	Inner_Full	18.74	22.74	30.00	PASS
n66	15	30	DFT-256QAM	L	Outer_Full	18.67	22.67	30.00	PASS
n66	15	30	DFT-BPSK	M	Inner_1RB_Left	23.22	27.22	30.00	PASS
n66	15	30	DFT-BPSK	M	Inner_1RB_Right	23.31	27.31	30.00	PASS
n66	15	30	DFT-BPSK	M	Inner_Full	23.22	27.22	30.00	PASS
n66	15	30	DFT-BPSK	M	Outer_Full	22.64	26.64	30.00	PASS
n66	15	30	DFT-QPSK	M	Inner_1RB_Left	22.98	26.98	30.00	PASS
n66	15	30	DFT-QPSK	M	Inner_1RB_Right	23.11	27.11	30.00	PASS
n66	15	30	DFT-QPSK	M	Inner_Full	23.13	27.13	30.00	PASS
n66	15	30	DFT-QPSK	M	Outer_Full	22.13	26.13	30.00	PASS
n66	15	30	DFT-16QAM	M	Inner_1RB_Left	21.83	25.83	30.00	PASS
n66	15	30	DFT-16QAM	M	Inner_1RB_Right	22.18	26.18	30.00	PASS
n66	15	30	DFT-16QAM	M	Inner_Full	22.1	26.1	30.00	PASS
n66	15	30	DFT-16QAM	M	Outer_Full	21.12	25.12	30.00	PASS
n66	15	30	DFT-64QAM	M	Inner_1RB_Left	20.69	24.69	30.00	PASS
n66	15	30	DFT-64QAM	M	Inner_1RB_Right	21	25	30.00	PASS
n66	15	30	DFT-64QAM	M	Inner_Full	20.64	24.64	30.00	PASS
n66	15	30	DFT-64QAM	M	Outer_Full	20.64	24.64	30.00	PASS
n66	15	30	DFT-256QAM	M	Inner_1RB_Left	18.85	22.85	30.00	PASS
n66	15	30	DFT-256QAM	M	Inner_1RB_Right	18.67	22.67	30.00	PASS
n66	15	30	DFT-256QAM	M	Inner_Full	18.6	22.6	30.00	PASS
n66	15	30	DFT-256QAM	M	Outer_Full	18.58	22.58	30.00	PASS
n66	15	30	DFT-BPSK	H	Inner_1RB_Left	23.14	27.14	30.00	PASS
n66	15	30	DFT-BPSK	H	Inner_1RB_Right	23.19	27.19	30.00	PASS
n66	15	30	DFT-BPSK	H	Inner_Full	23.18	27.18	30.00	PASS
n66	15	30	DFT-BPSK	H	Outer_Full	22.65	26.65	30.00	PASS


n66	15	30	DFT-QPSK	H	Inner_1RB_Left	23.07	27.07	30.00	PASS
n66	15	30	DFT-QPSK	H	Inner_1RB_Right	23.09	27.09	30.00	PASS
n66	15	30	DFT-QPSK	H	Inner_Full	23.07	27.07	30.00	PASS
n66	15	30	DFT-QPSK	H	Outer_Full	22.05	26.05	30.00	PASS
n66	15	30	DFT-16QAM	H	Inner_1RB_Left	22.11	26.11	30.00	PASS
n66	15	30	DFT-16QAM	H	Inner_1RB_Right	22.09	26.09	30.00	PASS
n66	15	30	DFT-16QAM	H	Inner_Full	21.97	25.97	30.00	PASS
n66	15	30	DFT-16QAM	H	Outer_Full	21.04	25.04	30.00	PASS
n66	15	30	DFT-64QAM	H	Inner_1RB_Left	20.7	24.7	30.00	PASS
n66	15	30	DFT-64QAM	H	Inner_1RB_Right	20.81	24.81	30.00	PASS
n66	15	30	DFT-64QAM	H	Inner_Full	20.55	24.55	30.00	PASS
n66	15	30	DFT-64QAM	H	Outer_Full	20.55	24.55	30.00	PASS
n66	15	30	DFT-256QAM	H	Inner_1RB_Left	18.62	22.62	30.00	PASS
n66	15	30	DFT-256QAM	H	Inner_1RB_Right	18.9	22.9	30.00	PASS
n66	15	30	DFT-256QAM	H	Inner_Full	18.54	22.54	30.00	PASS
n66	15	30	DFT-256QAM	H	Outer_Full	18.63	22.63	30.00	PASS
n66	15	40	DFT-BPSK	L	Inner_1RB_Left	23.17	27.17	30.00	PASS
n66	15	40	DFT-BPSK	L	Inner_1RB_Right	23.18	27.18	30.00	PASS
n66	15	40	DFT-BPSK	L	Inner_Full	23.34	27.34	30.00	PASS
n66	15	40	DFT-BPSK	L	Outer_Full	22.71	26.71	30.00	PASS
n66	15	40	DFT-QPSK	L	Inner_1RB_Left	23.12	27.12	30.00	PASS
n66	15	40	DFT-QPSK	L	Inner_1RB_Right	23.08	27.08	30.00	PASS
n66	15	40	DFT-QPSK	L	Inner_Full	23.08	27.08	30.00	PASS
n66	15	40	DFT-QPSK	L	Outer_Full	22.17	26.17	30.00	PASS
n66	15	40	DFT-16QAM	L	Inner_1RB_Left	22.26	26.26	30.00	PASS
n66	15	40	DFT-16QAM	L	Inner_1RB_Right	22.36	26.36	30.00	PASS
n66	15	40	DFT-16QAM	L	Inner_Full	22.18	26.18	30.00	PASS
n66	15	40	DFT-16QAM	L	Outer_Full	21.09	25.09	30.00	PASS
n66	15	40	DFT-64QAM	L	Inner_1RB_Left	20.77	24.77	30.00	PASS
n66	15	40	DFT-64QAM	L	Inner_1RB_Right	20.54	24.54	30.00	PASS
n66	15	40	DFT-64QAM	L	Inner_Full	20.6	24.6	30.00	PASS
n66	15	40	DFT-64QAM	L	Outer_Full	20.61	24.61	30.00	PASS
n66	15	40	DFT-256QAM	L	Inner_1RB_Left	18.71	22.71	30.00	PASS
n66	15	40	DFT-256QAM	L	Inner_1RB_Right	18.62	22.62	30.00	PASS
n66	15	40	DFT-256QAM	L	Inner_Full	18.64	22.64	30.00	PASS
n66	15	40	DFT-256QAM	L	Outer_Full	18.64	22.64	30.00	PASS
n66	15	40	DFT-BPSK	M	Inner_1RB_Left	23.01	27.01	30.00	PASS
n66	15	40	DFT-BPSK	M	Inner_1RB_Right	23.13	27.13	30.00	PASS
n66	15	40	DFT-BPSK	M	Inner_Full	23.18	27.18	30.00	PASS
n66	15	40	DFT-BPSK	M	Outer_Full	22.58	26.58	30.00	PASS
n66	15	40	DFT-QPSK	M	Inner_1RB_Left	22.99	26.99	30.00	PASS
n66	15	40	DFT-QPSK	M	Inner_1RB_Right	22.99	26.99	30.00	PASS
n66	15	40	DFT-QPSK	M	Inner_Full	23.12	27.12	30.00	PASS
n66	15	40	DFT-QPSK	M	Outer_Full	22.15	26.15	30.00	PASS


n66	15	40	DFT-16QAM	M	Inner_1RB_Left	22.2	26.2	30.00	PASS
n66	15	40	DFT-16QAM	M	Inner_1RB_Right	22.2	26.2	30.00	PASS
n66	15	40	DFT-16QAM	M	Inner_Full	22.08	26.08	30.00	PASS
n66	15	40	DFT-16QAM	M	Outer_Full	21.11	25.11	30.00	PASS
n66	15	40	DFT-64QAM	M	Inner_1RB_Left	20.78	24.78	30.00	PASS
n66	15	40	DFT-64QAM	M	Inner_1RB_Right	20.64	24.64	30.00	PASS
n66	15	40	DFT-64QAM	M	Inner_Full	20.67	24.67	30.00	PASS
n66	15	40	DFT-64QAM	M	Outer_Full	20.49	24.49	30.00	PASS
n66	15	40	DFT-256QAM	M	Inner_1RB_Left	18.67	22.67	30.00	PASS
n66	15	40	DFT-256QAM	M	Inner_1RB_Right	18.63	22.63	30.00	PASS
n66	15	40	DFT-256QAM	M	Inner_Full	18.61	22.61	30.00	PASS
n66	15	40	DFT-256QAM	M	Outer_Full	18.54	22.54	30.00	PASS
n66	15	40	DFT-BPSK	H	Inner_1RB_Left	23.02	27.02	30.00	PASS
n66	15	40	DFT-BPSK	H	Inner_1RB_Right	23.15	27.15	30.00	PASS
n66	15	40	DFT-BPSK	H	Inner_Full	23.19	27.19	30.00	PASS
n66	15	40	DFT-BPSK	H	Outer_Full	22.56	26.56	30.00	PASS
n66	15	40	DFT-QPSK	H	Inner_1RB_Left	22.85	26.85	30.00	PASS
n66	15	40	DFT-QPSK	H	Inner_1RB_Right	23.05	27.05	30.00	PASS
n66	15	40	DFT-QPSK	H	Inner_Full	23.09	27.09	30.00	PASS
n66	15	40	DFT-QPSK	H	Outer_Full	22.06	26.06	30.00	PASS
n66	15	40	DFT-16QAM	H	Inner_1RB_Left	21.99	25.99	30.00	PASS
n66	15	40	DFT-16QAM	H	Inner_1RB_Right	22.2	26.2	30.00	PASS
n66	15	40	DFT-16QAM	H	Inner_Full	22.02	26.02	30.00	PASS
n66	15	40	DFT-16QAM	H	Outer_Full	21.05	25.05	30.00	PASS
n66	15	40	DFT-64QAM	H	Inner_1RB_Left	20.63	24.63	30.00	PASS
n66	15	40	DFT-64QAM	H	Inner_1RB_Right	20.76	24.76	30.00	PASS
n66	15	40	DFT-64QAM	H	Inner_Full	20.62	24.62	30.00	PASS
n66	15	40	DFT-64QAM	H	Outer_Full	20.6	24.6	30.00	PASS
n66	15	40	DFT-256QAM	H	Inner_1RB_Left	18.82	22.82	30.00	PASS
n66	15	40	DFT-256QAM	H	Inner_1RB_Right	18.75	22.75	30.00	PASS
n66	15	40	DFT-256QAM	H	Inner_Full	18.55	22.55	30.00	PASS
n66	15	40	DFT-256QAM	H	Outer_Full	18.52	22.52	30.00	PASS


Peak-to-Average Ratio for SA**Peak-to-Average Ratio(CCDF)****Test Result**


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
n66	15	40	DFT-BPSK	L	Outer_Full	5.16	≤13dB	PASS
n66	15	40	DFT-QPSK	L	Outer_Full	6.1	≤13dB	PASS
n66	15	40	DFT-16QAM	L	Outer_Full	6.82	≤13dB	PASS
n66	15	40	DFT-64QAM	L	Outer_Full	7	≤13dB	PASS
n66	15	40	DFT-256QAM	L	Outer_Full	6.99	≤13dB	PASS
n66	15	40	CP-QPSK	L	Outer_Full	8.02	≤13dB	PASS
n66	15	40	CP-16QAM	L	Outer_Full	8.12	≤13dB	PASS
n66	15	40	CP-64QAM	L	Outer_Full	8.22	≤13dB	PASS
n66	15	40	CP-256QAM	L	Outer_Full	8.26	≤13dB	PASS
n66	15	40	DFT-BPSK	M	Outer_Full	5.81	≤13dB	PASS
n66	15	40	DFT-QPSK	M	Outer_Full	6.35	≤13dB	PASS
n66	15	40	DFT-16QAM	M	Outer_Full	6.99	≤13dB	PASS
n66	15	40	DFT-64QAM	M	Outer_Full	7.12	≤13dB	PASS
n66	15	40	DFT-256QAM	M	Outer_Full	7.12	≤13dB	PASS
n66	15	40	CP-QPSK	M	Outer_Full	8.15	≤13dB	PASS
n66	15	40	CP-16QAM	M	Outer_Full	8	≤13dB	PASS
n66	15	40	CP-64QAM	M	Outer_Full	8.29	≤13dB	PASS
n66	15	40	CP-256QAM	M	Outer_Full	8.28	≤13dB	PASS
n66	15	40	DFT-BPSK	H	Outer_Full	5.21	≤13dB	PASS
n66	15	40	DFT-QPSK	H	Outer_Full	6.02	≤13dB	PASS
n66	15	40	DFT-16QAM	H	Outer_Full	6.8	≤13dB	PASS
n66	15	40	DFT-64QAM	H	Outer_Full	6.99	≤13dB	PASS
n66	15	40	DFT-256QAM	H	Outer_Full	6.94	≤13dB	PASS
n66	15	40	CP-QPSK	H	Outer_Full	8.05	≤13dB	PASS
n66	15	40	CP-16QAM	H	Outer_Full	8.08	≤13dB	PASS
n66	15	40	CP-64QAM	H	Outer_Full	8.24	≤13dB	PASS
n66	15	40	CP-256QAM	H	Outer_Full	8.23	≤13dB	PASS


Test Graphs

















26dB Bandwidth and Occupied Bandwidth for SA**Test Result**

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n66	15	5	DFT-BPSK	L	Outer_Full	4.4738	4.996	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	4.4836	5.114	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	4.4694	5.090	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	4.4830	5.088	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	4.4832	5.097	PASS
n66	15	5	CP-QPSK	L	Outer_Full	4.4690	5.069	PASS
n66	15	5	CP-16QAM	L	Outer_Full	4.4741	5.228	PASS
n66	15	5	CP-64QAM	L	Outer_Full	4.4747	5.148	PASS
n66	15	5	CP-256QAM	L	Outer_Full	4.4735	5.084	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	4.4787	5.078	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	4.4785	5.152	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	4.4798	5.056	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	4.4807	4.998	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	4.4845	4.988	PASS
n66	15	5	CP-QPSK	M	Outer_Full	4.4749	5.172	PASS
n66	15	5	CP-16QAM	M	Outer_Full	4.4762	5.240	PASS
n66	15	5	CP-64QAM	M	Outer_Full	4.4757	5.151	PASS
n66	15	5	CP-256QAM	M	Outer_Full	4.4763	5.106	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	4.4789	5.056	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	4.4799	5.063	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	4.4810	5.199	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	4.4914	5.099	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	4.4848	5.102	PASS
n66	15	5	CP-QPSK	H	Outer_Full	4.4757	5.143	PASS
n66	15	5	CP-16QAM	H	Outer_Full	4.4800	5.201	PASS
n66	15	5	CP-64QAM	H	Outer_Full	4.4745	5.095	PASS
n66	15	5	CP-256QAM	H	Outer_Full	4.4743	5.065	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	8.9470	9.583	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	8.9213	9.678	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	8.9358	9.653	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	8.9261	9.659	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	8.9214	9.578	PASS
n66	15	10	CP-QPSK	L	Outer_Full	9.2830	10.20	PASS
n66	15	10	CP-16QAM	L	Outer_Full	9.2884	10.04	PASS
n66	15	10	CP-64QAM	L	Outer_Full	9.2783	10.00	PASS
n66	15	10	CP-256QAM	L	Outer_Full	9.2892	10.04	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	8.9364	9.653	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	8.9232	9.601	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	8.9245	9.775	PASS

n66	15	10	DFT-64QAM	M	Outer_Full	8.9240	9.668	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	8.9438	9.684	PASS
n66	15	10	CP-QPSK	M	Outer_Full	9.2816	10.11	PASS
n66	15	10	CP-16QAM	M	Outer_Full	9.2797	10.18	PASS
n66	15	10	CP-64QAM	M	Outer_Full	9.2874	10.13	PASS
n66	15	10	CP-256QAM	M	Outer_Full	9.2930	9.986	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	8.9426	9.683	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	8.9439	9.685	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	8.9272	9.686	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	8.9218	9.727	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	8.9181	9.641	PASS
n66	15	10	CP-QPSK	H	Outer_Full	9.2923	10.03	PASS
n66	15	10	CP-16QAM	H	Outer_Full	9.2902	10.10	PASS
n66	15	10	CP-64QAM	H	Outer_Full	9.2900	10.11	PASS
n66	15	10	CP-256QAM	H	Outer_Full	9.2939	10.05	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	13.436	14.28	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	13.423	14.15	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	13.428	14.37	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	13.416	14.36	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	13.408	14.24	PASS
n66	15	15	CP-QPSK	L	Outer_Full	14.117	15.03	PASS
n66	15	15	CP-16QAM	L	Outer_Full	14.116	15.02	PASS
n66	15	15	CP-64QAM	L	Outer_Full	14.128	15.02	PASS
n66	15	15	CP-256QAM	L	Outer_Full	14.113	15.10	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	13.414	14.31	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	13.420	14.37	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	13.427	14.35	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	13.426	14.32	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	13.425	14.30	PASS
n66	15	15	CP-QPSK	M	Outer_Full	14.115	15.06	PASS
n66	15	15	CP-16QAM	M	Outer_Full	14.118	15.00	PASS
n66	15	15	CP-64QAM	M	Outer_Full	14.125	15.06	PASS
n66	15	15	CP-256QAM	M	Outer_Full	14.109	15.17	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	13.404	14.28	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	13.420	14.30	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	13.404	14.32	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	13.414	14.23	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	13.418	14.26	PASS
n66	15	15	CP-QPSK	H	Outer_Full	14.102	15.03	PASS
n66	15	15	CP-16QAM	H	Outer_Full	14.117	15.01	PASS
n66	15	15	CP-64QAM	H	Outer_Full	14.100	14.93	PASS
n66	15	15	CP-256QAM	H	Outer_Full	14.111	15.10	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	17.904	18.94	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	17.876	18.87	PASS

n66	15	20	DFT-16QAM	L	Outer_Full	17.873	18.89	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	17.879	18.91	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	17.879	18.87	PASS
n66	15	20	CP-QPSK	L	Outer_Full	18.903	20.01	PASS
n66	15	20	CP-16QAM	L	Outer_Full	18.932	19.99	PASS
n66	15	20	CP-64QAM	L	Outer_Full	18.927	19.98	PASS
n66	15	20	CP-256QAM	L	Outer_Full	18.913	19.99	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	17.895	18.87	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	17.889	18.99	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	17.886	18.93	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	17.877	18.88	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	17.894	18.88	PASS
n66	15	20	CP-QPSK	M	Outer_Full	18.948	20.10	PASS
n66	15	20	CP-16QAM	M	Outer_Full	18.956	20.08	PASS
n66	15	20	CP-64QAM	M	Outer_Full	18.929	20.04	PASS
n66	15	20	CP-256QAM	M	Outer_Full	18.943	20.05	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	17.873	18.86	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	17.882	18.89	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	17.886	18.87	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	17.895	18.83	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	17.872	18.85	PASS
n66	15	20	CP-QPSK	H	Outer_Full	18.930	19.83	PASS
n66	15	20	CP-16QAM	H	Outer_Full	18.900	19.96	PASS
n66	15	20	CP-64QAM	H	Outer_Full	18.915	19.97	PASS
n66	15	20	CP-256QAM	H	Outer_Full	18.954	20.03	PASS
n66	15	25	DFT-BPSK	L	Outer_Full	22.874	23.90	PASS
n66	15	25	DFT-QPSK	L	Outer_Full	22.853	23.96	PASS
n66	15	25	DFT-16QAM	L	Outer_Full	22.855	23.86	PASS
n66	15	25	DFT-64QAM	L	Outer_Full	22.831	23.92	PASS
n66	15	25	DFT-256QAM	L	Outer_Full	22.839	23.91	PASS
n66	15	25	CP-QPSK	L	Outer_Full	23.723	24.83	PASS
n66	15	25	CP-16QAM	L	Outer_Full	23.714	24.79	PASS
n66	15	25	CP-64QAM	L	Outer_Full	23.747	24.76	PASS
n66	15	25	CP-256QAM	L	Outer_Full	23.725	24.71	PASS
n66	15	25	DFT-BPSK	M	Outer_Full	22.904	23.82	PASS
n66	15	25	DFT-QPSK	M	Outer_Full	22.892	24.04	PASS
n66	15	25	DFT-16QAM	M	Outer_Full	22.890	24.10	PASS
n66	15	25	DFT-64QAM	M	Outer_Full	22.923	24.03	PASS
n66	15	25	DFT-256QAM	M	Outer_Full	22.893	24.02	PASS
n66	15	25	CP-QPSK	M	Outer_Full	23.784	24.86	PASS
n66	15	25	CP-16QAM	M	Outer_Full	23.774	24.88	PASS
n66	15	25	CP-64QAM	M	Outer_Full	23.777	24.92	PASS
n66	15	25	CP-256QAM	M	Outer_Full	23.768	24.85	PASS
n66	15	25	DFT-BPSK	H	Outer_Full	22.829	23.83	PASS

n66	15	25	DFT-QPSK	H	Outer_Full	22.829	23.92	PASS
n66	15	25	DFT-16QAM	H	Outer_Full	22.823	23.95	PASS
n66	15	25	DFT-64QAM	H	Outer_Full	22.857	23.87	PASS
n66	15	25	DFT-256QAM	H	Outer_Full	22.865	23.86	PASS
n66	15	25	CP-QPSK	H	Outer_Full	23.730	24.82	PASS
n66	15	25	CP-16QAM	H	Outer_Full	23.741	24.95	PASS
n66	15	25	CP-64QAM	H	Outer_Full	23.732	24.85	PASS
n66	15	25	CP-256QAM	H	Outer_Full	23.725	24.88	PASS
n66	15	30	DFT-BPSK	L	Outer_Full	28.505	29.74	PASS
n66	15	30	DFT-QPSK	L	Outer_Full	28.543	29.75	PASS
n66	15	30	DFT-16QAM	L	Outer_Full	28.564	29.73	PASS
n66	15	30	DFT-64QAM	L	Outer_Full	28.498	29.87	PASS
n66	15	30	DFT-256QAM	L	Outer_Full	28.508	29.72	PASS
n66	15	30	CP-QPSK	L	Outer_Full	28.496	29.75	PASS
n66	15	30	CP-16QAM	L	Outer_Full	28.531	29.78	PASS
n66	15	30	CP-64QAM	L	Outer_Full	28.528	29.82	PASS
n66	15	30	CP-256QAM	L	Outer_Full	28.502	29.77	PASS
n66	15	30	DFT-BPSK	M	Outer_Full	28.594	29.73	PASS
n66	15	30	DFT-QPSK	M	Outer_Full	28.578	29.84	PASS
n66	15	30	DFT-16QAM	M	Outer_Full	28.615	29.86	PASS
n66	15	30	DFT-64QAM	M	Outer_Full	28.588	29.73	PASS
n66	15	30	DFT-256QAM	M	Outer_Full	28.592	29.77	PASS
n66	15	30	CP-QPSK	M	Outer_Full	28.564	29.93	PASS
n66	15	30	CP-16QAM	M	Outer_Full	28.600	29.78	PASS
n66	15	30	CP-64QAM	M	Outer_Full	28.586	29.89	PASS
n66	15	30	CP-256QAM	M	Outer_Full	28.576	29.89	PASS
n66	15	30	DFT-BPSK	H	Outer_Full	28.542	29.79	PASS
n66	15	30	DFT-QPSK	H	Outer_Full	28.541	29.76	PASS
n66	15	30	DFT-16QAM	H	Outer_Full	28.538	29.72	PASS
n66	15	30	DFT-64QAM	H	Outer_Full	28.511	29.74	PASS
n66	15	30	DFT-256QAM	H	Outer_Full	28.506	29.69	PASS
n66	15	30	CP-QPSK	H	Outer_Full	28.487	29.76	PASS
n66	15	30	CP-16QAM	H	Outer_Full	28.504	29.94	PASS
n66	15	30	CP-64QAM	H	Outer_Full	28.513	29.80	PASS
n66	15	30	CP-256QAM	H	Outer_Full	28.509	29.80	PASS
n66	15	40	DFT-BPSK	L	Outer_Full	38.547	40.05	PASS
n66	15	40	DFT-QPSK	L	Outer_Full	38.484	40.03	PASS
n66	15	40	DFT-16QAM	L	Outer_Full	38.496	40.06	PASS
n66	15	40	DFT-64QAM	L	Outer_Full	38.518	39.93	PASS
n66	15	40	DFT-256QAM	L	Outer_Full	38.598	40.02	PASS
n66	15	40	CP-QPSK	L	Outer_Full	38.474	40.03	PASS
n66	15	40	CP-16QAM	L	Outer_Full	38.467	39.95	PASS
n66	15	40	CP-64QAM	L	Outer_Full	38.496	40.06	PASS
n66	15	40	CP-256QAM	L	Outer_Full	38.465	39.99	PASS

n66	15	40	DFT-BPSK	M	Outer_Full	38.566	40.04	PASS
n66	15	40	DFT-QPSK	M	Outer_Full	38.545	40.03	PASS
n66	15	40	DFT-16QAM	M	Outer_Full	38.606	40.03	PASS
n66	15	40	DFT-64QAM	M	Outer_Full	38.525	40.03	PASS
n66	15	40	DFT-256QAM	M	Outer_Full	38.547	40.12	PASS
n66	15	40	CP-QPSK	M	Outer_Full	38.540	40.01	PASS
n66	15	40	CP-16QAM	M	Outer_Full	38.599	40.14	PASS
n66	15	40	CP-64QAM	M	Outer_Full	38.550	40.13	PASS
n66	15	40	CP-256QAM	M	Outer_Full	38.533	40.05	PASS
n66	15	40	DFT-BPSK	H	Outer_Full	38.493	40.09	PASS
n66	15	40	DFT-QPSK	H	Outer_Full	38.489	39.99	PASS
n66	15	40	DFT-16QAM	H	Outer_Full	38.474	39.98	PASS
n66	15	40	DFT-64QAM	H	Outer_Full	38.466	40.06	PASS
n66	15	40	DFT-256QAM	H	Outer_Full	38.520	40.04	PASS
n66	15	40	CP-QPSK	H	Outer_Full	38.482	40.08	PASS
n66	15	40	CP-16QAM	H	Outer_Full	38.469	39.95	PASS
n66	15	40	CP-64QAM	H	Outer_Full	38.526	40.09	PASS
n66	15	40	CP-256QAM	H	Outer_Full	38.467	39.94	PASS

Test Graphs

