

---

## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

| Band   | Bandwidth | Modulation | Channel | RB Configuration | Conducted power(dBm) | Max Ant Gain (dBi) | EIRP (dBm) | Limit (dBm) | Verdict |
|--------|-----------|------------|---------|------------------|----------------------|--------------------|------------|-------------|---------|
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#0            | 22.95                | 1.16               | 24.11      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#2            | 22.90                | 1.16               | 24.06      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#5            | 22.94                | 1.16               | 24.10      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 3RB#0            | 23.12                | 1.16               | 24.28      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 3RB#1            | 23.04                | 1.16               | 24.20      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 3RB#3            | 23.05                | 1.16               | 24.21      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 6RB#0            | 22.25                | 1.16               | 23.41      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#0            | 22.06                | 1.16               | 23.22      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#2            | 22.07                | 1.16               | 23.23      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#5            | 21.89                | 1.16               | 23.05      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 3RB#0            | 22.18                | 1.16               | 23.34      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 3RB#1            | 22.11                | 1.16               | 23.27      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 3RB#3            | 21.96                | 1.16               | 23.12      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 6RB#0            | 21.55                | 1.16               | 22.71      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 1RB#0            | 23.12                | 1.16               | 24.28      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 1RB#2            | 23.21                | 1.16               | 24.37      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 1RB#5            | 23.17                | 1.16               | 24.33      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 3RB#0            | 23.40                | 1.16               | 24.56      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 3RB#1            | 23.40                | 1.16               | 24.56      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 3RB#3            | 23.32                | 1.16               | 24.48      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 6RB#0            | 22.48                | 1.16               | 23.64      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 1RB#0            | 22.33                | 1.16               | 23.49      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 1RB#2            | 22.33                | 1.16               | 23.49      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 1RB#5            | 22.27                | 1.16               | 23.43      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 3RB#0            | 22.40                | 1.16               | 23.56      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 3RB#1            | 22.40                | 1.16               | 23.56      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 3RB#3            | 22.36                | 1.16               | 23.52      | 30          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 6RB#0            | 21.74                | 1.16               | 22.90      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#0            | 23.37                | 1.16               | 24.53      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#2            | 23.28                | 1.16               | 24.44      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#5            | 23.35                | 1.16               | 24.51      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 3RB#0            | 23.47                | 1.16               | 24.63      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 3RB#1            | 23.47                | 1.16               | 24.63      | 30          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 3RB#3            | 23.52                | 1.16               | 24.68      | 30          | PASS    |

|        |        |       |        |        |       |      |       |    |      |
|--------|--------|-------|--------|--------|-------|------|-------|----|------|
| Band66 | 1.4MHz | QPSK  | 132665 | 6RB#0  | 22.52 | 1.16 | 23.68 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 1RB#0  | 22.34 | 1.16 | 23.50 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 1RB#2  | 22.36 | 1.16 | 23.52 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 1RB#5  | 22.35 | 1.16 | 23.51 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 3RB#0  | 22.51 | 1.16 | 23.67 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 3RB#1  | 22.53 | 1.16 | 23.69 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 3RB#3  | 22.54 | 1.16 | 23.70 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 6RB#0  | 21.70 | 1.16 | 22.86 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 1RB#0  | 22.78 | 1.16 | 23.94 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 1RB#8  | 22.85 | 1.16 | 24.01 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 1RB#14 | 23.27 | 1.16 | 24.43 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 8RB#0  | 22.24 | 1.16 | 23.40 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 8RB#4  | 22.25 | 1.16 | 23.41 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 8RB#7  | 22.30 | 1.16 | 23.46 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 15RB#0 | 22.33 | 1.16 | 23.49 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 1RB#0  | 21.87 | 1.16 | 23.03 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 1RB#8  | 21.85 | 1.16 | 23.01 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 1RB#14 | 22.38 | 1.16 | 23.54 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 8RB#0  | 21.46 | 1.16 | 22.62 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 8RB#4  | 21.46 | 1.16 | 22.62 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 8RB#7  | 21.57 | 1.16 | 22.73 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 15RB#0 | 21.45 | 1.16 | 22.61 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 1RB#0  | 23.46 | 1.16 | 24.62 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 1RB#8  | 23.11 | 1.16 | 24.27 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 1RB#14 | 23.06 | 1.16 | 24.22 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 8RB#0  | 22.51 | 1.16 | 23.67 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 8RB#4  | 22.52 | 1.16 | 23.68 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 8RB#7  | 22.56 | 1.16 | 23.72 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 15RB#0 | 22.57 | 1.16 | 23.73 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 1RB#0  | 21.95 | 1.16 | 23.11 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 1RB#8  | 22.33 | 1.16 | 23.49 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 1RB#14 | 22.28 | 1.16 | 23.44 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 8RB#0  | 21.77 | 1.16 | 22.93 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 8RB#4  | 21.79 | 1.16 | 22.95 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 8RB#7  | 21.81 | 1.16 | 22.97 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 15RB#0 | 21.83 | 1.16 | 22.99 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 1RB#0  | 23.05 | 1.16 | 24.21 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 1RB#8  | 23.04 | 1.16 | 24.20 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 1RB#14 | 22.88 | 1.16 | 24.04 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 8RB#0  | 22.52 | 1.16 | 23.68 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 8RB#4  | 22.53 | 1.16 | 23.69 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 8RB#7  | 22.57 | 1.16 | 23.73 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 15RB#0 | 22.56 | 1.16 | 23.72 | 30 | PASS |

|        |      |       |        |         |       |      |       |    |      |
|--------|------|-------|--------|---------|-------|------|-------|----|------|
| Band66 | 3MHz | 16QAM | 132657 | 1RB#0   | 22.11 | 1.16 | 23.27 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 1RB#8   | 22.11 | 1.16 | 23.27 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 1RB#14  | 22.17 | 1.16 | 23.33 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 8RB#0   | 21.78 | 1.16 | 22.94 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 8RB#4   | 21.76 | 1.16 | 22.92 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 8RB#7   | 21.73 | 1.16 | 22.89 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 15RB#0  | 21.71 | 1.16 | 22.87 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#0   | 23.16 | 1.16 | 24.32 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#12  | 23.20 | 1.16 | 24.36 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#24  | 23.19 | 1.16 | 24.35 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 12RB#0  | 22.42 | 1.16 | 23.58 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 12RB#6  | 22.45 | 1.16 | 23.61 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 12RB#13 | 22.49 | 1.16 | 23.65 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 25RB#0  | 22.46 | 1.16 | 23.62 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#0   | 22.26 | 1.16 | 23.42 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#12  | 22.36 | 1.16 | 23.52 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#24  | 22.35 | 1.16 | 23.51 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 12RB#0  | 21.67 | 1.16 | 22.83 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 12RB#6  | 21.68 | 1.16 | 22.84 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 12RB#13 | 21.70 | 1.16 | 22.86 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 25RB#0  | 21.71 | 1.16 | 22.87 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#0   | 23.40 | 1.16 | 24.56 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#12  | 23.40 | 1.16 | 24.56 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#24  | 23.31 | 1.16 | 24.47 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 12RB#0  | 22.66 | 1.16 | 23.82 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 12RB#6  | 22.64 | 1.16 | 23.80 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 12RB#13 | 22.66 | 1.16 | 23.82 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 25RB#0  | 22.69 | 1.16 | 23.85 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 1RB#0   | 22.59 | 1.16 | 23.75 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 1RB#12  | 22.54 | 1.16 | 23.70 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 1RB#24  | 22.48 | 1.16 | 23.64 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 12RB#0  | 21.89 | 1.16 | 23.05 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 12RB#6  | 21.86 | 1.16 | 23.02 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 12RB#13 | 21.85 | 1.16 | 23.01 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 25RB#0  | 21.91 | 1.16 | 23.07 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 1RB#0   | 23.28 | 1.16 | 24.44 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 1RB#12  | 23.33 | 1.16 | 24.49 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 1RB#24  | 23.39 | 1.16 | 24.55 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 12RB#0  | 22.63 | 1.16 | 23.79 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 12RB#6  | 22.64 | 1.16 | 23.80 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 12RB#13 | 22.63 | 1.16 | 23.79 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 25RB#0  | 22.68 | 1.16 | 23.84 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 132647 | 1RB#0   | 22.56 | 1.16 | 23.72 | 30 | PASS |

|        |       |       |        |         |       |      |       |    |      |
|--------|-------|-------|--------|---------|-------|------|-------|----|------|
| Band66 | 5MHz  | 16QAM | 132647 | 1RB#12  | 21.82 | 1.16 | 22.98 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 1RB#24  | 22.63 | 1.16 | 23.79 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 12RB#0  | 21.92 | 1.16 | 23.08 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 12RB#6  | 21.91 | 1.16 | 23.07 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 12RB#13 | 21.91 | 1.16 | 23.07 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 25RB#0  | 21.90 | 1.16 | 23.06 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#0   | 23.08 | 1.16 | 24.24 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#24  | 23.17 | 1.16 | 24.33 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#49  | 23.26 | 1.16 | 24.42 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 25RB#0  | 22.42 | 1.16 | 23.58 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 25RB#12 | 22.45 | 1.16 | 23.61 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 25RB#25 | 22.53 | 1.16 | 23.69 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 50RB#0  | 22.53 | 1.16 | 23.69 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#0   | 22.34 | 1.16 | 23.50 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#24  | 22.39 | 1.16 | 23.55 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#49  | 22.48 | 1.16 | 23.64 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 25RB#0  | 21.70 | 1.16 | 22.86 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 25RB#12 | 21.73 | 1.16 | 22.89 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 25RB#25 | 21.80 | 1.16 | 22.96 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 50RB#0  | 21.78 | 1.16 | 22.94 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#0   | 23.46 | 1.16 | 24.62 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#24  | 23.34 | 1.16 | 24.50 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#49  | 23.33 | 1.16 | 24.49 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 25RB#0  | 22.69 | 1.16 | 23.85 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 25RB#12 | 22.65 | 1.16 | 23.81 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 25RB#25 | 22.63 | 1.16 | 23.79 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 50RB#0  | 22.71 | 1.16 | 23.87 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#0   | 22.65 | 1.16 | 23.81 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#24  | 22.52 | 1.16 | 23.68 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#49  | 22.57 | 1.16 | 23.73 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 25RB#0  | 21.90 | 1.16 | 23.06 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 25RB#12 | 21.89 | 1.16 | 23.05 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 25RB#25 | 21.90 | 1.16 | 23.06 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 50RB#0  | 21.92 | 1.16 | 23.08 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#0   | 23.36 | 1.16 | 24.52 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#24  | 23.28 | 1.16 | 24.44 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#49  | 23.37 | 1.16 | 24.53 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 25RB#0  | 22.68 | 1.16 | 23.84 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 25RB#12 | 22.67 | 1.16 | 23.83 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 25RB#25 | 22.60 | 1.16 | 23.76 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 50RB#0  | 22.67 | 1.16 | 23.83 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#0   | 22.56 | 1.16 | 23.72 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#24  | 22.53 | 1.16 | 23.69 | 30 | PASS |

|        |       |       |        |         |       |      |       |    |      |
|--------|-------|-------|--------|---------|-------|------|-------|----|------|
| Band66 | 10MHz | 16QAM | 132622 | 1RB#49  | 22.64 | 1.16 | 23.80 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 25RB#0  | 21.90 | 1.16 | 23.06 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 25RB#12 | 21.88 | 1.16 | 23.04 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 25RB#25 | 21.87 | 1.16 | 23.03 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 50RB#0  | 21.86 | 1.16 | 23.02 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#0   | 23.11 | 1.16 | 24.27 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#38  | 23.84 | 1.16 | 25.00 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#74  | 23.35 | 1.16 | 24.51 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 38RB#0  | 22.33 | 1.16 | 23.49 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 38RB#18 | 21.94 | 1.16 | 23.10 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 38RB#37 | 22.62 | 1.16 | 23.78 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 75RB#0  | 22.50 | 1.16 | 23.66 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#0   | 22.71 | 1.16 | 23.87 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#38  | 23.05 | 1.16 | 24.21 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#74  | 22.59 | 1.16 | 23.75 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 38RB#0  | 22.34 | 1.16 | 23.50 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 38RB#18 | 22.61 | 1.16 | 23.77 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 38RB#37 | 22.65 | 1.16 | 23.81 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 75RB#0  | 21.72 | 1.16 | 22.88 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#0   | 23.44 | 1.16 | 24.60 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#38  | 23.32 | 1.16 | 24.48 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#74  | 23.22 | 1.16 | 24.38 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 38RB#0  | 22.64 | 1.16 | 23.80 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 38RB#18 | 22.56 | 1.16 | 23.72 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 38RB#37 | 22.53 | 1.16 | 23.69 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 75RB#0  | 22.63 | 1.16 | 23.79 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#0   | 22.70 | 1.16 | 23.86 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#38  | 22.56 | 1.16 | 23.72 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#74  | 22.49 | 1.16 | 23.65 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 38RB#0  | 22.71 | 1.16 | 23.87 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 38RB#18 | 22.55 | 1.16 | 23.71 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 38RB#37 | 22.49 | 1.16 | 23.65 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 75RB#0  | 21.80 | 1.16 | 22.96 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#0   | 23.31 | 1.16 | 24.47 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#38  | 23.26 | 1.16 | 24.42 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#74  | 23.70 | 1.16 | 24.86 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 38RB#0  | 22.64 | 1.16 | 23.80 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 38RB#18 | 22.53 | 1.16 | 23.69 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 38RB#37 | 22.57 | 1.16 | 23.73 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 75RB#0  | 22.54 | 1.16 | 23.70 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#0   | 22.56 | 1.16 | 23.72 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#38  | 22.50 | 1.16 | 23.66 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#74  | 22.56 | 1.16 | 23.72 | 30 | PASS |

|        |       |       |        |         |              |      |       |    |      |
|--------|-------|-------|--------|---------|--------------|------|-------|----|------|
| Band66 | 15MHz | 16QAM | 132597 | 38RB#0  | 22.57        | 1.16 | 23.73 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 38RB#18 | 22.48        | 1.16 | 23.64 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 38RB#37 | 22.55        | 1.16 | 23.71 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 75RB#0  | 21.71        | 1.16 | 22.87 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#0   | 23.13        | 1.16 | 24.29 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#49  | 23.28        | 1.16 | 24.44 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#99  | 23.49        | 1.16 | 24.65 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 50RB#0  | 22.58        | 1.16 | 23.74 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 50RB#25 | 22.62        | 1.16 | 23.78 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 50RB#50 | 22.80        | 1.16 | 23.96 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 100RB#0 | 22.70        | 1.16 | 23.86 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#0   | 21.47        | 1.16 | 22.63 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#49  | 22.42        | 1.16 | 23.58 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#99  | 22.58        | 1.16 | 23.74 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 50RB#0  | 21.87        | 1.16 | 23.03 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 50RB#25 | 21.87        | 1.16 | 23.03 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 50RB#50 | 22.08        | 1.16 | 23.24 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 100RB#0 | 21.93        | 1.16 | 23.09 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#0   | <b>23.53</b> | 1.16 | 24.69 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#49  | 23.42        | 1.16 | 24.58 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#99  | 23.22        | 1.16 | 24.38 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 50RB#0  | 22.73        | 1.16 | 23.89 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 50RB#25 | 22.72        | 1.16 | 23.88 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 50RB#50 | 22.64        | 1.16 | 23.80 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 100RB#0 | 22.66        | 1.16 | 23.82 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#0   | 22.60        | 1.16 | 23.76 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#49  | 22.53        | 1.16 | 23.69 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#99  | 22.37        | 1.16 | 23.53 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 50RB#0  | 21.95        | 1.16 | 23.11 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 50RB#25 | 21.95        | 1.16 | 23.11 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 50RB#50 | 21.88        | 1.16 | 23.04 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 100RB#0 | 21.90        | 1.16 | 23.06 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#0   | 23.28        | 1.16 | 24.44 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#49  | 23.37        | 1.16 | 24.53 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#99  | 23.24        | 1.16 | 24.40 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 50RB#0  | 22.58        | 1.16 | 23.74 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 50RB#25 | 22.59        | 1.16 | 23.75 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 50RB#50 | 22.53        | 1.16 | 23.69 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 100RB#0 | 22.57        | 1.16 | 23.73 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#0   | 22.38        | 1.16 | 23.54 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#49  | 22.39        | 1.16 | 23.55 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#99  | 22.42        | 1.16 | 23.58 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 50RB#0  | 21.85        | 1.16 | 23.01 | 30 | PASS |

---

|        |       |       |        |         |       |      |       |    |      |
|--------|-------|-------|--------|---------|-------|------|-------|----|------|
| Band66 | 20MHz | 16QAM | 132572 | 50RB#25 | 21.82 | 1.16 | 22.98 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 50RB#50 | 21.80 | 1.16 | 22.96 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 100RB#0 | 21.78 | 1.16 | 22.94 | 30 | PASS |

## Appendix B: Peak-to-Average Ratio(CCDF)


### Test Result


| Band   | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|--------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#0            | 4.62       | 13        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 6RB#0            | 5.19       | 13        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#0            | 5.58       | 13        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 6RB#0            | 5.90       | 13        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 1RB#0            | 4.39       | 13        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 6RB#0            | 5.03       | 13        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 1RB#0            | 5.35       | 13        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 6RB#0            | 5.74       | 13        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#0            | 4.78       | 13        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 6RB#0            | 5.19       | 13        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 1RB#0            | 5.80       | 13        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 6RB#0            | 5.96       | 13        | PASS    |
| Band66 | 3MHz      | QPSK       | 131987  | 1RB#0            | 4.90       | 13        | PASS    |
| Band66 | 3MHz      | QPSK       | 131987  | 15RB#0           | 5.00       | 13        | PASS    |
| Band66 | 3MHz      | 16QAM      | 131987  | 1RB#0            | 5.71       | 13        | PASS    |
| Band66 | 3MHz      | 16QAM      | 131987  | 15RB#0           | 5.87       | 13        | PASS    |
| Band66 | 3MHz      | QPSK       | 132322  | 1RB#0            | 4.78       | 13        | PASS    |
| Band66 | 3MHz      | QPSK       | 132322  | 15RB#0           | 4.84       | 13        | PASS    |
| Band66 | 3MHz      | 16QAM      | 132322  | 1RB#0            | 5.61       | 13        | PASS    |
| Band66 | 3MHz      | 16QAM      | 132322  | 15RB#0           | 5.74       | 13        | PASS    |
| Band66 | 3MHz      | QPSK       | 132657  | 1RB#0            | 4.94       | 13        | PASS    |
| Band66 | 3MHz      | QPSK       | 132657  | 15RB#0           | 5.06       | 13        | PASS    |
| Band66 | 3MHz      | 16QAM      | 132657  | 1RB#0            | 5.58       | 13        | PASS    |
| Band66 | 3MHz      | 16QAM      | 132657  | 15RB#0           | 5.90       | 13        | PASS    |
| Band66 | 5MHz      | QPSK       | 131997  | 1RB#0            | 5.06       | 13        | PASS    |
| Band66 | 5MHz      | QPSK       | 131997  | 25RB#0           | 5.16       | 13        | PASS    |
| Band66 | 5MHz      | 16QAM      | 131997  | 1RB#0            | 5.38       | 13        | PASS    |
| Band66 | 5MHz      | 16QAM      | 131997  | 25RB#0           | 5.90       | 13        | PASS    |
| Band66 | 5MHz      | QPSK       | 132322  | 1RB#0            | 4.58       | 13        | PASS    |
| Band66 | 5MHz      | QPSK       | 132322  | 25RB#0           | 4.97       | 13        | PASS    |
| Band66 | 5MHz      | 16QAM      | 132322  | 1RB#0            | 5.13       | 13        | PASS    |
| Band66 | 5MHz      | 16QAM      | 132322  | 25RB#0           | 5.71       | 13        | PASS    |
| Band66 | 5MHz      | QPSK       | 132647  | 1RB#0            | 4.94       | 13        | PASS    |
| Band66 | 5MHz      | QPSK       | 132647  | 25RB#0           | 5.16       | 13        | PASS    |
| Band66 | 5MHz      | 16QAM      | 132647  | 1RB#0            | 5.54       | 13        | PASS    |
| Band66 | 5MHz      | 16QAM      | 132647  | 25RB#0           | 5.93       | 13        | PASS    |


---


|        |       |       |        |         |      |    |      |
|--------|-------|-------|--------|---------|------|----|------|
| Band66 | 10MHz | QPSK  | 132022 | 1RB#0   | 4.74 | 13 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 50RB#0  | 5.45 | 13 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#0   | 5.54 | 13 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 50RB#0  | 6.25 | 13 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#0   | 4.46 | 13 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 50RB#0  | 5.38 | 13 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#0   | 5.22 | 13 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 50RB#0  | 6.15 | 13 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#0   | 4.39 | 13 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 50RB#0  | 5.32 | 13 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#0   | 5.16 | 13 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 50RB#0  | 6.19 | 13 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#0   | 8.46 | 13 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 75RB#0  | 5.87 | 13 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#0   | 8.49 | 13 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 75RB#0  | 6.70 | 13 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#0   | 8.30 | 13 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 75RB#0  | 5.90 | 13 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#0   | 8.27 | 13 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 75RB#0  | 6.70 | 13 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#0   | 8.27 | 13 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 75RB#0  | 5.90 | 13 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#0   | 8.08 | 13 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 75RB#0  | 6.73 | 13 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#0   | 8.59 | 13 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 100RB#0 | 6.47 | 13 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#0   | 8.21 | 13 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 100RB#0 | 7.08 | 13 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#0   | 8.40 | 13 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 100RB#0 | 6.47 | 13 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#0   | 8.33 | 13 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 100RB#0 | 7.08 | 13 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#0   | 8.37 | 13 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 100RB#0 | 6.54 | 13 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#0   | 8.33 | 13 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 100RB#0 | 7.12 | 13 | PASS |


## Test Graphs

























Date: 19.FEB.2025 04:25:44




Date: 19.FEB.2025 04:26:35

### Band66-15MHz-QPSK-132047-1RB#0-PASS

### Band66-15MHz-QPSK-132047-75RB#0-PASS




Date: 19.FEB.2025 04:26:08




Date: 19.FEB.2025 04:26:59

### Band66-15MHz-16QAM-132047-1RB#0-PASS

### Band66-15MHz-16QAM-132047-75RB#0-PASS




Date: 19.FEB.2025 04:27:28





Date: 19.FEB.2025 04:28:18

### Band66-15MHz-QPSK-132322-1RB#0-PASS

### Band66-15MHz-QPSK-132322-75RB#0-PASS







---

## Appendix C: 26dB Bandwidth and Occupied Bandwidth


### Test Result


| Band   | Bandwidth | Modulation | Channel | RB Configuration | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) | Verdict |
|--------|-----------|------------|---------|------------------|--------------------------|----------------------|---------|
| Band66 | 1.4MHz    | QPSK       | 131979  | 6RB#0            | 1.105                    | 1.30                 | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 6RB#0            | 1.1                      | 1.30                 | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 6RB#0            | 1.1                      | 1.29                 | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 6RB#0            | 1.11                     | 1.32                 | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 6RB#0            | 1.1                      | 1.30                 | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 6RB#0            | 1.1                      | 1.30                 | PASS    |
| Band66 | 3MHz      | QPSK       | 131987  | 15RB#0           | 2.69                     | 2.96                 | PASS    |
| Band66 | 3MHz      | 16QAM      | 131987  | 15RB#0           | 2.68                     | 2.98                 | PASS    |
| Band66 | 3MHz      | QPSK       | 132322  | 15RB#0           | 2.7                      | 2.97                 | PASS    |
| Band66 | 3MHz      | 16QAM      | 132322  | 15RB#0           | 2.68                     | 3.00                 | PASS    |
| Band66 | 3MHz      | QPSK       | 132657  | 15RB#0           | 2.69                     | 2.97                 | PASS    |
| Band66 | 3MHz      | 16QAM      | 132657  | 15RB#0           | 2.69                     | 2.97                 | PASS    |
| Band66 | 5MHz      | QPSK       | 131997  | 25RB#0           | 4.5                      | 4.94                 | PASS    |
| Band66 | 5MHz      | 16QAM      | 131997  | 25RB#0           | 4.5                      | 4.94                 | PASS    |
| Band66 | 5MHz      | QPSK       | 132322  | 25RB#0           | 4.51                     | 4.97                 | PASS    |
| Band66 | 5MHz      | 16QAM      | 132322  | 25RB#0           | 4.5                      | 4.94                 | PASS    |
| Band66 | 5MHz      | QPSK       | 132647  | 25RB#0           | 4.49                     | 4.93                 | PASS    |
| Band66 | 5MHz      | 16QAM      | 132647  | 25RB#0           | 4.51                     | 4.95                 | PASS    |
| Band66 | 10MHz     | QPSK       | 132022  | 50RB#0           | 9                        | 9.90                 | PASS    |
| Band66 | 10MHz     | 16QAM      | 132022  | 50RB#0           | 9                        | 9.83                 | PASS    |
| Band66 | 10MHz     | QPSK       | 132322  | 50RB#0           | 9                        | 9.93                 | PASS    |
| Band66 | 10MHz     | 16QAM      | 132322  | 50RB#0           | 9                        | 9.90                 | PASS    |
| Band66 | 10MHz     | QPSK       | 132622  | 50RB#0           | 9                        | 9.90                 | PASS    |
| Band66 | 10MHz     | 16QAM      | 132622  | 50RB#0           | 9                        | 9.83                 | PASS    |
| Band66 | 15MHz     | QPSK       | 132047  | 75RB#0           | 13.55                    | 14.95                | PASS    |
| Band66 | 15MHz     | 16QAM      | 132047  | 75RB#0           | 13.5                     | 14.80                | PASS    |
| Band66 | 15MHz     | QPSK       | 132322  | 75RB#0           | 13.55                    | 14.90                | PASS    |
| Band66 | 15MHz     | 16QAM      | 132322  | 75RB#0           | 13.45                    | 14.80                | PASS    |
| Band66 | 15MHz     | QPSK       | 132597  | 75RB#0           | 13.5                     | 14.90                | PASS    |
| Band66 | 15MHz     | 16QAM      | 132597  | 75RB#0           | 13.5                     | 14.80                | PASS    |
| Band66 | 20MHz     | QPSK       | 132072  | 100RB#0          | 18.067                   | 19.87                | PASS    |
| Band66 | 20MHz     | 16QAM      | 132072  | 100RB#0          | 18.133                   | 19.87                | PASS    |
| Band66 | 20MHz     | QPSK       | 132322  | 100RB#0          | 18                       | 19.80                | PASS    |
| Band66 | 20MHz     | 16QAM      | 132322  | 100RB#0          | 18.067                   | 19.80                | PASS    |

---

|        |       |       |        |         |        |       |      |
|--------|-------|-------|--------|---------|--------|-------|------|
| Band66 | 20MHz | QPSK  | 132572 | 100RB#0 | 18.067 | 19.80 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 100RB#0 | 18.133 | 19.73 | PASS |


# Test Graphs






Date: 19.FEB.2025 02:18:01

Band66-3MHz-QPSK-131987-15RB#0-PASS




Date: 19.FEB.2025 02:18:13

Band66-3MHz-16QAM-131987-15RB#0-PASS




Date: 19.FEB.2025 02:18:30

Band66-3MHz-QPSK-132322-15RB#0-PASS




Date: 19.FEB.2025 02:18:42

Band66-3MHz-16QAM-132322-15RB#0-PASS



Date: 19.FEB.2025 02:18:59


Band66-3MHz-QPSK-132657-15RB#0-PASS



Date: 19.FEB.2025 02:19:12


Band66-3MHz-16QAM-132657-15RB#0-PASS






Date: 19.FEB.2025 03:29:27

Band66-10MHz-QPSK-132022-50RB#0-PASS




Date: 19.FEB.2025 03:29:39

Band66-10MHz-16QAM-132022-50RB#0-PASS




Date: 19.FEB.2025 03:29:56

Band66-10MHz-QPSK-132322-50RB#0-PASS




Date: 19.FEB.2025 03:30:09

Band66-10MHz-16QAM-132322-50RB#0-PASS




Date: 19.FEB.2025 03:30:27

Band66-10MHz-QPSK-132622-50RB#0-PASS




Date: 19.FEB.2025 03:30:41

Band66-10MHz-16QAM-132622-50RB#0-PASS




Date: 19.FEB.2025 04:05:30




Date: 19.FEB.2025 04:05:43

### Band66-15MHz-QPSK-132047-75RB#0-PASS

### Band66-15MHz-16QAM-132047-75RB#0-PASS




Date: 19.FEB.2025 04:06:01




Date: 19.FEB.2025 04:06:13

### Band66-15MHz-QPSK-132322-75RB#0-PASS

### Band66-15MHz-16QAM-132322-75RB#0-PASS



Date: 19.FEB.2025 04:06:32



Date: 19.FEB.2025 04:06:46

### Band66-15MHz-QPSK-132597-75RB#0-PASS

### Band66-15MHz-16QAM-132597-75RB#0-PASS



Band66-20MHz-QPSK-132072-100RB#0-PASS



Band66-20MHz-16QAM-132072-100RB#0-PASS



Band66-20MHz-QPSK-132322-100RB#0-PASS



Band66-20MHz-16QAM-132322-100RB#0-PASS



Band66-20MHz-QPSK-132572-100RB#0-PASS



Band66-20MHz-16QAM-132572-100RB#0-PASS

---


## Appendix D: Band Edge


### Test Result

| Band   | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm) | Limit(dBm) | Verdict |
|--------|-----------|------------|---------|------------------|-------------|------------|---------|
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#0            | -28.78      | -13        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#5            | -48.36      | -13        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 6RB#0            | -32.62      | -13        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#0            | -30.49      | -13        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#5            | -48.79      | -13        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 6RB#0            | -32.80      | -13        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#0            | -48.40      | -13        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#5            | -28.43      | -13        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 6RB#0            | -31.58      | -13        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 1RB#0            | -48.96      | -13        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 1RB#5            | -31.18      | -13        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 6RB#0            | -32.15      | -13        | PASS    |
| Band66 | 3MHz      | QPSK       | 131987  | 1RB#0            | -18.32      | -13        | PASS    |
| Band66 | 3MHz      | QPSK       | 131987  | 1RB#14           | -42.24      | -13        | PASS    |
| Band66 | 3MHz      | QPSK       | 131987  | 15RB#0           | -27.82      | -13        | PASS    |
| Band66 | 3MHz      | 16QAM      | 131987  | 1RB#0            | -18.85      | -13        | PASS    |
| Band66 | 3MHz      | 16QAM      | 131987  | 1RB#14           | -41.88      | -13        | PASS    |
| Band66 | 3MHz      | 16QAM      | 131987  | 15RB#0           | -29.66      | -13        | PASS    |
| Band66 | 3MHz      | QPSK       | 132657  | 1RB#0            | -42.13      | -13        | PASS    |
| Band66 | 3MHz      | QPSK       | 132657  | 1RB#14           | -17.89      | -13        | PASS    |
| Band66 | 3MHz      | QPSK       | 132657  | 15RB#0           | -29.44      | -13        | PASS    |
| Band66 | 3MHz      | 16QAM      | 132657  | 1RB#0            | -42.99      | -13        | PASS    |
| Band66 | 3MHz      | 16QAM      | 132657  | 1RB#14           | -18.57      | -13        | PASS    |
| Band66 | 3MHz      | 16QAM      | 132657  | 15RB#0           | -30.07      | -13        | PASS    |
| Band66 | 5MHz      | QPSK       | 131997  | 1RB#0            | -23.63      | -13        | PASS    |
| Band66 | 5MHz      | QPSK       | 131997  | 1RB#24           | -43.67      | -13        | PASS    |
| Band66 | 5MHz      | QPSK       | 131997  | 25RB#0           | -32.39      | -13        | PASS    |
| Band66 | 5MHz      | 16QAM      | 131997  | 1RB#0            | -24.39      | -13        | PASS    |
| Band66 | 5MHz      | 16QAM      | 131997  | 1RB#24           | -44.31      | -13        | PASS    |
| Band66 | 5MHz      | 16QAM      | 131997  | 25RB#0           | -31.94      | -13        | PASS    |
| Band66 | 5MHz      | QPSK       | 132647  | 1RB#0            | -44.48      | -13        | PASS    |
| Band66 | 5MHz      | QPSK       | 132647  | 1RB#24           | -23.32      | -13        | PASS    |
| Band66 | 5MHz      | QPSK       | 132647  | 25RB#0           | -32.29      | -13        | PASS    |
| Band66 | 5MHz      | 16QAM      | 132647  | 1RB#0            | -44.81      | -13        | PASS    |
| Band66 | 5MHz      | 16QAM      | 132647  | 1RB#24           | -24.24      | -13        | PASS    |
| Band66 | 5MHz      | 16QAM      | 132647  | 25RB#0           | -32.62      | -13        | PASS    |


|        |       |       |        |         |        |     |      |
|--------|-------|-------|--------|---------|--------|-----|------|
| Band66 | 10MHz | QPSK  | 132022 | 1RB#0   | -26.83 | -13 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#49  | -43.18 | -13 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 50RB#0  | -32.88 | -13 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#0   | -28.11 | -13 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#49  | -43.31 | -13 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 50RB#0  | -33.51 | -13 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#0   | -43.27 | -13 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#49  | -26.31 | -13 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 50RB#0  | -32.39 | -13 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#0   | -43.87 | -13 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#49  | -27.06 | -13 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 50RB#0  | -32.90 | -13 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#0   | -28.07 | -13 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#74  | -38.08 | -13 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 75RB#0  | -33.50 | -13 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#0   | -28.97 | -13 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#74  | -38.70 | -13 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 75RB#0  | -33.94 | -13 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#0   | -38.71 | -13 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#74  | -28.04 | -13 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 75RB#0  | -32.39 | -13 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#0   | -39.16 | -13 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#74  | -28.67 | -13 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 75RB#0  | -32.80 | -13 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#0   | -29.56 | -13 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#99  | -38.04 | -13 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 100RB#0 | -32.58 | -13 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#0   | -30.18 | -13 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#99  | -38.83 | -13 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 100RB#0 | -33.00 | -13 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#0   | -38.44 | -13 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#99  | -30.03 | -13 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 100RB#0 | -31.64 | -13 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#0   | -38.89 | -13 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#99  | -30.95 | -13 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 100RB#0 | -31.88 | -13 | PASS |

## Test Graphs






Date: 16.FEB.2025 18:57:06




Date: 16.FEB.2025 18:57:44

### Band66-1.4MHz-QPSK-132665-1RB#0-PASS

### Band66-1.4MHz-QPSK-132665-1RB#5-PASS




Date: 16.FEB.2025 18:58:21




Date: 16.FEB.2025 18:57:23

### Band66-1.4MHz-QPSK-132665-6RB#0-PASS

### Band66-1.4MHz-16QAM-132665-1RB#0-PASS




Date: 16.FEB.2025 18:58:01





Date: 16.FEB.2025 18:58:38


### Band66-1.4MHz-16QAM-132665-1RB#5-PASS


### Band66-1.4MHz-16QAM-132665-6RB#0-PASS


























## Appendix E: Conducted Spurious Emission

### Test Result

| Band   | Bandwidth | Modulation | Channel | RB Configuration | Frequency Range | Result (dBm) | Limitt (dBm) | Verdict |
|--------|-----------|------------|---------|------------------|-----------------|--------------|--------------|---------|
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#0            | 0.009~0.15      | -62.42       | -43          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#0            | 0.15~30         | -63.06       | -33          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#0            | 30~1000         | -58.56       | -23          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#0            | 1000~3000       | -19.72       | -13          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#0            | 3000~20000      | -41.93       | -13          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#0            | 0.009~0.15      | -62.71       | -43          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#0            | 0.15~30         | -62.85       | -33          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#0            | 30~1000         | -58.64       | -23          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#0            | 1000~3000       | -20.56       | -13          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#0            | 3000~20000      | -42.59       | -13          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 1RB#0            | 0.009~0.15      | -62.66       | -43          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 1RB#0            | 0.15~30         | -63.00       | -33          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 1RB#0            | 30~1000         | -58.71       | -23          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 1RB#0            | 1000~3000       | -24.15       | -13          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 1RB#0            | 3000~20000      | -41.32       | -13          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 1RB#0            | 0.009~0.15      | -63.14       | -43          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 1RB#0            | 0.15~30         | -63.43       | -33          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 1RB#0            | 30~1000         | -58.70       | -23          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 1RB#0            | 1000~3000       | -25.01       | -13          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 1RB#0            | 3000~20000      | -41.80       | -13          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#0            | 0.009~0.15      | -62.05       | -43          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#0            | 0.15~30         | -62.95       | -33          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#0            | 30~1000         | -58.65       | -23          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#0            | 1000~3000       | -28.67       | -13          | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#0            | 3000~20000      | -39.15       | -13          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 1RB#0            | 0.009~0.15      | -62.81       | -43          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 1RB#0            | 0.15~30         | -63.21       | -33          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 1RB#0            | 30~1000         | -58.56       | -23          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 1RB#0            | 1000~3000       | -29.57       | -13          | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 1RB#0            | 3000~20000      | -39.74       | -13          | PASS    |
| Band66 | 3MHz      | QPSK       | 131987  | 1RB#0            | 0.009~0.15      | -59.80       | -43          | PASS    |
| Band66 | 3MHz      | QPSK       | 131987  | 1RB#0            | 0.15~30         | -63.49       | -33          | PASS    |
| Band66 | 3MHz      | QPSK       | 131987  | 1RB#0            | 30~1000         | -58.62       | -23          | PASS    |
| Band66 | 3MHz      | QPSK       | 131987  | 1RB#0            | 1000~3000       | -38.51       | -13          | PASS    |
| Band66 | 3MHz      | QPSK       | 131987  | 1RB#0            | 3000~20000      | -42.19       | -13          | PASS    |


|        |      |       |        |       |            |        |     |      |
|--------|------|-------|--------|-------|------------|--------|-----|------|
| Band66 | 3MHz | 16QAM | 131987 | 1RB#0 | 0.009~0.15 | -60.92 | -43 | PASS |
| Band66 | 3MHz | 16QAM | 131987 | 1RB#0 | 0.15~30    | -63.31 | -33 | PASS |
| Band66 | 3MHz | 16QAM | 131987 | 1RB#0 | 30~1000    | -58.72 | -23 | PASS |
| Band66 | 3MHz | 16QAM | 131987 | 1RB#0 | 1000~3000  | -37.21 | -13 | PASS |
| Band66 | 3MHz | 16QAM | 131987 | 1RB#0 | 3000~20000 | -42.67 | -13 | PASS |
| Band66 | 3MHz | QPSK  | 132322 | 1RB#0 | 0.009~0.15 | -57.17 | -43 | PASS |
| Band66 | 3MHz | QPSK  | 132322 | 1RB#0 | 0.15~30    | -62.71 | -33 | PASS |
| Band66 | 3MHz | QPSK  | 132322 | 1RB#0 | 30~1000    | -58.68 | -23 | PASS |
| Band66 | 3MHz | QPSK  | 132322 | 1RB#0 | 1000~3000  | -39.17 | -13 | PASS |
| Band66 | 3MHz | QPSK  | 132322 | 1RB#0 | 3000~20000 | -41.14 | -13 | PASS |
| Band66 | 3MHz | 16QAM | 132322 | 1RB#0 | 0.009~0.15 | -59.47 | -43 | PASS |
| Band66 | 3MHz | 16QAM | 132322 | 1RB#0 | 0.15~30    | -62.88 | -33 | PASS |
| Band66 | 3MHz | 16QAM | 132322 | 1RB#0 | 30~1000    | -58.45 | -23 | PASS |
| Band66 | 3MHz | 16QAM | 132322 | 1RB#0 | 1000~3000  | -39.07 | -13 | PASS |
| Band66 | 3MHz | 16QAM | 132322 | 1RB#0 | 3000~20000 | -41.30 | -13 | PASS |
| Band66 | 3MHz | QPSK  | 132657 | 1RB#0 | 0.009~0.15 | -61.26 | -43 | PASS |
| Band66 | 3MHz | QPSK  | 132657 | 1RB#0 | 0.15~30    | -63.31 | -33 | PASS |
| Band66 | 3MHz | QPSK  | 132657 | 1RB#0 | 30~1000    | -58.73 | -23 | PASS |
| Band66 | 3MHz | QPSK  | 132657 | 1RB#0 | 1000~3000  | -39.76 | -13 | PASS |
| Band66 | 3MHz | QPSK  | 132657 | 1RB#0 | 3000~20000 | -38.90 | -13 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 1RB#0 | 0.009~0.15 | -59.66 | -43 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 1RB#0 | 0.15~30    | -62.36 | -33 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 1RB#0 | 30~1000    | -58.64 | -23 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 1RB#0 | 1000~3000  | -40.19 | -13 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 1RB#0 | 3000~20000 | -39.71 | -13 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#0 | 0.009~0.15 | -60.20 | -43 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#0 | 0.15~30    | -63.79 | -33 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#0 | 30~1000    | -58.64 | -23 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#0 | 1000~3000  | -46.56 | -13 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#0 | 3000~20000 | -41.92 | -13 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#0 | 0.009~0.15 | -61.12 | -43 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#0 | 0.15~30    | -63.66 | -33 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#0 | 30~1000    | -58.65 | -23 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#0 | 1000~3000  | -46.53 | -13 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#0 | 3000~20000 | -42.30 | -13 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#0 | 0.009~0.15 | -59.53 | -43 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#0 | 0.15~30    | -63.53 | -33 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#0 | 30~1000    | -58.73 | -23 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#0 | 1000~3000  | -47.03 | -13 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#0 | 3000~20000 | -41.67 | -13 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 1RB#0 | 0.009~0.15 | -61.41 | -43 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 1RB#0 | 0.15~30    | -63.27 | -33 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 1RB#0 | 30~1000    | -58.70 | -23 | PASS |


|        |       |       |        |       |            |        |     |      |
|--------|-------|-------|--------|-------|------------|--------|-----|------|
| Band66 | 5MHz  | 16QAM | 132322 | 1RB#0 | 1000~3000  | -47.02 | -13 | PASS |
| Band66 | 5MHz  | 16QAM | 132322 | 1RB#0 | 3000~20000 | -41.83 | -13 | PASS |
| Band66 | 5MHz  | QPSK  | 132647 | 1RB#0 | 0.009~0.15 | -60.48 | -43 | PASS |
| Band66 | 5MHz  | QPSK  | 132647 | 1RB#0 | 0.15~30    | -63.48 | -33 | PASS |
| Band66 | 5MHz  | QPSK  | 132647 | 1RB#0 | 30~1000    | -58.69 | -23 | PASS |
| Band66 | 5MHz  | QPSK  | 132647 | 1RB#0 | 1000~3000  | -47.30 | -13 | PASS |
| Band66 | 5MHz  | QPSK  | 132647 | 1RB#0 | 3000~20000 | -39.00 | -13 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 1RB#0 | 0.009~0.15 | -62.04 | -43 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 1RB#0 | 0.15~30    | -63.10 | -33 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 1RB#0 | 30~1000    | -58.77 | -23 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 1RB#0 | 1000~3000  | -47.64 | -13 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 1RB#0 | 3000~20000 | -39.85 | -13 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#0 | 0.009~0.15 | -58.62 | -43 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#0 | 0.15~30    | -63.49 | -33 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#0 | 30~1000    | -58.56 | -23 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#0 | 1000~3000  | -46.54 | -13 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#0 | 3000~20000 | -41.71 | -13 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#0 | 0.009~0.15 | -61.53 | -43 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#0 | 0.15~30    | -62.75 | -33 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#0 | 30~1000    | -58.66 | -23 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#0 | 1000~3000  | -46.98 | -13 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#0 | 3000~20000 | -42.18 | -13 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#0 | 0.009~0.15 | -59.89 | -43 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#0 | 0.15~30    | -62.96 | -33 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#0 | 30~1000    | -58.58 | -23 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#0 | 1000~3000  | -46.60 | -13 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#0 | 3000~20000 | -41.18 | -13 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#0 | 0.009~0.15 | -61.92 | -43 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#0 | 0.15~30    | -63.20 | -33 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#0 | 30~1000    | -58.66 | -23 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#0 | 1000~3000  | -47.89 | -13 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#0 | 3000~20000 | -41.61 | -13 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#0 | 0.009~0.15 | -62.35 | -43 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#0 | 0.15~30    | -63.40 | -33 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#0 | 30~1000    | -58.69 | -23 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#0 | 1000~3000  | -47.95 | -13 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#0 | 3000~20000 | -38.81 | -13 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#0 | 0.009~0.15 | -61.70 | -43 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#0 | 0.15~30    | -63.10 | -33 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#0 | 30~1000    | -58.64 | -23 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#0 | 1000~3000  | -47.23 | -13 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#0 | 3000~20000 | -39.83 | -13 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#0 | 0.009~0.15 | -62.36 | -43 | PASS |


|        |       |       |        |       |            |        |     |      |
|--------|-------|-------|--------|-------|------------|--------|-----|------|
| Band66 | 15MHz | QPSK  | 132047 | 1RB#0 | 0.15~30    | -63.39 | -33 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#0 | 30~1000    | -58.69 | -23 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#0 | 1000~3000  | -46.33 | -13 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#0 | 3000~20000 | -41.86 | -13 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#0 | 0.009~0.15 | -61.93 | -43 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#0 | 0.15~30    | -62.98 | -33 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#0 | 30~1000    | -58.72 | -23 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#0 | 1000~3000  | -47.03 | -13 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#0 | 3000~20000 | -42.30 | -13 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#0 | 0.009~0.15 | -60.94 | -43 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#0 | 0.15~30    | -62.95 | -33 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#0 | 30~1000    | -58.69 | -23 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#0 | 1000~3000  | -47.50 | -13 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#0 | 3000~20000 | -41.40 | -13 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#0 | 0.009~0.15 | -59.06 | -43 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#0 | 0.15~30    | -63.26 | -33 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#0 | 30~1000    | -58.59 | -23 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#0 | 1000~3000  | -48.03 | -13 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#0 | 3000~20000 | -41.66 | -13 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#0 | 0.009~0.15 | -60.66 | -43 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#0 | 0.15~30    | -62.56 | -33 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#0 | 30~1000    | -58.59 | -23 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#0 | 1000~3000  | -47.33 | -13 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#0 | 3000~20000 | -38.92 | -13 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#0 | 0.009~0.15 | -59.32 | -43 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#0 | 0.15~30    | -62.85 | -33 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#0 | 30~1000    | -58.56 | -23 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#0 | 1000~3000  | -47.72 | -13 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#0 | 3000~20000 | -39.99 | -13 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#0 | 0.009~0.15 | -59.20 | -43 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#0 | 0.15~30    | -63.51 | -33 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#0 | 30~1000    | -58.63 | -23 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#0 | 1000~3000  | -44.56 | -13 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#0 | 3000~20000 | -41.54 | -13 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#0 | 0.009~0.15 | -59.69 | -43 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#0 | 0.15~30    | -63.10 | -33 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#0 | 30~1000    | -58.57 | -23 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#0 | 1000~3000  | -47.63 | -13 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#0 | 3000~20000 | -41.84 | -13 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#0 | 0.009~0.15 | -58.35 | -43 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#0 | 0.15~30    | -63.07 | -33 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#0 | 30~1000    | -58.59 | -23 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#0 | 1000~3000  | -47.62 | -13 | PASS |


|        |       |       |        |       |            |        |     |      |
|--------|-------|-------|--------|-------|------------|--------|-----|------|
| Band66 | 20MHz | QPSK  | 132322 | 1RB#0 | 3000~20000 | -41.45 | -13 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#0 | 0.009~0.15 | -60.65 | -43 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#0 | 0.15~30    | -63.28 | -33 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#0 | 30~1000    | -58.65 | -23 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#0 | 1000~3000  | -48.33 | -13 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#0 | 3000~20000 | -42.04 | -13 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#0 | 0.009~0.15 | -58.65 | -43 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#0 | 0.15~30    | -63.32 | -33 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#0 | 30~1000    | -58.58 | -23 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#0 | 1000~3000  | -48.01 | -13 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#0 | 3000~20000 | -39.55 | -13 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#0 | 0.009~0.15 | -58.74 | -43 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#0 | 0.15~30    | -63.21 | -33 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#0 | 30~1000    | -58.63 | -23 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#0 | 1000~3000  | -48.03 | -13 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#0 | 3000~20000 | -40.22 | -13 | PASS |


## Test Graphs













Date: 16.FEB.2025 19:04:16

Band66-1.4MHz-QPSK-132665-1RB#0-30~1000-PASS




Date: 16.FEB.2025 19:04:30

Band66-1.4MHz-QPSK-132665-1RB#0-1000~300-0-PASS




Date: 16.FEB.2025 19:04:45

Band66-1.4MHz-QPSK-132665-1RB#0-3000~200-00-PASS




Date: 16.FEB.2025 19:04:56

Band66-1.4MHz-16QAM-132665-1RB#0-0.009~0-15-PASS




Date: 16.FEB.2025 19:05:12

Band66-1.4MHz-16QAM-132665-1RB#0-0.15~30-PASS




Date: 16.FEB.2025 19:05:25

Band66-1.4MHz-16QAM-132665-1RB#0-30~1000-PASS




Date: 16.FEB.2025 19:05:39

Band66-1.4MHz-16QAM-132665-1RB#0-1000~3000-PASS




Date: 16.FEB.2025 19:05:55

Band66-1.4MHz-16QAM-132665-1RB#0-3000~20000-PASS




Date: 19.FEB.2025 02:23:35

Band66-3MHz-QPSK-131987-1RB#0-0.009~0.15-PASS




Date: 19.FEB.2025 02:23:50

Band66-3MHz-QPSK-131987-1RB#0-0.15~30-PA SS




Date: 19.FEB.2025 02:24:04


Band66-3MHz-QPSK-131987-1RB#0-30~1000-PASS





Date: 19.FEB.2025 02:24:18

Band66-3MHz-QPSK-131987-1RB#0-1000~3000-PASS











Date: 19.FEB.2025 02:28:47

Band66-3MHz-QPSK-132657-1RB#0-30~1000-P  
ASS




Date: 19.FEB.2025 02:29:01

Band66-3MHz-QPSK-132657-1RB#0-1000~3000-  
PASS




Date: 19.FEB.2025 02:29:16

Band66-3MHz-QPSK-132657-1RB#0-3000~2000  
0-PASS




Date: 19.FEB.2025 02:29:28

Band66-3MHz-16QAM-132657-1RB#0-0.009~0.15  
-PASS




Date: 19.FEB.2025 02:29:43

Band66-3MHz-16QAM-132657-1RB#0-0.15~30-P  
ASS




Date: 19.FEB.2025 02:29:56


Band66-3MHz-16QAM-132657-1RB#0-30~1000-P  
ASS




Band66-3MHz-16QAM-132657-1RB#0-1000~300  
0-PASS




Band66-3MHz-16QAM-132657-1RB#0-3000~2000  
0-PASS




Band66-5MHz-QPSK-131997-1RB#0-0.009~0.15  
-PASS




Band66-5MHz-QPSK-131997-1RB#0-0.15~30-PA  
SS





Band66-5MHz-QPSK-131997-1RB#0-30~1000-P  
ASS



Band66-5MHz-QPSK-131997-1RB#0-1000~3000-  
PASS









Date: 19.FEB.2025 03:03:25

Band66-5MHz-16QAM-132322-1RB#0-0.15~30-P  
ASS




Date: 19.FEB.2025 03:03:39

Band66-5MHz-16QAM-132322-1RB#0-30~1000-P  
ASS




Date: 19.FEB.2025 03:03:53

Band66-5MHz-16QAM-132322-1RB#0-1000~300  
0-PASS




Date: 19.FEB.2025 03:04:08

Band66-5MHz-16QAM-132322-1RB#0-3000~2000  
0-PASS




Date: 19.FEB.2025 03:04:23

Band66-5MHz-QPSK-132647-1RB#0-0.009~0.15  
-PASS




Date: 19.FEB.2025 03:04:38

Band66-5MHz-QPSK-132647-1RB#0-0.15~30-PA  
SS




Date: 19.FEB.2025 03:04:52

Band66-5MHz-QPSK-132647-1RB#0-30~1000-P  
ASS




Date: 19.FEB.2025 03:05:06

Band66-5MHz-QPSK-132647-1RB#0-1000~3000-  
PASS




Date: 19.FEB.2025 03:05:21

Band66-5MHz-QPSK-132647-1RB#0-3000~2000  
0-PASS




Date: 19.FEB.2025 03:05:32

Band66-5MHz-16QAM-132647-1RB#0-0.009~0.15  
-PASS




Date: 19.FEB.2025 03:05:47

Band66-5MHz-16QAM-132647-1RB#0-0.15~30-P  
ASS




Date: 19.FEB.2025 03:06:01

Band66-5MHz-16QAM-132647-1RB#0-30~1000-P  
ASS




Date: 19.FEB.2025 03:06:14

Band66-5MHz-16QAM-132647-1RB#0-1000~300  
0-PASS




Date: 19.FEB.2025 03:06:30

Band66-5MHz-16QAM-132647-1RB#0-3000~2000  
0-PASS




Date: 19.FEB.2025 03:34:52

Band66-10MHz-QPSK-132022-1RB#0-0.009~0.1  
5-PASS




Date: 19.FEB.2025 03:35:07

Band66-10MHz-QPSK-132022-1RB#0-0.15~30-PA  
SS




Date: 19.FEB.2025 03:35:21

Band66-10MHz-QPSK-132022-1RB#0-30~1000-  
PASS




Date: 19.FEB.2025 03:35:34

Band66-10MHz-QPSK-132022-1RB#0-1000~3000  
-PASS




Date: 19.FEB.2025 03:35:50

Band66-10MHz-QPSK-132022-1RB#0-3000~200  
00-PASS




Date: 19.FEB.2025 03:36:02

Band66-10MHz-16QAM-132022-1RB#0-0.009~0.1  
5-PASS




Date: 19.FEB.2025 03:36:17

Band66-10MHz-16QAM-132022-1RB#0-0.15~30-  
PASS




Date: 19.FEB.2025 03:36:30

Band66-10MHz-16QAM-132022-1RB#0-30~1000-  
PASS




Date: 19.FEB.2025 03:36:45

Band66-10MHz-16QAM-132022-1RB#0-1000~30  
00-PASS




Date: 19.FEB.2025 03:37:00


Band66-10MHz-16QAM-132022-1RB#0-3000~200  
00-PASS




Band66-10MHz-QPSK-132322-1RB#0-0.009~0.1  
5-PASS




Band66-10MHz-QPSK-132322-1RB#0-0.15~30-PA  
SS




Band66-10MHz-QPSK-132322-1RB#0-30~1000-PASS




Band66-10MHz-QPSK-132322-1RB#0-1000~3000-PASS




Band66-10MHz-QPSK-132322-1RB#0-3000~20000-PASS




Band66-10MHz-16QAM-132322-1RB#0-0.009~0.1  
5-PASS






Date: 19.FEB.2025 03:40:06

Band66-10MHz-QPSK-132622-1RB#0-30~1000-PASS




Date: 19.FEB.2025 03:40:20

Band66-10MHz-QPSK-132622-1RB#0-1000~3000-PASS




Date: 19.FEB.2025 03:40:35

Band66-10MHz-QPSK-132622-1RB#0-3000~20000-PASS




Date: 19.FEB.2025 03:40:46

Band66-10MHz-16QAM-132622-1RB#0-0.009~0.15-PASS




Date: 19.FEB.2025 03:41:01

Band66-10MHz-16QAM-132622-1RB#0-0.15~30-PASS




Date: 19.FEB.2025 03:41:15


Band66-10MHz-16QAM-132622-1RB#0-30~1000-PASS




Band66-10MHz-16QAM-132622-1RB#0-1000~30  
00-PASS




Band66-10MHz-16QAM-132622-1RB#0-3000~200  
00-PASS




Band66-15MHz-QPSK-132047-1RB#0-0.009~0.1  
5-PASS




Band66-15MHz-QPSK-132047-1RB#0-0.15~30-PA  
SS



Band66-15MHz-QPSK-132047-1RB#0-30~1000-  
PASS




Band66-15MHz-QPSK-132047-1RB#0-1000~3000  
-PASS




Date: 19.FEB.2025 04:12:04

Band66-15MHz-QPSK-132047-1RB#0-3000~200  
00-PASS




Date: 19.FEB.2025 04:12:16

Band66-15MHz-16QAM-132047-1RB#0-0.009~0.1  
5-PASS




Date: 19.FEB.2025 04:12:31

Band66-15MHz-16QAM-132047-1RB#0-0.15~30-  
PASS




Date: 19.FEB.2025 04:12:45

Band66-15MHz-16QAM-132047-1RB#0-30~1000-  
PASS




Date: 19.FEB.2025 04:12:58


Band66-15MHz-16QAM-132047-1RB#0-1000~30  
00-PASS





Date: 19.FEB.2025 04:13:14


Band66-15MHz-16QAM-132047-1RB#0-3000~200  
00-PASS














Band66-20MHz-QPSK-132072-1RB#0-3000~200  
00-PASS




Band66-20MHz-16QAM-132072-1RB#0-0.009~0.1  
5-PASS




Band66-20MHz-16QAM-132072-1RB#0-0.15~30-  
PASS




Band66-20MHz-16QAM-132072-1RB#0-30~1000-  
PASS





Band66-20MHz-16QAM-132072-1RB#0-1000~30  
00-PASS




Band66-20MHz-16QAM-132072-1RB#0-3000~200  
00-PASS









## Appendix F: Frequency Stability

### Test Result

| Band   | Bandwidth | Modulation | Channel | RB Configure | Voltage       |                  | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
|--------|-----------|------------|---------|--------------|---------------|------------------|----------------|-----------------|-------------|---------|
|        |           |            |         |              | Voltage [Vdc] | Temperature (°C) |                |                 |             |         |
| Band66 | 1.4MHz    | QPSK       | 131979  | 6RB#0        | VN            | NT               | -11.47         | -0.006705       | ±2.5        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 6RB#0        | VL            | NT               | -7.67          | -0.004484       | ±2.5        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 6RB#0        | VH            | NT               | -9.56          | -0.005588       | ±2.5        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 6RB#0        | VN            | NT               | -19.91         | -0.011639       | ±2.5        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 6RB#0        | VL            | NT               | -19.37         | -0.011323       | ±2.5        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 6RB#0        | VH            | NT               | -8.78          | -0.005132       | ±2.5        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 6RB#0        | VN            | NT               | -10.90         | -0.006246       | ±2.5        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 6RB#0        | VL            | NT               | 5.09           | 0.002917        | ±2.5        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 6RB#0        | VH            | NT               | 4.98           | 0.002854        | ±2.5        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 6RB#0        | VN            | NT               | 7.32           | 0.004195        | ±2.5        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 6RB#0        | VL            | NT               | 11.40          | 0.006533        | ±2.5        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 6RB#0        | VH            | NT               | -6.62          | -0.003794       | ±2.5        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 6RB#0        | VN            | NT               | -7.37          | -0.004142       | ±2.5        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 6RB#0        | VL            | NT               | -13.69         | -0.007694       | ±2.5        | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 6RB#0        | VH            | NT               | -11.34         | -0.006373       | ±2.5        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 6RB#0        | VN            | NT               | -9.81          | -0.005513       | ±2.5        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 6RB#0        | VL            | NT               | 6.55           | 0.003681        | ±2.5        | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132665  | 6RB#0        | VH            | NT               | -4.13          | -0.002321       | ±2.5        | PASS    |

|        |      |       |            |        |    |    |        |           |      |      |
|--------|------|-------|------------|--------|----|----|--------|-----------|------|------|
| Band66 | 3MHz | QPSK  | 13198<br>7 | 15RB#0 | VN | NT | -8.40  | -0.004908 | ±2.5 | PASS |
| Band66 | 3MHz | QPSK  | 13198<br>7 | 15RB#0 | VL | NT | 5.11   | 0.002986  | ±2.5 | PASS |
| Band66 | 3MHz | QPSK  | 13198<br>7 | 15RB#0 | VH | NT | 5.05   | 0.002951  | ±2.5 | PASS |
| Band66 | 3MHz | 16QAM | 13198<br>7 | 15RB#0 | VN | NT | -5.09  | -0.002974 | ±2.5 | PASS |
| Band66 | 3MHz | 16QAM | 13198<br>7 | 15RB#0 | VL | NT | -9.37  | -0.005475 | ±2.5 | PASS |
| Band66 | 3MHz | 16QAM | 13198<br>7 | 15RB#0 | VH | NT | -11.34 | -0.006626 | ±2.5 | PASS |
| Band66 | 3MHz | QPSK  | 13232<br>2 | 15RB#0 | VN | NT | -7.27  | -0.004166 | ±2.5 | PASS |
| Band66 | 3MHz | QPSK  | 13232<br>2 | 15RB#0 | VL | NT | 3.65   | 0.002092  | ±2.5 | PASS |
| Band66 | 3MHz | QPSK  | 13232<br>2 | 15RB#0 | VH | NT | -1.49  | -0.000854 | ±2.5 | PASS |
| Band66 | 3MHz | 16QAM | 13232<br>2 | 15RB#0 | VN | NT | 6.27   | 0.003593  | ±2.5 | PASS |
| Band66 | 3MHz | 16QAM | 13232<br>2 | 15RB#0 | VL | NT | 8.08   | 0.004630  | ±2.5 | PASS |
| Band66 | 3MHz | 16QAM | 13232<br>2 | 15RB#0 | VH | NT | 2.32   | 0.001330  | ±2.5 | PASS |
| Band66 | 3MHz | QPSK  | 13265<br>7 | 15RB#0 | VN | NT | -13.43 | -0.007551 | ±2.5 | PASS |
| Band66 | 3MHz | QPSK  | 13265<br>7 | 15RB#0 | VL | NT | 7.31   | 0.004110  | ±2.5 | PASS |
| Band66 | 3MHz | QPSK  | 13265<br>7 | 15RB#0 | VH | NT | 3.98   | 0.002238  | ±2.5 | PASS |
| Band66 | 3MHz | 16QAM | 13265<br>7 | 15RB#0 | VN | NT | -9.28  | -0.005218 | ±2.5 | PASS |
| Band66 | 3MHz | 16QAM | 13265<br>7 | 15RB#0 | VL | NT | 2.70   | 0.001518  | ±2.5 | PASS |
| Band66 | 3MHz | 16QAM | 13265<br>7 | 15RB#0 | VH | NT | -8.53  | -0.004796 | ±2.5 | PASS |
| Band66 | 5MHz | QPSK  | 13199<br>7 | 25RB#0 | VN | NT | -3.08  | -0.001799 | ±2.5 | PASS |
| Band66 | 5MHz | QPSK  | 13199<br>7 | 25RB#0 | VL | NT | -6.22  | -0.003632 | ±2.5 | PASS |
| Band66 | 5MHz | QPSK  | 13199<br>7 | 25RB#0 | VH | NT | -3.03  | -0.001769 | ±2.5 | PASS |
| Band66 | 5MHz | 16QAM | 13199      | 25RB#0 | VN | NT | 6.35   | 0.003708  | ±2.5 | PASS |