

1.1 Appendix A: Effective (Isotropic) Radiated Power Output Data

1.1.1 Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power(dBm)	Max Ant Gain(dBi)	ERP(dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	21.37	-2.54	18.83	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#2	21.41	-2.54	18.87	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	22.12	-2.54	19.58	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	3RB#0	22.24	-2.54	19.70	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	3RB#1	21.46	-2.54	18.92	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	3RB#3	21.45	-2.54	18.91	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	22.29	-2.54	19.75	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	20.68	-2.54	18.14	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#2	20.46	-2.54	17.92	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	20.90	-2.54	18.36	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	3RB#0	21.45	-2.54	18.91	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	3RB#1	22.86	-2.54	20.32	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	3RB#3	22.81	-2.54	20.27	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	22.73	-2.54	20.19	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	23.46	-2.54	20.92	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#2	23.26	-2.54	20.72	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	22.24	-2.54	19.70	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	3RB#0	22.70	-2.54	20.16	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	3RB#1	23.27	-2.54	20.73	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	3RB#3	22.19	-2.54	19.65	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	21.75	-2.54	19.21	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	22.66	-2.54	20.12	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#2	22.11	-2.54	19.57	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	21.31	-2.54	18.77	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	3RB#0	21.54	-2.54	19.00	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	3RB#1	23.20	-2.54	20.66	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	3RB#3	22.66	-2.54	20.12	50	PASS

Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	22.52	-2.54	19.98	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	22.18	-2.54	19.64	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#2	22.31	-2.54	19.77	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	22.10	-2.54	19.56	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	3RB#0	22.84	-2.54	20.30	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	3RB#1	21.86	-2.54	19.32	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	3RB#3	22.55	-2.54	20.01	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	21.91	-2.54	19.37	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	21.39	-2.54	18.85	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#2	21.82	-2.54	19.28	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	21.99	-2.54	19.45	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	3RB#0	21.79	-2.54	19.25	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	3RB#1	21.30	-2.54	18.76	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	3RB#3	23.50	-2.54	20.96	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	21.33	-2.54	18.79	50	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	21.05	-2.54	18.51	50	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#8	21.83	-2.54	19.29	50	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	21.46	-2.54	18.92	50	PASS
Band26(814-824)	3MHz	QPSK	26705	8RB#0	21.05	-2.54	18.51	50	PASS
Band26(814-824)	3MHz	QPSK	26705	8RB#4	21.30	-2.54	18.76	50	PASS
Band26(814-824)	3MHz	QPSK	26705	8RB#7	22.05	-2.54	19.51	50	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	21.07	-2.54	18.53	50	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	20.54	-2.54	18.00	50	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#8	21.12	-2.54	18.58	50	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	21.18	-2.54	18.64	50	PASS
Band26(814-824)	3MHz	16QAM	26705	8RB#0	22.54	-2.54	20.00	50	PASS
Band26(814-824)	3MHz	16QAM	26705	8RB#4	23.22	-2.54	20.68	50	PASS
Band26(814-824)	3MHz	16QAM	26705	8RB#7	23.22	-2.54	20.68	50	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	23.49	-2.54	20.95	50	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	23.27	-2.54	20.73	50	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#8	22.54	-2.54	20.00	50	PASS

Band26(814-824)	3MHz	QPSK	26740	1RB#14	23.20	-2.54	20.66	50	PASS
Band26(814-824)	3MHz	QPSK	26740	8RB#0	22.36	-2.54	19.82	50	PASS
Band26(814-824)	3MHz	QPSK	26740	8RB#4	22.64	-2.54	20.10	50	PASS
Band26(814-824)	3MHz	QPSK	26740	8RB#7	21.55	-2.54	19.01	50	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	22.75	-2.54	20.21	50	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	22.01	-2.54	19.47	50	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#8	21.53	-2.54	18.99	50	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	21.54	-2.54	19.00	50	PASS
Band26(814-824)	3MHz	16QAM	26740	8RB#0	23.17	-2.54	20.63	50	PASS
Band26(814-824)	3MHz	16QAM	26740	8RB#4	22.71	-2.54	20.17	50	PASS
Band26(814-824)	3MHz	16QAM	26740	8RB#7	22.71	-2.54	20.17	50	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	22.17	-2.54	19.63	50	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	22.68	-2.54	20.14	50	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#8	21.86	-2.54	19.32	50	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	22.44	-2.54	19.90	50	PASS
Band26(814-824)	3MHz	QPSK	26775	8RB#0	22.40	-2.54	19.86	50	PASS
Band26(814-824)	3MHz	QPSK	26775	8RB#4	21.89	-2.54	19.35	50	PASS
Band26(814-824)	3MHz	QPSK	26775	8RB#7	22.14	-2.54	19.60	50	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	21.97	-2.54	19.43	50	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	21.83	-2.54	19.29	50	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#8	21.72	-2.54	19.18	50	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	21.83	-2.54	19.29	50	PASS
Band26(814-824)	3MHz	16QAM	26775	8RB#0	21.41	-2.54	18.87	50	PASS
Band26(814-824)	3MHz	16QAM	26775	8RB#4	23.53	-2.54	20.99	50	PASS
Band26(814-824)	3MHz	16QAM	26775	8RB#7	23.01	-2.54	20.47	50	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	23.45	-2.54	20.91	50	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	21.54	-2.54	19.00	50	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#12	21.03	-2.54	18.49	50	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	22.01	-2.54	19.47	50	PASS
Band26(814-824)	5MHz	QPSK	26715	12RB#0	22.15	-2.54	19.61	50	PASS
Band26(814-824)	5MHz	QPSK	26715	12RB#6	21.59	-2.54	19.05	50	PASS

Band26(814-824)	5MHz	QPSK	26715	12RB#13	22.14	-2.54	19.60	50	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	22.32	-2.54	19.78	50	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	20.60	-2.54	18.06	50	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#12	20.37	-2.54	17.83	50	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	21.60	-2.54	19.06	50	PASS
Band26(814-824)	5MHz	16QAM	26715	12RB#0	21.10	-2.54	18.56	50	PASS
Band26(814-824)	5MHz	16QAM	26715	12RB#6	23.08	-2.54	20.54	50	PASS
Band26(814-824)	5MHz	16QAM	26715	12RB#13	23.31	-2.54	20.77	50	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	23.13	-2.54	20.59	50	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	23.45	-2.54	20.91	50	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#12	22.80	-2.54	20.26	50	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	22.70	-2.54	20.16	50	PASS
Band26(814-824)	5MHz	QPSK	26740	12RB#0	23.02	-2.54	20.48	50	PASS
Band26(814-824)	5MHz	QPSK	26740	12RB#6	23.26	-2.54	20.72	50	PASS
Band26(814-824)	5MHz	QPSK	26740	12RB#13	22.16	-2.54	19.62	50	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	22.09	-2.54	19.55	50	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	22.08	-2.54	19.54	50	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#12	22.63	-2.54	20.09	50	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	22.10	-2.54	19.56	50	PASS
Band26(814-824)	5MHz	16QAM	26740	12RB#0	21.94	-2.54	19.40	50	PASS
Band26(814-824)	5MHz	16QAM	26740	12RB#6	23.26	-2.54	20.72	50	PASS
Band26(814-824)	5MHz	16QAM	26740	12RB#13	23.05	-2.54	20.51	50	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	23.10	-2.54	20.56	50	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	22.55	-2.54	20.01	50	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#12	22.99	-2.54	20.45	50	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	22.07	-2.54	19.53	50	PASS
Band26(814-824)	5MHz	QPSK	26765	12RB#0	22.25	-2.54	19.71	50	PASS
Band26(814-824)	5MHz	QPSK	26765	12RB#6	22.41	-2.54	19.87	50	PASS
Band26(814-824)	5MHz	QPSK	26765	12RB#13	22.31	-2.54	19.77	50	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	21.81	-2.54	19.27	50	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	21.76	-2.54	19.22	50	PASS

Band26(814-824)	5MHz	16QAM	26765	1RB#12	21.50	-2.54	18.96	50	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	21.32	-2.54	18.78	50	PASS
Band26(814-824)	5MHz	16QAM	26765	12RB#0	21.90	-2.54	19.36	50	PASS
Band26(814-824)	5MHz	16QAM	26765	12RB#6	21.88	-2.54	19.34	50	PASS
Band26(814-824)	5MHz	16QAM	26765	12RB#13	23.30	-2.54	20.76	50	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	20.33	-2.54	17.79	50	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	21.00	-2.54	18.46	50	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#24	21.79	-2.54	19.25	50	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	21.07	-2.54	18.53	50	PASS
Band26(814-824)	10MHz	QPSK	26740	25RB#0	22.03	-2.54	19.49	50	PASS
Band26(814-824)	10MHz	QPSK	26740	25RB#12	21.66	-2.54	19.12	50	PASS
Band26(814-824)	10MHz	QPSK	26740	25RB#25	20.78	-2.54	18.24	50	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	21.73	-2.54	19.19	50	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	22.23	-2.54	19.69	50	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#24	20.41	-2.54	17.87	50	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	21.05	-2.54	18.51	50	PASS
Band26(814-824)	10MHz	16QAM	26740	25RB#0	21.52	-2.54	18.98	50	PASS
Band26(814-824)	10MHz	16QAM	26740	25RB#12	21.38	-2.54	18.84	50	PASS
Band26(814-824)	10MHz	16QAM	26740	25RB#25	23.12	-2.54	20.58	50	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	23.34	-2.54	20.80	50	PASS


1.2 Appendix B: Peak-to-Average Ratio(CCDF)


1.2.1 Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	2.21	13	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	3.97	13	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	2.82	13	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	4.55	13	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	4.39	13	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	5.19	13	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	5.22	13	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	5.96	13	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	5.26	13	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	5.42	13	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	6.19	13	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	6.15	13	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	4.62	13	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	5.06	13	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	5.64	13	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	6.19	13	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	5.03	13	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	5.22	13	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	5.99	13	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	6.25	13	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	5.03	13	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	5.26	13	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	6.12	13	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	6.25	13	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	4.68	13	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	5.22	13	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	5.58	13	PASS


824)							
Band26(814-824)	5MHz	16QAM	26715	25RB#0	6.25	13	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	4.97	13	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	5.32	13	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	5.90	13	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	6.31	13	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	5.03	13	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	5.32	13	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	5.93	13	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	6.28	13	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	4.71	13	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	5.48	13	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	5.77	13	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	6.47	13	PASS


1.2.2 Test Graphs





























1.3 Appendix C: 26dB Bandwidth and Occupied Bandwidth

1.3.1 Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	1.12	1.62	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	1.23	1.99	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	1.105	1.29	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	1.1	1.28	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	1.105	1.32	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	1.095	1.27	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	2.72	2.97	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	2.7	2.99	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	2.7	3.01	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	2.7	2.98	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	2.7	3.00	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	2.7	2.99	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	4.51	5.05	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	4.51	5.00	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	4.5	5.02	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	4.52	5.05	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	4.52	5.04	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	4.53	5.08	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	9	10.03	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	9	10.03	PASS



1.3.2 Test Graphs






Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-PASS

Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-PASS




Band26(814-824)-3MHz-QPSK-26705-15RB#0-PASS

Band26(814-824)-3MHz-16QAM-26705-15RB#0-PASS




Date: 13.MAR.2026 21:35:07




Date: 13.MAR.2026 21:35:19

Band26(814-824)-3MHz-QPSK-26740-15RB#0-PASS



Date: 13.MAR.2026 21:35:35


Band26(814-824)-3MHz-16QAM-26740-15RB#0-PASS




Date: 13.MAR.2026 21:36:25

Band26(814-824)-3MHz-QPSK-26775-15RB#0-PASS

Band26(814-824)-3MHz-16QAM-26775-15RB#0-PASS




Date: 13.MAR.2026 22:19:36




Date: 13.MAR.2026 22:19:57

Band26(814-824)-5MHz-QPSK-26715-25RB#0-PASS

Band26(814-824)-5MHz-16QAM-26715-25RB#0-PASS





Date: 13.MAR.2026 22:20:21



Date: 13.MAR.2026 22:20:41



Band26(814-824)-5MHz-QPSK-26740-25RB#0-PASS

Band26(814-824)-5MHz-16QAM-26740-25RB#0-PASS



Band26(814-824)-5MHz-QPSK-26765-25RB#0-PASS

Band26(814-824)-5MHz-16QAM-26765-25RB#0-PASS



Band26(814-824)-10MHz-QPSK-26740-50RB#0-PASS

Band26(814-824)-10MHz-16QAM-26740-50RB#0-PASS


1.4 Appendix D: Band Edge


1.4.1 Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	-41.03	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	-20.16	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	-14.37	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	-43.70	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	-21.64	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	-14.34	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	-27.62	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	-28.55	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	-32.29	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	-29.00	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	-29.16	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	-33.54	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	-22.44	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	-20.61	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	-24.71	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	-20.99	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	-22.41	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	-26.21	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	-44.56	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	-22.25	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	-23.92	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	-21.19	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	-22.07	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	-25.64	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	-24.09	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	-23.31	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	-25.97	PASS


Band26(814-824)	5MHz	16QAM	26715	1RB#0	-26.16	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	-25.24	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	-27.56	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	-24.09	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	-23.73	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	-25.82	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	-25.78	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	-25.54	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	-26.83	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	-37.54	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	-36.77	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	-28.97	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	-38.68	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	-38.62	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	-30.76	PASS

1.4.2 Test Graphs











Date: 13.MAR.2026 19:41:19

Band26(814-824)-1.4MHz-16QAM-26783-1RB#5-PASS




Date: 13.MAR.2026 19:42:36

Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-PASS




Date: 13.MAR.2026 21:37:53

Band26(814-824)-3MHz-QPSK-26705-1RB#0-PASS




Date: 13.MAR.2026 21:39:06

Band26(814-824)-3MHz-QPSK-26705-1RB#14-PASS




Date: 13.MAR.2026 21:40:16

Band26(814-824)-3MHz-QPSK-26705-15RB#0-PASS




Date: 13.MAR.2026 21:38:31

Band26(814-824)-3MHz-16QAM-26705-1RB#0-PASS




Date: 13.MAR.2026 21:39:40


Band26(814-824)-3MHz-16QAM-26705-1RB#14-PASS



Date: 13.MAR.2026 21:40:51


Band26(814-824)-3MHz-16QAM-26705-15RB#0-PASS






Date: 13.MAR.2026 21:43:38

Band26(814-824)-3MHz-16QAM-26775-1RB#14-PASS




Date: 13.MAR.2026 21:44:55

Band26(814-824)-3MHz-16QAM-26775-15RB#0-PASS




Date: 13.MAR.2026 22:22:05

Band26(814-824)-5MHz-QPSK-26715-1RB#0-PASS




Date: 13.MAR.2026 22:23:14

Band26(814-824)-5MHz-QPSK-26715-1RB#24-PASS




Date: 13.MAR.2026 22:24:28

Band26(814-824)-5MHz-QPSK-26715-25RB#0-PASS




Date: 13.MAR.2026 22:22:38

Band26(814-824)-5MHz-16QAM-26715-1RB#0-PASS




Date: 13.MAR.2026 22:23:50

Band26(814-824)-5MHz-16QAM-26715-1RB#24-PASS




Date: 13.MAR.2026 22:25:04

Band26(814-824)-5MHz-16QAM-26715-25RB#0-PASS




Date: 13.MAR.2026 22:25:41




Date: 13.MAR.2026 22:26:49

Band26(814-824)-5MHz-QPSK-26765-1RB#0-PASS




Date: 13.MAR.2026 22:28:00



Date: 13.MAR.2026 22:26:14


Band26(814-824)-5MHz-QPSK-26765-25RB#0-PASS

Band26(814-824)-5MHz-16QAM-26765-1RB#0-PASS




Date: 13.MAR.2026 22:27:22

Band26(814-824)-5MHz-16QAM-26765-1RB#24-PASS




Date: 13.MAR.2026 22:28:33

Band26(814-824)-5MHz-16QAM-26765-25RB#0-PASS




Date: 13.MAR.2026 23:02:38

Band26(814-824)-10MHz-QPSK-26740-1RB#0-PASS




Date: 13.MAR.2026 23:03:46

Band26(814-824)-10MHz-QPSK-26740-1RB#49-PASS




Date: 13.MAR.2026 23:04:55

Band26(814-824)-10MHz-QPSK-26740-50RB#0-PASS




Date: 13.MAR.2026 23:03:11

Band26(814-824)-10MHz-16QAM-26740-1RB#0-PASS



Date: 13.MAR.2026 23:04:19

Band26(814-824)-10MHz-16QAM-26740-1RB#49-PASS



Date: 13.MAR.2026 23:05:31

Band26(814-824)-10MHz-16QAM-26740-50RB#0-PASS

1.5 Appendix E: Conducted Spurious Emission

1.5.1 Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	0.009~0.15	-57.86	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	0.15~30	-63.18	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	30~1000	-53.63	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	1000~3000	-45.49	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	3000~10000	-45.55	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	0.009~0.15	-60.71	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	0.15~30	-62.97	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	30~1000	-50.28	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	1000~3000	-48.63	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	3000~10000	-45.71	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	0.009~0.15	-60.15	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	0.15~30	-63.32	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	30~1000	-53.17	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	1000~3000	-47.62	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	3000~10000	-45.47	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	0.009~0.15	-60.63	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	0.15~30	-63.72	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	30~1000	-51.32	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	1000~3000	-45.52	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	3000~10000	-45.61	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	0.009~0.15	-57.32	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	0.15~30	-63.58	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	30~1000	-51.53	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	1000~3000	-47.92	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	3000~10000	-45.55	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	0.009~0.15	-60.78	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	0.15~30	-63.00	PASS

Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	30~1000	-48.97	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	1000~3000	-46.91	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	3000~10000	-45.76	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	0.009~0.15	-59.05	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	0.15~30	-63.33	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	30~1000	-48.22	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	1000~3000	-41.10	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	3000~10000	-45.74	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	0.009~0.15	-62.62	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	0.15~30	-63.36	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	30~1000	-48.39	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	1000~3000	-41.29	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	3000~10000	-45.70	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	0.009~0.15	-59.04	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	0.15~30	-63.13	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	30~1000	-51.93	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	1000~3000	-43.48	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	3000~10000	-45.66	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	0.009~0.15	-60.42	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	0.15~30	-63.39	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	30~1000	-48.37	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	1000~3000	-43.18	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	3000~10000	-45.55	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	0.009~0.15	-60.89	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	0.15~30	-63.74	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	30~1000	-48.30	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	1000~3000	-42.14	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	3000~10000	-45.69	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	0.009~0.15	-59.86	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	0.15~30	-63.20	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	30~1000	-52.20	PASS

Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	1000~3000	-44.63	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	3000~10000	-45.55	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	0.009~0.15	-56.66	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	0.15~30	-63.33	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	30~1000	-48.58	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	1000~3000	-42.83	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	3000~10000	-45.70	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	0.009~0.15	-59.64	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	0.15~30	-63.26	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	30~1000	-48.54	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	1000~3000	-42.58	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	3000~10000	-45.58	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	0.009~0.15	-61.35	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	0.15~30	-63.31	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	30~1000	-50.80	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	1000~3000	-44.70	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	3000~10000	-45.68	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	0.009~0.15	-58.07	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	0.15~30	-62.95	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	30~1000	-48.84	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	1000~3000	-44.11	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	3000~10000	-45.87	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	0.009~0.15	-62.39	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	0.15~30	-63.00	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	30~1000	-48.39	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	1000~3000	-43.53	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	3000~10000	-45.44	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	0.009~0.15	-59.81	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	0.15~30	-63.42	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	30~1000	-50.58	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	1000~3000	-45.49	PASS

Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	3000~10000	-45.80	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	0.009~0.15	-62.50	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	0.15~30	-63.03	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	30~1000	-39.63	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	1000~3000	-39.57	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	3000~10000	-45.70	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	0.009~0.15	-61.71	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	0.15~30	-62.85	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	30~1000	-41.05	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	1000~3000	-39.62	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	3000~10000	-45.65	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	0.009~0.15	-61.66	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	0.15~30	-63.09	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	30~1000	-41.89	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	1000~3000	-44.19	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	3000~10000	-45.66	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	0.009~0.15	-62.21	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	0.15~30	-62.63	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	30~1000	-41.93	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	1000~3000	-40.65	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	3000~10000	-45.72	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	0.009~0.15	-61.89	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	0.15~30	-62.92	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	30~1000	-41.78	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	1000~3000	-40.80	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	3000~10000	-45.77	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	0.009~0.15	-62.12	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	0.15~30	-63.12	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	30~1000	-42.47	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	1000~3000	-45.35	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	3000~10000	-45.55	PASS

Band26(814-824)	3MHz	QPSK	26740	1RB#0	0.009~0.15	-62.11	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	0.15~30	-62.99	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	30~1000	-41.52	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	1000~3000	-39.56	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	3000~10000	-45.63	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	0.009~0.15	-61.84	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	0.15~30	-62.84	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	30~1000	-41.09	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	1000~3000	-39.59	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	3000~10000	-45.59	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	0.009~0.15	-60.92	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	0.15~30	-63.89	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	30~1000	-41.51	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	1000~3000	-44.14	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	3000~10000	-45.58	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	0.009~0.15	-62.21	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	0.15~30	-62.60	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	30~1000	-39.91	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	1000~3000	-40.89	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	3000~10000	-45.82	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	0.009~0.15	-63.26	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	0.15~30	-63.09	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	30~1000	-41.70	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	1000~3000	-40.43	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	3000~10000	-45.87	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	0.009~0.15	-62.01	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	0.15~30	-63.03	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	30~1000	-41.05	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	1000~3000	-45.15	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	3000~10000	-45.35	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	0.009~0.15	-62.80	PASS

Band26(814-824)	3MHz	QPSK	26775	1RB#0	0.15~30	-62.44	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	30~1000	-39.99	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	1000~3000	-39.25	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	3000~10000	-45.80	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	0.009~0.15	-62.98	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	0.15~30	-62.97	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	30~1000	-41.80	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	1000~3000	-39.00	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	3000~10000	-45.47	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	0.009~0.15	-62.56	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	0.15~30	-63.34	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	30~1000	-42.31	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	1000~3000	-44.17	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	3000~10000	-45.55	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	0.009~0.15	-61.67	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	0.15~30	-62.68	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	30~1000	-39.41	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	1000~3000	-40.07	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	3000~10000	-45.60	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	0.009~0.15	-62.31	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	0.15~30	-62.88	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	30~1000	-41.22	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	1000~3000	-39.79	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	3000~10000	-45.67	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	0.009~0.15	-61.84	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	0.15~30	-63.32	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	30~1000	-40.36	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	1000~3000	-45.26	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	3000~10000	-45.71	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	0.009~0.15	-61.94	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	0.15~30	-62.54	PASS


Band26(814-824)	5MHz	QPSK	26715	1RB#0	30~1000	-40.88	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	1000~3000	-40.54	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	3000~10000	-45.77	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	0.009~0.15	-63.12	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	0.15~30	-63.28	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	30~1000	-41.04	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	1000~3000	-38.93	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	3000~10000	-45.83	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	0.009~0.15	-63.05	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	0.15~30	-63.49	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	30~1000	-42.68	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	1000~3000	-45.93	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	3000~10000	-45.56	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	0.009~0.15	-61.42	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	0.15~30	-62.63	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	30~1000	-41.01	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	1000~3000	-41.48	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	3000~10000	-46.08	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	0.009~0.15	-63.21	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	0.15~30	-63.13	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	30~1000	-42.22	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	1000~3000	-40.03	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	3000~10000	-45.57	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	0.009~0.15	-62.51	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	0.15~30	-63.69	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	30~1000	-42.89	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	1000~3000	-46.73	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	3000~10000	-45.55	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	0.009~0.15	-62.25	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	0.15~30	-63.20	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	30~1000	-42.77	PASS


Band26(814-824)	5MHz	QPSK	26740	1RB#0	1000~3000	-40.41	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	3000~10000	-45.72	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	0.009~0.15	-61.80	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	0.15~30	-62.63	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	30~1000	-41.74	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	1000~3000	-38.87	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	3000~10000	-45.79	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	0.009~0.15	-62.88	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	0.15~30	-63.36	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	30~1000	-43.27	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	1000~3000	-45.70	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	3000~10000	-45.80	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	0.009~0.15	-62.27	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	0.15~30	-63.22	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	30~1000	-41.92	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	1000~3000	-42.03	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	3000~10000	-45.77	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	0.009~0.15	-62.22	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	0.15~30	-63.76	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	30~1000	-42.32	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	1000~3000	-40.47	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	3000~10000	-45.10	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	0.009~0.15	-61.73	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	0.15~30	-62.99	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	30~1000	-42.80	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	1000~3000	-46.26	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	3000~10000	-45.53	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	0.009~0.15	-61.75	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	0.15~30	-63.02	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	30~1000	-41.40	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	1000~3000	-39.79	PASS

Band26(814-824)	5MHz	QPSK	26765	1RB#0	3000~10000	-45.98	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	0.009~0.15	-61.50	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	0.15~30	-63.23	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	30~1000	-41.89	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	1000~3000	-38.83	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	3000~10000	-45.87	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	0.009~0.15	-63.09	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	0.15~30	-63.70	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	30~1000	-41.14	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	1000~3000	-45.75	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	3000~10000	-45.44	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	0.009~0.15	-62.83	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	0.15~30	-62.94	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	30~1000	-41.37	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	1000~3000	-41.59	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	3000~10000	-45.67	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	0.009~0.15	-62.34	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	0.15~30	-62.80	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	30~1000	-40.51	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	1000~3000	-40.37	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	3000~10000	-46.01	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	0.009~0.15	-62.77	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	0.15~30	-63.08	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	30~1000	-41.46	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	1000~3000	-46.63	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	3000~10000	-45.62	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	0.009~0.15	-62.61	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	0.15~30	-63.05	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	30~1000	-43.80	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	1000~3000	-38.93	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	3000~10000	-45.86	PASS

Band26(814-824)	10MHz	QPSK	26740	1RB#49	0.009~0.15	-60.89	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	0.15~30	-62.83	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	30~1000	-45.04	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	1000~3000	-39.53	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	3000~10000	-45.85	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	0.009~0.15	-63.43	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	0.15~30	-62.81	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	30~1000	-46.35	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	1000~3000	-47.42	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	3000~10000	-45.66	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	0.009~0.15	-61.68	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	0.15~30	-63.14	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	30~1000	-44.38	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	1000~3000	-39.99	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	3000~10000	-46.01	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	0.009~0.15	-61.32	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	0.15~30	-63.05	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	30~1000	-44.52	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	1000~3000	-40.70	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	3000~10000	-46.01	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	0.009~0.15	-62.05	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	0.15~30	-63.52	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	30~1000	-46.90	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	1000~3000	-48.04	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	3000~10000	-45.83	PASS


1.5.2 Test Graphs






Date: 13.MAR.2026 19:44:22

Band26(814-824)-1.4MHz-QPSK-26697-1RB#0-3000~10000-PASS




Date: 13.MAR.2026 19:45:48

Band26(814-824)-1.4MHz-QPSK-26697-1RB#5-0.009~0.15-PASS




Date: 13.MAR.2026 19:46:04

Band26(814-824)-1.4MHz-QPSK-26697-1RB#5-0.15~30-PASS




Date: 13.MAR.2026 19:46:30

Band26(814-824)-1.4MHz-QPSK-26697-1RB#5-30~1000-PASS




Date: 13.MAR.2026 19:46:46




Date: 13.MAR.2026 19:47:01

Band26(814-824)-1.4MHz-QPSK-26697-1RB#5-1000~3000-PASS



Date: 13.MAR.2026 19:48:49


Band26(814-824)-1.4MHz-QPSK-26697-1RB#5-3000~10000-PASS




Date: 13.MAR.2026 19:49:06

Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-0.009~0.15-PASS

Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-0.15~30-PASS




Date: 13.MAR.2026 19:49:34




Date: 13.MAR.2026 19:49:48

Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-30~1000-PASS



Date: 13.MAR.2026 19:50:04


Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-1000~3000-PASS




Date: 13.MAR.2026 19:44:34

Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-3000~10000-PASS

Band26(814-824)-1.4MHz-16QAM-26697-1RB#0-0.009~0.15-PASS




Date: 13.MAR.2026 19:44:49




Date: 13.MAR.2026 19:45:04

Band26(814-824)-1.4MHz-16QAM-26697-1RB#0-0.15~30-PASS



Date: 13.MAR.2026 19:45:18


Band26(814-824)-1.4MHz-16QAM-26697-1RB#0-30~1000-PASS



Date: 13.MAR.2026 19:45:34


Band26(814-824)-1.4MHz-16QAM-26697-1RB#0-1000~3000-PASS

Band26(814-824)-1.4MHz-16QAM-26697-1RB#0-3000~10000-PASS




Date: 13.MAR.2026 19:47:13

Band26(814-824)-1.4MHz-16QAM-26697-1RB#5-0.009~0.15-PASS




Date: 13.MAR.2026 19:47:32

Band26(814-824)-1.4MHz-16QAM-26697-1RB#5-0.15~30-PASS




Date: 13.MAR.2026 19:47:58

Band26(814-824)-1.4MHz-16QAM-26697-1RB#5-30~1000-PASS




Date: 13.MAR.2026 19:48:16

Band26(814-824)-1.4MHz-16QAM-26697-1RB#5-1000~3000-PASS




Date: 13.MAR.2026 19:48:31




Date: 13.MAR.2026 19:50:16

Band26(814-824)-1.4MHz-16QAM-26697-1RB#5-3000~10000-PASS



Date: 13.MAR.2026 19:50:35


Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-0.009~0.15-PASS




Date: 13.MAR.2026 19:51:03

Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-0.15~30-PASS

Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-30~1000-PASS




Date: 13.MAR.2026 19:51:20




Date: 13.MAR.2026 19:51:38

Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-1000~3000-PASS





Date: 13.MAR.2026 19:52:12



Date: 13.MAR.2026 19:52:28



Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-0.009~0.15-PASS

Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-0.15~30-PASS




Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-30~1000-PASS

Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-1000~3000-PASS




Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-3000~10000-PASS

Band26(814-824)-1.4MHz-QPSK-26740-1RB#5-0.009~0.15-PASS




Date: 13.MAR.2026 19:55:47

Band26(814-824)-1.4MHz-QPSK-26740-1RB#5-0.15~30-PASS




Date: 13.MAR.2026 19:56:18

Band26(814-824)-1.4MHz-QPSK-26740-1RB#5-30~1000-PASS




Date: 13.MAR.2026 19:56:33

Band26(814-824)-1.4MHz-QPSK-26740-1RB#5-1000~3000-PASS




Date: 13.MAR.2026 19:56:51

Band26(814-824)-1.4MHz-QPSK-26740-1RB#5-3000~10000-PASS




Date: 13.MAR.2026 19:58:36




Date: 13.MAR.2026 19:58:55

Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-0.009~0.15-PASS




Date: 13.MAR.2026 19:59:25



Date: 13.MAR.2026 19:59:42


Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-30~1000-PASS

Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-1000~3000-PASS




Date: 13.MAR.2026 19:59:59

Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-3000~10000-PASS




Date: 13.MAR.2026 19:53:53

Band26(814-824)-1.4MHz-16QAM-26740-1RB#0-0.009~0.15-PASS




Date: 13.MAR.2026 19:54:14

Band26(814-824)-1.4MHz-16QAM-26740-1RB#0-0.15~30-PASS




Date: 13.MAR.2026 19:54:41

Band26(814-824)-1.4MHz-16QAM-26740-1RB#0-30~1000-PASS




Date: 13.MAR.2026 19:54:58

Band26(814-824)-1.4MHz-16QAM-26740-1RB#0-1000~3000-PASS




Date: 13.MAR.2026 19:55:14

Band26(814-824)-1.4MHz-16QAM-26740-1RB#0-3000~10000-PASS





Date: 13.MAR.2026 19:57:06

Band26(814-824)-1.4MHz-16QAM-26740-1RB#5-0.009~0.15-PASS





Date: 13.MAR.2026 19:57:21

Band26(814-824)-1.4MHz-16QAM-26740-1RB#5-0.15~30-PASS




Band26(814-824)-1.4MHz-16QAM-26740-1RB#5-30~1000-PASS

Band26(814-824)-1.4MHz-16QAM-26740-1RB#5-1000~3000-PASS




Band26(814-824)-1.4MHz-16QAM-26740-1RB#5-3000~10000-PASS

Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-0.009~0.15-PASS




Date: 13.MAR.2026 20:00:30




Date: 13.MAR.2026 20:00:56

Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-0.15~30-PASS



Date: 13.MAR.2026 20:01:14


Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-30~1000-PASS




Date: 13.MAR.2026 20:01:32

Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-1000~3000-PASS

Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-3000~10000-PASS




Date: 13.MAR.2026 20:02:07




Date: 13.MAR.2026 20:02:27

Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-0.009~0.15-PASS




Date: 13.MAR.2026 20:02:56



Date: 13.MAR.2026 20:03:11


Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-30~1000-PASS

Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-1000~3000-PASS




Date: 13.MAR.2026 20:03:26

Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-3000~10000-PASS




Date: 13.MAR.2026 20:05:10

Band26(814-824)-1.4MHz-QPSK-26783-1RB#5-0.009~0.15-PASS




Date: 13.MAR.2026 20:05:32

Band26(814-824)-1.4MHz-QPSK-26783-1RB#5-0.15~30-PASS




Date: 13.MAR.2026 20:06:01

Band26(814-824)-1.4MHz-QPSK-26783-1RB#5-30~1000-PASS




Date: 13.MAR.2026 20:06:15




Date: 13.MAR.2026 20:06:31

Band26(814-824)-1.4MHz-QPSK-26783-1RB#5-1000~3000-PASS



Date: 13.MAR.2026 20:08:24



Band26(814-824)-1.4MHz-QPSK-26783-1RB#5-3000~10000-PASS



Date: 13.MAR.2026 20:08:40



Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-0.009~0.15-PASS

Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-0.15~30-PASS




Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-30~1000-PASS

Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-1000~3000-PASS




Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-3000~10000-PASS

Band26(814-824)-1.4MHz-16QAM-26783-1RB#0-0.009~0.15-PASS




Date: 13.MAR.2026 20:03:57




Date: 13.MAR.2026 20:04:26

Band26(814-824)-1.4MHz-16QAM-26783-1RB#0-0.15~30-PASS



Date: 13.MAR.2026 20:04:40



Band26(814-824)-1.4MHz-16QAM-26783-1RB#0-30~1000-PASS



Date: 13.MAR.2026 20:04:56



Band26(814-824)-1.4MHz-16QAM-26783-1RB#0-1000~3000-PASS

Band26(814-824)-1.4MHz-16QAM-26783-1RB#0-3000~10000-PASS




Band26(814-824)-1.4MHz-16QAM-26783-1RB#5-0.009~0.15-PASS

Band26(814-824)-1.4MHz-16QAM-26783-1RB#5-0.15~30-PASS




Band26(814-824)-1.4MHz-16QAM-26783-1RB#5-30~1000-PASS

Band26(814-824)-1.4MHz-16QAM-26783-1RB#5-1000~3000-PASS




Date: 13.MAR.2026 20:08:07




Date: 13.MAR.2026 20:09:48

Band26(814-824)-1.4MHz-16QAM-26783-1RB#5-3000~10000-PASS



Date: 13.MAR.2026 20:10:04


Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-0.009~0.15-PASS




Date: 13.MAR.2026 20:10:31

Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-0.15~30-PASS

Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-30~1000-PASS




Date: 13.MAR.2026 20:10:46




Date: 13.MAR.2026 20:11:01

Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-1000~3000-PASS

Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-3000~10000-PASS





Date: 13.MAR.2026 21:45:19



Date: 13.MAR.2026 21:45:41



Band26(814-824)-3MHz-QPSK-26705-1RB#0-0.009~0.15-PASS

Band26(814-824)-3MHz-QPSK-26705-1RB#0-0.15~30-PASS




Band26(814-824)-3MHz-QPSK-26705-1RB#0-30~1000-PASS

Band26(814-824)-3MHz-QPSK-26705-1RB#0-1000~3000-PASS




Band26(814-824)-3MHz-QPSK-26705-1RB#0-3000~10000-PASS

Band26(814-824)-3MHz-QPSK-26705-1RB#14-0.009~0.15-PASS




Date: 13.MAR.2026 21:48:50




Date: 13.MAR.2026 21:49:23

Band26(814-824)-3MHz-QPSK-26705-1RB#14-0.15~30-PASS



Date: 13.MAR.2026 21:49:37



Band26(814-824)-3MHz-QPSK-26705-1RB#14-30~1000-PASS



Date: 13.MAR.2026 21:49:53



Band26(814-824)-3MHz-QPSK-26705-1RB#14-1000~3000-PASS

Band26(814-824)-3MHz-QPSK-26705-1RB#14-3000~10000-PASS




Band26(814-824)-3MHz-QPSK-26705-15RB#0-0.009~0.15-PASS

Band26(814-824)-3MHz-QPSK-26705-15RB#0-0.15~30-PASS




Band26(814-824)-3MHz-QPSK-26705-15RB#0-30~1000-PASS

Band26(814-824)-3MHz-QPSK-26705-15RB#0-1000~3000-PASS




Date: 13.MAR.2026 21:52:47




Date: 13.MAR.2026 21:46:55

Band26(814-824)-3MHz-QPSK-26705-15RB#0-3000~10000-PASS



Date: 13.MAR.2026 21:47:11


Band26(814-824)-3MHz-16QAM-26705-1RB#0-0.009~0.15-PASS




Date: 13.MAR.2026 21:47:40

Band26(814-824)-3MHz-16QAM-26705-1RB#0-0.15~30-PASS

Band26(814-824)-3MHz-16QAM-26705-1RB#0-30~1000-PASS




Date: 13.MAR.2026 21:47:58




Date: 13.MAR.2026 21:48:14

Band26(814-824)-3MHz-16QAM-26705-1RB#0-1000~3000-PASS

Band26(814-824)-3MHz-16QAM-26705-1RB#0-3000~10000-PASS







Date: 13.MAR.2026 21:50:05




Date: 13.MAR.2026 21:50:21

Band26(814-824)-3MHz-16QAM-26705-1RB#14-0.009~0.15-PASS


Band26(814-824)-3MHz-16QAM-26705-1RB#14-0.15~30-PASS






Date: 13.MAR.2026 21:53:15

Band26(814-824)-3MHz-16QAM-26705-15RB#0-0.15~30-PASS




Date: 13.MAR.2026 21:53:41

Band26(814-824)-3MHz-16QAM-26705-15RB#0-30~1000-PASS





Date: 13.MAR.2026 21:53:56

Band26(814-824)-3MHz-16QAM-26705-15RB#0-1000~3000-PASS





Date: 13.MAR.2026 21:54:15

Band26(814-824)-3MHz-16QAM-26705-15RB#0-3000~10000-PASS




Band26(814-824)-3MHz-QPSK-26740-1RB#0-0.009~0.15-PASS

Band26(814-824)-3MHz-QPSK-26740-1RB#0-0.15~30-PASS




Band26(814-824)-3MHz-QPSK-26740-1RB#0-30~1000-PASS

Band26(814-824)-3MHz-QPSK-26740-1RB#0-1000~3000-PASS




Date: 13.MAR.2026 21:55:47




Date: 13.MAR.2026 21:57:29

Band26(814-824)-3MHz-QPSK-26740-1RB#0-3000~10000-PASS



Date: 13.MAR.2026 21:57:45


Band26(814-824)-3MHz-QPSK-26740-1RB#14-0.009~0.15-PASS




Date: 13.MAR.2026 21:58:14

Band26(814-824)-3MHz-QPSK-26740-1RB#14-0.15~30-PASS

Band26(814-824)-3MHz-QPSK-26740-1RB#14-30~1000-PASS




Date: 13.MAR.2026 21:58:29




Date: 13.MAR.2026 21:58:44

Band26(814-824)-3MHz-QPSK-26740-1RB#14-1000~3000-PASS




Date: 13.MAR.2026 22:01:03



Date: 13.MAR.2026 22:01:19


Band26(814-824)-3MHz-QPSK-26740-15RB#0-0.009~0.15-PASS

Band26(814-824)-3MHz-QPSK-26740-15RB#0-0.15~30-PASS




Date: 13.MAR.2026 22:01:46

Band26(814-824)-3MHz-QPSK-26740-15RB#0-30~1000-PASS




Date: 13.MAR.2026 22:02:01

Band26(814-824)-3MHz-QPSK-26740-15RB#0-1000~3000-PASS




Date: 13.MAR.2026 22:02:16

Band26(814-824)-3MHz-QPSK-26740-15RB#0-3000~10000-PASS




Date: 13.MAR.2026 21:55:59

Band26(814-824)-3MHz-16QAM-26740-1RB#0-0.009~0.15-PASS




Date: 13.MAR.2026 21:56:15

Band26(814-824)-3MHz-16QAM-26740-1RB#0-0.15~30-PASS




Date: 13.MAR.2026 21:56:44

Band26(814-824)-3MHz-16QAM-26740-1RB#0-30~1000-PASS



Date: 13.MAR.2026 21:56:59

Band26(814-824)-3MHz-16QAM-26740-1RB#0-1000~3000-PASS



Date: 13.MAR.2026 21:57:14

Band26(814-824)-3MHz-16QAM-26740-1RB#0-3000~10000-PASS