

1.1 Appendix A: Effective (Isotropic) Radiated Power Output Data

1.1.1 Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power(dBm)	Max Ant Gain(dBi)	ERP(dBm)	Limit (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	22.89	-2.54	20.35	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	22.40	-2.54	19.86	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	22.30	-2.54	19.76	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	23.12	-2.54	20.58	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	23.01	-2.54	20.47	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	23.21	-2.54	20.67	38.45	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.11	-2.54	19.57	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	21.47	-2.54	18.93	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.29	-2.54	19.75	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	21.97	-2.54	19.43	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	21.90	-2.54	19.36	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	22.18	-2.54	19.64	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#3	22.91	-2.54	20.37	38.45	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	22.68	-2.54	20.14	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.36	-2.54	20.82	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.29	-2.54	20.75	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	23.63	-2.54	21.09	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	23.55	-2.54	21.01	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.60	-2.54	21.06	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	23.32	-2.54	20.78	38.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	22.50	-2.54	19.96	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	23.04	-2.54	20.50	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	22.83	-2.54	20.29	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	22.56	-2.54	20.02	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	22.54	-2.54	20.00	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	23.21	-2.54	20.67	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#3	22.92	-2.54	20.38	38.45	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	22.20	-2.54	19.66	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	23.63	-2.54	21.09	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	22.96	-2.54	20.42	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	23.02	-2.54	20.48	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	23.61	-2.54	21.07	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	23.86	-2.54	21.32	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	23.75	-2.54	21.21	38.45	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	23.05	-2.54	20.51	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	22.91	-2.54	20.37	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	22.58	-2.54	20.04	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	22.94	-2.54	20.40	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	22.89	-2.54	20.35	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	22.98	-2.54	20.44	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#3	22.82	-2.54	20.28	38.45	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	20.72	-2.54	18.18	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#0	23.15	-2.54	20.61	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#8	23.14	-2.54	20.60	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#14	23.04	-2.54	20.50	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.30	-2.54	19.76	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.01	-2.54	19.47	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#7	21.89	-2.54	19.35	38.45	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.35	-2.54	19.81	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#0	21.90	-2.54	19.36	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#8	22.11	-2.54	19.57	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#14	21.91	-2.54	19.37	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#0	21.74	-2.54	19.20	38.45	PASS

Band5	3MHz	16QAM	20415	8RB#4	22.79	-2.54	20.25	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#7	22.45	-2.54	19.91	38.45	PASS
Band5	3MHz	16QAM	20415	15RB#0	22.26	-2.54	19.72	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#0	23.65	-2.54	21.11	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#8	23.38	-2.54	20.84	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#14	23.83	-2.54	21.29	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#0	22.97	-2.54	20.43	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.51	-2.54	19.97	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#7	22.94	-2.54	20.40	38.45	PASS
Band5	3MHz	QPSK	20525	15RB#0	22.69	-2.54	20.15	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#0	22.38	-2.54	19.84	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#8	22.77	-2.54	20.23	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#14	23.05	-2.54	20.51	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#0	22.10	-2.54	19.56	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#4	22.08	-2.54	19.54	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#7	22.52	-2.54	19.98	38.45	PASS
Band5	3MHz	16QAM	20525	15RB#0	22.31	-2.54	19.77	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#0	23.17	-2.54	20.63	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#8	23.16	-2.54	20.62	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#14	22.97	-2.54	20.43	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#0	22.68	-2.54	20.14	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#4	23.10	-2.54	20.56	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#7	22.81	-2.54	20.27	38.45	PASS
Band5	3MHz	QPSK	20635	15RB#0	22.46	-2.54	19.92	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#0	22.81	-2.54	20.27	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#8	22.73	-2.54	20.19	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#14	22.60	-2.54	20.06	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#0	21.94	-2.54	19.40	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#4	22.48	-2.54	19.94	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#7	22.44	-2.54	19.90	38.45	PASS
Band5	3MHz	16QAM	20635	15RB#0	21.54	-2.54	19.00	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#0	22.47	-2.54	19.93	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#12	22.59	-2.54	20.05	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#24	22.85	-2.54	20.31	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.03	-2.54	19.49	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#6	21.82	-2.54	19.28	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#13	22.24	-2.54	19.70	38.45	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.46	-2.54	19.92	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#0	22.53	-2.54	19.99	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#12	21.89	-2.54	19.35	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#24	22.33	-2.54	19.79	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.04	-2.54	18.50	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.97	-2.54	19.43	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#13	22.25	-2.54	19.71	38.45	PASS
Band5	5MHz	16QAM	20425	25RB#0	22.01	-2.54	19.47	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#0	24.19	-2.54	21.65	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#12	23.69	-2.54	21.15	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#24	24.14	-2.54	21.60	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#0	22.95	-2.54	20.41	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#6	23.47	-2.54	20.93	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#13	23.25	-2.54	20.71	38.45	PASS
Band5	5MHz	QPSK	20525	25RB#0	22.60	-2.54	20.06	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#0	23.29	-2.54	20.75	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#12	22.74	-2.54	20.20	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#24	23.19	-2.54	20.65	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#0	22.37	-2.54	19.83	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#6	21.79	-2.54	19.25	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#13	22.36	-2.54	19.82	38.45	PASS
Band5	5MHz	16QAM	20525	25RB#0	22.33	-2.54	19.79	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#0	23.42	-2.54	20.88	38.45	PASS


Band5	5MHz	QPSK	20625	1RB#12	23.72	-2.54	21.18	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#24	23.64	-2.54	21.10	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#0	23.04	-2.54	20.50	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#6	22.51	-2.54	19.97	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#13	22.86	-2.54	20.32	38.45	PASS
Band5	5MHz	QPSK	20625	25RB#0	22.83	-2.54	20.29	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#0	23.33	-2.54	20.79	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#12	23.18	-2.54	20.64	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#24	22.84	-2.54	20.30	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#0	22.54	-2.54	20.00	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#6	21.97	-2.54	19.43	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#13	22.07	-2.54	19.53	38.45	PASS
Band5	5MHz	16QAM	20625	25RB#0	22.17	-2.54	19.63	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.09	-2.54	20.55	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.26	-2.54	20.72	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#49	22.90	-2.54	20.36	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.28	-2.54	19.74	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#12	21.82	-2.54	19.28	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#25	22.08	-2.54	19.54	38.45	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.58	-2.54	20.04	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#0	21.63	-2.54	19.09	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#24	21.55	-2.54	19.01	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#49	21.22	-2.54	18.68	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#0	21.33	-2.54	18.79	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#12	21.41	-2.54	18.87	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#25	21.35	-2.54	18.81	38.45	PASS
Band5	10MHz	16QAM	20450	50RB#0	22.02	-2.54	19.48	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.27	-2.54	20.73	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.60	-2.54	21.06	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#49	24.01	-2.54	21.47	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#0	22.64	-2.54	20.10	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#12	23.20	-2.54	20.66	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#25	23.53	-2.54	20.99	38.45	PASS
Band5	10MHz	QPSK	20525	50RB#0	22.80	-2.54	20.26	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#0	23.44	-2.54	20.90	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#24	23.09	-2.54	20.55	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#49	22.77	-2.54	20.23	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#0	21.72	-2.54	19.18	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#12	22.25	-2.54	19.71	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#25	21.83	-2.54	19.29	38.45	PASS
Band5	10MHz	16QAM	20525	50RB#0	22.00	-2.54	19.46	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#0	24.18	-2.54	21.64	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#24	24.00	-2.54	21.46	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#49	23.64	-2.54	21.10	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#0	22.78	-2.54	20.24	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#12	22.65	-2.54	20.11	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#25	23.15	-2.54	20.61	38.45	PASS
Band5	10MHz	QPSK	20600	50RB#0	22.55	-2.54	20.01	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#0	22.66	-2.54	20.12	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#24	23.12	-2.54	20.58	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#49	22.70	-2.54	20.16	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#0	22.76	-2.54	20.22	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#12	22.60	-2.54	20.06	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#25	22.30	-2.54	19.76	38.45	PASS
Band5	10MHz	16QAM	20600	50RB#0	21.89	-2.54	19.35	38.45	PASS


1.2 Appendix B: Peak-to-Average Ratio(CCDF)


1.2.1 Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	5.35	13	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	5.51	13	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	5.96	13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	6.31	13	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	5.16	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	5.32	13	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	6.25	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	6.12	13	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	5.67	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	5.64	13	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	6.25	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	6.47	13	PASS
Band5	3MHz	QPSK	20415	1RB#0	5.38	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	5.22	13	PASS
Band5	3MHz	16QAM	20415	1RB#0	6.19	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	6.15	13	PASS
Band5	3MHz	QPSK	20525	1RB#0	5.35	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	5.10	13	PASS
Band5	3MHz	16QAM	20525	1RB#0	5.99	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	5.96	13	PASS
Band5	3MHz	QPSK	20635	1RB#0	5.71	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	5.22	13	PASS
Band5	3MHz	16QAM	20635	1RB#0	6.92	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	6.31	13	PASS
Band5	5MHz	QPSK	20425	1RB#0	5.48	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	5.45	13	PASS
Band5	5MHz	16QAM	20425	1RB#0	5.87	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	6.25	13	PASS
Band5	5MHz	QPSK	20525	1RB#0	5.58	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.22	13	PASS
Band5	5MHz	16QAM	20525	1RB#0	6.22	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	5.99	13	PASS
Band5	5MHz	QPSK	20625	1RB#0	5.38	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	5.48	13	PASS
Band5	5MHz	16QAM	20625	1RB#0	5.90	13	PASS
Band5	5MHz	16QAM	20625	25RB#0	6.35	13	PASS
Band5	10MHz	QPSK	20450	1RB#0	5.35	13	PASS
Band5	10MHz	QPSK	20450	50RB#0	5.64	13	PASS
Band5	10MHz	16QAM	20450	1RB#0	6.12	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	6.47	13	PASS
Band5	10MHz	QPSK	20525	1RB#0	5.71	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.51	13	PASS
Band5	10MHz	16QAM	20525	1RB#0	6.35	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.31	13	PASS
Band5	10MHz	QPSK	20600	1RB#0	4.62	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	5.54	13	PASS
Band5	10MHz	16QAM	20600	1RB#0	5.64	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	6.41	13	PASS


1.2.2 Test Graphs








Date: 10.MAR.2026 21:55:30




Date: 10.MAR.2026 21:56:27

Band5-1.4MHz-QPSK-20643-1RB#0-PASS



Date: 10.MAR.2026 21:55:57


Band5-1.4MHz-QPSK-20643-6RB#0-PASS





Date: 10.MAR.2026 21:56:53


Band5-1.4MHz-16QAM-20643-1RB#0-PASS

Band5-1.4MHz-16QAM-20643-6RB#0-PASS











Date: 10.MAR.2026 22:48:43




Date: 10.MAR.2026 22:49:36

Band5-5MHz-QPSK-20425-1RB#0-PASS



Date: 10.MAR.2026 22:49:08


Band5-5MHz-QPSK-20425-25RB#0-PASS




Date: 10.MAR.2026 22:50:00


Band5-5MHz-16QAM-20425-1RB#0-PASS

Band5-5MHz-16QAM-20425-25RB#0-PASS






Date: 10.MAR.2026 22:52:15




Date: 10.MAR.2026 22:53:07

Band5-5MHz-QPSK-20625-1RB#0-PASS




Date: 10.MAR.2026 22:52:39


Band5-5MHz-16QAM-20625-1RB#0-PASS




Date: 10.MAR.2026 22:53:32

Band5-5MHz-16QAM-20625-25RB#0-PASS









1.3 Appendix C: 26dB Bandwidth and Occupied Bandwidth

1.3.1 Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	1.095	1.28	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.105	1.29	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.1	1.29	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.095	1.28	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.105	1.31	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.095	1.28	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.69	2.97	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.68	2.98	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.69	2.97	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.68	2.97	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.7	2.97	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.69	2.99	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.51	4.95	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.5	4.92	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.5	4.94	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.51	4.95	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.52	4.95	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.53	4.94	PASS
Band5	10MHz	QPSK	20450	50RB#0	9.033	9.90	PASS
Band5	10MHz	16QAM	20450	50RB#0	9.033	9.87	PASS
Band5	10MHz	QPSK	20525	50RB#0	9	9.90	PASS
Band5	10MHz	16QAM	20525	50RB#0	9	9.90	PASS
Band5	10MHz	QPSK	20600	50RB#0	9	9.83	PASS
Band5	10MHz	16QAM	20600	50RB#0	9	9.90	PASS

1.3.2 Test Graphs






Date: 10.MAR.2026 21:30:25




Date: 10.MAR.2026 21:30:38

Band5-1.4MHz-QPSK-20643-6RB#0-PASS




Date: 10.MAR.2026 21:58:42




Date: 10.MAR.2026 21:58:54

Band5-3MHz-QPSK-20415-15RB#0-PASS

Band5-3MHz-16QAM-20415-15RB#0-PASS




Date: 10.MAR.2026 21:59:12




Date: 10.MAR.2026 21:59:25

Band5-3MHz-QPSK-20525-15RB#0-PASS

Band5-3MHz-16QAM-20525-15RB#0-PASS




Date: 10.MAR.2026 21:59:42




Date: 10.MAR.2026 21:59:55

Band5-3MHz-QPSK-20635-15RB#0-PASS

Band5-3MHz-16QAM-20635-15RB#0-PASS




Date: 10.MAR.2026 22:26:53




Date: 10.MAR.2026 22:27:13

Band5-5MHz-QPSK-20425-25RB#0-PASS




Date: 10.MAR.2026 22:27:41




Date: 10.MAR.2026 22:28:05

Band5-5MHz-QPSK-20525-25RB#0-PASS

Band5-5MHz-16QAM-20525-25RB#0-PASS




Date: 10.MAR.2026 22:28:31




Date: 10.MAR.2026 22:28:53

Band5-5MHz-QPSK-20625-25RB#0-PASS



Date: 10.MAR.2026 22:55:30


Band5-5MHz-16QAM-20625-25RB#0-PASS




Date: 10.MAR.2026 22:55:44

Band5-10MHz-QPSK-20450-50RB#0-PASS

Band5-10MHz-16QAM-20450-50RB#0-PASS




Date: 10.MAR.2026 22:56:02




Date: 10.MAR.2026 22:56:17

Band5-10MHz-QPSK-20525-50RB#0-PASS



Date: 10.MAR.2026 22:56:35

Band5-10MHz-16QAM-20525-50RB#0-PASS



Date: 10.MAR.2026 22:56:49

Band5-10MHz-QPSK-20600-50RB#0-PASS


Band5-10MHz-16QAM-20600-50RB#0-PASS


1.4 Appendix D: Band Edge

1.4.1 Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	-32.15	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	-48.52	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	-39.78	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	-34.27	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	-49.70	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	-40.16	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	-48.39	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	-32.73	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	-36.09	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	-49.78	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	-33.73	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	-37.62	PASS
Band5	3MHz	QPSK	20415	1RB#0	-18.99	PASS
Band5	3MHz	QPSK	20415	1RB#14	-41.94	PASS
Band5	3MHz	QPSK	20415	15RB#0	-29.75	PASS
Band5	3MHz	16QAM	20415	1RB#0	-19.14	PASS
Band5	3MHz	16QAM	20415	1RB#14	-42.10	PASS
Band5	3MHz	16QAM	20415	15RB#0	-31.51	PASS
Band5	3MHz	QPSK	20635	1RB#0	-42.78	PASS
Band5	3MHz	QPSK	20635	1RB#14	-19.40	PASS
Band5	3MHz	QPSK	20635	15RB#0	-30.62	PASS
Band5	3MHz	16QAM	20635	1RB#0	-43.38	PASS
Band5	3MHz	16QAM	20635	1RB#14	-21.49	PASS
Band5	3MHz	16QAM	20635	15RB#0	-31.70	PASS
Band5	5MHz	QPSK	20425	1RB#0	-25.34	PASS
Band5	5MHz	QPSK	20425	1RB#24	-43.44	PASS
Band5	5MHz	QPSK	20425	25RB#0	-34.94	PASS
Band5	5MHz	16QAM	20425	1RB#0	-25.73	PASS
Band5	5MHz	16QAM	20425	1RB#24	-43.63	PASS
Band5	5MHz	16QAM	20425	25RB#0	-35.79	PASS
Band5	5MHz	QPSK	20625	1RB#0	-44.26	PASS
Band5	5MHz	QPSK	20625	1RB#24	-26.14	PASS
Band5	5MHz	QPSK	20625	25RB#0	-35.94	PASS
Band5	5MHz	16QAM	20625	1RB#0	-45.35	PASS
Band5	5MHz	16QAM	20625	1RB#24	-27.08	PASS
Band5	5MHz	16QAM	20625	25RB#0	-36.41	PASS
Band5	10MHz	QPSK	20450	1RB#0	-28.03	PASS
Band5	10MHz	QPSK	20450	1RB#49	-43.05	PASS
Band5	10MHz	QPSK	20450	50RB#0	-33.62	PASS
Band5	10MHz	16QAM	20450	1RB#0	-28.93	PASS
Band5	10MHz	16QAM	20450	1RB#49	-43.35	PASS
Band5	10MHz	16QAM	20450	50RB#0	-34.89	PASS
Band5	10MHz	QPSK	20600	1RB#0	-43.94	PASS
Band5	10MHz	QPSK	20600	1RB#49	-27.88	PASS
Band5	10MHz	QPSK	20600	50RB#0	-37.48	PASS
Band5	10MHz	16QAM	20600	1RB#0	-44.85	PASS
Band5	10MHz	16QAM	20600	1RB#49	-29.38	PASS
Band5	10MHz	16QAM	20600	50RB#0	-38.28	PASS

1.4.2 Test Graphs






Date: 10.MAR.2026 21:32:00




Date: 10.MAR.2026 21:32:36

Band5-1.4MHz-16QAM-20407-1RB#5-PASS

Band5-1.4MHz-16QAM-20407-6RB#0-PASS




Date: 10.MAR.2026 21:33:15



Date: 10.MAR.2026 21:33:51


Band5-1.4MHz-QPSK-20643-1RB#0-PASS

Band5-1.4MHz-QPSK-20643-1RB#5-PASS




Date: 10.MAR.2026 21:34:28

Band5-1.4MHz-QPSK-20643-6RB#0-PASS




Date: 10.MAR.2026 21:33:32

Band5-1.4MHz-16QAM-20643-1RB#0-PASS




Date: 10.MAR.2026 21:34:09

Band5-1.4MHz-16QAM-20643-1RB#5-PASS




Date: 10.MAR.2026 21:34:45

Band5-1.4MHz-16QAM-20643-6RB#0-PASS




Date: 10.MAR.2026 22:00:20

Band5-3MHz-QPSK-20415-1RB#0-PASS




Date: 10.MAR.2026 22:00:58

Band5-3MHz-QPSK-20415-1RB#14-PASS




Date: 10.MAR.2026 22:01:37

Band5-3MHz-QPSK-20415-15RB#0-PASS




Date: 10.MAR.2026 22:00:39

Band5-3MHz-16QAM-20415-1RB#0-PASS




Date: 10.MAR.2026 22:01:17




Date: 10.MAR.2026 22:01:55

Band5-3MHz-16QAM-20415-1RB#14-PASS

Band5-3MHz-16QAM-20415-15RB#0-PASS




Date: 10.MAR.2026 22:02:17



Date: 10.MAR.2026 22:02:55


Band5-3MHz-QPSK-20635-1RB#0-PASS

Band5-3MHz-QPSK-20635-1RB#14-PASS




Date: 10.MAR.2026 22:03:34

Band5-3MHz-QPSK-20635-15RB#0-PASS




Date: 10.MAR.2026 22:02:35

Band5-3MHz-16QAM-20635-1RB#0-PASS




Date: 10.MAR.2026 22:03:14


Band5-3MHz-16QAM-20635-1RB#14-PASS




Date: 10.MAR.2026 22:03:53

Band5-3MHz-16QAM-20635-15RB#0-PASS






Date: 10.MAR.2026 22:30:13




Date: 10.MAR.2026 22:30:50

Band5-5MHz-16QAM-20425-1RB#24-PASS

Band5-5MHz-16QAM-20425-25RB#0-PASS




Date: 10.MAR.2026 22:31:12




Date: 10.MAR.2026 22:31:48

Band5-5MHz-QPSK-20625-1RB#0-PASS

Band5-5MHz-QPSK-20625-1RB#24-PASS




Date: 10.MAR.2026 22:32:25




Date: 10.MAR.2026 22:31:29

Band5-5MHz-QPSK-20625-25RB#0-PASS

Band5-5MHz-16QAM-20625-1RB#0-PASS




Date: 10.MAR.2026 22:32:05



Date: 10.MAR.2026 22:32:42


Band5-5MHz-16QAM-20625-1RB#24-PASS

Band5-5MHz-16QAM-20625-25RB#0-PASS




Date: 10.MAR.2026 22:57:15

Band5-10MHz-QPSK-20450-1RB#0-PASS




Date: 10.MAR.2026 22:57:55

Band5-10MHz-QPSK-20450-1RB#49-PASS




Date: 10.MAR.2026 22:58:33

Band5-10MHz-QPSK-20450-50RB#0-PASS




Date: 10.MAR.2026 22:57:34

Band5-10MHz-16QAM-20450-1RB#0-PASS




Date: 10.MAR.2026 22:58:13




Date: 10.MAR.2026 22:58:52

Band5-10MHz-16QAM-20450-1RB#49-PASS

Band5-10MHz-16QAM-20450-50RB#0-PASS




Date: 10.MAR.2026 22:59:14




Date: 10.MAR.2026 22:59:54

Band5-10MHz-QPSK-20600-1RB#0-PASS

Band5-10MHz-QPSK-20600-1RB#49-PASS




Date: 10.MAR.2026 23:00:34




Date: 10.MAR.2026 22:59:33

Band5-10MHz-QPSK-20600-50RB#0-PASS

Band5-10MHz-16QAM-20600-1RB#0-PASS



Date: 10.MAR.2026 23:00:12



Date: 10.MAR.2026 23:00:55

Band5-10MHz-16QAM-20600-1RB#49-PASS

Band5-10MHz-16QAM-20600-50RB#0-PASS

1.5 Appendix E: Conducted Spurious Emission

1.5.1 Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	0.009~0.15	-61.32	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	0.15~30	-62.76	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	30~1000	-46.20	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	1000~3000	-43.63	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	3000~10000	-46.55	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	0.009~0.15	-62.74	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	0.15~30	-63.52	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	30~1000	-46.49	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	1000~3000	-44.25	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	3000~10000	-46.53	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.009~0.15	-62.81	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.15~30	-63.33	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	30~1000	-47.18	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	1000~3000	-42.52	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	3000~10000	-46.52	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	0.009~0.15	-62.54	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	0.15~30	-63.20	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	30~1000	-47.81	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	1000~3000	-43.66	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	3000~10000	-46.48	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.009~0.15	-62.95	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.15~30	-63.46	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	30~1000	-43.52	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	1000~3000	-43.58	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	3000~10000	-46.47	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	0.009~0.15	-61.33	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	0.15~30	-63.15	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	30~1000	-44.71	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	1000~3000	-44.36	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	3000~10000	-46.41	PASS
Band5	3MHz	QPSK	20415	1RB#0	0.009~0.15	-62.22	PASS
Band5	3MHz	QPSK	20415	1RB#0	0.15~30	-63.42	PASS
Band5	3MHz	QPSK	20415	1RB#0	30~1000	-45.02	PASS
Band5	3MHz	QPSK	20415	1RB#0	1000~3000	-43.40	PASS
Band5	3MHz	QPSK	20415	1RB#0	3000~10000	-46.42	PASS
Band5	3MHz	16QAM	20415	1RB#0	0.009~0.15	-61.85	PASS
Band5	3MHz	16QAM	20415	1RB#0	0.15~30	-63.05	PASS
Band5	3MHz	16QAM	20415	1RB#0	30~1000	-45.09	PASS
Band5	3MHz	16QAM	20415	1RB#0	1000~3000	-44.51	PASS
Band5	3MHz	16QAM	20415	1RB#0	3000~10000	-46.43	PASS
Band5	3MHz	QPSK	20525	1RB#0	0.009~0.15	-62.47	PASS
Band5	3MHz	QPSK	20525	1RB#0	0.15~30	-63.27	PASS
Band5	3MHz	QPSK	20525	1RB#0	30~1000	-49.02	PASS
Band5	3MHz	QPSK	20525	1RB#0	1000~3000	-42.96	PASS
Band5	3MHz	QPSK	20525	1RB#0	3000~10000	-46.47	PASS
Band5	3MHz	16QAM	20525	1RB#0	0.009~0.15	-61.28	PASS
Band5	3MHz	16QAM	20525	1RB#0	0.15~30	-63.15	PASS
Band5	3MHz	16QAM	20525	1RB#0	30~1000	-48.95	PASS
Band5	3MHz	16QAM	20525	1RB#0	1000~3000	-43.83	PASS
Band5	3MHz	16QAM	20525	1RB#0	3000~10000	-46.48	PASS
Band5	3MHz	QPSK	20635	1RB#0	0.009~0.15	-61.66	PASS
Band5	3MHz	QPSK	20635	1RB#0	0.15~30	-63.68	PASS
Band5	3MHz	QPSK	20635	1RB#0	30~1000	-41.27	PASS

Band5	3MHz	QPSK	20635	1RB#0	1000~3000	-43.33	PASS
Band5	3MHz	QPSK	20635	1RB#0	3000~10000	-46.49	PASS
Band5	3MHz	16QAM	20635	1RB#0	0.009~0.15	-62.23	PASS
Band5	3MHz	16QAM	20635	1RB#0	0.15~30	-63.29	PASS
Band5	3MHz	16QAM	20635	1RB#0	30~1000	-42.45	PASS
Band5	3MHz	16QAM	20635	1RB#0	1000~3000	-44.20	PASS
Band5	3MHz	16QAM	20635	1RB#0	3000~10000	-46.43	PASS
Band5	5MHz	QPSK	20425	1RB#0	0.009~0.15	-62.26	PASS
Band5	5MHz	QPSK	20425	1RB#0	0.15~30	-63.54	PASS
Band5	5MHz	QPSK	20425	1RB#0	30~1000	-45.71	PASS
Band5	5MHz	QPSK	20425	1RB#0	1000~3000	-44.03	PASS
Band5	5MHz	QPSK	20425	1RB#0	3000~10000	-46.50	PASS
Band5	5MHz	16QAM	20425	1RB#0	0.009~0.15	-60.82	PASS
Band5	5MHz	16QAM	20425	1RB#0	0.15~30	-63.62	PASS
Band5	5MHz	16QAM	20425	1RB#0	30~1000	-45.85	PASS
Band5	5MHz	16QAM	20425	1RB#0	1000~3000	-44.67	PASS
Band5	5MHz	16QAM	20425	1RB#0	3000~10000	-46.54	PASS
Band5	5MHz	QPSK	20525	1RB#0	0.009~0.15	-62.03	PASS
Band5	5MHz	QPSK	20525	1RB#0	0.15~30	-63.29	PASS
Band5	5MHz	QPSK	20525	1RB#0	30~1000	-48.91	PASS
Band5	5MHz	QPSK	20525	1RB#0	1000~3000	-43.30	PASS
Band5	5MHz	QPSK	20525	1RB#0	3000~10000	-46.49	PASS
Band5	5MHz	16QAM	20525	1RB#0	0.009~0.15	-62.96	PASS
Band5	5MHz	16QAM	20525	1RB#0	0.15~30	-62.99	PASS
Band5	5MHz	16QAM	20525	1RB#0	30~1000	-49.01	PASS
Band5	5MHz	16QAM	20525	1RB#0	1000~3000	-44.21	PASS
Band5	5MHz	16QAM	20525	1RB#0	3000~10000	-46.56	PASS
Band5	5MHz	QPSK	20625	1RB#0	0.009~0.15	-63.25	PASS
Band5	5MHz	QPSK	20625	1RB#0	0.15~30	-63.15	PASS
Band5	5MHz	QPSK	20625	1RB#0	30~1000	-43.25	PASS
Band5	5MHz	QPSK	20625	1RB#0	1000~3000	-43.63	PASS
Band5	5MHz	QPSK	20625	1RB#0	3000~10000	-46.44	PASS
Band5	5MHz	16QAM	20625	1RB#0	0.009~0.15	-62.03	PASS
Band5	5MHz	16QAM	20625	1RB#0	0.15~30	-63.48	PASS
Band5	5MHz	16QAM	20625	1RB#0	30~1000	-43.52	PASS
Band5	5MHz	16QAM	20625	1RB#0	1000~3000	-44.16	PASS
Band5	5MHz	16QAM	20625	1RB#0	3000~10000	-46.42	PASS
Band5	10MHz	QPSK	20450	1RB#0	0.009~0.15	-62.39	PASS
Band5	10MHz	QPSK	20450	1RB#0	0.15~30	-63.16	PASS
Band5	10MHz	QPSK	20450	1RB#0	30~1000	-47.06	PASS
Band5	10MHz	QPSK	20450	1RB#0	1000~3000	-42.55	PASS
Band5	10MHz	QPSK	20450	1RB#0	3000~10000	-46.53	PASS
Band5	10MHz	16QAM	20450	1RB#0	0.009~0.15	-62.24	PASS
Band5	10MHz	16QAM	20450	1RB#0	0.15~30	-63.51	PASS
Band5	10MHz	16QAM	20450	1RB#0	30~1000	-47.48	PASS
Band5	10MHz	16QAM	20450	1RB#0	1000~3000	-43.32	PASS
Band5	10MHz	16QAM	20450	1RB#0	3000~10000	-46.53	PASS
Band5	10MHz	QPSK	20525	1RB#0	0.009~0.15	-62.30	PASS
Band5	10MHz	QPSK	20525	1RB#0	0.15~30	-63.31	PASS
Band5	10MHz	QPSK	20525	1RB#0	30~1000	-41.15	PASS
Band5	10MHz	QPSK	20525	1RB#0	1000~3000	-41.79	PASS
Band5	10MHz	QPSK	20525	1RB#0	3000~10000	-46.43	PASS
Band5	10MHz	16QAM	20525	1RB#0	0.009~0.15	-61.63	PASS
Band5	10MHz	16QAM	20525	1RB#0	0.15~30	-63.20	PASS
Band5	10MHz	16QAM	20525	1RB#0	30~1000	-41.89	PASS
Band5	10MHz	16QAM	20525	1RB#0	1000~3000	-42.31	PASS
Band5	10MHz	16QAM	20525	1RB#0	3000~10000	-46.43	PASS
Band5	10MHz	QPSK	20600	1RB#0	0.009~0.15	-62.65	PASS
Band5	10MHz	QPSK	20600	1RB#0	0.15~30	-62.99	PASS
Band5	10MHz	QPSK	20600	1RB#0	30~1000	-45.63	PASS

Band5	10MHz	QPSK	20600	1RB#0	1000~3000	-43.23	PASS
Band5	10MHz	QPSK	20600	1RB#0	3000~10000	-46.53	PASS
Band5	10MHz	16QAM	20600	1RB#0	0.009~0.15	-62.89	PASS
Band5	10MHz	16QAM	20600	1RB#0	0.15~30	-62.62	PASS
Band5	10MHz	16QAM	20600	1RB#0	30~1000	-45.99	PASS
Band5	10MHz	16QAM	20600	1RB#0	1000~3000	-44.08	PASS
Band5	10MHz	16QAM	20600	1RB#0	3000~10000	-46.52	PASS

1.5.2 Test Graphs

