

● Appendix-FCC-LTE-B2

1.1 Appendix A: Effective (Isotropic) Radiated Power Output Data

1.1.1 Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power(dBm)	Max Ant Gain(dBi)	EIRP(dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	22.05	-0.09	21.96	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	22.16	-0.09	22.07	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.16	-0.09	22.07	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.27	-0.09	23.18	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.02	-0.09	22.93	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	22.41	-0.09	22.32	33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	21.86	-0.09	21.77	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	21.62	-0.09	21.53	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.01	-0.09	21.92	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	21.80	-0.09	21.71	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.09	-0.09	22.00	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	21.79	-0.09	21.70	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	22.19	-0.09	22.10	33	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	20.70	-0.09	20.61	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.54	-0.09	22.45	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.97	-0.09	22.88	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.62	-0.09	22.53	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	23.11	-0.09	23.02	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	22.53	-0.09	22.44	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	23.03	-0.09	22.94	33	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	22.08	-0.09	21.99	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	21.88	-0.09	21.79	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	21.38	-0.09	21.29	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	21.23	-0.09	21.14	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	21.93	-0.09	21.84	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	21.50	-0.09	21.41	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	21.35	-0.09	21.26	33	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	20.68	-0.09	20.59	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.29	-0.09	22.20	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.20	-0.09	22.11	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	21.62	-0.09	21.53	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	22.55	-0.09	22.46	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	22.36	-0.09	22.27	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	21.68	-0.09	21.59	33	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	20.76	-0.09	20.67	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	21.50	-0.09	21.41	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	21.20	-0.09	21.11	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	20.71	-0.09	20.62	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	21.44	-0.09	21.35	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	20.83	-0.09	20.74	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	20.97	-0.09	20.88	33	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	20.66	-0.09	20.57	33	PASS
Band2	3MHz	QPSK	18615	1RB#0	21.77	-0.09	21.68	33	PASS
Band2	3MHz	QPSK	18615	1RB#8	22.74	-0.09	22.65	33	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.29	-0.09	22.20	33	PASS
Band2	3MHz	QPSK	18615	8RB#0	21.74	-0.09	21.65	33	PASS
Band2	3MHz	QPSK	18615	8RB#4	21.37	-0.09	21.28	33	PASS
Band2	3MHz	QPSK	18615	8RB#7	21.26	-0.09	21.17	33	PASS
Band2	3MHz	QPSK	18615	15RB#0	21.58	-0.09	21.49	33	PASS
Band2	3MHz	16QAM	18615	1RB#0	21.56	-0.09	21.47	33	PASS
Band2	3MHz	16QAM	18615	1RB#8	21.37	-0.09	21.28	33	PASS
Band2	3MHz	16QAM	18615	1RB#14	21.27	-0.09	21.18	33	PASS

Band2	3MHz	16QAM	18615	8RB#0	21.06	-0.09	20.97	33	PASS
Band2	3MHz	16QAM	18615	8RB#4	20.90	-0.09	20.81	33	PASS
Band2	3MHz	16QAM	18615	8RB#7	21.07	-0.09	20.98	33	PASS
Band2	3MHz	16QAM	18615	15RB#0	20.67	-0.09	20.58	33	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.84	-0.09	22.75	33	PASS
Band2	3MHz	QPSK	18900	1RB#8	21.77	-0.09	21.68	33	PASS
Band2	3MHz	QPSK	18900	1RB#14	22.11	-0.09	22.02	33	PASS
Band2	3MHz	QPSK	18900	8RB#0	21.75	-0.09	21.66	33	PASS
Band2	3MHz	QPSK	18900	8RB#4	21.37	-0.09	21.28	33	PASS
Band2	3MHz	QPSK	18900	8RB#7	21.81	-0.09	21.72	33	PASS
Band2	3MHz	QPSK	18900	15RB#0	21.80	-0.09	21.71	33	PASS
Band2	3MHz	16QAM	18900	1RB#0	21.93	-0.09	21.84	33	PASS
Band2	3MHz	16QAM	18900	1RB#8	20.98	-0.09	20.89	33	PASS
Band2	3MHz	16QAM	18900	1RB#14	21.12	-0.09	21.03	33	PASS
Band2	3MHz	16QAM	18900	8RB#0	20.68	-0.09	20.59	33	PASS
Band2	3MHz	16QAM	18900	8RB#4	21.32	-0.09	21.23	33	PASS
Band2	3MHz	16QAM	18900	8RB#7	20.64	-0.09	20.55	33	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.07	-0.09	20.98	33	PASS
Band2	3MHz	QPSK	19185	1RB#0	21.20	-0.09	21.11	33	PASS
Band2	3MHz	QPSK	19185	1RB#8	21.53	-0.09	21.44	33	PASS
Band2	3MHz	QPSK	19185	1RB#14	21.50	-0.09	21.41	33	PASS
Band2	3MHz	QPSK	19185	8RB#0	21.56	-0.09	21.47	33	PASS
Band2	3MHz	QPSK	19185	8RB#4	21.36	-0.09	21.27	33	PASS
Band2	3MHz	QPSK	19185	8RB#7	21.09	-0.09	21.00	33	PASS
Band2	3MHz	QPSK	19185	15RB#0	21.19	-0.09	21.10	33	PASS
Band2	3MHz	16QAM	19185	1RB#0	21.14	-0.09	21.05	33	PASS
Band2	3MHz	16QAM	19185	1RB#8	21.13	-0.09	21.04	33	PASS
Band2	3MHz	16QAM	19185	1RB#14	20.95	-0.09	20.86	33	PASS
Band2	3MHz	16QAM	19185	8RB#0	20.29	-0.09	20.20	33	PASS
Band2	3MHz	16QAM	19185	8RB#4	19.98	-0.09	19.89	33	PASS
Band2	3MHz	16QAM	19185	8RB#7	19.80	-0.09	19.71	33	PASS
Band2	3MHz	16QAM	19185	15RB#0	20.53	-0.09	20.44	33	PASS
Band2	5MHz	QPSK	18625	1RB#0	23.17	-0.09	23.08	33	PASS
Band2	5MHz	QPSK	18625	1RB#12	22.86	-0.09	22.77	33	PASS
Band2	5MHz	QPSK	18625	1RB#24	22.82	-0.09	22.73	33	PASS
Band2	5MHz	QPSK	18625	12RB#0	21.50	-0.09	21.41	33	PASS
Band2	5MHz	QPSK	18625	12RB#6	21.34	-0.09	21.25	33	PASS
Band2	5MHz	QPSK	18625	12RB#13	21.40	-0.09	21.31	33	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.26	-0.09	22.17	33	PASS
Band2	5MHz	16QAM	18625	1RB#0	22.53	-0.09	22.44	33	PASS
Band2	5MHz	16QAM	18625	1RB#12	21.30	-0.09	21.21	33	PASS
Band2	5MHz	16QAM	18625	1RB#24	21.95	-0.09	21.86	33	PASS
Band2	5MHz	16QAM	18625	12RB#0	21.08	-0.09	20.99	33	PASS
Band2	5MHz	16QAM	18625	12RB#6	21.53	-0.09	21.44	33	PASS
Band2	5MHz	16QAM	18625	12RB#13	21.11	-0.09	21.02	33	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.30	-0.09	21.21	33	PASS
Band2	5MHz	QPSK	18900	1RB#0	22.90	-0.09	22.81	33	PASS
Band2	5MHz	QPSK	18900	1RB#12	22.65	-0.09	22.56	33	PASS
Band2	5MHz	QPSK	18900	1RB#24	22.66	-0.09	22.57	33	PASS
Band2	5MHz	QPSK	18900	12RB#0	22.01	-0.09	21.92	33	PASS
Band2	5MHz	QPSK	18900	12RB#6	21.54	-0.09	21.45	33	PASS
Band2	5MHz	QPSK	18900	12RB#13	21.73	-0.09	21.64	33	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.34	-0.09	22.25	33	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.22	-0.09	22.13	33	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.02	-0.09	21.93	33	PASS
Band2	5MHz	16QAM	18900	1RB#24	21.37	-0.09	21.28	33	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.18	-0.09	21.09	33	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.19	-0.09	21.10	33	PASS
Band2	5MHz	16QAM	18900	12RB#13	21.47	-0.09	21.38	33	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.29	-0.09	21.20	33	PASS

Band2	5MHz	QPSK	19175	1RB#0	22.25	-0.09	22.16	33	PASS
Band2	5MHz	QPSK	19175	1RB#12	22.38	-0.09	22.29	33	PASS
Band2	5MHz	QPSK	19175	1RB#24	21.39	-0.09	21.30	33	PASS
Band2	5MHz	QPSK	19175	12RB#0	21.66	-0.09	21.57	33	PASS
Band2	5MHz	QPSK	19175	12RB#6	21.08	-0.09	20.99	33	PASS
Band2	5MHz	QPSK	19175	12RB#13	20.94	-0.09	20.85	33	PASS
Band2	5MHz	QPSK	19175	25RB#0	21.76	-0.09	21.67	33	PASS
Band2	5MHz	16QAM	19175	1RB#0	21.93	-0.09	21.84	33	PASS
Band2	5MHz	16QAM	19175	1RB#12	20.92	-0.09	20.83	33	PASS
Band2	5MHz	16QAM	19175	1RB#24	21.26	-0.09	21.17	33	PASS
Band2	5MHz	16QAM	19175	12RB#0	20.42	-0.09	20.33	33	PASS
Band2	5MHz	16QAM	19175	12RB#6	21.05	-0.09	20.96	33	PASS
Band2	5MHz	16QAM	19175	12RB#13	20.30	-0.09	20.21	33	PASS
Band2	5MHz	16QAM	19175	25RB#0	20.54	-0.09	20.45	33	PASS
Band2	10MHz	QPSK	18650	1RB#0	22.52	-0.09	22.43	33	PASS
Band2	10MHz	QPSK	18650	1RB#24	22.40	-0.09	22.31	33	PASS
Band2	10MHz	QPSK	18650	1RB#49	23.17	-0.09	23.08	33	PASS
Band2	10MHz	QPSK	18650	25RB#0	21.57	-0.09	21.48	33	PASS
Band2	10MHz	QPSK	18650	25RB#12	21.67	-0.09	21.58	33	PASS
Band2	10MHz	QPSK	18650	25RB#25	21.72	-0.09	21.63	33	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.19	-0.09	22.10	33	PASS
Band2	10MHz	16QAM	18650	1RB#0	21.79	-0.09	21.70	33	PASS
Band2	10MHz	16QAM	18650	1RB#24	22.00	-0.09	21.91	33	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.22	-0.09	22.13	33	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.11	-0.09	21.02	33	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.51	-0.09	21.42	33	PASS
Band2	10MHz	16QAM	18650	25RB#25	21.59	-0.09	21.50	33	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.50	-0.09	21.41	33	PASS
Band2	10MHz	QPSK	18900	1RB#0	22.55	-0.09	22.46	33	PASS
Band2	10MHz	QPSK	18900	1RB#24	22.06	-0.09	21.97	33	PASS
Band2	10MHz	QPSK	18900	1RB#49	22.19	-0.09	22.10	33	PASS
Band2	10MHz	QPSK	18900	25RB#0	21.65	-0.09	21.56	33	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.42	-0.09	22.33	33	PASS
Band2	10MHz	QPSK	18900	25RB#25	21.96	-0.09	21.87	33	PASS
Band2	10MHz	QPSK	18900	50RB#0	21.46	-0.09	21.37	33	PASS
Band2	10MHz	16QAM	18900	1RB#0	21.90	-0.09	21.81	33	PASS
Band2	10MHz	16QAM	18900	1RB#24	21.21	-0.09	21.12	33	PASS
Band2	10MHz	16QAM	18900	1RB#49	21.85	-0.09	21.76	33	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.42	-0.09	21.33	33	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.03	-0.09	20.94	33	PASS
Band2	10MHz	16QAM	18900	25RB#25	21.13	-0.09	21.04	33	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.10	-0.09	21.01	33	PASS
Band2	10MHz	QPSK	19150	1RB#0	22.53	-0.09	22.44	33	PASS
Band2	10MHz	QPSK	19150	1RB#24	22.46	-0.09	22.37	33	PASS
Band2	10MHz	QPSK	19150	1RB#49	21.51	-0.09	21.42	33	PASS
Band2	10MHz	QPSK	19150	25RB#0	21.48	-0.09	21.39	33	PASS
Band2	10MHz	QPSK	19150	25RB#12	22.14	-0.09	22.05	33	PASS
Band2	10MHz	QPSK	19150	25RB#25	21.01	-0.09	20.92	33	PASS
Band2	10MHz	QPSK	19150	50RB#0	21.57	-0.09	21.48	33	PASS
Band2	10MHz	16QAM	19150	1RB#0	21.19	-0.09	21.10	33	PASS
Band2	10MHz	16QAM	19150	1RB#24	21.72	-0.09	21.63	33	PASS
Band2	10MHz	16QAM	19150	1RB#49	21.23	-0.09	21.14	33	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.28	-0.09	21.19	33	PASS
Band2	10MHz	16QAM	19150	25RB#12	20.54	-0.09	20.45	33	PASS
Band2	10MHz	16QAM	19150	25RB#25	20.84	-0.09	20.75	33	PASS
Band2	10MHz	16QAM	19150	50RB#0	21.19	-0.09	21.10	33	PASS
Band2	15MHz	QPSK	18675	1RB#0	22.63	-0.09	22.54	33	PASS
Band2	15MHz	QPSK	18675	1RB#38	23.12	-0.09	23.03	33	PASS
Band2	15MHz	QPSK	18675	1RB#74	22.97	-0.09	22.88	33	PASS
Band2	15MHz	QPSK	18675	38RB#0	21.99	-0.09	21.90	33	PASS

Band2	15MHz	QPSK	18675	38RB#18	21.93	-0.09	21.84	33	PASS
Band2	15MHz	QPSK	18675	38RB#37	22.80	-0.09	22.71	33	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.70	-0.09	22.61	33	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.54	-0.09	22.45	33	PASS
Band2	15MHz	16QAM	18675	1RB#38	22.30	-0.09	22.21	33	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.11	-0.09	22.02	33	PASS
Band2	15MHz	16QAM	18675	38RB#0	22.09	-0.09	22.00	33	PASS
Band2	15MHz	16QAM	18675	38RB#18	22.34	-0.09	22.25	33	PASS
Band2	15MHz	16QAM	18675	38RB#37	22.61	-0.09	22.52	33	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.27	-0.09	21.18	33	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.35	-0.09	23.26	33	PASS
Band2	15MHz	QPSK	18900	1RB#38	22.85	-0.09	22.76	33	PASS
Band2	15MHz	QPSK	18900	1RB#74	22.08	-0.09	21.99	33	PASS
Band2	15MHz	QPSK	18900	38RB#0	22.92	-0.09	22.83	33	PASS
Band2	15MHz	QPSK	18900	38RB#18	21.80	-0.09	21.71	33	PASS
Band2	15MHz	QPSK	18900	38RB#37	21.30	-0.09	21.21	33	PASS
Band2	15MHz	QPSK	18900	75RB#0	21.94	-0.09	21.85	33	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.31	-0.09	22.22	33	PASS
Band2	15MHz	16QAM	18900	1RB#38	21.80	-0.09	21.71	33	PASS
Band2	15MHz	16QAM	18900	1RB#74	21.68	-0.09	21.59	33	PASS
Band2	15MHz	16QAM	18900	38RB#0	22.07	-0.09	21.98	33	PASS
Band2	15MHz	16QAM	18900	38RB#18	22.11	-0.09	22.02	33	PASS
Band2	15MHz	16QAM	18900	38RB#37	22.12	-0.09	22.03	33	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.72	-0.09	21.63	33	PASS
Band2	15MHz	QPSK	19125	1RB#0	22.43	-0.09	22.34	33	PASS
Band2	15MHz	QPSK	19125	1RB#38	23.07	-0.09	22.98	33	PASS
Band2	15MHz	QPSK	19125	1RB#74	22.37	-0.09	22.28	33	PASS
Band2	15MHz	QPSK	19125	38RB#0	21.64	-0.09	21.55	33	PASS
Band2	15MHz	QPSK	19125	38RB#18	21.69	-0.09	21.60	33	PASS
Band2	15MHz	QPSK	19125	38RB#37	21.83	-0.09	21.74	33	PASS
Band2	15MHz	QPSK	19125	75RB#0	21.47	-0.09	21.38	33	PASS
Band2	15MHz	16QAM	19125	1RB#0	22.14	-0.09	22.05	33	PASS
Band2	15MHz	16QAM	19125	1RB#38	21.74	-0.09	21.65	33	PASS
Band2	15MHz	16QAM	19125	1RB#74	21.31	-0.09	21.22	33	PASS
Band2	15MHz	16QAM	19125	38RB#0	21.39	-0.09	21.30	33	PASS
Band2	15MHz	16QAM	19125	38RB#18	22.23	-0.09	22.14	33	PASS
Band2	15MHz	16QAM	19125	38RB#37	21.31	-0.09	21.22	33	PASS
Band2	15MHz	16QAM	19125	75RB#0	20.67	-0.09	20.58	33	PASS
Band2	20MHz	QPSK	18700	1RB#0	23.06	-0.09	22.97	33	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.63	-0.09	23.54	33	PASS
Band2	20MHz	QPSK	18700	1RB#99	23.05	-0.09	22.96	33	PASS
Band2	20MHz	QPSK	18700	50RB#0	21.90	-0.09	21.81	33	PASS
Band2	20MHz	QPSK	18700	50RB#25	22.07	-0.09	21.98	33	PASS
Band2	20MHz	QPSK	18700	50RB#50	23.02	-0.09	22.93	33	PASS
Band2	20MHz	QPSK	18700	100RB#0	22.61	-0.09	22.52	33	PASS
Band2	20MHz	16QAM	18700	1RB#0	22.42	-0.09	22.33	33	PASS
Band2	20MHz	16QAM	18700	1RB#49	21.83	-0.09	21.74	33	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.39	-0.09	22.30	33	PASS
Band2	20MHz	16QAM	18700	50RB#0	21.42	-0.09	21.33	33	PASS
Band2	20MHz	16QAM	18700	50RB#25	21.60	-0.09	21.51	33	PASS
Band2	20MHz	16QAM	18700	50RB#50	21.71	-0.09	21.62	33	PASS
Band2	20MHz	16QAM	18700	100RB#0	22.14	-0.09	22.05	33	PASS
Band2	20MHz	QPSK	18900	1RB#0	23.63	-0.09	23.54	33	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.27	-0.09	23.18	33	PASS
Band2	20MHz	QPSK	18900	1RB#99	22.51	-0.09	22.42	33	PASS
Band2	20MHz	QPSK	18900	50RB#0	23.00	-0.09	22.91	33	PASS
Band2	20MHz	QPSK	18900	50RB#25	23.08	-0.09	22.99	33	PASS
Band2	20MHz	QPSK	18900	50RB#50	22.34	-0.09	22.25	33	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.30	-0.09	22.21	33	PASS
Band2	20MHz	16QAM	18900	1RB#0	22.01	-0.09	21.92	33	PASS

Band2	20MHz	16QAM	18900	1RB#49	21.85	-0.09	21.76	33	PASS
Band2	20MHz	16QAM	18900	1RB#99	21.71	-0.09	21.62	33	PASS
Band2	20MHz	16QAM	18900	50RB#0	22.61	-0.09	22.52	33	PASS
Band2	20MHz	16QAM	18900	50RB#25	21.68	-0.09	21.59	33	PASS
Band2	20MHz	16QAM	18900	50RB#50	21.17	-0.09	21.08	33	PASS
Band2	20MHz	16QAM	18900	100RB#0	22.09	-0.09	22.00	33	PASS
Band2	20MHz	QPSK	19100	1RB#0	21.91	-0.09	21.82	33	PASS
Band2	20MHz	QPSK	19100	1RB#49	22.75	-0.09	22.66	33	PASS
Band2	20MHz	QPSK	19100	1RB#99	21.91	-0.09	21.82	33	PASS
Band2	20MHz	QPSK	19100	50RB#0	21.38	-0.09	21.29	33	PASS
Band2	20MHz	QPSK	19100	50RB#25	21.77	-0.09	21.68	33	PASS
Band2	20MHz	QPSK	19100	50RB#50	22.01	-0.09	21.92	33	PASS
Band2	20MHz	QPSK	19100	100RB#0	21.54	-0.09	21.45	33	PASS
Band2	20MHz	16QAM	19100	1RB#0	21.27	-0.09	21.18	33	PASS
Band2	20MHz	16QAM	19100	1RB#49	22.14	-0.09	22.05	33	PASS
Band2	20MHz	16QAM	19100	1RB#99	21.72	-0.09	21.63	33	PASS
Band2	20MHz	16QAM	19100	50RB#0	21.02	-0.09	20.93	33	PASS
Band2	20MHz	16QAM	19100	50RB#25	21.26	-0.09	21.17	33	PASS
Band2	20MHz	16QAM	19100	50RB#50	21.24	-0.09	21.15	33	PASS
Band2	20MHz	16QAM	19100	100RB#0	20.89	-0.09	20.80	33	PASS


1.2 Appendix B: Peak-to-Average Ratio(CCDF)


1.2.1 Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	4.68	13	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	5.45	13	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	5.83	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	6.25	13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	5.22	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	5.64	13	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	6.38	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	6.47	13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	4.52	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	5.29	13	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	5.67	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	6.09	13	PASS
Band2	3MHz	QPSK	18615	1RB#0	5.19	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	5.16	13	PASS
Band2	3MHz	16QAM	18615	1RB#0	6.06	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	6.12	13	PASS
Band2	3MHz	QPSK	18900	1RB#0	5.42	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.35	13	PASS
Band2	3MHz	16QAM	18900	1RB#0	6.15	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	6.25	13	PASS
Band2	3MHz	QPSK	19185	1RB#0	5.45	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	5.19	13	PASS
Band2	3MHz	16QAM	19185	1RB#0	6.63	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	6.28	13	PASS
Band2	5MHz	QPSK	18625	1RB#0	5.16	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	5.16	13	PASS
Band2	5MHz	16QAM	18625	1RB#0	5.74	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	5.99	13	PASS
Band2	5MHz	QPSK	18900	1RB#0	5.32	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.45	13	PASS
Band2	5MHz	16QAM	18900	1RB#0	5.96	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	6.28	13	PASS
Band2	5MHz	QPSK	19175	1RB#0	5.38	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	5.51	13	PASS
Band2	5MHz	16QAM	19175	1RB#0	6.03	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	6.41	13	PASS
Band2	10MHz	QPSK	18650	1RB#0	4.94	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	5.32	13	PASS
Band2	10MHz	16QAM	18650	1RB#0	5.83	13	PASS
Band2	10MHz	16QAM	18650	50RB#0	6.12	13	PASS
Band2	10MHz	QPSK	18900	1RB#0	4.71	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.54	13	PASS
Band2	10MHz	16QAM	18900	1RB#0	5.54	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	6.44	13	PASS
Band2	10MHz	QPSK	19150	1RB#0	3.37	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	5.58	13	PASS
Band2	10MHz	16QAM	19150	1RB#0	4.49	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	6.47	13	PASS
Band2	15MHz	QPSK	18675	1RB#0	8.27	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	6.03	13	PASS
Band2	15MHz	16QAM	18675	1RB#0	8.21	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	6.79	13	PASS


Band2	15MHz	QPSK	18900	1RB#0	8.27	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.77	13	PASS
Band2	15MHz	16QAM	18900	1RB#0	8.30	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	6.76	13	PASS
Band2	15MHz	QPSK	19125	1RB#0	9.10	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	5.77	13	PASS
Band2	15MHz	16QAM	19125	1RB#0	8.65	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	6.70	13	PASS
Band2	20MHz	QPSK	18700	1RB#0	8.56	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	6.63	13	PASS
Band2	20MHz	16QAM	18700	1RB#0	8.56	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	7.12	13	PASS
Band2	20MHz	QPSK	18900	1RB#0	8.65	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	6.41	13	PASS
Band2	20MHz	16QAM	18900	1RB#0	8.59	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	7.15	13	PASS
Band2	20MHz	QPSK	19100	1RB#0	9.26	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	6.44	13	PASS
Band2	20MHz	16QAM	19100	1RB#0	8.81	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	6.99	13	PASS


1.2.2 Test Graphs





















































1.3 Appendix C: 26dB Bandwidth and Occupied Bandwidth

1.3.1 Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.095	1.29	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.105	1.32	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.1	1.29	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.1	1.31	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.105	1.32	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.095	1.29	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.7	2.96	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.68	2.97	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.7	2.95	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.69	2.99	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.69	2.97	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.7	2.99	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.51	4.95	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5	4.93	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5	4.92	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.51	4.94	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.51	4.94	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.52	4.93	PASS
Band2	10MHz	QPSK	18650	50RB#0	9	9.97	PASS
Band2	10MHz	16QAM	18650	50RB#0	9	9.83	PASS
Band2	10MHz	QPSK	18900	50RB#0	9	9.87	PASS
Band2	10MHz	16QAM	18900	50RB#0	9	9.90	PASS
Band2	10MHz	QPSK	19150	50RB#0	9	9.87	PASS
Band2	10MHz	16QAM	19150	50RB#0	9	9.87	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.6	15.35	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.6	15.00	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.55	14.85	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.55	14.80	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.45	14.70	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.5	14.80	PASS
Band2	20MHz	QPSK	18700	100RB#0	18.133	20.53	PASS
Band2	20MHz	16QAM	18700	100RB#0	18.133	20.80	PASS
Band2	20MHz	QPSK	18900	100RB#0	18.067	20.00	PASS
Band2	20MHz	16QAM	18900	100RB#0	18.133	19.80	PASS
Band2	20MHz	QPSK	19100	100RB#0	18.067	19.67	PASS
Band2	20MHz	16QAM	19100	100RB#0	18.067	19.80	PASS



1.3.2 Test Graphs






Band2-1.4MHz-QPSK-19193-6RB#0-PASS

Band2-1.4MHz-16QAM-19193-6RB#0-PASS




Band2-3MHz-QPSK-18615-15RB#0-PASS

Band2-3MHz-16QAM-18615-15RB#0-PASS




Date: 15.SEP.2025 22:19:56




Date: 15.SEP.2025 22:20:09

Band2-3MHz-QPSK-18900-15RB#0-PASS




Date: 15.SEP.2025 22:20:26




Date: 15.SEP.2025 22:20:39

Band2-3MHz-QPSK-19185-15RB#0-PASS

Band2-3MHz-16QAM-19185-15RB#0-PASS




Date: 16.SEP.2025 00:07:35




Date: 16.SEP.2025 00:07:56

Band2-5MHz-QPSK-18625-25RB#0-PASS




Date: 16.SEP.2025 00:08:19




Date: 16.SEP.2025 00:08:40

Band2-5MHz-QPSK-18900-25RB#0-PASS

Band2-5MHz-16QAM-18900-25RB#0-PASS




Date: 16.SEP.2025 00:09:06




Date: 16.SEP.2025 00:09:28

Band2-5MHz-QPSK-19175-25RB#0-PASS



Date: 16.SEP.2025 00:42:03


Band2-5MHz-16QAM-19175-25RB#0-PASS




Date: 16.SEP.2025 00:42:16

Band2-10MHz-QPSK-18650-50RB#0-PASS

Band2-10MHz-16QAM-18650-50RB#0-PASS




Date: 16.SEP.2025 00:42:33




Date: 16.SEP.2025 00:42:45

Band2-10MHz-QPSK-18900-50RB#0-PASS





Date: 16.SEP.2025 00:43:02




Date: 16.SEP.2025 00:43:16

Band2-10MHz-QPSK-19150-50RB#0-PASS


Band2-10MHz-16QAM-19150-50RB#0-PASS



Band2-15MHz-QPSK-18675-75RB#0-PASS




Band2-15MHz-16QAM-18675-75RB#0-PASS




Band2-15MHz-QPSK-18900-75RB#0-PASS

Band2-15MHz-16QAM-18900-75RB#0-PASS





Band2-15MHz-QPSK-19125-75RB#0-PASS

Band2-15MHz-16QAM-19125-75RB#0-PASS




Band2-20MHz-QPSK-18700-100RB#0-PASS


Band2-20MHz-16QAM-18700-100RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS



Band2-20MHz-16QAM-18900-100RB#0-PASS



Band2-20MHz-QPSK-19100-100RB#0-PASS

Band2-20MHz-16QAM-19100-100RB#0-PASS


1.4 Appendix D: Band Edge


1.4.1 Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	-26.90	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	-46.14	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	-33.76	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	-29.64	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	-46.76	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	-34.57	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	-47.00	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	-25.76	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	-32.50	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	-47.86	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	-29.22	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	-33.08	PASS
Band2	3MHz	QPSK	18615	1RB#0	-17.30	PASS
Band2	3MHz	QPSK	18615	1RB#14	-40.90	PASS
Band2	3MHz	QPSK	18615	15RB#0	-28.25	PASS
Band2	3MHz	16QAM	18615	1RB#0	-17.78	PASS
Band2	3MHz	16QAM	18615	1RB#14	-41.61	PASS
Band2	3MHz	16QAM	18615	15RB#0	-30.27	PASS
Band2	3MHz	QPSK	19185	1RB#0	-41.17	PASS
Band2	3MHz	QPSK	19185	1RB#14	-17.02	PASS
Band2	3MHz	QPSK	19185	15RB#0	-29.14	PASS
Band2	3MHz	16QAM	19185	1RB#0	-42.27	PASS
Band2	3MHz	16QAM	19185	1RB#14	-19.35	PASS
Band2	3MHz	16QAM	19185	15RB#0	-30.78	PASS
Band2	5MHz	QPSK	18625	1RB#0	-23.79	PASS
Band2	5MHz	QPSK	18625	1RB#24	-43.20	PASS
Band2	5MHz	QPSK	18625	25RB#0	-31.67	PASS
Band2	5MHz	16QAM	18625	1RB#0	-24.65	PASS
Band2	5MHz	16QAM	18625	1RB#24	-43.89	PASS
Band2	5MHz	16QAM	18625	25RB#0	-33.17	PASS
Band2	5MHz	QPSK	19175	1RB#0	-42.72	PASS
Band2	5MHz	QPSK	19175	1RB#24	-23.98	PASS
Band2	5MHz	QPSK	19175	25RB#0	-33.00	PASS
Band2	5MHz	16QAM	19175	1RB#0	-43.65	PASS
Band2	5MHz	16QAM	19175	1RB#24	-24.56	PASS
Band2	5MHz	16QAM	19175	25RB#0	-33.93	PASS
Band2	10MHz	QPSK	18650	1RB#0	-26.66	PASS
Band2	10MHz	QPSK	18650	1RB#49	-42.88	PASS
Band2	10MHz	QPSK	18650	50RB#0	-28.32	PASS
Band2	10MHz	16QAM	18650	1RB#0	-27.67	PASS
Band2	10MHz	16QAM	18650	1RB#49	-43.51	PASS
Band2	10MHz	16QAM	18650	50RB#0	-31.07	PASS
Band2	10MHz	QPSK	19150	1RB#0	-43.09	PASS
Band2	10MHz	QPSK	19150	1RB#49	-26.46	PASS
Band2	10MHz	QPSK	19150	50RB#0	-36.40	PASS
Band2	10MHz	16QAM	19150	1RB#0	-43.84	PASS
Band2	10MHz	16QAM	19150	1RB#49	-27.59	PASS
Band2	10MHz	16QAM	19150	50RB#0	-37.71	PASS
Band2	15MHz	QPSK	18675	1RB#0	-27.69	PASS
Band2	15MHz	QPSK	18675	1RB#74	-39.37	PASS
Band2	15MHz	QPSK	18675	75RB#0	-23.13	PASS
Band2	15MHz	16QAM	18675	1RB#0	-28.57	PASS
Band2	15MHz	16QAM	18675	1RB#74	-39.94	PASS


Band2	15MHz	16QAM	18675	75RB#0	-27.14	PASS
Band2	15MHz	QPSK	19125	1RB#0	-39.44	PASS
Band2	15MHz	QPSK	19125	1RB#74	-28.78	PASS
Band2	15MHz	QPSK	19125	75RB#0	-31.26	PASS
Band2	15MHz	16QAM	19125	1RB#0	-40.09	PASS
Band2	15MHz	16QAM	19125	1RB#74	-29.31	PASS
Band2	15MHz	16QAM	19125	75RB#0	-34.43	PASS
Band2	20MHz	QPSK	18700	1RB#0	-29.74	PASS
Band2	20MHz	QPSK	18700	1RB#99	-40.00	PASS
Band2	20MHz	QPSK	18700	100RB#0	-24.43	PASS
Band2	20MHz	16QAM	18700	1RB#0	-30.13	PASS
Band2	20MHz	16QAM	18700	1RB#99	-40.91	PASS
Band2	20MHz	16QAM	18700	100RB#0	-27.78	PASS
Band2	20MHz	QPSK	19100	1RB#0	-39.07	PASS
Band2	20MHz	QPSK	19100	1RB#99	-30.43	PASS
Band2	20MHz	QPSK	19100	100RB#0	-29.79	PASS
Band2	20MHz	16QAM	19100	1RB#0	-39.80	PASS
Band2	20MHz	16QAM	19100	1RB#99	-31.41	PASS
Band2	20MHz	16QAM	19100	100RB#0	-33.00	PASS

1.4.2 Test Graphs






Date: 15.SEP.2025 21:47:27




Date: 15.SEP.2025 21:46:29

Band2-1.4MHz-QPSK-18607-6RB#0-PASS

Band2-1.4MHz-16QAM-18607-1RB#0-PASS




Date: 15.SEP.2025 21:47:06




Date: 15.SEP.2025 21:47:44


Band2-1.4MHz-16QAM-18607-1RB#5-PASS

Band2-1.4MHz-16QAM-18607-6RB#0-PASS






Date: 15.SEP.2025 21:49:21




Date: 15.SEP.2025 21:49:58

Band2-1.4MHz-16QAM-19193-1RB#5-PASS

Band2-1.4MHz-16QAM-19193-6RB#0-PASS




Date: 15.SEP.2025 22:21:04




Date: 15.SEP.2025 22:21:43

Band2-3MHz-QPSK-18615-1RB#0-PASS

Band2-3MHz-QPSK-18615-1RB#14-PASS




Date: 15.SEP.2025 22:22:22




Date: 15.SEP.2025 22:21:22

Band2-3MHz-QPSK-18615-15RB#0-PASS

Band2-3MHz-16QAM-18615-1RB#0-PASS




Date: 15.SEP.2025 22:22:01



Date: 15.SEP.2025 22:22:40


Band2-3MHz-16QAM-18615-1RB#14-PASS

Band2-3MHz-16QAM-18615-15RB#0-PASS




Date: 15.SEP.2025 22:23:02

Band2-3MHz-QPSK-19185-1RB#0-PASS




Date: 15.SEP.2025 22:23:41

Band2-3MHz-QPSK-19185-1RB#14-PASS




Date: 15.SEP.2025 22:24:20

Band2-3MHz-QPSK-19185-15RB#0-PASS




Date: 15.SEP.2025 22:23:22

Band2-3MHz-16QAM-19185-1RB#0-PASS




Date: 15.SEP.2025 22:24:00




Date: 15.SEP.2025 22:24:38

Band2-3MHz-16QAM-19185-1RB#14-PASS

Band2-3MHz-16QAM-19185-15RB#0-PASS




Date: 16.SEP.2025 00:09:53




Date: 16.SEP.2025 00:10:30

Band2-5MHz-QPSK-18625-1RB#0-PASS

Band2-5MHz-QPSK-18625-1RB#24-PASS




Date: 16.SEP.2025 00:11:11




Date: 16.SEP.2025 00:10:10

Band2-5MHz-QPSK-18625-25RB#0-PASS

Band2-5MHz-16QAM-18625-1RB#0-PASS




Date: 16.SEP.2025 00:10:50




Date: 16.SEP.2025 00:11:33

Band2-5MHz-16QAM-18625-1RB#24-PASS

Band2-5MHz-16QAM-18625-25RB#0-PASS




Date: 16.SEP.2025 00:11:54




Date: 16.SEP.2025 00:12:32

Band2-5MHz-QPSK-19175-1RB#0-PASS

Band2-5MHz-QPSK-19175-1RB#24-PASS




Date: 16.SEP.2025 00:13:10



Date: 16.SEP.2025 00:12:12


Band2-5MHz-QPSK-19175-25RB#0-PASS

Band2-5MHz-16QAM-19175-1RB#0-PASS




Date: 16.SEP.2025 00:12:50

Band2-5MHz-16QAM-19175-1RB#24-PASS




Date: 16.SEP.2025 00:13:27

Band2-5MHz-16QAM-19175-25RB#0-PASS




Date: 16.SEP.2025 00:43:41

Band2-10MHz-QPSK-18650-1RB#0-PASS




Date: 16.SEP.2025 00:44:21

Band2-10MHz-QPSK-18650-1RB#49-PASS




Date: 16.SEP.2025 00:44:58

Band2-10MHz-QPSK-18650-50RB#0-PASS




Date: 16.SEP.2025 00:44:00

Band2-10MHz-16QAM-18650-1RB#0-PASS




Date: 16.SEP.2025 00:44:38


Band2-10MHz-16QAM-18650-1RB#49-PASS



Date: 16.SEP.2025 00:45:16


Band2-10MHz-16QAM-18650-50RB#0-PASS






Date: 16.SEP.2025 00:46:31

Band2-10MHz-16QAM-19150-1RB#49-PASS




Date: 16.SEP.2025 00:47:08

Band2-10MHz-16QAM-19150-50RB#0-PASS




Date: 16.SEP.2025 01:18:16

Band2-15MHz-QPSK-18675-1RB#0-PASS




Date: 16.SEP.2025 01:18:55

Band2-15MHz-QPSK-18675-1RB#74-PASS




Date: 16.SEP.2025 01:19:33

Band2-15MHz-QPSK-18675-75RB#0-PASS




Date: 16.SEP.2025 01:18:35

Band2-15MHz-16QAM-18675-1RB#0-PASS




Date: 16.SEP.2025 01:19:13

Band2-15MHz-16QAM-18675-1RB#74-PASS




Date: 16.SEP.2025 01:19:53

Band2-15MHz-16QAM-18675-75RB#0-PASS




Date: 16.SEP.2025 01:20:16

Band2-15MHz-QPSK-19125-1RB#0-PASS




Date: 16.SEP.2025 01:20:55

Band2-15MHz-QPSK-19125-1RB#74-PASS




Date: 16.SEP.2025 01:21:35

Band2-15MHz-QPSK-19125-75RB#0-PASS




Date: 16.SEP.2025 01:20:35

Band2-15MHz-16QAM-19125-1RB#0-PASS




Date: 16.SEP.2025 01:21:14

Band2-15MHz-16QAM-19125-1RB#74-PASS




Date: 16.SEP.2025 01:21:55

Band2-15MHz-16QAM-19125-75RB#0-PASS




Date: 16.SEP.2025 01:50:58

Band2-20MHz-QPSK-18700-1RB#0-PASS




Date: 16.SEP.2025 01:51:40

Band2-20MHz-QPSK-18700-1RB#99-PASS




Date: 16.SEP.2025 01:52:19

Band2-20MHz-QPSK-18700-100RB#0-PASS




Date: 16.SEP.2025 01:51:19

Band2-20MHz-16QAM-18700-1RB#0-PASS




Date: 16.SEP.2025 01:51:59

Band2-20MHz-16QAM-18700-1RB#99-PASS




Date: 16.SEP.2025 01:52:39

Band2-20MHz-16QAM-18700-100RB#0-PASS




Date: 16.SEP.2025 01:53:00

Band2-20MHz-QPSK-19100-1RB#0-PASS




Date: 16.SEP.2025 01:53:39

Band2-20MHz-QPSK-19100-1RB#99-PASS




Date: 16.SEP.2025 01:54:19

Band2-20MHz-QPSK-19100-100RB#0-PASS



Date: 16.SEP.2025 01:53:20

Band2-20MHz-16QAM-19100-1RB#0-PASS



1.5 Appendix E: Conducted Spurious Emission

1.5.1 Test Result



Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	0.009~0.15	-46.37	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	0.15~30	-54.09	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	30~1000	-58.38	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	-20.39	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	3000~20000	-43.20	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.009~0.15	-46.54	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.15~30	-54.30	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	30~1000	-58.43	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	1000~3000	-21.33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	3000~20000	-43.31	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.009~0.15	-49.62	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.15~30	-54.38	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	30~1000	-58.49	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	1000~3000	-25.68	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	3000~20000	-43.18	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.009~0.15	-48.15	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.15~30	-54.46	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	30~1000	-58.15	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	1000~3000	-26.66	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	3000~20000	-43.23	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.009~0.15	-49.40	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.15~30	-53.77	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	30~1000	-58.53	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	1000~3000	-28.88	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3000~20000	-43.23	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.009~0.15	-48.69	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.15~30	-54.15	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	30~1000	-58.19	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	1000~3000	-30.07	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	3000~20000	-43.24	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.009~0.15	-48.70	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.15~30	-52.79	PASS
Band2	3MHz	QPSK	18615	1RB#0	30~1000	-58.42	PASS
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	-43.59	PASS
Band2	3MHz	QPSK	18615	1RB#0	3000~20000	-43.24	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.009~0.15	-48.96	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.15~30	-52.58	PASS
Band2	3MHz	16QAM	18615	1RB#0	30~1000	-58.54	PASS
Band2	3MHz	16QAM	18615	1RB#0	1000~3000	-43.93	PASS
Band2	3MHz	16QAM	18615	1RB#0	3000~20000	-43.28	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.009~0.15	-48.86	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.15~30	-52.45	PASS
Band2	3MHz	QPSK	18900	1RB#0	30~1000	-58.58	PASS
Band2	3MHz	QPSK	18900	1RB#0	1000~3000	-44.94	PASS
Band2	3MHz	QPSK	18900	1RB#0	3000~20000	-43.22	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.009~0.15	-48.77	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.15~30	-52.62	PASS
Band2	3MHz	16QAM	18900	1RB#0	30~1000	-58.42	PASS
Band2	3MHz	16QAM	18900	1RB#0	1000~3000	-45.20	PASS
Band2	3MHz	16QAM	18900	1RB#0	3000~20000	-43.27	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.009~0.15	-48.22	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.15~30	-52.52	PASS
Band2	3MHz	QPSK	19185	1RB#0	30~1000	-58.56	PASS


Band2	3MHz	QPSK	19185	1RB#0	1000~3000	-43.36	PASS
Band2	3MHz	QPSK	19185	1RB#0	3000~20000	-43.23	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.009~0.15	-49.45	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.15~30	-52.36	PASS
Band2	3MHz	16QAM	19185	1RB#0	30~1000	-58.28	PASS
Band2	3MHz	16QAM	19185	1RB#0	1000~3000	-43.66	PASS
Band2	3MHz	16QAM	19185	1RB#0	3000~20000	-43.23	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.009~0.15	-49.50	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.15~30	-46.08	PASS
Band2	5MHz	QPSK	18625	1RB#0	30~1000	-58.72	PASS
Band2	5MHz	QPSK	18625	1RB#0	1000~3000	-47.28	PASS
Band2	5MHz	QPSK	18625	1RB#0	3000~20000	-43.30	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.009~0.15	-49.47	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.15~30	-46.02	PASS
Band2	5MHz	16QAM	18625	1RB#0	30~1000	-58.70	PASS
Band2	5MHz	16QAM	18625	1RB#0	1000~3000	-47.34	PASS
Band2	5MHz	16QAM	18625	1RB#0	3000~20000	-43.27	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.009~0.15	-47.59	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.15~30	-46.17	PASS
Band2	5MHz	QPSK	18900	1RB#0	30~1000	-58.69	PASS
Band2	5MHz	QPSK	18900	1RB#0	1000~3000	-47.01	PASS
Band2	5MHz	QPSK	18900	1RB#0	3000~20000	-43.26	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.009~0.15	-49.56	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.15~30	-45.38	PASS
Band2	5MHz	16QAM	18900	1RB#0	30~1000	-58.63	PASS
Band2	5MHz	16QAM	18900	1RB#0	1000~3000	-47.41	PASS
Band2	5MHz	16QAM	18900	1RB#0	3000~20000	-43.26	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.009~0.15	-46.70	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.15~30	-47.03	PASS
Band2	5MHz	QPSK	19175	1RB#0	30~1000	-58.71	PASS
Band2	5MHz	QPSK	19175	1RB#0	1000~3000	-46.87	PASS
Band2	5MHz	QPSK	19175	1RB#0	3000~20000	-43.30	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.009~0.15	-48.05	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.15~30	-45.79	PASS
Band2	5MHz	16QAM	19175	1RB#0	30~1000	-58.68	PASS
Band2	5MHz	16QAM	19175	1RB#0	1000~3000	-45.13	PASS
Band2	5MHz	16QAM	19175	1RB#0	3000~20000	-43.24	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.009~0.15	-51.77	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.15~30	-46.95	PASS
Band2	10MHz	QPSK	18650	1RB#0	30~1000	-58.62	PASS
Band2	10MHz	QPSK	18650	1RB#0	1000~3000	-47.34	PASS
Band2	10MHz	QPSK	18650	1RB#0	3000~20000	-43.25	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.009~0.15	-48.05	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.15~30	-47.24	PASS
Band2	10MHz	16QAM	18650	1RB#0	30~1000	-58.72	PASS
Band2	10MHz	16QAM	18650	1RB#0	1000~3000	-47.39	PASS
Band2	10MHz	16QAM	18650	1RB#0	3000~20000	-43.27	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.009~0.15	-50.05	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.15~30	-47.70	PASS
Band2	10MHz	QPSK	18900	1RB#0	30~1000	-58.69	PASS
Band2	10MHz	QPSK	18900	1RB#0	1000~3000	-46.92	PASS
Band2	10MHz	QPSK	18900	1RB#0	3000~20000	-43.26	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.009~0.15	-47.23	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.15~30	-47.42	PASS
Band2	10MHz	16QAM	18900	1RB#0	30~1000	-58.67	PASS
Band2	10MHz	16QAM	18900	1RB#0	1000~3000	-47.93	PASS
Band2	10MHz	16QAM	18900	1RB#0	3000~20000	-43.27	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.009~0.15	-47.84	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.15~30	-46.25	PASS
Band2	10MHz	QPSK	19150	1RB#0	30~1000	-58.57	PASS

Band2	10MHz	QPSK	19150	1RB#0	1000~3000	-46.77	PASS
Band2	10MHz	QPSK	19150	1RB#0	3000~20000	-43.25	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.009~0.15	-47.03	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.15~30	-46.47	PASS
Band2	10MHz	16QAM	19150	1RB#0	30~1000	-58.62	PASS
Band2	10MHz	16QAM	19150	1RB#0	1000~3000	-47.02	PASS
Band2	10MHz	16QAM	19150	1RB#0	3000~20000	-43.26	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.009~0.15	-48.04	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.15~30	-46.80	PASS
Band2	15MHz	QPSK	18675	1RB#0	30~1000	-58.66	PASS
Band2	15MHz	QPSK	18675	1RB#0	1000~3000	-48.24	PASS
Band2	15MHz	QPSK	18675	1RB#0	3000~20000	-43.21	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.009~0.15	-46.60	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.15~30	-46.66	PASS
Band2	15MHz	16QAM	18675	1RB#0	30~1000	-58.67	PASS
Band2	15MHz	16QAM	18675	1RB#0	1000~3000	-46.97	PASS
Band2	15MHz	16QAM	18675	1RB#0	3000~20000	-43.23	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.009~0.15	-48.68	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.15~30	-46.80	PASS
Band2	15MHz	QPSK	18900	1RB#0	30~1000	-58.71	PASS
Band2	15MHz	QPSK	18900	1RB#0	1000~3000	-48.00	PASS
Band2	15MHz	QPSK	18900	1RB#0	3000~20000	-43.20	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.009~0.15	-48.65	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.15~30	-45.70	PASS
Band2	15MHz	16QAM	18900	1RB#0	30~1000	-58.59	PASS
Band2	15MHz	16QAM	18900	1RB#0	1000~3000	-46.82	PASS
Band2	15MHz	16QAM	18900	1RB#0	3000~20000	-43.21	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.009~0.15	-49.01	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.15~30	-46.16	PASS
Band2	15MHz	QPSK	19125	1RB#0	30~1000	-58.62	PASS
Band2	15MHz	QPSK	19125	1RB#0	1000~3000	-47.80	PASS
Band2	15MHz	QPSK	19125	1RB#0	3000~20000	-43.26	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.009~0.15	-46.41	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.15~30	-45.94	PASS
Band2	15MHz	16QAM	19125	1RB#0	30~1000	-58.68	PASS
Band2	15MHz	16QAM	19125	1RB#0	1000~3000	-46.88	PASS
Band2	15MHz	16QAM	19125	1RB#0	3000~20000	-43.23	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.009~0.15	-48.40	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.15~30	-50.12	PASS
Band2	20MHz	QPSK	18700	1RB#0	30~1000	-58.59	PASS
Band2	20MHz	QPSK	18700	1RB#0	1000~3000	-46.88	PASS
Band2	20MHz	QPSK	18700	1RB#0	3000~20000	-43.24	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.009~0.15	-46.53	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.15~30	-49.72	PASS
Band2	20MHz	16QAM	18700	1RB#0	30~1000	-58.59	PASS
Band2	20MHz	16QAM	18700	1RB#0	1000~3000	-46.94	PASS
Band2	20MHz	16QAM	18700	1RB#0	3000~20000	-43.27	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.009~0.15	-49.69	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.15~30	-52.00	PASS
Band2	20MHz	QPSK	18900	1RB#0	30~1000	-58.58	PASS
Band2	20MHz	QPSK	18900	1RB#0	1000~3000	-48.29	PASS
Band2	20MHz	QPSK	18900	1RB#0	3000~20000	-43.23	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.009~0.15	-49.96	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.15~30	-49.93	PASS
Band2	20MHz	16QAM	18900	1RB#0	30~1000	-58.53	PASS
Band2	20MHz	16QAM	18900	1RB#0	1000~3000	-47.50	PASS
Band2	20MHz	16QAM	18900	1RB#0	3000~20000	-43.27	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.009~0.15	-51.75	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.15~30	-47.69	PASS
Band2	20MHz	QPSK	19100	1RB#0	30~1000	-58.58	PASS

Band2	20MHz	QPSK	19100	1RB#0	1000~3000	-47.50	PASS
Band2	20MHz	QPSK	19100	1RB#0	3000~20000	-43.22	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.009~0.15	-46.33	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.15~30	-47.02	PASS
Band2	20MHz	16QAM	19100	1RB#0	30~1000	-58.57	PASS
Band2	20MHz	16QAM	19100	1RB#0	1000~3000	-47.48	PASS
Band2	20MHz	16QAM	19100	1RB#0	3000~20000	-43.20	PASS


1.5.2 Test Graphs






Date: 15.SEP.2025 21:51:38

Band2-1.4MHz-QPSK-18607-1RB#0-3000~20000-PASS




Date: 15.SEP.2025 21:52:05


Band2-1.4MHz-16QAM-18607-1RB#0-0.15~30-PASS




Date: 15.SEP.2025 21:52:19

Band2-1.4MHz-16QAM-18607-1RB#0-30~1000-PASS









Date: 15.SEP.2025 21:54:48

Band2-1.4MHz-16QAM-18900-1RB#0-0.15~30-PASS




Date: 15.SEP.2025 21:55:02

Band2-1.4MHz-16QAM-18900-1RB#0-30~1000-PASS




Date: 15.SEP.2025 21:55:16

Band2-1.4MHz-16QAM-18900-1RB#0-1000~3000-PASS




Date: 15.SEP.2025 21:55:31

Band2-1.4MHz-16QAM-18900-1RB#0-3000~20000-PASS




Date: 15.SEP.2025 21:56:21

Band2-1.4MHz-QPSK-19193-1RB#0-0.15~30-PASS




Date: 15.SEP.2025 21:56:36

Band2-1.4MHz-QPSK-19193-1RB#0-30~1000-PASS




Date: 15.SEP.2025 21:56:51

Band2-1.4MHz-QPSK-19193-1RB#0-1000~3000-PASS




Date: 15.SEP.2025 21:57:07

Band2-1.4MHz-QPSK-19193-1RB#0-3000~20000-PASS




Date: 15.SEP.2025 21:57:35


Band2-1.4MHz-16QAM-19193-1RB#0-0.15~30-PASS



Date: 15.SEP.2025 21:57:49


Band2-1.4MHz-16QAM-19193-1RB#0-30~1000-PASS







Band2-3MHz-QPSK-18615-1RB#0-30~1000-PASS

Band2-3MHz-QPSK-18615-1RB#0-1000~3000-PASS




Band2-3MHz-QPSK-18615-1RB#0-3000~20000-PASS






Date: 15.SEP.2025 22:27:38

Band2-3MHz-QPSK-18900-1RB#0-0.15~30-PASS




Date: 15.SEP.2025 22:27:52

Band2-3MHz-QPSK-18900-1RB#0-30~1000-PASS




Date: 15.SEP.2025 22:28:06

Band2-3MHz-QPSK-18900-1RB#0-1000~3000-PASS




Date: 15.SEP.2025 22:28:21

Band2-3MHz-QPSK-18900-1RB#0-3000~20000-PASS



Date: 15.SEP.2025 22:28:48



Date: 15.SEP.2025 22:29:02

Band2-3MHz-16QAM-18900-1RB#0-0.15~30-PASS

Band2-3MHz-16QAM-18900-1RB#0-30~1000-PASS