

Appendix-FCC-LTE-B41

1.1 Appendix A: Effective (Isotropic) Radiated Power Output Data

1.1.1 Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	conducted power(dBm)	Max AntGain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	21.75	0.35	22.10	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#12	22.12	0.35	22.47	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	21.88	0.35	22.23	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#0	21.13	0.35	21.48	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#6	20.82	0.35	21.17	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#13	21.18	0.35	21.53	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	20.94	0.35	21.29	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	21.62	0.35	21.97	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#12	21.73	0.35	22.08	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	21.27	0.35	21.62	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#0	19.75	0.35	20.10	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#6	19.97	0.35	20.32	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#13	19.64	0.35	19.99	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	20.21	0.35	20.56	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	21.90	0.35	22.25	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#12	22.52	0.35	22.87	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#24	21.86	0.35	22.21	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#0	21.09	0.35	21.44	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#6	20.89	0.35	21.24	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#13	21.49	0.35	21.84	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	20.86	0.35	21.21	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	21.04	0.35	21.39	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#12	21.01	0.35	21.36	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#24	20.77	0.35	21.12	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#0	20.28	0.35	20.63	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#6	20.15	0.35	20.50	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#13	20.25	0.35	20.60	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	20.19	0.35	20.54	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	22.92	0.35	23.27	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#12	22.80	0.35	23.15	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	22.87	0.35	23.22	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#0	22.50	0.35	22.85	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#6	22.47	0.35	22.82	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#13	21.92	0.35	22.27	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	21.75	0.35	22.10	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	22.29	0.35	22.64	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#12	22.06	0.35	22.41	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	22.21	0.35	22.56	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#0	20.60	0.35	20.95	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#6	21.02	0.35	21.37	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#13	21.29	0.35	21.64	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	21.42	0.35	21.77	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	21.73	0.35	22.08	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#24	21.83	0.35	22.18	33	PASS

Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	22.34	0.35	22.69	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#0	21.41	0.35	21.76	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#12	21.22	0.35	21.57	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#25	20.95	0.35	21.30	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	21.39	0.35	21.74	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	21.19	0.35	21.54	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#24	20.82	0.35	21.17	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	20.88	0.35	21.23	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#0	19.53	0.35	19.88	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#12	19.90	0.35	20.25	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#25	19.70	0.35	20.05	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	19.78	0.35	20.13	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	21.94	0.35	22.29	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#24	22.79	0.35	23.14	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#49	22.15	0.35	22.50	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#0	20.92	0.35	21.27	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#12	21.37	0.35	21.72	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#25	21.04	0.35	21.39	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	21.27	0.35	21.62	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	21.25	0.35	21.60	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#24	20.62	0.35	20.97	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#49	21.29	0.35	21.64	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#0	19.84	0.35	20.19	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#12	20.38	0.35	20.73	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#25	19.84	0.35	20.19	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	20.44	0.35	20.79	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	23.07	0.35	23.42	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#24	23.42	0.35	23.77	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	22.93	0.35	23.28	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#0	21.52	0.35	21.87	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#12	21.97	0.35	22.32	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#25	21.72	0.35	22.07	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	22.45	0.35	22.80	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	22.15	0.35	22.50	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#24	21.92	0.35	22.27	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	21.96	0.35	22.31	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#0	21.29	0.35	21.64	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#12	21.14	0.35	21.49	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#25	20.79	0.35	21.14	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	20.91	0.35	21.26	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	21.94	0.35	22.29	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#38	22.36	0.35	22.71	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	22.00	0.35	22.35	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#0	21.19	0.35	21.54	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#18	20.72	0.35	21.07	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#37	20.49	0.35	20.84	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	21.33	0.35	21.68	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	21.04	0.35	21.39	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#38	21.32	0.35	21.67	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	21.20	0.35	21.55	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#0	20.78	0.35	21.13	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#18	20.62	0.35	20.97	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#37	21.25	0.35	21.60	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	19.93	0.35	20.28	33	PASS

Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	22.43	0.35	22.78	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#38	21.99	0.35	22.34	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#74	22.69	0.35	23.04	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#0	20.99	0.35	21.34	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#18	21.11	0.35	21.46	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#37	20.81	0.35	21.16	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	20.84	0.35	21.19	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	21.36	0.35	21.71	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#38	20.86	0.35	21.21	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#74	21.36	0.35	21.71	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#0	21.21	0.35	21.56	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#18	20.94	0.35	21.29	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#37	21.45	0.35	21.80	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	19.89	0.35	20.24	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	22.71	0.35	23.06	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#38	22.84	0.35	23.19	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	22.67	0.35	23.02	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#0	21.80	0.35	22.15	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#18	22.48	0.35	22.83	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#37	21.99	0.35	22.34	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	21.90	0.35	22.25	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	22.14	0.35	22.49	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#38	22.38	0.35	22.73	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	21.61	0.35	21.96	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#0	21.65	0.35	22.00	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#18	22.45	0.35	22.80	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#37	21.87	0.35	22.22	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	21.43	0.35	21.78	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	22.17	0.35	22.52	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#49	22.11	0.35	22.46	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	22.14	0.35	22.49	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#0	20.41	0.35	20.76	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#25	20.90	0.35	21.25	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#50	20.73	0.35	21.08	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	21.40	0.35	21.75	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	20.57	0.35	20.92	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#49	21.28	0.35	21.63	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	21.00	0.35	21.35	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#0	19.80	0.35	20.15	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#25	20.16	0.35	20.51	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#50	20.56	0.35	20.91	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	20.28	0.35	20.63	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	21.98	0.35	22.33	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#49	21.86	0.35	22.21	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#99	22.00	0.35	22.35	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#0	20.75	0.35	21.10	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#25	21.70	0.35	22.05	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#50	21.06	0.35	21.41	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	21.06	0.35	21.41	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	20.59	0.35	20.94	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#49	21.06	0.35	21.41	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#99	21.17	0.35	21.52	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#0	20.33	0.35	20.68	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#25	20.01	0.35	20.36	33	PASS


Band41(2535-2655)	20MHz	16QAM	40590	50RB#50	20.28	0.35	20.63	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	20.26	0.35	20.61	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	22.70	0.35	23.05	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#49	22.61	0.35	22.96	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	22.83	0.35	23.18	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#0	21.78	0.35	22.13	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#25	21.46	0.35	21.81	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#50	21.90	0.35	22.25	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	22.26	0.35	22.61	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	20.84	0.35	21.19	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#49	21.53	0.35	21.88	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	22.00	0.35	22.35	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#0	20.99	0.35	21.34	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#25	20.79	0.35	21.14	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#50	20.41	0.35	20.76	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	20.54	0.35	20.89	33	PASS


1.2 Appendix B: Peak-to-Average Ratio(CCDF)


1.2.1 Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	9.17	13	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	9.07	13	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	9.65	13	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	9.81	13	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	9.36	13	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	9.01	13	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	9.78	13	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	9.74	13	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	8.14	13	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	8.78	13	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	8.81	13	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	9.46	13	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	8.94	13	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	9.36	13	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	9.74	13	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	10.06	13	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	9.13	13	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	9.26	13	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	9.81	13	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	9.94	13	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	8.27	13	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	9.10	13	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	9.10	13	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	9.84	13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	11.41	13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	9.65	13	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	11.25	13	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	10.51	13	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	11.19	13	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	9.39	13	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	11.22	13	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	10.35	13	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	11.47	13	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	9.49	13	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	11.28	13	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	10.45	13	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	11.54	13	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	10.26	13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	11.51	13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	10.80	13	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	11.47	13	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	10.10	13	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	11.28	13	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	10.61	13	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	11.51	13	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	10.13	13	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	11.44	13	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	10.74	13	PASS


1.2.2 Test Graphs


































1.3 Appendix C: 26dB Bandwidth and Occupied Bandwidth

1.3.1 Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	4.5	4.93	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	4.5	4.94	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	4.5	4.93	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	4.5	4.94	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	4.5	5.08	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	4.5	4.92	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	9	9.83	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	9	9.87	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	9	9.83	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	9	9.77	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	9.033	9.93	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	9.033	9.83	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	13.55	14.95	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	13.55	15.75	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	13.5	14.85	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	13.5	15.05	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	13.5	15.05	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	13.5	15.15	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	18.067	19.87	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	18.067	19.73	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	18.067	19.80	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	17.933	19.73	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	18	20.07	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	17.933	19.73	PASS


1.3.2 Test Graphs






Date: 13.JUN.2025 03:59:35

Band41(2535-2655)-5MHz-QPSK-41215-25RB#0-PASS




Date: 13.JUN.2025 03:59:54

Band41(2535-2655)-5MHz-16QAM-41215-25RB#0-PASS





Date: 13.JUN.2025 04:32:48

Band41(2535-2655)-10MHz-QPSK-40090-50RB#0-PASS





Date: 13.JUN.2025 04:33:00

Band41(2535-2655)-10MHz-16QAM-40090-50RB#0-PASS





Band41(2535-2655)-10MHz-QPSK-40590-50RB#0-PASS

Band41(2535-2655)-10MHz-16QAM-40590-50RB#0-PASS





Band41(2535-2655)-10MHz-QPSK-41190-50RB#0-PASS

Band41(2535-2655)-10MHz-16QAM-41190-50RB#0-PASS





Band41(2535-2655)-15MHz-QPSK-40115-75RB#0-PASS

Band41(2535-2655)-15MHz-16QAM-40115-75RB#0-PASS





Band41(2535-2655)-15MHz-QPSK-40590-75RB#0-PASS

Band41(2535-2655)-15MHz-16QAM-40590-75RB#0-PASS





Band41(2535-2655)-15MHz-QPSK-41165-75RB#0-PASS

Band41(2535-2655)-15MHz-16QAM-41165-75RB#0-PASS





Band41(2535-2655)-20MHz-QPSK-40140-100RB#0-PASS

Band41(2535-2655)-20MHz-16QAM-40140-100RB#0-PASS



Band41(2535-2655)-20MHz-QPSK-40590-100RB#0-PASS

Band41(2535-2655)-20MHz-16QAM-40590-100RB#0-PASS



Band41(2535-2655)-20MHz-QPSK-41140-100RB#0-PASS

Band41(2535-2655)-20MHz-16QAM-41140-100RB#0-PASS

1.4 Appendix D: Band Edge


1.4.1 Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	-38.57	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	-38.53	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	-38.52	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	-38.49	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	-38.56	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	-38.54	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	-38.49	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	-37.95	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	-37.70	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	-38.49	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	-38.02	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	-37.44	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	-38.57	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	-38.57	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	-38.50	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	-38.53	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	-38.48	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	-38.55	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	-38.82	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	-38.65	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	-37.92	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	-38.81	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	-38.66	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	-38.14	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	-38.51	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	-38.55	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	-38.51	PASS

Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	-38.56	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	-38.53	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	-38.56	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	-38.80	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	-38.77	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	-38.43	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	-38.77	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	-38.78	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	-38.53	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	-38.50	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	-38.57	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	-38.51	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	-38.57	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	-38.51	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	-38.58	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	-38.81	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	-38.75	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	-38.63	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	-38.80	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	-38.80	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	-38.64	PASS


1.4.2 Test Graphs































1.5 Appendix E: Conducted Spurious Emission

1.5.1 Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	0.009~0.15	-61.64	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	0.15~30	-69.27	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	30~1000	-47.39	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	1000~20000	-41.07	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	20000~27000	-45.11	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	0.009~0.15	-63.09	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	0.15~30	-68.33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	30~1000	-49.39	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	1000~20000	-43.77	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	20000~27000	-45.17	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	0.009~0.15	-61.48	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	0.15~30	-68.40	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	30~1000	-49.27	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	1000~20000	-26.86	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	20000~27000	-45.09	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	0.009~0.15	-62.85	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	0.15~30	-68.35	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	30~1000	-48.39	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	1000~20000	-27.08	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	20000~27000	-45.05	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	0.009~0.15	-62.44	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	0.15~30	-69.86	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	30~1000	-52.82	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	1000~20000	-43.72	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	20000~27000	-45.14	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	0.009~0.15	-62.57	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	0.15~30	-69.58	PASS


Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	30~1000	-55.90	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	1000~20000	-43.66	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	20000~27000	-45.12	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	0.009~0.15	-64.22	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	0.15~30	-67.62	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	30~1000	-51.69	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	1000~20000	-43.74	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	20000~27000	-45.12	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	0.009~0.15	-60.59	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	0.15~30	-68.59	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	30~1000	-48.22	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	1000~20000	-43.71	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	20000~27000	-45.08	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	0.009~0.15	-62.88	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	0.15~30	-68.26	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	30~1000	-50.77	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	1000~20000	-43.74	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	20000~27000	-45.10	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	0.009~0.15	-61.89	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	0.15~30	-69.06	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	30~1000	-50.98	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	1000~20000	-43.68	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	20000~27000	-45.16	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	0.009~0.15	-63.00	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	0.15~30	-68.11	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	30~1000	-47.51	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	1000~20000	-43.69	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	20000~27000	-44.99	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	0.009~0.15	-62.34	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	0.15~30	-69.03	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	30~1000	-52.77	PASS


Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	1000~20000	-43.64	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	20000~27000	-45.10	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	0.009~0.15	-61.49	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	0.15~30	-68.43	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	30~1000	-49.79	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	1000~20000	-43.64	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	20000~27000	-45.06	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	0.009~0.15	-62.58	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	0.15~30	-69.09	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	30~1000	-48.48	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	1000~20000	-43.68	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	20000~27000	-45.10	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	0.009~0.15	-63.42	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	0.15~30	-67.99	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	30~1000	-59.08	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	1000~20000	-43.77	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	20000~27000	-45.08	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	0.009~0.15	-60.87	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	0.15~30	-68.60	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	30~1000	-55.14	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	1000~20000	-43.68	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	20000~27000	-45.08	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	0.009~0.15	-61.80	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	0.15~30	-69.27	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	30~1000	-48.72	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	1000~20000	-43.74	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	20000~27000	-45.01	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	0.009~0.15	-61.88	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	0.15~30	-69.28	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	30~1000	-56.54	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	1000~20000	-43.72	PASS

Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	20000~27000	-45.10	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	0.009~0.15	-60.69	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	0.15~30	-69.08	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	30~1000	-59.12	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	1000~20000	-43.70	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	20000~27000	-45.16	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	0.009~0.15	-62.74	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	0.15~30	-68.50	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	30~1000	-48.06	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	1000~20000	-43.68	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	20000~27000	-45.04	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	0.009~0.15	-59.89	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	0.15~30	-70.15	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	30~1000	-48.63	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	1000~20000	-43.74	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	20000~27000	-45.11	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	0.009~0.15	-63.21	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	0.15~30	-70.19	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	30~1000	-51.00	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	1000~20000	-43.78	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	20000~27000	-45.09	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	0.009~0.15	-62.07	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	0.15~30	-68.79	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	30~1000	-51.47	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	1000~20000	-43.70	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	20000~27000	-45.12	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	0.009~0.15	-63.71	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	0.15~30	-68.54	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	30~1000	-51.36	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	1000~20000	-43.72	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	20000~27000	-45.09	PASS


1.5.2 Test Graphs








Date: 13.JUN.2025 04:08:50




Date: 13.JUN.2025 04:09:17

Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-1000~20000-PASS



Date: 13.JUN.2025 04:09:31





Band41(2535-2655)-5MHz-16QAM-40065-1RB#0-20000~27000-PASS




Date: 13.JUN.2025 04:09:46


Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-0.009~0.15-PASS

Band41(2535-2655)-5MHz-QPSK-40590-1RB#0-0.15~30-PASS






Date: 13.JUN.2025 04:11:08




Date: 13.JUN.2025 04:11:22

Band41(2535-2655)-5MHz-16QAM-40590-1RB#0-0.15~30-PASS



Date: 13.JUN.2025 04:11:37



Band41(2535-2655)-5MHz-16QAM-40590-1RB#0-30~1000-PASS



Date: 13.JUN.2025 04:12:04



Band41(2535-2655)-5MHz-16QAM-40590-1RB#0-1000~20000-PASS

Band41(2535-2655)-5MHz-16QAM-40590-1RB#0-20000~27000-PASS




Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-0.009~0.15-PASS

Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-0.15~30-PASS




Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-30~1000-PASS

Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-1000~20000-PASS




Date: 13.JUN.2025 04:13:29




Date: 13.JUN.2025 04:13:40

Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-20000~27000-PASS



Date: 13.JUN.2025 04:13:55


Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-0.009~0.15-PASS




Date: 13.JUN.2025 04:14:09

Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-0.15~30-PASS

Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-30~1000-PASS




Date: 13.JUN.2025 04:14:24




Date: 13.JUN.2025 04:14:51

Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-1000~20000-PASS



Date: 13.JUN.2025 04:40:18


Band41(2535-2655)-5MHz-16QAM-41215-1RB#0-20000~27000-PASS





Date: 13.JUN.2025 04:40:34

Band41(2535-2655)-10MHz-QPSK-40090-1RB#0-0.009~0.15-PASS



Band41(2535-2655)-10MHz-QPSK-40090-1RB#0-0.15~30-PASS






Band41(2535-2655)-10MHz-16QAM-40090-1RB#0-0.15~30-PASS

Band41(2535-2655)-10MHz-16QAM-40090-1RB#0-30~1000-PASS




Band41(2535-2655)-10MHz-16QAM-40090-1RB#0-1000~20000-PASS

Band41(2535-2655)-10MHz-16QAM-40090-1RB#0-20000~27000-PASS




Date: 13.JUN.2025 04:43:06

Band41(2535-2655)-10MHz-QPSK-40590-1RB#0-0.009~0.15-PASS




Date: 13.JUN.2025 04:43:21

Band41(2535-2655)-10MHz-QPSK-40590-1RB#0-0.15~30-PASS




Date: 13.JUN.2025 04:43:35

Band41(2535-2655)-10MHz-QPSK-40590-1RB#0-30~1000-PASS




Date: 13.JUN.2025 04:43:50

Band41(2535-2655)-10MHz-QPSK-40590-1RB#0-1000~20000-PASS




Date: 13.JUN.2025 04:44:17

Band41(2535-2655)-10MHz-QPSK-40590-1RB#0-20000~27000-PASS




Date: 13.JUN.2025 04:44:28

Band41(2535-2655)-10MHz-16QAM-40590-1RB#0-0.009~0.15-PASS




Date: 13.JUN.2025 04:44:43

Band41(2535-2655)-10MHz-16QAM-40590-1RB#0-0.15~30-PASS




Date: 13.JUN.2025 04:44:57

Band41(2535-2655)-10MHz-16QAM-40590-1RB#0-30~1000-PASS




Date: 13.JUN.2025 04:45:12




Date: 13.JUN.2025 04:45:39

Band41(2535-2655)-10MHz-16QAM-40590-1RB#0-1000~20000-PASS



Date: 13.JUN.2025 04:45:53



Band41(2535-2655)-10MHz-16QAM-40590-1RB#0-20000~27000-PASS



Date: 13.JUN.2025 04:46:08



Band41(2535-2655)-10MHz-QPSK-41190-1RB#0-0.009~0.15-PASS

Band41(2535-2655)-10MHz-QPSK-41190-1RB#0-0.15~30-PASS





Band41(2535-2655)-10MHz-QPSK-41190-1RB#0-30~1000-PASS

Band41(2535-2655)-10MHz-QPSK-41190-1RB#0-1000~20000-PASS





Band41(2535-2655)-10MHz-QPSK-41190-1RB#0-20000~27000-PASS

Band41(2535-2655)-10MHz-16QAM-41190-1RB#0-0.009~0.15-PASS




Band41(2535-2655)-10MHz-16QAM-41190-1RB#0-0.15~30-PASS

Band41(2535-2655)-10MHz-16QAM-41190-1RB#0-30~1000-PASS




Band41(2535-2655)-10MHz-16QAM-41190-1RB#0-1000~20000-PASS


Band41(2535-2655)-10MHz-16QAM-41190-1RB#0-20000~27000-PASS




Band41(2535-2655)-15MHz-QPSK-40115-1RB#0-0.009~0.15-PASS





Band41(2535-2655)-15MHz-QPSK-40115-1RB#0-0.15~30-PASS



Band41(2535-2655)-15MHz-QPSK-40115-1RB#0-30~1000-PASS





Band41(2535-2655)-15MHz-QPSK-40115-1RB#0-1000~20000-PASS




Band41(2535-2655)-15MHz-QPSK-40115-1RB#0-20000~27000-PASS

Band41(2535-2655)-15MHz-16QAM-40115-1RB#0-0.009~0.15-PASS




Band41(2535-2655)-15MHz-16QAM-40115-1RB#0-0.15~30-PASS

Band41(2535-2655)-15MHz-16QAM-40115-1RB#0-30~1000-PASS




Date: 13.JUN.2025 05:17:02




Date: 13.JUN.2025 05:17:29

Band41(2535-2655)-15MHz-16QAM-40115-1RB#0-1000~20000-PASS

Band41(2535-2655)-15MHz-16QAM-40115-1RB#0-20000~27000-PASS




Date: 13.JUN.2025 05:17:43




Date: 13.JUN.2025 05:17:58

Band41(2535-2655)-15MHz-QPSK-40590-1RB#0-0.009~0.15-PASS

Band41(2535-2655)-15MHz-QPSK-40590-1RB#0-0.15~30-PASS




Date: 13.JUN.2025 05:18:13




Date: 13.JUN.2025 05:18:28

Band41(2535-2655)-15MHz-QPSK-40590-1RB#0-30~1000-PASS



Date: 13.JUN.2025 05:18:55



Band41(2535-2655)-15MHz-QPSK-40590-1RB#0-
1000~20000-PASS



Date: 13.JUN.2025 05:19:06



Band41(2535-2655)-15MHz-QPSK-40590-1RB#0-
20000~27000-PASS

Band41(2535-2655)-15MHz-16QAM-40590-1RB#0-
0.009~0.15-PASS




Band41(2535-2655)-15MHz-16QAM-40590-1RB#0-0.15~30-PASS

Band41(2535-2655)-15MHz-16QAM-40590-1RB#0-30~1000-PASS




Band41(2535-2655)-15MHz-16QAM-40590-1RB#0-1000~20000-PASS

Band41(2535-2655)-15MHz-16QAM-40590-1RB#0-20000~27000-PASS




Date: 13.JUN.2025 05:20:31

Band41(2535-2655)-15MHz-QPSK-41165-1RB#0-0.009~0.15-PASS




Date: 13.JUN.2025 05:20:46

Band41(2535-2655)-15MHz-QPSK-41165-1RB#0-0.15~30-PASS




Date: 13.JUN.2025 05:21:00


Band41(2535-2655)-15MHz-QPSK-41165-1RB#0-30~1000-PASS




Date: 13.JUN.2025 05:21:16

Band41(2535-2655)-15MHz-QPSK-41165-1RB#0-1000~20000-PASS






Date: 13.JUN.2025 05:22:38




Date: 13.JUN.2025 05:23:05

Band41(2535-2655)-15MHz-16QAM-41165-1RB#0-1000~20000-PASS

Band41(2535-2655)-15MHz-16QAM-41165-1RB#0-20000~27000-PASS




Date: 13.JUN.2025 05:47:25





Date: 13.JUN.2025 05:47:41

Band41(2535-2655)-20MHz-QPSK-40140-1RB#0-0.009~0.15-PASS



Band41(2535-2655)-20MHz-QPSK-40140-1RB#0-0.15~30-PASS






Band41(2535-2655)-20MHz-16QAM-40140-1RB#0-0.15~30-PASS

Band41(2535-2655)-20MHz-16QAM-40140-1RB#0-30~1000-PASS




Band41(2535-2655)-20MHz-16QAM-40140-1RB#0-1000~20000-PASS

Band41(2535-2655)-20MHz-16QAM-40140-1RB#0-20000~27000-PASS




Date: 13.JUN.2025 05:50:10

Band41(2535-2655)-20MHz-QPSK-40590-1RB#0-0.009~0.15-PASS




Date: 13.JUN.2025 05:50:25

Band41(2535-2655)-20MHz-QPSK-40590-1RB#0-0.15~30-PASS




Date: 13.JUN.2025 05:50:39


Band41(2535-2655)-20MHz-QPSK-40590-1RB#0-30~1000-PASS




Date: 13.JUN.2025 05:50:54

Band41(2535-2655)-20MHz-QPSK-40590-1RB#0-1000~20000-PASS






Date: 13.JUN.2025 05:52:15




Date: 13.JUN.2025 05:52:42

Band41(2535-2655)-20MHz-16QAM-40590-1RB#0-1000~20000-PASS

Band41(2535-2655)-20MHz-16QAM-40590-1RB#0-20000~27000-PASS



Date: 13.JUN.2025 05:52:53



Date: 13.JUN.2025 05:53:08

Band41(2535-2655)-20MHz-QPSK-41140-1RB#0-0.009~0.15-PASS

Band41(2535-2655)-20MHz-QPSK-41140-1RB#0-0.15~30-PASS