
Bandwidth NTNV_802.11n(HT20)_SISO_5300MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.800MHz
Marker:
1: 5291.138 MHz
-6.87dBm
2: 5308.938 MHz
-8.74dBm
Trace
Level (dBm)
Frequency (MHz)
5270.0
5330.0


Bandwidth NTNV_802.11n(HT20)_SISO_5320MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.872MHz
Marker:
1: 5311.125 MHz
-6.10dBm
2: 5328.996 MHz
-6.43dBm
Trace
Level (dBm)
Frequency (MHz)
5290.0
5350.0


Bandwidth NTNV_802.11n(HT20)_SISO_5500MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.764MHz
Marker:
1: 5491.188 MHz
-4.82dBm
2: 5508.952 MHz
-7.84dBm
Trace
Level (dBm)
Frequency (MHz)
5470.0
5530.0


Bandwidth NTNV_802.11n(HT20)_SISO_5580MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.835MHz
Marker:
1: 5571.067 MHz
-6.82dBm
2: 5588.902 MHz
-6.45dBm
Trace
Level (dBm)
Frequency (MHz)
5550.0
5610.0


Bandwidth NTNV_802.11n(HT20)_SISO_5600MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.792MHz
Marker:
1: 5591.149 MHz
-7.71dBm
2: 5608.942 MHz
-9.48dBm
Trace
Level (dBm)
Frequency (MHz)
5570.0
5630.0


Bandwidth NTNV_802.11n(HT20)_SISO_5700MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.817MHz
Marker:
1: 5691.123 MHz
-6.77dBm
2: 5708.940 MHz
-10.01dBm
Trace
Level (dBm)
Frequency (MHz)
5670.0
5730.0


Bandwidth NTNV_802.11n(HT20)_SISO_5720MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.868MHz
Marker:
1: 5711.117 MHz
-6.75dBm
2: 5728.985 MHz
-7.84dBm
Trace
Level (dBm)
Frequency (MHz)
5690.0
5750.0


Bandwidth NTNV_802.11n(HT20)_SISO_5745MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.871MHz
Marker:
1: 5736.104 MHz
-5.81dBm
2: 5753.975 MHz
-10.03dBm
Trace
Level (dBm)
Frequency (MHz)
5715.0
5775.0


Bandwidth NTNV_802.11n(HT20)_SISO_5785MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.825MHz
Marker:
1: 5776.141 MHz
-7.81dBm
2: 5793.966 MHz
-9.81dBm
Trace
Level (dBm)
Frequency (MHz)
5755.0
5815.0


Bandwidth NTNV_802.11n(HT20)_SISO_5825MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.811MHz
Marker:
1: 5816.132 MHz
-7.56dBm
2: 5833.943 MHz
-10.62dBm
Trace
Level (dBm)
Frequency (MHz)
5795.0
5855.0


Bandwidth NTNV_802.11n(HT40)_SISO_5190MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.563MHz
Marker:
1: 5171.820 MHz
-1.25dBm
2: 5208.383 MHz
-3.05dBm
Trace
Level (dBm)
Frequency (MHz)
5130.0
5250.0


Bandwidth NTNV_802.11n(HT40)_SISO_5230MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.438MHz
Marker:
1: 5211.821 MHz
-0.23dBm
2: 5248.259 MHz
-2.03dBm
Trace
Level (dBm)
Frequency (MHz)
5170.0
5290.0


Bandwidth NTNV_802.11n(HT40)_SISO_5270MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.500MHz
Marker:
1: 5251.791 MHz
-5.55dBm
2: 5288.292 MHz
-5.96dBm
Trace
Level (dBm)
Frequency (MHz)
5210.0
5330.0


Bandwidth NTNV_802.11n(HT40)_SISO_5310MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.484MHz
Marker:
1: 5291.771 MHz
-1.81dBm
2: 5328.255 MHz
-1.18dBm
Trace
Level (dBm)
Frequency (MHz)
5250.0
5370.0


Bandwidth NTNV_802.11n(HT40)_SISO_5510MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.506MHz
Marker:
1: 5491.825 MHz
1.03dBm
2: 5528.331 MHz
-1.71dBm
Trace
Level (dBm)
Frequency (MHz)
5450.0
5570.0


Bandwidth NTNV_802.11n(HT40)_SISO_5550MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.372MHz
Marker:
1: 5531.841 MHz
0.16dBm
2: 5568.213 MHz
-3.28dBm
Trace
Level (dBm)
Frequency (MHz)
5490.0
5610.0


Bandwidth NTNV_802.11n(HT40)_SISO_5590MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.617MHz
Marker:
1: 5571.724 MHz
-1.33dBm
2: 5608.341 MHz
-3.03dBm
Trace
Level (dBm)
Frequency (MHz)
5530.0
5650.0


Bandwidth NTNV_802.11n(HT40)_SISO_5670MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.503MHz
Marker:
1: 5651.723 MHz
-0.39dBm
2: 5688.227 MHz
-3.40dBm
Trace
Level (dBm)
Frequency (MHz)
5610.0
5730.0


Bandwidth NTNV_802.11n(HT40)_SISO_5710MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.511MHz
Marker:
1: 5691.821 MHz
-2.45dBm
2: 5728.332 MHz
-2.95dBm
Trace
Level (dBm)
Frequency (MHz)
5650.0
5770.0


Bandwidth NTNV_802.11n(HT40)_SISO_5755MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.419MHz
Marker:
1: 5736.788 MHz
-1.72dBm
2: 5773.206 MHz
-4.09dBm
Trace
Level (dBm)
Frequency (MHz)
5695.0
5815.0


Bandwidth NTNV_802.11n(HT40)_SISO_5795MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.605MHz
Marker:
1: 5776.817 MHz
-2.73dBm
2: 5813.422 MHz
-1.87dBm
Trace
Level (dBm)
Frequency (MHz)
5735.0
5855.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5180MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.918MHz
Marker:
1: 5171.062 MHz
-8.94dBm
2: 5188.980 MHz
-7.49dBm
Trace
Level (dBm)
Frequency (MHz)
5150.0
5210.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5200MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.918MHz
Marker:
1: 5191.017 MHz
-8.06dBm
2: 5208.934 MHz
-7.33dBm
Trace
Level (dBm)
Frequency (MHz)
5170.0
5230.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5240MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.931MHz
Marker:
1: 5231.007 MHz
-7.51dBm
2: 5248.938 MHz
-8.59dBm
Trace
Level (dBm)
Frequency (MHz)
5210.0
5270.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5260MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.901MHz
Marker:
1: 5251.044 MHz
-8.63dBm
2: 5268.945 MHz
-8.09dBm
Trace
Level (dBm)
Frequency (MHz)
5230.0
5290.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5300MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.929MHz
Marker:
1: 5291.014 MHz
-10.16dBm
2: 5308.944 MHz
-7.89dBm
Trace
Level (dBm)
Frequency (MHz)
5270.0
5330.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5320MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.943MHz
Marker:
1: 5311.031 MHz
-7.30dBm
2: 5328.974 MHz
-10.11dBm
Trace
Level (dBm)
Frequency (MHz)
5290.0
5350.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5500MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.930MHz
Marker:
1: 5491.024 MHz
-8.66dBm
2: 5508.954 MHz
-7.80dBm
Trace
Level (dBm)
Frequency (MHz)
5470.0
5530.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5580MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.916MHz
Marker:
1: 5571.001 MHz
-7.47dBm
2: 5588.918 MHz
-8.45dBm
Trace
Level (dBm)
Frequency (MHz)
5550.0
5610.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5600MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.923MHz
Marker:
1: 5591.061 MHz
-8.06dBm
2: 5608.984 MHz
-8.18dBm
Trace
Level (dBm)
Frequency (MHz)
5570.0
5630.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5700MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.914MHz
Marker:
1: 5691.033 MHz
-8.93dBm
2: 5708.947 MHz
-8.21dBm
Trace
Level (dBm)
Frequency (MHz)
5670.0
5730.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5720MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.929MHz
Marker:
1: 5711.001 MHz
-8.12dBm
2: 5728.930 MHz
-8.81dBm
Trace
Level (dBm)
Frequency (MHz)
5690.0
5750.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5745MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.938MHz
Marker:
1: 5735.972 MHz
-9.05dBm
2: 5753.910 MHz
-10.43dBm
Trace
Level (dBm)
Frequency (MHz)
5715.0
5775.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5785MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.866MHz
Marker:
1: 5776.078 MHz
-9.48dBm
2: 5793.944 MHz
-9.94dBm
Trace
Level (dBm)
Frequency (MHz)
5755.0
5815.0


Bandwidth NTNV_802.11ac(VHT20)_SISO_5825MHz_ANT1
ANT=1 (SISO)
RBW=300kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 17.912MHz
Marker:
1: 5816.012 MHz
-9.40dBm
2: 5833.924 MHz
-9.90dBm
Trace
Level (dBm)
Frequency (MHz)
5795.0
5855.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5190MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.809MHz
Marker:
1: 5171.547 MHz
-1.79dBm
2: 5208.356 MHz
-3.92dBm
Trace
Level (dBm)
Frequency (MHz)
5130.0
5250.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5230MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.840MHz
Marker:
1: 5211.539 MHz
-2.28dBm
2: 5248.378 MHz
-3.45dBm
Trace
Level (dBm)
Frequency (MHz)
5170.0
5290.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5270MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.819MHz
Marker:
1: 5251.511 MHz
-3.67dBm
2: 5288.330 MHz
-4.66dBm
Trace
Level (dBm)
Frequency (MHz)
5210.0
5330.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5310MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.811MHz
Marker:
1: 5291.549 MHz
-2.24dBm
2: 5328.360 MHz
-3.63dBm
Trace
Level (dBm)
Frequency (MHz)
5250.0
5370.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5510MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.868MHz
Marker:
1: 5491.497 MHz
-1.50dBm
2: 5528.365 MHz
-2.50dBm
Trace
Level (dBm)
Frequency (MHz)
5450.0
5570.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5550MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.743MHz
Marker:
1: 5531.484 MHz
-1.48dBm
2: 5568.227 MHz
-3.64dBm
Trace
Level (dBm)
Frequency (MHz)
5490.0
5610.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5590MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.820MHz
Marker:
1: 5571.608 MHz
-1.91dBm
2: 5608.428 MHz
-4.25dBm
Trace
Level (dBm)
Frequency (MHz)
5530.0
5650.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5670MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.976MHz
Marker:
1: 5651.406 MHz
-2.30dBm
2: 5688.383 MHz
-3.46dBm
Trace
Level (dBm)
Frequency (MHz)
5610.0
5730.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5710MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.753MHz
Marker:
1: 5691.649 MHz
-2.29dBm
2: 5728.402 MHz
-3.42dBm
Trace
Level (dBm)
Frequency (MHz)
5650.0
5770.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5755MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.869MHz
Marker:
1: 5736.449 MHz
-2.61dBm
2: 5773.317 MHz
-6.02dBm
Trace
Level (dBm)
Frequency (MHz)
5695.0
5815.0


Bandwidth NTNV_802.11ac(VHT40)_SISO_5795MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 36.920MHz
Marker:
1: 5776.471 MHz
-5.49dBm
2: 5813.391 MHz
-4.56dBm
Trace
Level (dBm)
Frequency (MHz)
5735.0
5855.0


Bandwidth NTNV_802.11ac(VHT80)_SISO_5210MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 75.484MHz
Marker:
1: 5172.354 MHz
-7.22dBm
2: 5247.838 MHz
-9.23dBm
Trace
Level (dBm)
Frequency (MHz)
5090.0
5330.0


Bandwidth NTNV_802.11ac(VHT80)_SISO_5290MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 75.588MHz
Marker:
1: 5252.343 MHz
-8.39dBm
2: 5327.931 MHz
-8.86dBm
Trace
Level (dBm)
Frequency (MHz)
5170.0
5410.0


Bandwidth NTNV_802.11ac(VHT80)_SISO_5530MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 75.471MHz
Marker:
1: 5492.316 MHz
-6.48dBm
2: 5567.786 MHz
-8.13dBm
Trace
Level (dBm)
Frequency (MHz)
5410.0
5650.0


Bandwidth NTNV_802.11ac(VHT80)_SISO_5610MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 75.588MHz
Marker:
1: 5572.312 MHz
-7.83dBm
2: 5647.901 MHz
-8.93dBm
Trace
Level (dBm)
Frequency (MHz)
5490.0
5730.0


Bandwidth NTNV_802.11ac(VHT80)_SISO_5690MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 75.691MHz
Marker:
1: 5652.210 MHz
-7.21dBm
2: 5727.902 MHz
-9.06dBm
Trace
Level (dBm)
Frequency (MHz)
5570.0
5810.0


Bandwidth NTNV_802.11ac(VHT80)_SISO_5775MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
99%OBW: 75.698MHz
Marker:
1: 5737.273 MHz
-7.46dBm
2: 5812.971 MHz
-9.82dBm
Trace
Level (dBm)
Frequency (MHz)
5655.0
5895.0

2. Maximum Conducted Output Power

2.1 Test Result

Test Mode	Frequency (MHz)	Tx Type	Measured Output Power (dBm)	Limit (dBm)	Verdict
			Ant 1		
802.11a	5180	SISO	10.72	≤23.98	PASS
	5200	SISO	11.02	≤23.98	PASS
	5240	SISO	10.56	≤23.98	PASS
	5260	SISO	10.18	≤23.98	PASS
	5300	SISO	10.11	≤23.98	PASS
	5320	SISO	10.35	≤23.98	PASS
	5500	SISO	10.66	≤23.98	PASS
	5580	SISO	10.12	≤23.98	PASS
	5600	SISO	10.20	≤23.98	PASS
	5700	SISO	9.82	≤23.98	PASS
	5720	SISO	9.93	≤23.98	PASS
	5745	SISO	9.11	≤30.00	PASS
	5785	SISO	8.97	≤30.00	PASS
	5825	SISO	8.63	≤30.00	PASS
802.11n(HT20)	5180	SISO	9.14	≤23.98	PASS
	5200	SISO	8.82	≤23.98	PASS
	5240	SISO	8.89	≤23.98	PASS
	5260	SISO	8.73	≤23.98	PASS
	5300	SISO	8.67	≤23.98	PASS
	5320	SISO	8.77	≤23.98	PASS
	5500	SISO	9.08	≤23.98	PASS
	5580	SISO	8.67	≤23.98	PASS
	5600	SISO	8.62	≤23.98	PASS
	5700	SISO	8.32	≤23.98	PASS
	5720	SISO	8.31	≤23.98	PASS
	5745	SISO	7.74	≤30.00	PASS
	5785	SISO	7.26	≤30.00	PASS
	5825	SISO	7.04	≤30.00	PASS
802.11n(HT40)	5190	SISO	10.76	≤23.98	PASS
	5230	SISO	10.69	≤23.98	PASS
	5270	SISO	11.78	≤23.98	PASS
	5310	SISO	10.45	≤23.98	PASS
	5510	SISO	11.53	≤23.98	PASS
	5550	SISO	10.47	≤23.98	PASS
	5590	SISO	11.79	≤23.98	PASS
	5670	SISO	13.13	≤23.98	PASS
	5710	SISO	10.46	≤23.98	PASS
	5755	SISO	9.33	≤30.00	PASS
	5795	SISO	9.30	≤30.00	PASS
802.11ac(VHT20)	5180	SISO	8.72	≤23.98	PASS
	5200	SISO	8.49	≤23.98	PASS
	5240	SISO	8.38	≤23.98	PASS
	5260	SISO	8.36	≤23.98	PASS
	5300	SISO	8.25	≤23.98	PASS
	5320	SISO	8.34	≤23.98	PASS
	5500	SISO	8.62	≤23.98	PASS
	5580	SISO	7.99	≤23.98	PASS
	5600	SISO	9.60	≤23.98	PASS
	5700	SISO	7.82	≤23.98	PASS
	5720	SISO	7.99	≤23.98	PASS
	5745	SISO	7.26	≤30.00	PASS
	5785	SISO	6.89	≤30.00	PASS

	5825	SISO	6.81	≤30.00	PASS
802.11ac(VHT40)	5190	SISO	10.82	≤23.98	PASS
	5230	SISO	10.53	≤23.98	PASS
	5270	SISO	10.46	≤23.98	PASS
	5310	SISO	10.50	≤23.98	PASS
	5510	SISO	11.29	≤23.98	PASS
	5550	SISO	10.60	≤23.98	PASS
	5590	SISO	10.36	≤23.98	PASS
	5670	SISO	10.12	≤23.98	PASS
	5710	SISO	10.31	≤23.98	PASS
	5755	SISO	9.58	≤30.00	PASS
	5795	SISO	9.08	≤30.00	PASS
802.11ac(VHT80)	5210	SISO	6.10	≤23.98	PASS
	5290	SISO	6.96	≤23.98	PASS
	5530	SISO	6.00	≤23.98	PASS
	5610	SISO	5.67	≤23.98	PASS
	5690	SISO	5.24	≤23.98	PASS
	5775	SISO	5.05	≤30.00	PASS

2.2 Test Graph




Maximum Conducted Output Power NTNV_802.11a_SISO_5200MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=MAX Hold
Sweep Point=1001
Sweep Time=80.133ms
Power: 11.02 dBm
CHP: 11.02 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5180.0
5220.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11a_SISO_5240MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 10.56 dBm
CHP: 9.63 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5220.0
5260.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11a_SISO_5260MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 10.18 dBm
CHP: 9.27 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5240.0
5280.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11a_SISO_5300MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 10.11 dBm
CHP: 9.21 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5280.0
5320.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11a_SISO_5320MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 10.35 dBm
CHP: 9.42 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5300.0
5340.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11a_SISO_5500MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 10.66 dBm
CHP: 9.75 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5480.0
5520.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11a_SISO_5580MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 10.12 dBm
CHP: 9.19 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5560.0
5600.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11a_SISO_5600MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 10.20 dBm
CHP: 9.27 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5580.0
5620.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11a_SISO_5700MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 9.82 dBm
CHP: 8.89 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5680.0
5720.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11a_SISO_5720MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 9.93 dBm
CHP: 9.00 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5700.0
5740.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11a_SISO_5745MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 9.11 dBm
CHP: 8.20 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5725.0
5765.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11a_SISO_5785MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.97 dBm
CHP: 8.04 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5765.0
5805.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11a_SISO_5825MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.63 dBm
CHP: 7.72 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5805.0
5845.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5180MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 9.14 dBm
CHP: 8.17 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5160.0
5200.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5200MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.82 dBm
CHP: 7.85 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5180.0
5220.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5240MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.89 dBm
CHP: 7.92 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5220.0
5260.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5260MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.73 dBm
CHP: 7.76 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5240.0
5280.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5300MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.67 dBm
CHP: 7.68 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5280.0
5320.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5320MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.77 dBm
CHP: 7.80 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5300.0
5340.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5500MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 9.08 dBm
CHP: 8.12 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5480.0
5520.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5580MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.67 dBm
CHP: 7.70 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5560.0
5600.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5600MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.62 dBm
CHP: 7.65 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5580.0
5620.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5700MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.32 dBm
CHP: 7.35 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5680.0
5720.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5720MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.31 dBm
CHP: 7.34 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5700.0
5740.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5745MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 7.74 dBm
CHP: 6.77 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5725.0
5765.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5785MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 7.26 dBm
CHP: 6.29 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5765.0
5805.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT20)_SISO_5825MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 7.04 dBm
CHP: 6.07 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5805.0
5845.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT40)_SISO_5190MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 10.76 dBm
CHP: 9.27 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5150.0
5230.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT40)_SISO_5230MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 10.69 dBm
CHP: 9.20 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5190.0
5270.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT40)_SISO_5270MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: 11.78 dBm
CHP: 11.78 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5230.0
5310.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT40)_SISO_5310MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 10.45 dBm
CHP: 8.96 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5270.0
5350.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT40)_SISO_5510MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: 11.53 dBm
CHP: 11.53 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5470.0
5550.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT40)_SISO_5550MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 10.47 dBm
CHP: 8.98 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5510.0
5590.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT40)_SISO_5590MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=MAX Hold
Sweep Point=1001
Sweep Time=46ms
Power: 11.79 dBm
CHP: 11.79 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5550.0
5630.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT40)_SISO_5670MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: 13.13 dBm
CHP: 13.13 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5630.0
5710.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT40)_SISO_5710MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 10.46 dBm
CHP: 8.97 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5670.0
5750.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT40)_SISO_5755MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 9.33 dBm
CHP: 7.84 dBm
Trace
Level (dBm)
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
5715.0
5795.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11n(HT40)_SISO_5795MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=MAX Hold
Sweep Point=1001
Sweep Time=3ms
Power: 9.30 dBm
CHP: 9.30 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5755.0
5835.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11ac(VHT20)_SISO_5180MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.72 dBm
CHP: 7.69 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5160.0
5200.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11ac(VHT20)_SISO_5200MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.49 dBm
CHP: 7.43 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5180.0
5220.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11ac(VHT20)_SISO_5240MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.38 dBm
CHP: 7.32 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5220.0
5260.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11ac(VHT20)_SISO_5260MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.36 dBm
CHP: 7.30 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5240.0
5280.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11ac(VHT20)_SISO_5300MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.25 dBm
CHP: 7.19 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5280.0
5320.0
Frequency (MHz)


Maximum Conducted Output Power NTNV_802.11ac(VHT20)_SISO_5320MHz_ANT1
ANT=1 (SISO)
RBW=1MHz
VBW=3MHz
Detector=RMS
Trace=Average
Sweep Point=1001
Sweep Time=1ms
Power: 8.34 dBm
CHP: 7.25 dBm
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
5300.0
5340.0
Frequency (MHz)