

# LTE Band 66 Test Data

FCC ID: 2AXZU-EEYE-M502T

## Table of Contents

|                                                           |    |
|-----------------------------------------------------------|----|
| 1. Effective (Isotropic) Radiated Power Output Data ..... | 2  |
| 2. Peak to Average Ratio.....                             | 9  |
| 3. Occupied Bandwidth .....                               | 28 |
| 4. Unwanted Spurious Emission .....                       | 47 |
| 5. Frequency Stability .....                              | 92 |

## 1. Effective (Isotropic) Radiated Power Output Data

| Band   | Bandwidth | Modulation | Channel | RB Configuration | Result(d Bm) | Gain (dB) | EIRP (dBm) | EIRP Limit (dBm) | Verdict |
|--------|-----------|------------|---------|------------------|--------------|-----------|------------|------------------|---------|
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#0            | 22.37        | 0.59      | 22.96      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#2            | 23.32        | 0.59      | 23.91      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 1RB#5            | 23.06        | 0.59      | 23.65      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 3RB#0            | 22.71        | 0.59      | 23.30      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 3RB#1            | 23.21        | 0.59      | 23.80      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 3RB#3            | 22.79        | 0.59      | 23.38      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 131979  | 6RB#0            | 22.27        | 0.59      | 22.86      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 1RB#0            | 22.89        | 0.59      | 23.48      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 1RB#2            | 22.45        | 0.59      | 23.04      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 1RB#5            | 23.08        | 0.59      | 23.67      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 3RB#0            | 22.83        | 0.59      | 23.42      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 3RB#1            | 22.52        | 0.59      | 23.11      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 3RB#3            | 23.40        | 0.59      | 23.99      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132322  | 6RB#0            | 22.51        | 0.59      | 23.10      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#0            | 22.57        | 0.59      | 23.16      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#2            | 22.65        | 0.59      | 23.24      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 1RB#5            | 22.62        | 0.59      | 23.21      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 3RB#0            | 22.95        | 0.59      | 23.54      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 3RB#1            | 22.26        | 0.59      | 22.85      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 3RB#3            | 22.12        | 0.59      | 22.71      | 30               | PASS    |
| Band66 | 1.4MHz    | QPSK       | 132665  | 6RB#0            | 23.13        | 0.59      | 23.72      | 30               | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#0            | 22.54        | 0.59      | 23.13      | 30               | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#2            | 22.74        | 0.59      | 23.33      | 30               | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 1RB#5            | 22.58        | 0.59      | 23.17      | 30               | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 3RB#0            | 22.91        | 0.59      | 23.50      | 30               | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 3RB#1            | 22.39        | 0.59      | 22.98      | 30               | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 3RB#3            | 22.63        | 0.59      | 23.22      | 30               | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 131979  | 6RB#0            | 22.47        | 0.59      | 23.06      | 30               | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 1RB#0            | 22.78        | 0.59      | 23.37      | 30               | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 1RB#2            | 22.49        | 0.59      | 23.08      | 30               | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 1RB#5            | 22.41        | 0.59      | 23.00      | 30               | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 3RB#0            | 22.57        | 0.59      | 23.16      | 30               | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 3RB#1            | 22.22        | 0.59      | 22.81      | 30               | PASS    |
| Band66 | 1.4MHz    | 16QAM      | 132322  | 3RB#3            | 22.92        | 0.59      | 23.51      | 30               | PASS    |

|        |        |       |        |        |       |      |       |    |      |
|--------|--------|-------|--------|--------|-------|------|-------|----|------|
| Band66 | 1.4MHz | 16QAM | 132322 | 6RB#0  | 22.26 | 0.59 | 22.85 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 1RB#0  | 22.68 | 0.59 | 23.27 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 1RB#2  | 22.29 | 0.59 | 22.88 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 1RB#5  | 22.85 | 0.59 | 23.44 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 3RB#0  | 22.90 | 0.59 | 23.49 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 3RB#1  | 22.11 | 0.59 | 22.70 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 3RB#3  | 21.97 | 0.59 | 22.56 | 30 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 6RB#0  | 23.05 | 0.59 | 23.64 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 1RB#0  | 22.35 | 0.59 | 22.94 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 1RB#8  | 21.94 | 0.59 | 22.53 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 1RB#14 | 22.23 | 0.59 | 22.82 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 8RB#0  | 22.24 | 0.59 | 22.83 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 8RB#4  | 22.39 | 0.59 | 22.98 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 8RB#7  | 21.97 | 0.59 | 22.56 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 15RB#0 | 22.89 | 0.59 | 23.48 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 1RB#0  | 21.88 | 0.59 | 22.47 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 1RB#8  | 22.51 | 0.59 | 23.10 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 1RB#14 | 22.44 | 0.59 | 23.03 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 8RB#0  | 22.32 | 0.59 | 22.91 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 8RB#4  | 23.04 | 0.59 | 23.63 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 8RB#7  | 22.88 | 0.59 | 23.47 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 15RB#0 | 22.27 | 0.59 | 22.86 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 1RB#0  | 22.26 | 0.59 | 22.85 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 1RB#8  | 21.95 | 0.59 | 22.54 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 1RB#14 | 22.69 | 0.59 | 23.28 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 8RB#0  | 22.53 | 0.59 | 23.12 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 8RB#4  | 23.15 | 0.59 | 23.74 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 8RB#7  | 22.66 | 0.59 | 23.25 | 30 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 15RB#0 | 22.35 | 0.59 | 22.94 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 1RB#0  | 22.56 | 0.59 | 23.15 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 1RB#8  | 22.91 | 0.59 | 23.50 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 1RB#14 | 22.19 | 0.59 | 22.78 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 8RB#0  | 23.41 | 0.59 | 24.00 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 8RB#4  | 23.05 | 0.59 | 23.64 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 8RB#7  | 22.91 | 0.59 | 23.50 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 15RB#0 | 22.30 | 0.59 | 22.89 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 1RB#0  | 22.98 | 0.59 | 23.57 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 1RB#8  | 22.13 | 0.59 | 22.72 | 30 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 1RB#14 | 22.99 | 0.59 | 23.58 | 30 | PASS |

|        |      |       |        |         |       |      |       |    |      |
|--------|------|-------|--------|---------|-------|------|-------|----|------|
| Band66 | 3MHz | 16QAM | 132322 | 8RB#0   | 22.61 | 0.59 | 23.20 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132322 | 8RB#4   | 23.49 | 0.59 | 24.08 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132322 | 8RB#7   | 22.81 | 0.59 | 23.40 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132322 | 15RB#0  | 21.99 | 0.59 | 22.58 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 1RB#0   | 22.37 | 0.59 | 22.96 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 1RB#8   | 22.15 | 0.59 | 22.74 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 1RB#14  | 23.22 | 0.59 | 23.81 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 8RB#0   | 22.45 | 0.59 | 23.04 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 8RB#4   | 23.02 | 0.59 | 23.61 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 8RB#7   | 23.36 | 0.59 | 23.95 | 30 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 15RB#0  | 22.36 | 0.59 | 22.95 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#0   | 23.05 | 0.59 | 23.64 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#12  | 23.23 | 0.59 | 23.82 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#24  | 23.24 | 0.59 | 23.83 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 12RB#0  | 23.05 | 0.59 | 23.64 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 12RB#6  | 22.71 | 0.59 | 23.30 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 12RB#13 | 22.05 | 0.59 | 22.64 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 25RB#0  | 22.10 | 0.59 | 22.69 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#0   | 22.24 | 0.59 | 22.83 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#12  | 22.59 | 0.59 | 23.18 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#24  | 22.33 | 0.59 | 22.92 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 12RB#0  | 22.35 | 0.59 | 22.94 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 12RB#6  | 22.22 | 0.59 | 22.81 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 12RB#13 | 23.23 | 0.59 | 23.82 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 25RB#0  | 22.57 | 0.59 | 23.16 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 1RB#0   | 22.64 | 0.59 | 23.23 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 1RB#12  | 22.91 | 0.59 | 23.50 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 1RB#24  | 22.75 | 0.59 | 23.34 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 12RB#0  | 21.99 | 0.59 | 22.58 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 12RB#6  | 22.88 | 0.59 | 23.47 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 12RB#13 | 23.23 | 0.59 | 23.82 | 30 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 25RB#0  | 22.45 | 0.59 | 23.04 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#0   | 22.91 | 0.59 | 23.50 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#12  | 22.16 | 0.59 | 22.75 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#24  | 22.62 | 0.59 | 23.21 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 12RB#0  | 22.92 | 0.59 | 23.51 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 12RB#6  | 22.14 | 0.59 | 22.73 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 12RB#13 | 22.89 | 0.59 | 23.48 | 30 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 25RB#0  | 21.99 | 0.59 | 22.58 | 30 | PASS |

|        |       |       |        |         |       |      |       |    |      |
|--------|-------|-------|--------|---------|-------|------|-------|----|------|
| Band66 | 5MHz  | 16QAM | 132322 | 1RB#0   | 22.39 | 0.59 | 22.98 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132322 | 1RB#12  | 22.19 | 0.59 | 22.78 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132322 | 1RB#24  | 22.61 | 0.59 | 23.20 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132322 | 12RB#0  | 23.13 | 0.59 | 23.72 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132322 | 12RB#6  | 22.83 | 0.59 | 23.42 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132322 | 12RB#13 | 22.67 | 0.59 | 23.26 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132322 | 25RB#0  | 22.07 | 0.59 | 22.66 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 1RB#0   | 22.87 | 0.59 | 23.46 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 1RB#12  | 22.94 | 0.59 | 23.53 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 1RB#24  | 22.02 | 0.59 | 22.61 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 12RB#0  | 22.76 | 0.59 | 23.35 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 12RB#6  | 22.37 | 0.59 | 22.96 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 12RB#13 | 22.45 | 0.59 | 23.04 | 30 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 25RB#0  | 23.45 | 0.59 | 24.04 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#0   | 22.75 | 0.59 | 23.34 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#24  | 22.23 | 0.59 | 22.82 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#49  | 22.40 | 0.59 | 22.99 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 25RB#0  | 22.24 | 0.59 | 22.83 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 25RB#12 | 22.89 | 0.59 | 23.48 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 25RB#25 | 22.90 | 0.59 | 23.49 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 50RB#0  | 22.66 | 0.59 | 23.25 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#0   | 23.10 | 0.59 | 23.69 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#24  | 23.38 | 0.59 | 23.97 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#49  | 22.89 | 0.59 | 23.48 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 25RB#0  | 22.84 | 0.59 | 23.43 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 25RB#12 | 23.55 | 0.59 | 24.14 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 25RB#25 | 21.96 | 0.59 | 22.55 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 50RB#0  | 22.11 | 0.59 | 22.70 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#0   | 22.61 | 0.59 | 23.20 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#24  | 23.18 | 0.59 | 23.77 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#49  | 23.06 | 0.59 | 23.65 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 25RB#0  | 23.24 | 0.59 | 23.83 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 25RB#12 | 22.34 | 0.59 | 22.93 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 25RB#25 | 22.90 | 0.59 | 23.49 | 30 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 50RB#0  | 22.00 | 0.59 | 22.59 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#0   | 23.14 | 0.59 | 23.73 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#24  | 22.50 | 0.59 | 23.09 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#49  | 23.21 | 0.59 | 23.80 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 25RB#0  | 22.43 | 0.59 | 23.02 | 30 | PASS |

|        |       |       |        |         |       |      |       |    |      |
|--------|-------|-------|--------|---------|-------|------|-------|----|------|
| Band66 | 10MHz | 16QAM | 132022 | 25RB#12 | 22.56 | 0.59 | 23.15 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 25RB#25 | 22.50 | 0.59 | 23.09 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 50RB#0  | 23.50 | 0.59 | 24.09 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#0   | 22.34 | 0.59 | 22.93 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#24  | 23.13 | 0.59 | 23.72 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#49  | 22.88 | 0.59 | 23.47 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 25RB#0  | 22.66 | 0.59 | 23.25 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 25RB#12 | 23.11 | 0.59 | 23.70 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 25RB#25 | 22.05 | 0.59 | 22.64 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 50RB#0  | 22.57 | 0.59 | 23.16 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#0   | 23.02 | 0.59 | 23.61 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#24  | 22.31 | 0.59 | 22.90 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#49  | 22.24 | 0.59 | 22.83 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 25RB#0  | 22.34 | 0.59 | 22.93 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 25RB#12 | 22.86 | 0.59 | 23.45 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 25RB#25 | 22.65 | 0.59 | 23.24 | 30 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 50RB#0  | 22.54 | 0.59 | 23.13 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#0   | 22.03 | 0.59 | 22.62 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#38  | 23.16 | 0.59 | 23.75 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#74  | 22.54 | 0.59 | 23.13 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 38RB#0  | 22.58 | 0.59 | 23.17 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 38RB#18 | 23.14 | 0.59 | 23.73 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 38RB#37 | 22.82 | 0.59 | 23.41 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 75RB#0  | 22.73 | 0.59 | 23.32 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#0   | 22.83 | 0.59 | 23.42 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#38  | 23.33 | 0.59 | 23.92 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#74  | 22.28 | 0.59 | 22.87 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 38RB#0  | 22.84 | 0.59 | 23.43 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 38RB#18 | 23.45 | 0.59 | 24.04 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 38RB#37 | 22.61 | 0.59 | 23.20 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 75RB#0  | 22.88 | 0.59 | 23.47 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#0   | 22.68 | 0.59 | 23.27 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#38  | 22.23 | 0.59 | 22.82 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#74  | 22.76 | 0.59 | 23.35 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 38RB#0  | 22.58 | 0.59 | 23.17 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 38RB#18 | 22.74 | 0.59 | 23.33 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 38RB#37 | 22.21 | 0.59 | 22.80 | 30 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 75RB#0  | 22.45 | 0.59 | 23.04 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#0   | 22.33 | 0.59 | 22.92 | 30 | PASS |


|        |       |       |        |         |              |      |       |    |      |
|--------|-------|-------|--------|---------|--------------|------|-------|----|------|
| Band66 | 15MHz | 16QAM | 132047 | 1RB#38  | 23.36        | 0.59 | 23.95 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#74  | 22.59        | 0.59 | 23.18 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 38RB#0  | 23.06        | 0.59 | 23.65 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 38RB#18 | 22.38        | 0.59 | 22.97 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 38RB#37 | 23.15        | 0.59 | 23.74 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 75RB#0  | 22.32        | 0.59 | 22.91 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#0   | 22.53        | 0.59 | 23.12 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#38  | 23.27        | 0.59 | 23.86 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#74  | 22.72        | 0.59 | 23.31 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 38RB#0  | 22.66        | 0.59 | 23.25 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 38RB#18 | 22.73        | 0.59 | 23.32 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 38RB#37 | 23.01        | 0.59 | 23.60 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 75RB#0  | 22.30        | 0.59 | 22.89 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#0   | 22.46        | 0.59 | 23.05 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#38  | 23.13        | 0.59 | 23.72 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#74  | 23.33        | 0.59 | 23.92 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 38RB#0  | 22.55        | 0.59 | 23.14 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 38RB#18 | 22.34        | 0.59 | 22.93 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 38RB#37 | 22.85        | 0.59 | 23.44 | 30 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 75RB#0  | 22.34        | 0.59 | 22.93 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#0   | <b>23.82</b> | 0.59 | 24.41 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#49  | 22.69        | 0.59 | 23.28 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#99  | 22.42        | 0.59 | 23.01 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 50RB#0  | 22.88        | 0.59 | 23.47 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 50RB#25 | 22.52        | 0.59 | 23.11 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 50RB#50 | 22.08        | 0.59 | 22.67 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 100RB#0 | 23.32        | 0.59 | 23.91 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#0   | 22.58        | 0.59 | 23.17 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#49  | 22.68        | 0.59 | 23.27 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#99  | 23.43        | 0.59 | 24.02 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 50RB#0  | 22.67        | 0.59 | 23.26 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 50RB#25 | 23.00        | 0.59 | 23.59 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 50RB#50 | 23.23        | 0.59 | 23.82 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 100RB#0 | 23.32        | 0.59 | 23.91 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#0   | 22.68        | 0.59 | 23.27 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#49  | 22.52        | 0.59 | 23.11 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#99  | 23.17        | 0.59 | 23.76 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 50RB#0  | 22.15        | 0.59 | 22.74 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 50RB#25 | 22.59        | 0.59 | 23.18 | 30 | PASS |

|        |       |       |        |         |              |      |       |    |      |
|--------|-------|-------|--------|---------|--------------|------|-------|----|------|
| Band66 | 20MHz | QPSK  | 132572 | 50RB#50 | 22.90        | 0.59 | 23.49 | 30 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 100RB#0 | 22.99        | 0.59 | 23.58 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#0   | 23.05        | 0.59 | 23.64 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#49  | 22.92        | 0.59 | 23.51 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#99  | 22.41        | 0.59 | 23.00 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 50RB#0  | 23.21        | 0.59 | 23.80 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 50RB#25 | 23.25        | 0.59 | 23.84 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 50RB#50 | 22.89        | 0.59 | 23.48 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 100RB#0 | 23.51        | 0.59 | 24.10 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#0   | <b>23.72</b> | 0.59 | 24.31 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#49  | 22.97        | 0.59 | 23.56 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#99  | 22.45        | 0.59 | 23.04 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 50RB#0  | 22.59        | 0.59 | 23.18 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 50RB#25 | 22.89        | 0.59 | 23.48 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 50RB#50 | 22.22        | 0.59 | 22.81 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 100RB#0 | 22.14        | 0.59 | 22.73 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#0   | 23.32        | 0.59 | 23.91 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#49  | 23.32        | 0.59 | 23.91 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#99  | 22.13        | 0.59 | 22.72 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 50RB#0  | 21.96        | 0.59 | 22.55 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 50RB#25 | 23.28        | 0.59 | 23.87 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 50RB#50 | 22.29        | 0.59 | 22.88 | 30 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 100RB#0 | 23.26        | 0.59 | 23.85 | 30 | PASS |


## 2. Peak to Average Ratio

| Condition | Band    | Modulation | BW(MHz) | Frequency(MHz) | RB_Size | RB_start | Peak to AVG Ratio-0.1%(dB) | Limit(dB) | Result |
|-----------|---------|------------|---------|----------------|---------|----------|----------------------------|-----------|--------|
| NV_NT     | Band 66 | QPSK       | 1.4M    | 1710.7         | 6       | 0        | 5.72                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 1.4M    | 1710.7         | 6       | 0        | 6.68                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 1.4M    | 1745.0         | 6       | 0        | 5.48                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 1.4M    | 1745.0         | 6       | 0        | 6.37                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 1.4M    | 1779.3         | 6       | 0        | 5.68                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 1.4M    | 1779.3         | 6       | 0        | 6.41                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 3M      | 1711.5         | 15      | 0        | 5.67                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 3M      | 1711.5         | 15      | 0        | 6.59                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 3M      | 1745.0         | 15      | 0        | 5.38                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 3M      | 1745.0         | 15      | 0        | 6.22                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 3M      | 1778.5         | 15      | 0        | 5.52                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 3M      | 1778.5         | 15      | 0        | 6.41                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 5M      | 1712.5         | 25      | 0        | 5.61                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 5M      | 1712.5         | 25      | 0        | 6.48                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 5M      | 1745.0         | 25      | 0        | 5.52                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 5M      | 1745.0         | 25      | 0        | 6.19                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 5M      | 1777.5         | 25      | 0        | 5.65                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 5M      | 1777.5         | 25      | 0        | 6.46                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 10M     | 1715.0         | 50      | 0        | 5.61                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 10M     | 1715.0         | 50      | 0        | 6.54                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 10M     | 1745.0         | 50      | 0        | 5.44                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 10M     | 1745.0         | 50      | 0        | 6.21                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 10M     | 1775.0         | 50      | 0        | 5.61                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 10M     | 1775.0         | 50      | 0        | 6.39                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 15M     | 1717.5         | 75      | 0        | 6.15                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 15M     | 1717.5         | 75      | 0        | 6.65                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 15M     | 1745.0         | 75      | 0        | 5.75                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 15M     | 1745.0         | 75      | 0        | 6.29                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 15M     | 1772.5         | 75      | 0        | 5.95                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 15M     | 1772.5         | 75      | 0        | 6.42                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 20M     | 1720.0         | 100     | 0        | 5.74                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 20M     | 1720.0         | 100     | 0        | 6.62                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 20M     | 1745.0         | 100     | 0        | 5.47                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 20M     | 1745.0         | 100     | 0        | 6.20                       | 13.00     | Pass   |
| NV_NT     | Band 66 | QPSK       | 20M     | 1770.0         | 100     | 0        | 5.57                       | 13.00     | Pass   |
| NV_NT     | Band 66 | 16QAM      | 20M     | 1770.0         | 100     | 0        | 6.29                       | 13.00     | Pass   |


SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_1\_4M\_CH131979\_6\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_1\_4M\_CH131979\_6\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_1\_4M\_CH132322\_6\_0




SA\_65\_NT\_NV\_0 Band 66\_16QAM\_1\_4M\_CH132322\_6\_0




SA\_65\_NT\_NV\_0 Band 66\_QPSK\_1\_4M\_CH132665\_6\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_1\_4M\_CH132665\_6\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_3M\_CH131987\_15\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_3M\_CH131987\_15\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_3M\_CH132322\_15\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_3M\_CH132322\_15\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_3M\_CH132657\_15\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_3M\_CH132657\_15\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_5M\_CH131997\_25\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_5M\_CH131997\_25\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_5M\_CH132322\_25\_0




SA\_65\_NT\_NV\_0 Band 66 16QAM 5M CH132322 25\_0




SA\_65\_NT\_NV\_0 Band 66 QPSK 5M CH132647 25\_0




SA\_65\_NT\_NV\_0 Band 66\_16QAM\_5M\_CH132647\_25\_0




SA\_65\_NT\_NV\_0 Band 66\_QPSK\_10M\_CH132022\_50\_0




SA\_65\_NT\_NV\_0 Band 66\_16QAM\_10M\_CH132022\_50\_0




SA\_65\_NT\_NV\_0 Band 66\_QPSK\_10M\_CH132322\_50\_0




SA\_65\_NT\_NV\_0 Band 66 16QAM 10M CH132322 50 0




SA\_65\_NT\_NV\_0 Band 66 QPSK 10M CH132622 50 0




SA\_65\_NT\_NV\_0 Band 66\_16QAM\_10M\_CH132622\_50\_0




SA\_65\_NT\_NV\_0 Band 66\_QPSK\_15M\_CH132047\_75\_0




SA\_65\_NT\_NV\_0 Band 66\_16QAM\_15M\_CH132047\_75\_0




SA\_65\_NT\_NV\_0 Band 66\_QPSK\_15M\_CH132322\_75\_0




SA\_65\_NT\_NV\_0 Band 66\_16QAM\_15M\_CH132322\_75\_0




SA\_65\_NT\_NV\_0 Band 66\_QPSK\_15M\_CH132597\_75\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_15M\_CH132597\_75\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_20M\_CH132072\_100\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_20M\_CH132072\_100\_0





SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_20M\_CH132322\_100\_0



SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_20M\_CH132322\_100\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_20M\_CH132572\_100\_0




### 3. Occupied Bandwidth

| Condition | Band    | Modulation | BW(MHz) | Frequency(MHz) | RB_Size | RB_start | OBW(MHz) | -<br>26EBW(MHz) |
|-----------|---------|------------|---------|----------------|---------|----------|----------|-----------------|
| NV_NT     | Band 66 | QPSK       | 1.4M    | 1710.7         | 6       | 0        | 1.0766   | 1.2250          |
| NV_NT     | Band 66 | 16QAM      | 1.4M    | 1710.7         | 6       | 0        | 1.0760   | 1.2420          |
| NV_NT     | Band 66 | QPSK       | 1.4M    | 1745.0         | 6       | 0        | 1.0759   | 1.2269          |
| NV_NT     | Band 66 | 16QAM      | 1.4M    | 1745.0         | 6       | 0        | 1.0808   | 1.2406          |
| NV_NT     | Band 66 | QPSK       | 1.4M    | 1779.3         | 6       | 0        | 1.0770   | 1.2207          |
| NV_NT     | Band 66 | 16QAM      | 1.4M    | 1779.3         | 6       | 0        | 1.0823   | 1.2464          |
| NV_NT     | Band 66 | QPSK       | 3M      | 1711.5         | 15      | 0        | 2.6771   | 2.9002          |
| NV_NT     | Band 66 | 16QAM      | 3M      | 1711.5         | 15      | 0        | 2.6771   | 2.8806          |
| NV_NT     | Band 66 | QPSK       | 3M      | 1745.0         | 15      | 0        | 2.6716   | 2.9022          |
| NV_NT     | Band 66 | 16QAM      | 3M      | 1745.0         | 15      | 0        | 2.6695   | 2.9002          |
| NV_NT     | Band 66 | QPSK       | 3M      | 1778.5         | 15      | 0        | 2.6775   | 2.8911          |
| NV_NT     | Band 66 | 16QAM      | 3M      | 1778.5         | 15      | 0        | 2.6699   | 2.9036          |
| NV_NT     | Band 66 | QPSK       | 5M      | 1712.5         | 25      | 0        | 4.4558   | 4.8160          |
| NV_NT     | Band 66 | 16QAM      | 5M      | 1712.5         | 25      | 0        | 4.4701   | 4.7996          |
| NV_NT     | Band 66 | QPSK       | 5M      | 1745.0         | 25      | 0        | 4.4629   | 4.9214          |
| NV_NT     | Band 66 | 16QAM      | 5M      | 1745.0         | 25      | 0        | 4.4615   | 4.7832          |
| NV_NT     | Band 66 | QPSK       | 5M      | 1777.5         | 25      | 0        | 4.4795   | 4.7955          |
| NV_NT     | Band 66 | 16QAM      | 5M      | 1777.5         | 25      | 0        | 4.4604   | 4.7833          |
| NV_NT     | Band 66 | QPSK       | 10M     | 1715.0         | 50      | 0        | 8.9390   | 9.6011          |
| NV_NT     | Band 66 | 16QAM      | 10M     | 1715.0         | 50      | 0        | 8.9358   | 9.5862          |
| NV_NT     | Band 66 | QPSK       | 10M     | 1745.0         | 50      | 0        | 8.9208   | 9.5092          |
| NV_NT     | Band 66 | 16QAM      | 10M     | 1745.0         | 50      | 0        | 8.9292   | 9.5756          |
| NV_NT     | Band 66 | QPSK       | 10M     | 1775.0         | 50      | 0        | 8.9197   | 9.4842          |
| NV_NT     | Band 66 | 16QAM      | 10M     | 1775.0         | 50      | 0        | 8.9541   | 9.5052          |
| NV_NT     | Band 66 | QPSK       | 15M     | 1717.5         | 75      | 0        | 13.4274  | 14.3296         |
| NV_NT     | Band 66 | 16QAM      | 15M     | 1717.5         | 75      | 0        | 13.3889  | 14.3319         |
| NV_NT     | Band 66 | QPSK       | 15M     | 1745.0         | 75      | 0        | 13.3797  | 14.3564         |
| NV_NT     | Band 66 | 16QAM      | 15M     | 1745.0         | 75      | 0        | 13.3656  | 14.2710         |
| NV_NT     | Band 66 | QPSK       | 15M     | 1772.5         | 75      | 0        | 13.3730  | 14.2439         |
| NV_NT     | Band 66 | 16QAM      | 15M     | 1772.5         | 75      | 0        | 13.3854  | 14.2121         |
| NV_NT     | Band 66 | QPSK       | 20M     | 1720.0         | 100     | 0        | 17.8507  | 19.2652         |
| NV_NT     | Band 66 | 16QAM      | 20M     | 1720.0         | 100     | 0        | 17.8505  | 18.9735         |
| NV_NT     | Band 66 | QPSK       | 20M     | 1745.0         | 100     | 0        | 17.8346  | 18.9551         |
| NV_NT     | Band 66 | 16QAM      | 20M     | 1745.0         | 100     | 0        | 17.8144  | 19.0222         |
| NV_NT     | Band 66 | QPSK       | 20M     | 1770.0         | 100     | 0        | 17.8518  | 19.0149         |
| NV_NT     | Band 66 | 16QAM      | 20M     | 1770.0         | 100     | 0        | 17.8319  | 18.8185         |


SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_1\_4M\_CH131979\_6\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_1\_4M\_CH131979\_6\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_1\_4M\_CH132322\_6\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_1\_4M\_CH132322\_6\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_1\_4M\_CH132665\_6\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_1\_4M\_CH132665\_6\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_3M\_CH131987\_15\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_3M\_CH131987\_15\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_3M\_CH132322\_15\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_3M\_CH132322\_15\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_3M\_CH132657\_15\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_3M\_CH132657\_15\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_5M\_CH131997\_25\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_5M\_CH131997\_25\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_5M\_CH132322\_25\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_5M\_CH132322\_25\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_5M\_CH132647\_25\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_5M\_CH132647\_25\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_10M\_CH132022\_50\_0




SA 65\_NT\_NV\_0 Band 66\_16QAM\_10M\_CH132022\_50\_0




SA 65\_NT\_NV\_0 Band 66\_QPSK\_10M\_CH132322\_50\_0




SA 65\_NT\_NV\_0 Band 66\_16QAM\_10M\_CH132322\_50\_0




SA 65\_NT\_NV\_0 Band 66\_QPSK\_10M\_CH132622\_50\_0




SA 65\_NT\_NV\_0 Band 66\_16QAM\_10M\_CH132622\_50\_0




SA 65\_NT\_NV\_0 Band 66\_QPSK\_15M\_CH132047\_75\_0




SA 65\_NT\_NV\_0 Band 66\_16QAM\_15M\_CH132047\_75\_0




SA 65\_NT\_NV\_0 Band 66\_QPSK\_15M\_CH132322\_75\_0




SA 65\_NT\_NV\_0 Band 66\_16QAM\_15M\_CH132322\_75\_0




SA 65\_NT\_NV\_0 Band 66\_QPSK\_15M\_CH132597\_75\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_15M\_CH132597\_75\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_20M\_CH132072\_100\_0




SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_20M\_CH132072\_100\_0




SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_20M\_CH132322\_100\_0



SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_20M\_CH132322\_100\_0



SA\_65\_NT\_NV\_0\_Band\_66\_QPSK\_20M\_CH132572\_100\_0



SA\_65\_NT\_NV\_0\_Band\_66\_16QAM\_20M\_CH132572\_100\_0

