



Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Vertical  
Note: n20 High Channel 5825MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|--------|
| 1   | 5956.000           | 45.93             | -4.13            | 41.80              | 68.20             | 26.40          | Peak   |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: Horizontal  
Note: n20 High Channel 5825MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 11650.000          | 45.74             | 3.67             | 49.41              | 74.00             | 24.59          | Peak    |
| 2   | 11650.000          | 32.52             | 3.67             | 36.19              | 54.00             | 17.81          | Average |
| 3   | 17475.000          | 44.28             | 11.14            | 55.42              | 68.20             | 12.78          | Peak    |
| 4   | 17793.600          | 44.71             | 13.32            | 58.03              | 74.00             | 15.97          | Peak    |
| 5   | 17793.600          | 33.37             | 13.32            | 46.69              | 54.00             | 7.31           | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: Vertical  
Note: n20 High Channel 5825MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 11650.000          | 45.60             | 3.67             | 49.27              | 74.00             | 24.73          | Peak    |
| 2   | 11650.000          | 32.21             | 3.67             | 35.88              | 54.00             | 18.12          | Average |
| 3   | 17475.000          | 44.57             | 11.14            | 55.71              | 68.20             | 12.49          | Peak    |
| 4   | 17803.200          | 44.80             | 13.34            | 58.14              | 74.00             | 15.86          | Peak    |
| 5   | 17803.200          | 33.33             | 13.34            | 46.67              | 54.00             | 7.33           | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: horizontal  
Note: n40 High Channel 5795MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|--------|
| 1   | 5988.000           | 45.99             | -4.17            | 41.82              | 68.20             | 26.38          | Peak   |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: vertical  
Note: n40 High Channel 5795MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|--------|
| 1   | 5947.000           | 45.76             | -4.13            | 41.63              | 68.20             | 26.57          | Peak   |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: horizontal  
Note: n40 High Channel 5795MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 11590.000          | 45.11             | 3.79             | 48.90              | 74.00             | 25.10          | Peak    |
| 2   | 11590.000          | 32.39             | 3.79             | 36.18              | 54.00             | 17.82          | Average |
| 3   | 17385.000          | 43.81             | 10.53            | 54.34              | 68.20             | 13.86          | Peak    |
| 4   | 17712.000          | 44.46             | 13.18            | 57.64              | 74.00             | 16.36          | Peak    |
| 5   | 17712.000          | 32.02             | 13.18            | 45.20              | 54.00             | 8.80           | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: Vertical  
Note: n40 High Channel 5795MHz Band 4




| No. | Frequency (MHz) | Reading (dBμV) | Factor (dB/m) | Result (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Remark  |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|---------|
| 1   | 11590.000       | 45.28          | 3.79          | 49.07           | 74.00          | 24.93       | Peak    |
| 2   | 11590.000       | 32.56          | 3.79          | 36.35           | 54.00          | 17.65       | Average |
| 3   | 17385.000       | 44.10          | 10.53         | 54.63           | 68.20          | 13.57       | Peak    |
| 4   | 17712.000       | 44.70          | 13.18         | 57.88           | 74.00          | 16.12       | Peak    |
| 5   | 17712.000       | 32.03          | 13.18         | 45.21           | 54.00          | 8.79        | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: horizontal  
Note: ac80 Middle Channel 5775MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|--------|
| 1   | 5949.000           | 46.01             | -4.11            | 41.90              | 68.20             | 26.30          | Peak   |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: vertical  
Note: ac80 Middle Channel 5775MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|--------|
| 1   | 5937.000           | 45.42             | -4.22            | 41.20              | 68.20             | 27.00          | Peak   |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: horizontal  
Note: ac80 Middle Channel 5775MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 11550.000          | 44.29             | 3.63             | 47.92              | 74.00             | 26.08          | Peak    |
| 2   | 11550.000          | 31.56             | 3.63             | 35.19              | 54.00             | 18.81          | Average |
| 3   | 17325.000          | 45.32             | 10.04            | 55.36              | 68.20             | 12.84          | Peak    |
| 4   | 17824.800          | 44.91             | 13.35            | 58.26              | 74.00             | 15.74          | Peak    |
| 5   | 17824.800          | 32.89             | 13.35            | 46.24              | 54.00             | 7.76           | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: vertical  
Note: ac80 Middle Channel 5775MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 11550.000          | 44.35             | 3.63             | 47.98              | 74.00             | 26.02          | Peak    |
| 2   | 11550.000          | 31.47             | 3.63             | 35.10              | 54.00             | 18.90          | Average |
| 3   | 17325.000          | 45.03             | 10.04            | 55.07              | 68.20             | 13.13          | Peak    |
| 4   | 17923.200          | 44.63             | 13.41            | 58.04              | 74.00             | 15.96          | Peak    |
| 5   | 17923.200          | 33.28             | 13.41            | 46.69              | 54.00             | 7.31           | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: horizontal  
Note: ax20 High Channel 5825MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|--------|
| 1   | 5954.000           | 45.25             | -4.12            | 41.13              | 68.20             | 27.07          | Peak   |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: vertical  
Note: ax20 High Channel 5825MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|--------|
| 1   | 5962.000           | 45.50             | -4.14            | 41.36              | 68.20             | 26.84          | Peak   |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: horizontal  
Note: ax20 High Channel 5825MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 11650.000          | 46.63             | 3.67             | 50.30              | 74.00             | 23.70          | Peak    |
| 2   | 11650.000          | 33.24             | 3.67             | 36.91              | 54.00             | 17.09          | Average |
| 3   | 17475.000          | 44.16             | 11.14            | 55.30              | 68.20             | 12.90          | Peak    |
| 4   | 17944.800          | 44.82             | 13.42            | 58.24              | 74.00             | 15.76          | Peak    |
| 5   | 17944.800          | 33.36             | 13.42            | 46.78              | 54.00             | 7.22           | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: vertical  
Note: ax20 High Channel 5825MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 11650.000          | 46.58             | 3.67             | 50.25              | 74.00             | 23.75          | Peak    |
| 2   | 11650.000          | 33.58             | 3.67             | 37.25              | 54.00             | 16.75          | Average |
| 3   | 17475.000          | 44.76             | 11.14            | 55.90              | 68.20             | 12.30          | Peak    |
| 4   | 17947.200          | 45.18             | 13.44            | 58.62              | 74.00             | 15.38          | Peak    |
| 5   | 17947.200          | 33.20             | 13.44            | 46.64              | 54.00             | 7.36           | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: horizontal  
Note: ax40 High Channel 5795MHz Band 4




| No. | Frequency (MHz) | Reading (dBμV) | Factor (dB/m) | Result (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|--------|
| 1   | 5958.000        | 45.08          | -4.12         | 40.96           | 68.20          | 27.24       | Peak   |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Vertical  
Note: ax40 High Channel 5795MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|--------|
| 1   | 5952.000           | 45.68             | -4.12            | 41.56              | 68.20             | 26.64          | Peak   |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: horizontal  
Note: ax40 High Channel 5795MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 11590.000          | 45.11             | 3.79             | 48.90              | 74.00             | 25.10          | Peak    |
| 2   | 11590.000          | 32.59             | 3.79             | 36.38              | 54.00             | 17.62          | Average |
| 3   | 17385.000          | 44.51             | 10.53            | 55.04              | 68.20             | 13.16          | Peak    |
| 4   | 17810.400          | 44.69             | 13.35            | 58.04              | 74.00             | 15.96          | Peak    |
| 5   | 17810.400          | 33.26             | 13.35            | 46.61              | 54.00             | 7.39           | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: vertical  
Note: ax40 High Channel 5795MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 11590.000          | 45.28             | 3.79             | 49.07              | 74.00             | 24.93          | Peak    |
| 2   | 11590.000          | 32.58             | 3.79             | 36.37              | 54.00             | 17.63          | Average |
| 3   | 17385.000          | 44.25             | 10.53            | 54.78              | 68.20             | 13.42          | Peak    |
| 4   | 17800.800          | 45.21             | 13.34            | 58.55              | 74.00             | 15.45          | Peak    |
| 5   | 17800.800          | 33.05             | 13.34            | 46.39              | 54.00             | 7.61           | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: horizontal  
Note: ax80 Middle Channel 5775MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|--------|
| 1   | 5976.000           | 46.05             | -4.16            | 41.89              | 68.20             | 26.31          | Peak   |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: vertical  
Note: ax80 Middle Channel 5775MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|--------|
| 1   | 5976.000           | 45.81             | -4.16            | 41.65              | 68.20             | 26.55          | Peak   |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: horizontal  
Note: ax80 Middle Channel 5775MHz Band 4



| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 11550.000          | 44.90             | 3.63             | 48.53              | 74.00             | 25.47          | Peak    |
| 2   | 11550.000          | 31.87             | 3.63             | 35.50              | 54.00             | 18.50          | Average |
| 3   | 17325.000          | 44.31             | 10.04            | 54.35              | 68.20             | 13.85          | Peak    |
| 4   | 17808.000          | 45.04             | 13.35            | 58.39              | 74.00             | 15.61          | Peak    |
| 5   | 17808.000          | 32.23             | 13.35            | 45.58              | 54.00             | 8.42           | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: vertical  
Note: ax80 Middle Channel 5775MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 11550.000          | 44.28             | 3.63             | 47.91              | 74.00             | 26.09          | Peak    |
| 2   | 11550.000          | 31.46             | 3.63             | 35.09              | 54.00             | 18.91          | Average |
| 3   | 17325.000          | 44.52             | 10.04            | 54.56              | 68.20             | 13.64          | Peak    |
| 4   | 17848.800          | 45.21             | 13.37            | 58.58              | 74.00             | 15.42          | Peak    |
| 5   | 17848.800          | 32.73             | 13.37            | 46.10              | 54.00             | 7.90           | Average |

**18GHz~26.5GHz:**


Note: No Emission was detected in the range 18GHz-26.5GHz, the maximum output power mode and channel: 802.11ax 20 mode Low Channel was tested.

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: Horizontal  
Note: ax20 Low Channel 5745MHz Band 4



| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 21454.400          | 52.06             | 4.71             | 56.77              | 68.20             | 11.43          | Peak    |
| 2   | 23747.700          | 51.74             | 4.73             | 56.47              | 74.00             | 17.53          | Peak    |
| 3   | 23747.700          | 37.59             | 4.73             | 42.32              | 54.00             | 11.68          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: Vertical  
Note: ax20 Low Channel 5745MHz Band 4




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 21306.500          | 52.13             | 4.88             | 57.01              | 74.00             | 16.99          | Peak    |
| 2   | 21306.500          | 38.75             | 4.88             | 43.63              | 54.00             | 10.37          | Average |

**26.5GHz~40GHz:**


Note: No Emission was detected in the range 26.5GHz-40GHz, the maximum output power mode and channel: 802.11ax 20 mode Low Channel was tested.

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: Horizontal  
Note: ax20 Low Channel 5745MHz Band 4



| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 39349.300          | 52.93             | 8.59             | 61.52              | 74.00             | 12.48          | Peak    |
| 2   | 39349.300          | 38.74             | 8.59             | 47.33              | 54.00             | 6.67           | Average |


Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz;SWT:auto  
Polarization: Vertical  
Note: ax20 Low Channel 5745MHz Band 4



| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 39870.400          | 53.50             | 7.49             | 60.99              | 74.00             | 13.01          | Peak    |
| 2   | 39870.400          | 39.61             | 7.49             | 47.10              | 54.00             | 6.90           | Average |


**Band Edge Test Plots**  
**5150-5250MHz:**

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Horizontal  
Note: a Low Channel 5180MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5150.000           | 58.12             | -5.22            | 52.90              | 74.00             | 21.10          | Peak    |
| 2   | 5150.000           | 45.91             | -5.22            | 40.69              | 54.00             | 13.31          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Vertical  
Note: a Low Channel 5180MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5150.000           | 57.27             | -5.22            | 52.05              | 74.00             | 21.95          | Peak    |
| 2   | 5150.000           | 45.88             | -5.22            | 40.66              | 54.00             | 13.34          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Horizontal  
Note: a High Channel 5240MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5350.000           | 58.76             | -4.80            | 53.96              | 74.00             | 20.04          | Peak    |
| 2   | 5350.000           | 46.38             | -4.80            | 41.58              | 54.00             | 12.42          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Vertical  
Note: a High Channel 5240MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5350.000           | 57.75             | -4.80            | 52.95              | 74.00             | 21.05          | Peak    |
| 2   | 5350.000           | 45.02             | -4.80            | 40.22              | 54.00             | 13.78          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Horizontal  
Note: n20 Low Channel 5180MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5150.000           | 57.83             | -5.22            | 52.61              | 74.00             | 21.39          | Peak    |
| 2   | 5150.000           | 46.00             | -5.22            | 40.78              | 54.00             | 13.22          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Vertical  
Note: n20 Low Channel 5180MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5150.000           | 58.83             | -5.22            | 53.61              | 74.00             | 20.39          | Peak    |
| 2   | 5150.000           | 46.49             | -5.22            | 41.27              | 54.00             | 12.73          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Horizontal  
Note: n20 High Channel 5240MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5350.000           | 57.27             | -4.80            | 52.47              | 74.00             | 21.53          | Peak    |
| 2   | 5350.000           | 45.29             | -4.80            | 40.49              | 54.00             | 13.51          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Vertical  
Note: n20 High Channel 5240MHz Band 1




| No. | Frequency (MHz) | Reading (dBμV) | Factor (dB/m) | Result (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Remark  |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|---------|
| 1   | 5350.000        | 57.61          | -4.80         | 52.81           | 74.00          | 21.19       | Peak    |
| 2   | 5350.000        | 45.36          | -4.80         | 40.56           | 54.00          | 13.44       | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Horizontal  
Note: n40 Low Channel 5190MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5150.000           | 58.49             | -5.22            | 53.27              | 74.00             | 20.73          | Peak    |
| 2   | 5150.000           | 46.75             | -5.22            | 41.53              | 54.00             | 12.47          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Vertical  
Note: n40 Low Channel 5190MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5150.000           | 57.63             | -5.22            | 52.41              | 74.00             | 21.59          | Peak    |
| 2   | 5150.000           | 45.91             | -5.22            | 40.69              | 54.00             | 13.31          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Horizontal  
Note: n40 High Channel 5230MHz Band 1




| No. | Frequency (MHz) | Reading (dBμV) | Factor (dB/m) | Result (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Remark  |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|---------|
| 1   | 5350.000        | 57.46          | -4.80         | 52.66           | 74.00          | 21.34       | Peak    |
| 2   | 5350.000        | 45.26          | -4.80         | 40.46           | 54.00          | 13.54       | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Vertical  
Note: n40 High Channel 5230MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5350.000           | 57.22             | -4.80            | 52.42              | 74.00             | 21.58          | Peak    |
| 2   | 5350.000           | 45.54             | -4.80            | 40.74              | 54.00             | 13.26          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Horizontal  
Note: ac80 Middle Channel 5210MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5150.000           | 57.70             | -5.22            | 52.48              | 74.00             | 21.52          | Peak    |
| 2   | 5150.000           | 45.80             | -5.22            | 40.58              | 54.00             | 13.42          | Average |
| 3   | 5350.000           | 58.03             | -4.80            | 53.23              | 74.00             | 20.77          | Peak    |
| 4   | 5350.000           | 46.23             | -4.80            | 41.43              | 54.00             | 12.57          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Vertical  
Note: ac80 Middle Channel 5210MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5150.000           | 57.55             | -5.22            | 52.33              | 74.00             | 21.67          | Peak    |
| 2   | 5150.000           | 45.74             | -5.22            | 40.52              | 54.00             | 13.48          | Average |
| 3   | 5350.000           | 57.65             | -4.80            | 52.85              | 74.00             | 21.15          | Peak    |
| 4   | 5350.000           | 45.26             | -4.80            | 40.46              | 54.00             | 13.54          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Horizontal  
Note: ax20 Low Channel 5180MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5150.000           | 58.60             | -5.22            | 53.38              | 74.00             | 20.62          | Peak    |
| 2   | 5150.000           | 46.68             | -5.22            | 41.46              | 54.00             | 12.54          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Vertical  
Note: ax20 Low Channel 5180MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5150.000           | 58.27             | -5.22            | 53.05              | 74.00             | 20.95          | Peak    |
| 2   | 5150.000           | 46.88             | -5.22            | 41.66              | 54.00             | 12.34          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Horizontal  
Note: ax20 High Channel 5240MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5350.000           | 58.32             | -4.80            | 53.52              | 74.00             | 20.48          | Peak    |
| 2   | 5350.000           | 46.26             | -4.80            | 41.46              | 54.00             | 12.54          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Vertical  
Note: ax20 High Channel 5240MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5350.000           | 58.27             | -4.80            | 53.47              | 74.00             | 20.53          | Peak    |
| 2   | 5350.000           | 46.23             | -4.80            | 41.43              | 54.00             | 12.57          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Horizontal  
Note: ax40 Low Channel 5190MHz Band 1




| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5150.000           | 57.91             | -5.22            | 52.69              | 74.00             | 21.31          | Peak    |
| 2   | 5150.000           | 45.87             | -5.22            | 40.65              | 54.00             | 13.35          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Vertical  
Note: ax40 Low Channel 5190MHz Band 1



| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5150.000           | 58.32             | -5.22            | 53.10              | 74.00             | 20.90          | Peak    |
| 2   | 5150.000           | 46.45             | -5.22            | 41.23              | 54.00             | 12.77          | Average |

Project No.: 2503W26909E-RF  
Tester: Tao Zhu  
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec  
Polarization: Horizontal  
Note: ax40 High Channel 5230MHz Band 1



| No. | Frequency<br>(MHz) | Reading<br>(dBμV) | Factor<br>(dB/m) | Result<br>(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Remark  |
|-----|--------------------|-------------------|------------------|--------------------|-------------------|----------------|---------|
| 1   | 5350.000           | 57.94             | -4.80            | 53.14              | 74.00             | 20.86          | Peak    |
| 2   | 5350.000           | 46.27             | -4.80            | 41.47              | 54.00             | 12.53          | Average |