

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B4_1.4MHz_EIRP

Band: 4 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	22.16	-0.32	21.84	<=30	Pass
			2	22.23	-0.32	21.91	<=30	Pass
			5	22.12	-0.32	21.80	<=30	Pass
		3	0	22.29	-0.32	21.97	<=30	Pass
			2	22.29	-0.32	21.97	<=30	Pass
			3	22.23	-0.32	21.91	<=30	Pass
		6	0	21.24	-0.32	20.92	<=30	Pass
	1732.5	1	0	21.75	-0.32	21.43	<=30	Pass
			2	21.86	-0.32	21.54	<=30	Pass
			5	21.81	-0.32	21.49	<=30	Pass
		3	0	21.92	-0.32	21.60	<=30	Pass
			2	21.95	-0.32	21.63	<=30	Pass
			3	21.93	-0.32	21.61	<=30	Pass
		6	0	20.87	-0.32	20.55	<=30	Pass
	1754.3	1	0	22.28	-0.32	21.96	<=30	Pass
			2	22.46	-0.32	22.14	<=30	Pass
			5	22.35	-0.32	22.03	<=30	Pass
		3	0	22.43	-0.32	22.11	<=30	Pass
			2	22.49	-0.32	22.17	<=30	Pass
			3	22.48	-0.32	22.16	<=30	Pass
		6	0	21.39	-0.32	21.07	<=30	Pass
16QAM	1710.7	1	0	21.18	-0.32	20.86	<=30	Pass
			2	21.25	-0.32	20.93	<=30	Pass
			5	21.15	-0.32	20.83	<=30	Pass
		3	0	21.45	-0.32	21.13	<=30	Pass
			2	21.49	-0.32	21.17	<=30	Pass
			3	21.45	-0.32	21.13	<=30	Pass
		6	0	20.26	-0.32	19.94	<=30	Pass
	1732.5	1	0	20.97	-0.32	20.65	<=30	Pass
			2	21.12	-0.32	20.80	<=30	Pass
			5	20.99	-0.32	20.67	<=30	Pass
		3	0	20.92	-0.32	20.60	<=30	Pass
			2	20.95	-0.32	20.63	<=30	Pass
			3	20.95	-0.32	20.63	<=30	Pass
		6	0	19.91	-0.32	19.59	<=30	Pass
	1754.3	1	0	21.30	-0.32	20.98	<=30	Pass
			2	21.47	-0.32	21.15	<=30	Pass
			5	21.44	-0.32	21.12	<=30	Pass
		3	0	21.48	-0.32	21.16	<=30	Pass
			2	21.52	-0.32	21.20	<=30	Pass
			3	21.52	-0.32	21.20	<=30	Pass
		6	0	20.34	-0.32	20.02	<=30	Pass
64QAM	1710.7	1	0	20.57	-0.32	20.25	<=30	Pass
			2	20.73	-0.32	20.41	<=30	Pass
			5	20.55	-0.32	20.23	<=30	Pass
		3	0	20.55	-0.32	20.23	<=30	Pass
			2	20.57	-0.32	20.25	<=30	Pass
			3	20.53	-0.32	20.21	<=30	Pass
		6	0	19.24	-0.32	18.92	<=30	Pass

	1732.5	1	0	19.97	-0.32	19.65	<=30	Pass
			2	20.15	-0.32	19.83	<=30	Pass
			5	20.03	-0.32	19.71	<=30	Pass
		3	0	20.02	-0.32	19.70	<=30	Pass
			2	20.07	-0.32	19.75	<=30	Pass
			3	20.06	-0.32	19.74	<=30	Pass
	1754.3	6	0	19.21	-0.32	18.89	<=30	Pass
			0	20.53	-0.32	20.21	<=30	Pass
			2	20.63	-0.32	20.31	<=30	Pass
		1	5	20.57	-0.32	20.25	<=30	Pass
			0	20.34	-0.32	20.02	<=30	Pass
			2	20.38	-0.32	20.06	<=30	Pass
		3	3	20.38	-0.32	20.06	<=30	Pass
			0	19.52	-0.32	19.20	<=30	Pass
			0					

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B4_3MHz_EIRP

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	22.29	-0.32	21.97	<=30	Pass
			7	22.28	-0.32	21.96	<=30	Pass
			14	22.09	-0.32	21.77	<=30	Pass
		8	0	21.21	-0.32	20.89	<=30	Pass
			4	21.22	-0.32	20.90	<=30	Pass
			7	21.16	-0.32	20.84	<=30	Pass
		15	0	21.19	-0.32	20.87	<=30	Pass
	1732.5	1	0	21.83	-0.32	21.51	<=30	Pass
			7	21.99	-0.32	21.67	<=30	Pass
			14	21.87	-0.32	21.55	<=30	Pass
		8	0	20.84	-0.32	20.52	<=30	Pass
			4	20.88	-0.32	20.56	<=30	Pass
			7	20.87	-0.32	20.55	<=30	Pass
		15	0	20.86	-0.32	20.54	<=30	Pass
	1753.5	1	0	22.40	-0.32	22.08	<=30	Pass
			7	22.54	-0.32	22.22	<=30	Pass
			14	22.45	-0.32	22.13	<=30	Pass
		8	0	21.38	-0.32	21.06	<=30	Pass
			4	21.44	-0.32	21.12	<=30	Pass
			7	21.40	-0.32	21.08	<=30	Pass
		15	0	21.41	-0.32	21.09	<=30	Pass
16QAM	1711.5	1	0	21.81	-0.32	21.49	<=30	Pass
			7	21.87	-0.32	21.55	<=30	Pass
			14	21.62	-0.32	21.30	<=30	Pass
		8	0	20.39	-0.32	20.07	<=30	Pass
			4	20.40	-0.32	20.08	<=30	Pass
			7	20.34	-0.32	20.02	<=30	Pass
		15	0	20.25	-0.32	19.93	<=30	Pass
	1732.5	1	0	21.02	-0.32	20.70	<=30	Pass
			7	21.20	-0.32	20.88	<=30	Pass
			14	21.07	-0.32	20.75	<=30	Pass
		8	0	19.85	-0.32	19.53	<=30	Pass
			4	19.91	-0.32	19.59	<=30	Pass
			7	19.88	-0.32	19.56	<=30	Pass
		15	0	19.87	-0.32	19.55	<=30	Pass
	1753.5	1	0	21.47	-0.32	21.15	<=30	Pass

			7	21.60	-0.32	21.28	<=30	Pass		
			14	21.45	-0.32	21.13	<=30	Pass		
		8	0	20.44	-0.32	20.12	<=30	Pass		
			4	20.49	-0.32	20.17	<=30	Pass		
			7	20.48	-0.32	20.16	<=30	Pass		
		15	0	20.45	-0.32	20.13	<=30	Pass		
		64QAM	1711.5	1	0	20.54	-0.32	20.22	<=30	Pass
					7	20.62	-0.32	20.30	<=30	Pass
					14	20.43	-0.32	20.11	<=30	Pass
8	0			19.32	-0.32	19.00	<=30	Pass		
	4			19.28	-0.32	18.96	<=30	Pass		
	7			19.24	-0.32	18.92	<=30	Pass		
15	0			19.16	-0.32	18.84	<=30	Pass		
1732.5	1			0	19.99	-0.32	19.67	<=30	Pass	
				7	20.19	-0.32	19.87	<=30	Pass	
			14	20.07	-0.32	19.75	<=30	Pass		
	8		0	18.94	-0.32	18.62	<=30	Pass		
			4	18.95	-0.32	18.63	<=30	Pass		
			7	18.94	-0.32	18.62	<=30	Pass		
	15		0	18.89	-0.32	18.57	<=30	Pass		
	1753.5		1	0	20.59	-0.32	20.27	<=30	Pass	
				7	20.74	-0.32	20.42	<=30	Pass	
14				20.56	-0.32	20.24	<=30	Pass		
8			0	19.32	-0.32	19.00	<=30	Pass		
			4	19.34	-0.32	19.02	<=30	Pass		
			7	19.36	-0.32	19.04	<=30	Pass		
15			0	19.45	-0.32	19.13	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.1.3 B4_5MHz_EIRP

Band: 4 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	22.17	-0.32	21.85	<=30	Pass
			13	22.19	-0.32	21.87	<=30	Pass
			24	21.94	-0.32	21.62	<=30	Pass
		12	0	21.23	-0.32	20.91	<=30	Pass
			6	21.19	-0.32	20.87	<=30	Pass
			13	21.03	-0.32	20.71	<=30	Pass
		25	0	21.13	-0.32	20.81	<=30	Pass
	1732.5	1	0	21.75	-0.32	21.43	<=30	Pass
			13	21.93	-0.32	21.61	<=30	Pass
			24	21.88	-0.32	21.56	<=30	Pass
		12	0	20.82	-0.32	20.50	<=30	Pass
			6	20.92	-0.32	20.60	<=30	Pass
			13	20.89	-0.32	20.57	<=30	Pass
		25	0	20.90	-0.32	20.58	<=30	Pass
	1752.5	1	0	22.30	-0.32	21.98	<=30	Pass
			13	22.43	-0.32	22.11	<=30	Pass
			24	22.38	-0.32	22.06	<=30	Pass
		12	0	21.36	-0.32	21.04	<=30	Pass
			6	21.38	-0.32	21.06	<=30	Pass
			13	21.38	-0.32	21.06	<=30	Pass
		25	0	21.40	-0.32	21.08	<=30	Pass
16QAM	1712.5	1	0	21.01	-0.32	20.69	<=30	Pass
			13	21.03	-0.32	20.71	<=30	Pass

			24	20.86	-0.32	20.54	<=30	Pass	
		12	0	20.18	-0.32	19.86	<=30	Pass	
			6	20.19	-0.32	19.87	<=30	Pass	
			13	20.08	-0.32	19.76	<=30	Pass	
		25	0	20.16	-0.32	19.84	<=30	Pass	
	1732.5	1	0	21.04	-0.32	20.72	<=30	Pass	
			13	21.23	-0.32	20.91	<=30	Pass	
			24	21.12	-0.32	20.80	<=30	Pass	
		12	0	19.85	-0.32	19.53	<=30	Pass	
			6	19.94	-0.32	19.62	<=30	Pass	
			13	20.03	-0.32	19.71	<=30	Pass	
		25	0	19.89	-0.32	19.57	<=30	Pass	
		1752.5	1	0	21.37	-0.32	21.05	<=30	Pass
	13			21.52	-0.32	21.20	<=30	Pass	
	24			21.48	-0.32	21.16	<=30	Pass	
	12		0	20.33	-0.32	20.01	<=30	Pass	
			6	20.38	-0.32	20.06	<=30	Pass	
			13	20.37	-0.32	20.05	<=30	Pass	
	25	0	20.40	-0.32	20.08	<=30	Pass		
	64QAM	1712.5	1	0	20.11	-0.32	19.79	<=30	Pass
				13	20.11	-0.32	19.79	<=30	Pass
24				19.95	-0.32	19.63	<=30	Pass	
12			0	19.19	-0.32	18.87	<=30	Pass	
			6	19.20	-0.32	18.88	<=30	Pass	
			13	19.11	-0.32	18.79	<=30	Pass	
25			0	19.08	-0.32	18.76	<=30	Pass	
1732.5		1	0	20.15	-0.32	19.83	<=30	Pass	
			13	20.33	-0.32	20.01	<=30	Pass	
			24	20.24	-0.32	19.92	<=30	Pass	
		12	0	18.78	-0.32	18.46	<=30	Pass	
			6	18.87	-0.32	18.55	<=30	Pass	
			13	18.90	-0.32	18.58	<=30	Pass	
25		0	18.85	-0.32	18.53	<=30	Pass		
1752.5		1	0	20.49	-0.32	20.17	<=30	Pass	
			13	20.69	-0.32	20.37	<=30	Pass	
			24	20.54	-0.32	20.22	<=30	Pass	
		12	0	19.45	-0.32	19.13	<=30	Pass	
			6	19.48	-0.32	19.16	<=30	Pass	
			13	19.43	-0.32	19.11	<=30	Pass	
		25	0	19.36	-0.32	19.04	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B4_10MHz_EIRP

Band: 4 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	22.24	-0.32	21.92	<=30	Pass
			25	22.16	-0.32	21.84	<=30	Pass
			49	21.86	-0.32	21.54	<=30	Pass
		25	0	21.26	-0.32	20.94	<=30	Pass
			13	21.10	-0.32	20.78	<=30	Pass
			25	20.96	-0.32	20.64	<=30	Pass
		50	0	21.12	-0.32	20.80	<=30	Pass
	1732.5	1	0	21.76	-0.32	21.44	<=30	Pass
			25	22.03	-0.32	21.71	<=30	Pass
			49	22.04	-0.32	21.72	<=30	Pass

		25	0	20.86	-0.32	20.54	<=30	Pass
			13	20.91	-0.32	20.59	<=30	Pass
			25	21.08	-0.32	20.76	<=30	Pass
		50	0	21.00	-0.32	20.68	<=30	Pass
	1750	1	0	22.20	-0.32	21.88	<=30	Pass
			25	22.44	-0.32	22.12	<=30	Pass
			49	22.45	-0.32	22.13	<=30	Pass
		25	0	21.30	-0.32	20.98	<=30	Pass
			13	21.37	-0.32	21.05	<=30	Pass
			25	21.43	-0.32	21.11	<=30	Pass
		50	0	21.41	-0.32	21.09	<=30	Pass
16QAM	1715	1	0	21.81	-0.32	21.49	<=30	Pass
			25	21.78	-0.32	21.46	<=30	Pass
			49	21.48	-0.32	21.16	<=30	Pass
		25	0	20.32	-0.32	20.00	<=30	Pass
			13	20.16	-0.32	19.84	<=30	Pass
			25	20.05	-0.32	19.73	<=30	Pass
		50	0	20.19	-0.32	19.87	<=30	Pass
	1732.5	1	0	20.98	-0.32	20.66	<=30	Pass
			25	21.21	-0.32	20.89	<=30	Pass
			49	21.16	-0.32	20.84	<=30	Pass
		25	0	19.92	-0.32	19.60	<=30	Pass
			13	19.98	-0.32	19.66	<=30	Pass
			25	20.08	-0.32	19.76	<=30	Pass
		50	0	19.98	-0.32	19.66	<=30	Pass
	1750	1	0	21.19	-0.32	20.87	<=30	Pass
			25	21.50	-0.32	21.18	<=30	Pass
			49	21.47	-0.32	21.15	<=30	Pass
		25	0	20.38	-0.32	20.06	<=30	Pass
			13	20.50	-0.32	20.18	<=30	Pass
			25	20.51	-0.32	20.19	<=30	Pass
		50	0	20.44	-0.32	20.12	<=30	Pass
64QAM	1715	1	0	20.58	-0.32	20.26	<=30	Pass
			25	20.50	-0.32	20.18	<=30	Pass
			49	20.18	-0.32	19.86	<=30	Pass
		25	0	19.24	-0.32	18.92	<=30	Pass
			13	19.11	-0.32	18.79	<=30	Pass
			25	19.02	-0.32	18.70	<=30	Pass
		50	0	19.12	-0.32	18.80	<=30	Pass
	1732.5	1	0	19.98	-0.32	19.66	<=30	Pass
			25	20.22	-0.32	19.90	<=30	Pass
			49	20.19	-0.32	19.87	<=30	Pass
		25	0	18.97	-0.32	18.65	<=30	Pass
			13	19.04	-0.32	18.72	<=30	Pass
			25	19.15	-0.32	18.83	<=30	Pass
	50	0	19.08	-0.32	18.76	<=30	Pass	
	1750	1	0	20.40	-0.32	20.08	<=30	Pass
			25	20.66	-0.32	20.34	<=30	Pass
			49	20.57	-0.32	20.25	<=30	Pass
		25	0	19.39	-0.32	19.07	<=30	Pass
			13	19.42	-0.32	19.10	<=30	Pass
25			19.47	-0.32	19.15	<=30	Pass	
50	0	19.33	-0.32	19.01	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B4_15MHz_EIRP

Band: 4 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	22.17	-0.32	21.85	<=30	Pass
			38	21.93	-0.32	21.61	<=30	Pass
			74	21.70	-0.32	21.38	<=30	Pass
		36	0	21.20	-0.32	20.88	<=30	Pass
			18	21.03	-0.32	20.71	<=30	Pass
			39	20.86	-0.32	20.54	<=30	Pass
		75	0	21.05	-0.32	20.73	<=30	Pass
	1732.5	1	0	21.71	-0.32	21.39	<=30	Pass
			38	21.92	-0.32	21.60	<=30	Pass
			74	21.95	-0.32	21.63	<=30	Pass
		36	0	20.85	-0.32	20.53	<=30	Pass
			18	20.93	-0.32	20.61	<=30	Pass
			39	21.07	-0.32	20.75	<=30	Pass
		75	0	20.99	-0.32	20.67	<=30	Pass
	1747.5	1	0	22.01	-0.32	21.69	<=30	Pass
			38	22.20	-0.32	21.88	<=30	Pass
			74	22.32	-0.32	22.00	<=30	Pass
		36	0	21.19	-0.32	20.87	<=30	Pass
			18	21.31	-0.32	20.99	<=30	Pass
			39	21.42	-0.32	21.10	<=30	Pass
		75	0	21.30	-0.32	20.98	<=30	Pass
16QAM	1717.5	1	0	21.73	-0.32	21.41	<=30	Pass
			38	21.55	-0.32	21.23	<=30	Pass
			74	21.29	-0.32	20.97	<=30	Pass
		36	0	20.21	-0.32	19.89	<=30	Pass
			18	20.02	-0.32	19.70	<=30	Pass
			39	19.92	-0.32	19.60	<=30	Pass
		75	0	20.04	-0.32	19.72	<=30	Pass
	1732.5	1	0	20.92	-0.32	20.60	<=30	Pass
			38	21.10	-0.32	20.78	<=30	Pass
			74	21.11	-0.32	20.79	<=30	Pass
		36	0	19.82	-0.32	19.50	<=30	Pass
			18	19.90	-0.32	19.58	<=30	Pass
			39	20.07	-0.32	19.75	<=30	Pass
		75	0	20.03	-0.32	19.71	<=30	Pass
	1747.5	1	0	21.50	-0.32	21.18	<=30	Pass
			38	21.68	-0.32	21.36	<=30	Pass
			74	21.70	-0.32	21.38	<=30	Pass
		36	0	20.17	-0.32	19.85	<=30	Pass
			18	20.30	-0.32	19.98	<=30	Pass
			39	20.40	-0.32	20.08	<=30	Pass
		75	0	20.27	-0.32	19.95	<=30	Pass
64QAM	1717.5	1	0	20.45	-0.32	20.13	<=30	Pass
			38	20.25	-0.32	19.93	<=30	Pass
			74	19.99	-0.32	19.67	<=30	Pass
		36	0	19.16	-0.32	18.84	<=30	Pass
			18	19.02	-0.32	18.70	<=30	Pass
			39	18.89	-0.32	18.57	<=30	Pass
		75	0	19.07	-0.32	18.75	<=30	Pass
	1732.5	1	0	19.90	-0.32	19.58	<=30	Pass
			38	20.11	-0.32	19.79	<=30	Pass
			74	20.06	-0.32	19.74	<=30	Pass

		36	0	18.95	-0.32	18.63	<=30	Pass
			18	19.01	-0.32	18.69	<=30	Pass
			39	19.06	-0.32	18.74	<=30	Pass
		75	0	18.99	-0.32	18.67	<=30	Pass
	1747.5	1	0	20.67	-0.32	20.35	<=30	Pass
			38	20.90	-0.32	20.58	<=30	Pass
			74	20.98	-0.32	20.66	<=30	Pass
		36	0	19.19	-0.32	18.87	<=30	Pass
			18	19.30	-0.32	18.98	<=30	Pass
			39	19.39	-0.32	19.07	<=30	Pass
		75	0	19.29	-0.32	18.97	<=30	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

1.1.6 B4_20MHz_EIRP

Band: 4 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	22.02	-0.32	21.70	<=30	Pass
			50	22.03	-0.32	21.71	<=30	Pass
			99	21.61	-0.32	21.29	<=30	Pass
		50	0	21.15	-0.32	20.83	<=30	Pass
			25	20.93	-0.32	20.61	<=30	Pass
			50	20.84	-0.32	20.52	<=30	Pass
		100	0	21.06	-0.32	20.74	<=30	Pass
	1732.5	1	0	21.60	-0.32	21.28	<=30	Pass
			50	22.03	-0.32	21.71	<=30	Pass
			99	21.92	-0.32	21.60	<=30	Pass
		50	0	20.82	-0.32	20.50	<=30	Pass
			25	20.94	-0.32	20.62	<=30	Pass
			50	21.13	-0.32	20.81	<=30	Pass
		100	0	21.04	-0.32	20.72	<=30	Pass
	1745	1	0	21.73	-0.32	21.41	<=30	Pass
			50	22.39	-0.32	22.07	<=30	Pass
			99	22.12	-0.32	21.80	<=30	Pass
		50	0	21.08	-0.32	20.76	<=30	Pass
			25	21.28	-0.32	20.96	<=30	Pass
			50	21.38	-0.32	21.06	<=30	Pass
		100	0	21.26	-0.32	20.94	<=30	Pass
16QAM	1720	1	0	21.32	-0.32	21.00	<=30	Pass
			50	21.32	-0.32	21.00	<=30	Pass
			99	20.94	-0.32	20.62	<=30	Pass
		50	0	20.22	-0.32	19.90	<=30	Pass
			25	19.99	-0.32	19.67	<=30	Pass
			50	19.89	-0.32	19.57	<=30	Pass
		100	0	20.09	-0.32	19.77	<=30	Pass
	1732.5	1	0	20.85	-0.32	20.53	<=30	Pass
			50	21.28	-0.32	20.96	<=30	Pass
			99	21.14	-0.32	20.82	<=30	Pass
		50	0	19.82	-0.32	19.50	<=30	Pass
			25	20.00	-0.32	19.68	<=30	Pass
			50	20.15	-0.32	19.83	<=30	Pass
		100	0	20.04	-0.32	19.72	<=30	Pass
	1745	1	0	21.34	-0.32	21.02	<=30	Pass
			50	21.91	-0.32	21.59	<=30	Pass
			99	21.73	-0.32	21.41	<=30	Pass
		50	0	20.13	-0.32	19.81	<=30	Pass

64QAM	1720	100	25	20.23	-0.32	19.91	<=30	Pass
			50	20.38	-0.32	20.06	<=30	Pass
			0	20.28	-0.32	19.96	<=30	Pass
		1	0	20.41	-0.32	20.09	<=30	Pass
			50	20.41	-0.32	20.09	<=30	Pass
			99	20.04	-0.32	19.72	<=30	Pass
		50	0	19.34	-0.32	19.02	<=30	Pass
			25	19.07	-0.32	18.75	<=30	Pass
			50	18.98	-0.32	18.66	<=30	Pass
		100	0	19.15	-0.32	18.83	<=30	Pass
	1732.5	1	0	20.23	-0.32	19.91	<=30	Pass
			50	20.75	-0.32	20.43	<=30	Pass
			99	20.58	-0.32	20.26	<=30	Pass
		50	0	18.88	-0.32	18.56	<=30	Pass
			25	19.04	-0.32	18.72	<=30	Pass
			50	19.19	-0.32	18.87	<=30	Pass
		100	0	19.05	-0.32	18.73	<=30	Pass
	1745	1	0	19.99	-0.32	19.67	<=30	Pass
			50	20.61	-0.32	20.29	<=30	Pass
			99	20.40	-0.32	20.08	<=30	Pass
		50	0	19.11	-0.32	18.79	<=30	Pass
			25	19.26	-0.32	18.94	<=30	Pass
			50	19.37	-0.32	19.05	<=30	Pass
		100	0	19.25	-0.32	18.93	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B4_10MHz

Band: 4 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1732.5	50	0	20	LV	-4.106	-0.0024	-2.5 to 2.5	Pass
					NV	-4.134	-0.0024	-2.5 to 2.5	Pass
					HV	-5.693	-0.0033	-2.5 to 2.5	Pass
				-30	NV	-4.549	-0.0026	-2.5 to 2.5	Pass
				-20	NV	-1.431	-0.0008	-2.5 to 2.5	Pass
				-10	NV	-4.263	-0.0025	-2.5 to 2.5	Pass
				0	NV	-2.532	-0.0015	-2.5 to 2.5	Pass
				10	NV	-3.819	-0.0022	-2.5 to 2.5	Pass
				30	NV	-8.655	-0.0050	-2.5 to 2.5	Pass
				40	NV	-2.861	-0.0017	-2.5 to 2.5	Pass
				50	NV	-6.452	-0.0037	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band4_OBW


Band: 4 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1732.5	6	0	1.118	/	Pass
	16QAM	1732.5	6	0	1.110	/	Pass
	64QAM	1732.5	6	0	1.102	/	Pass
3	QPSK	1732.5	15	0	2.723	/	Pass
	16QAM	1732.5	15	0	2.712	/	Pass
	64QAM	1732.5	15	0	2.719	/	Pass
5	QPSK	1732.5	25	0	4.549	/	Pass
	16QAM	1732.5	25	0	4.527	/	Pass
	64QAM	1732.5	25	0	4.558	/	Pass
10	QPSK	1732.5	50	0	9.052	/	Pass
	16QAM	1732.5	50	0	9.054	/	Pass
	64QAM	1732.5	50	0	9.049	/	Pass
15	QPSK	1732.5	75	0	13.616	/	Pass
	16QAM	1732.5	75	0	13.593	/	Pass
	64QAM	1732.5	75	0	13.603	/	Pass
20	QPSK	1732.5	100	0	18.095	/	Pass
	16QAM	1732.5	100	0	18.134	/	Pass
	64QAM	1732.5	100	0	18.074	/	Pass

3.1.2 Band4_XDB


Band: 4 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1732.5	6	0	1.320	/	Pass
	16QAM	1732.5	6	0	1.329	/	Pass
	64QAM	1732.5	6	0	1.313	/	Pass
3	QPSK	1732.5	15	0	3.002	/	Pass
	16QAM	1732.5	15	0	3.004	/	Pass
	64QAM	1732.5	15	0	2.997	/	Pass
5	QPSK	1732.5	25	0	5.047	/	Pass
	16QAM	1732.5	25	0	4.993	/	Pass
	64QAM	1732.5	25	0	4.980	/	Pass
10	QPSK	1732.5	50	0	9.995	/	Pass
	16QAM	1732.5	50	0	9.882	/	Pass
	64QAM	1732.5	50	0	9.957	/	Pass
15	QPSK	1732.5	75	0	15.098	/	Pass
	16QAM	1732.5	75	0	14.884	/	Pass
	64QAM	1732.5	75	0	14.906	/	Pass
20	QPSK	1732.5	100	0	19.675	/	Pass
	16QAM	1732.5	100	0	19.789	/	Pass
	64QAM	1732.5	100	0	19.818	/	Pass

3.2 Test Graph


3.2.1 Band4_OBW




Band4 1.4MHz 64QAM MCH 1732.5MHz RB 6 0 NTV




Band4 3MHz QPSK MCH 1732.5MHz RB 15 0 NTV




Band4 3MHz 16QAM MCH 1732.5MHz RB 15 0 NTNV




Band4 3MHz 64QAM MCH 1732.5MHz RB 15 0 NTNV




Band4 5MHz QPSK MCH 1732.5MHz RB 25 0 NTV




Band4 5MHz 16QAM MCH 1732.5MHz RB 25 0 NTV




Band4 5MHz 64QAM MCH 1732.5MHz RB 25 0 NTV




Band4 10MHz QPSK MCH 1732.5MHz RB 50 0 NTV




Band4 10MHz 16QAM MCH 1732.5MHz RB 50 0 NTN




Band4 10MHz 64QAM MCH 1732.5MHz RB 50 0 NTN




Band4 15MHz QPSK MCH 1732.5MHz RB 75 0 NTV




Band4 15MHz 16QAM MCH 1732.5MHz RB 75 0 NTV




Band4 15MHz 64QAM MCH 1732.5MHz RB 75 0 NTNV




Band4 20MHz QPSK MCH 1732.5MHz RB 100 0 NTNV




Band4 20MHz 16QAM MCH 1732.5MHz RB 100 0 NTN




Band4 20MHz 64QAM MCH 1732.5MHz RB 100 0 NTN




3.2.2 Band4_XDB




Band4 1.4MHz 64QAM MCH 1732.5MHz RB 6 0 NTNV




Band4 3MHz QPSK MCH 1732.5MHz RB 15 0 NTNV




Band4 3MHz 16QAM MCH 1732.5MHz RB 15 0 NTN




Band4 3MHz 64QAM MCH 1732.5MHz RB 15 0 NTN




Band4 5MHz QPSK MCH 1732.5MHz RB 25 0 NTV




Band4 5MHz 16QAM MCH 1732.5MHz RB 25 0 NTV




Band4 5MHz 64QAM MCH 1732.5MHz RB 25 0 NTV




Band4 10MHz QPSK MCH 1732.5MHz RB 50 0 NTV




Band4 10MHz 16QAM MCH 1732.5MHz RB 50 0 NTN




Band4 10MHz 64QAM MCH 1732.5MHz RB 50 0 NTN




Band4 15MHz QPSK MCH 1732.5MHz RB 75 0 NTNV




Band4 15MHz 16QAM MCH 1732.5MHz RB 75 0 NTNV




Band4 15MHz 64QAM MCH 1732.5MHz RB 75 0 NTN




Band4 20MHz QPSK MCH 1732.5MHz RB 100 0 NTN



Band4 20MHz 16QAM MCH 1732.5MHz RB 100 0 NTNV



Band4 20MHz 64QAM MCH 1732.5MHz RB 100 0 NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B4_20MHz


Band: 4 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1732.5	100	0	5.74	<=13	Pass
16QAM	1732.5	100	0	6.50	<=13	Pass
64QAM	1732.5	100	0	6.76	<=13	Pass

4.2 Test Graph

4.2.1 B4_20MHz



Band4 20MHz 64QAM MCH 1732.5MHz RB 100 0 NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B4_1.4MHz

Band: 4 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
		1754.3	1	0	Refer To Test Graph	
	5			Refer To Test Graph		Pass
	6		0	Refer To Test Graph		Pass

5.1.2 B4_3MHz

Band: 4 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1753.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B4_5MHz

Band: 4 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1752.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B4_10MHz

Band: 4 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1750	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B4_15MHz


Band: 4 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1747.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B4_20MHz


Band: 4 / Bandwidth: 20MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B4_1.4MHz



Band4 1.4MHz QPSK LCH 1710.7MHz RB 1 0 NTV




Band4 1.4MHz QPSK LCH 1710.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-32.32	-13	Pass
1709	1710	0.013	CHP	2	1709.995	-30.52	-13	Pass
1710	1713	0.013	CHP	/	/	/	/	/


Band4 1.4MHz QPSK MCH 1732.5MHz RB 1 0 NTV




Band4 1.4MHz QPSK MCH 1732.5MHz RB 1 0 NTV




Band4 1.4MHz QPSK HCH 1754.3MHz RB 1 0 NTV



Band4 1.4MHz QPSK HCH 1754.3MHz RB 1 0 NTV




Band4 1.4MHz QPSK HCH 1754.3MHz RB 1 5 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-31.41	-13	Pass
1756	1758	1	CHP	2	1756.500	-41.50	-13	Pass

Band4 1.4MHz QPSK HCH 1754.3MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.013	CHP	/	/	/	/	/
1755	1756	0.013	CHP	1	1755.005	-35.39	-13	Pass
1756	1758	1	CHP	2	1756.500	-34.89	-13	Pass


5.2.2 B4_3MHz



Band4 3MHz QPSK LCH 1711.5MHz RB 1 0 NTN




Band4 3MHz QPSK LCH 1711.5MHz RB 15 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-22.91	-13	Pass
1709	1710	0.03	/	2	1709.988	-29.79	-13	Pass
1710	1713	0.03	/	/	/	/	/	/


Band4 3MHz QPSK MCH 1732.5MHz RB 1 0 NTN




Band4 3MHz QPSK MCH 1732.5MHz RB 1 0 NTN




Band4 3MHz QPSK HCH 1753.5MHz RB 1 0 NTN



Band4 3MHz QPSK HCH 1753.5MHz RB 1 0 NTN




Band4 3MHz QPSK HCH 1753.5MHz RB 1 14 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.012	-32.05	-13	Pass
1756	1758	1	CHP	2	1756.500	-40.90	-13	Pass

Band4 3MHz QPSK HCH 1753.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.03	/	/	/	/	/	/
1755	1756	0.03	/	1	1755.006	-36.10	-13	Pass
1756	1758	1	CHP	2	1756.500	-29.23	-13	Pass


5.2.3 B4_5MHz



Band4 5MHz QPSK LCH 1712.5MHz RB 1 0 NTN




Band4 5MHz QPSK LCH 1712.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-23.68	-13	Pass
1709	1710	0.05	CHP	2	1709.990	-32.11	-13	Pass
1710	1715	0.05	CHP	/	/	/	/	/


Band4 5MHz QPSK MCH 1732.5MHz RB 1 0 NTN




Band4 5MHz QPSK MCH 1732.5MHz RB 1 0 NTN




Band4 5MHz QPSK HCH 1752.5MHz RB 1 0 NTN



Band4 5MHz QPSK HCH 1752.5MHz RB 1 0 NTN




Band4 5MHz QPSK HCH 1752.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-33.63	-13	Pass
1756	1760	1	CHP	2	1756.500	-38.85	-13	Pass

Band4 5MHz QPSK HCH 1752.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.05	CHP	/	/	/	/	/
1755	1756	0.05	CHP	1	1755.010	-35.68	-13	Pass
1756	1760	1	CHP	2	1756.500	-29.09	-13	Pass


5.2.4 B4_10MHz



Band4 10MHz QPSK LCH 1715MHz RB 1 0 NTN




Band4 10MHz QPSK LCH 1715MHz RB 50 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.500	-28.47	-13	Pass
1709	1710	0.1	/	2	1709.980	-33.55	-13	Pass
1710	1720	0.1	/	/	/	/	/	/


Band4 10MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4 10MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4 10MHz QPSK HCH 1750MHz RB 1 0 NTN



Band4 10MHz QPSK HCH 1750MHz RB 1 0 NTN




Band4 10MHz QPSK HCH 1750MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1745	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.014	-37.77	-13	Pass
1756	1765	1	CHP	2	1758.713	-40.33	-13	Pass

Band4 10MHz QPSK HCH 1750MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1745	1755	0.1	/	/	/	/	/	/
1755	1756	0.1	/	1	1755.060	-35.56	-13	Pass
1756	1765	1	CHP	2	1756.500	-30.51	-13	Pass


5.2.5 B4_15MHz



Band4 15MHz QPSK LCH 1717.5MHz RB 1 0 NTV




Band4 15MHz QPSK LCH 1717.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.050	-25.71	-13	Pass
1709	1710	0.151	CHP	2	1709.190	-34.12	-13	Pass
1710	1725	0.151	CHP	/	/	/	/	/


Band4 15MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4 15MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4 15MHz QPSK HCH 1747.5MHz RB 1 0 NTV



Band4 15MHz QPSK HCH 1747.5MHz RB 1 0 NTV




Band4 15MHz QPSK HCH 1747.5MHz RB 1 74 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-41.20	-13	Pass
1756	1770	1	CHP	2	1760.484	-40.23	-13	Pass

Band4 15MHz QPSK HCH 1747.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1755	0.151	CHP	/	/	/	/	/
1755	1756	0.151	CHP	1	1755.270	-38.10	-13	Pass
1756	1770	1	CHP	2	1756.920	-30.44	-13	Pass


5.2.6 B4_20MHz



Band4 20MHz QPSK LCH 1720MHz RB 1 0 NTNV




Band4 20MHz QPSK LCH 1720MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-29.81	-13	Pass
1709	1710	0.197	CHP	2	1709.880	-33.90	-13	Pass
1710	1730	0.197	CHP	/	/	/	/	/


Band4 20MHz QPSK MCH 1732.5MHz RB 1 0 NTN




Band4 20MHz QPSK MCH 1732.5MHz RB 1 0 NTN




Band4 20MHz QPSK HCH 1745MHz RB 1 0 NTN



Band4 20MHz QPSK HCH 1745MHz RB 1 0 NTN




Band4 20MHz QPSK HCH 1745MHz RB 1 99 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1735	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.005	-45.35	-13	Pass
1756	1775	1	CHP	2	1762.998	-41.24	-13	Pass

Band4 20MHz QPSK HCH 1745MHz RB 100 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1735	1755	0.197	CHP	/	/	/	/	/
1755	1756	0.197	CHP	1	1755.040	-37.16	-13	Pass
1756	1775	1	CHP	2	1756.600	-31.56	-13	Pass