










## Maximum e.i.r.p. Output Power Test Result

| Ant1 Gain:                  |                 | 5.17dBi        |                |                  |                     |                     |                       |                  |         |
|-----------------------------|-----------------|----------------|----------------|------------------|---------------------|---------------------|-----------------------|------------------|---------|
| Ant2 Gain:                  |                 | 5.90dBi        |                |                  |                     |                     |                       |                  |         |
| Directional Gain For Power: |                 | 5.90dBi        |                |                  |                     |                     |                       |                  |         |
| Test Mode                   | Frequency [MHz] | Avg. Ant1(dBm) | Avg. Ant2(dBm) | Avg. Total (dBm) | EIRP Avg. Ant1(dBm) | EIRP Avg. Ant2(dBm) | EIRP Avg. Total (dBm) | EIRP Limit (dBm) | Verdict |
| 11ac20-MIMO                 | 5955            | -2.46          | -1.88          | 0.85             | 2.71                | 4.02                | 6.75                  | ≤24.00           | PASS    |
|                             | 6175            | -2.67          | -2.05          | 0.66             | 2.50                | 3.85                | 6.56                  | ≤24.00           | PASS    |
|                             | 6415            | -5.16          | -1.99          | -0.28            | 0.01                | 3.91                | 5.62                  | ≤24.00           | PASS    |
| 11ac40-MIMO                 | 5965            | 0.23           | 0.69           | 3.48             | 5.40                | 6.59                | 9.38                  | ≤24.00           | PASS    |
|                             | 6165            | -0.03          | 0.50           | 3.25             | 5.14                | 6.40                | 9.15                  | ≤24.00           | PASS    |
|                             | 6405            | -2.66          | 0.57           | 2.26             | 2.51                | 6.47                | 8.16                  | ≤24.00           | PASS    |
| 11ac80-MIMO                 | 5985            | 4.17           | 4.78           | 7.50             | 9.34                | 10.68               | 13.40                 | ≤24.00           | PASS    |
|                             | 6145            | 4.18           | 4.72           | 7.47             | 9.35                | 10.62               | 13.37                 | ≤24.00           | PASS    |
|                             | 6385            | 1.45           | 4.64           | 6.34             | 6.62                | 10.54               | 12.24                 | ≤24.00           | PASS    |
| 11ax20-MIMO                 | 5955            | -2.33          | -1.86          | 0.92             | 2.84                | 4.04                | 6.82                  | ≤24.00           | PASS    |
|                             | 6175            | -2.63          | -2.00          | 0.71             | 2.54                | 3.90                | 6.61                  | ≤24.00           | PASS    |
|                             | 6415            | -4.92          | -1.66          | 0.02             | 0.25                | 4.24                | 5.92                  | ≤24.00           | PASS    |
| 11ax40-MIMO                 | 5965            | -0.02          | 0.36           | 3.18             | 5.15                | 6.26                | 9.08                  | ≤24.00           | PASS    |
|                             | 6165            | -0.34          | 0.18           | 2.94             | 4.83                | 6.08                | 8.84                  | ≤24.00           | PASS    |
|                             | 6405            | -2.78          | 0.39           | 2.10             | 2.39                | 6.29                | 8.00                  | ≤24.00           | PASS    |
| 11ax80-MIMO                 | 5985            | 4.40           | 4.93           | 7.68             | 9.57                | 10.83               | 13.58                 | ≤24.00           | PASS    |
|                             | 6145            | 4.43           | 4.88           | 7.67             | 9.60                | 10.78               | 13.57                 | ≤24.00           | PASS    |
|                             | 6385            | 1.69           | 4.75           | 6.49             | 6.86                | 10.65               | 12.39                 | ≤24.00           | PASS    |

| Ant1 Gain:                  |                 | 4.47dBi        |                |                  |                     |                     |                       |                  |         |
|-----------------------------|-----------------|----------------|----------------|------------------|---------------------|---------------------|-----------------------|------------------|---------|
| Ant2 Gain:                  |                 | 4.58dBi        |                |                  |                     |                     |                       |                  |         |
| Directional Gain For Power: |                 | 4.58dBi        |                |                  |                     |                     |                       |                  |         |
| Test Mode                   | Frequency [MHz] | Avg. Ant1(dBm) | Avg. Ant2(dBm) | Avg. Total (dBm) | EIRP Avg. Ant1(dBm) | EIRP Avg. Ant2(dBm) | EIRP Avg. Total (dBm) | EIRP Limit (dBm) | Verdict |
| 11ac20-MIMO                 | 6435            | -3.52          | -0.82          | 1.05             | 0.95                | 3.76                | 5.63                  | ≤24.00           | PASS    |
|                             | 6475            | -3.65          | -0.61          | 1.14             | 0.82                | 3.97                | 5.72                  | ≤24.00           | PASS    |
|                             | 6515            | -4.11          | -0.63          | 0.98             | 0.36                | 3.95                | 5.56                  | ≤24.00           | PASS    |
| 11ac40-MIMO                 | 6445            | -1.49          | 1.23           | 3.09             | 2.98                | 5.81                | 7.67                  | ≤24.00           | PASS    |
|                             | 6485            | -1.62          | 1.50           | 3.22             | 2.85                | 6.08                | 7.80                  | ≤24.00           | PASS    |
|                             | 6525            | -2.27          | 1.35           | 2.92             | 2.20                | 5.93                | 7.50                  | ≤24.00           | PASS    |
| 11ac80-MIMO                 | 6465            | 1.73           | 5.33           | 6.90             | 6.20                | 9.91                | 11.48                 | ≤24.00           | PASS    |
| 11ax20-MIMO                 | 6435            | -3.37          | -0.77          | 1.13             | 1.10                | 3.81                | 5.71                  | ≤24.00           | PASS    |
|                             | 6475            | -3.42          | -0.50          | 1.29             | 1.05                | 4.08                | 5.87                  | ≤24.00           | PASS    |
|                             | 6515            | -3.97          | -0.55          | 1.08             | 0.50                | 4.03                | 5.66                  | ≤24.00           | PASS    |
| 11ax40-MIMO                 | 6445            | -1.22          | 1.34           | 3.26             | 3.25                | 5.92                | 7.84                  | ≤24.00           | PASS    |
|                             | 6485            | -1.37          | 1.70           | 3.44             | 3.10                | 6.28                | 8.02                  | ≤24.00           | PASS    |
|                             | 6525            | -2.05          | 1.58           | 3.14             | 2.42                | 6.16                | 7.72                  | ≤24.00           | PASS    |
| 11ax80-MIMO                 | 6465            | 1.96           | 5.58           | 7.15             | 6.43                | 10.16               | 11.73                 | ≤24.00           | PASS    |

| Ant1 Gain:                  |                 | 5.48dBi        |                |                  |                     |                     |                       |                  |         |
|-----------------------------|-----------------|----------------|----------------|------------------|---------------------|---------------------|-----------------------|------------------|---------|
| Ant2 Gain:                  |                 | 6.22dBi        |                |                  |                     |                     |                       |                  |         |
| Directional Gain For Power: |                 | 6.22dBi        |                |                  |                     |                     |                       |                  |         |
| Test Mode                   | Frequency [MHz] | Avg. Ant1(dBm) | Avg. Ant2(dBm) | Avg. Total (dBm) | EIRP Avg. Ant1(dBm) | EIRP Avg. Ant2(dBm) | EIRP Avg. Total (dBm) | EIRP Limit (dBm) | Verdict |
| 11ac20-MIMO                 | 6535            | -5.29          | -1.58          | -0.04            | 0.19                | 4.64                | 6.18                  | ≤24.00           | PASS    |
|                             | 6695            | -5.48          | -1.98          | -0.38            | 0.00                | 4.24                | 5.84                  | ≤24.00           | PASS    |
|                             | 6855            | -3.97          | -2.88          | -0.38            | 1.51                | 3.34                | 5.84                  | ≤24.00           | PASS    |
|                             | 6875            | -3.88          | -3.18          | -0.51            | 1.60                | 3.04                | 5.71                  | ≤24.00           | PASS    |
| 11ac40-MIMO                 | 6565            | -2.11          | 1.30           | 2.93             | 3.37                | 7.52                | 9.15                  | ≤24.00           | PASS    |
|                             | 6685            | -2.41          | 1.11           | 2.71             | 3.07                | 7.33                | 8.93                  | ≤24.00           | PASS    |
|                             | 6845            | -1.09          | 0.15           | 2.58             | 4.39                | 6.37                | 8.80                  | ≤24.00           | PASS    |
| 11ac80-MIMO                 | 6545            | 1.55           | 4.99           | 6.61             | 7.03                | 11.21               | 12.83                 | ≤24.00           | PASS    |
|                             | 6625            | 1.84           | 5.06           | 6.75             | 7.32                | 11.28               | 12.97                 | ≤24.00           | PASS    |
|                             | 6705            | 2.05           | 4.63           | 6.54             | 7.53                | 10.85               | 12.76                 | ≤24.00           | PASS    |
|                             | 6785            | 3.07           | 4.05           | 6.60             | 8.55                | 10.27               | 12.82                 | ≤24.00           | PASS    |
|                             | 6865            | 2.84           | 3.81           | 6.36             | 8.32                | 10.03               | 12.58                 | ≤24.00           | PASS    |
| 11ax20-MIMO                 | 6535            | -5.03          | -1.48          | 0.11             | 0.45                | 4.74                | 6.33                  | ≤24.00           | PASS    |
|                             | 6695            | -5.07          | -1.70          | -0.06            | 0.41                | 4.52                | 6.16                  | ≤24.00           | PASS    |
|                             | 6855            | -3.69          | -2.59          | -0.09            | 1.79                | 3.63                | 6.13                  | ≤24.00           | PASS    |
|                             | 6875            | -3.59          | 2.73           | 3.64             | 1.89                | 8.95                | 9.86                  | ≤24.00           | PASS    |
| 11ax40-MIMO                 | 6565            | -1.91          | 1.79           | 3.33             | 3.57                | 8.01                | 9.55                  | ≤24.00           | PASS    |
|                             | 6685            | -2.02          | 1.48           | 3.08             | 3.46                | 7.70                | 9.30                  | ≤24.00           | PASS    |
|                             | 6845            | -0.89          | 0.48           | 2.86             | 4.59                | 6.70                | 9.08                  | ≤24.00           | PASS    |
| 11ax80-MIMO                 | 6545            | 1.72           | 5.18           | 6.80             | 7.20                | 11.40               | 13.02                 | ≤24.00           | PASS    |
|                             | 6625            | 1.99           | 5.26           | 6.94             | 7.47                | 11.48               | 13.16                 | ≤24.00           | PASS    |
|                             | 6705            | 2.27           | 4.90           | 6.79             | 7.75                | 11.12               | 13.01                 | ≤24.00           | PASS    |
|                             | 6785            | 3.35           | 4.38           | 6.91             | 8.83                | 10.60               | 13.13                 | ≤24.00           | PASS    |
|                             | 6865            | 2.98           | 4.02           | 6.54             | 8.46                | 10.24               | 12.76                 | ≤24.00           | PASS    |

| Ant1 Gain:                  |                 | 6.72dBi        |                |                  |                     |                     |                       |                  |         |
|-----------------------------|-----------------|----------------|----------------|------------------|---------------------|---------------------|-----------------------|------------------|---------|
| Ant2 Gain:                  |                 | 5.35dBi        |                |                  |                     |                     |                       |                  |         |
| Directional Gain For Power: |                 | 6.72dBi        |                |                  |                     |                     |                       |                  |         |
| Test Mode                   | Frequency [MHz] | Avg. Ant1(dBm) | Avg. Ant2(dBm) | Avg. Total (dBm) | EIRP Avg. Ant1(dBm) | EIRP Avg. Ant2(dBm) | EIRP Avg. Total (dBm) | EIRP Limit (dBm) | Verdict |
| 11ac20-MIMO                 | 6895            | -3.71          | -3.19          | -0.43            | 3.01                | 2.16                | 6.29                  | ≤24.00           | PASS    |
|                             | 6995            | -2.49          | -5.55          | -0.75            | 4.23                | -0.20               | 5.97                  | ≤24.00           | PASS    |
|                             | 7115            | -2.95          | -7.46          | -1.63            | 3.77                | -2.11               | 5.09                  | ≤24.00           | PASS    |
| 11ac40-MIMO                 | 6885            | -0.06          | 0.95           | 3.48             | 6.66                | 6.30                | 10.20                 | ≤24.00           | PASS    |
|                             | 6925            | 0.35           | 0.61           | 3.49             | 7.07                | 5.96                | 10.21                 | ≤24.00           | PASS    |
|                             | 6965            | 1.03           | 0.12           | 3.61             | 7.75                | 5.47                | 10.33                 | ≤24.00           | PASS    |
|                             | 7085            | 0.91           | -2.86          | 2.43             | 7.63                | 2.49                | 9.15                  | ≤24.00           | PASS    |
| 11ac80-MIMO                 | 6945            | 4.28           | 3.94           | 7.12             | 11.00               | 9.29                | 13.84                 | ≤24.00           | PASS    |
|                             | 7025            | 4.98           | 2.41           | 6.89             | 11.70               | 7.76                | 13.61                 | ≤24.00           | PASS    |
| 11ax20-MIMO                 | 6895            | -3.02          | -2.47          | 0.27             | 3.70                | 2.88                | 6.99                  | ≤24.00           | PASS    |
|                             | 6995            | -1.94          | -4.42          | 0.00             | 4.78                | 0.93                | 6.72                  | ≤24.00           | PASS    |
|                             | 7115            | -1.97          | -6.37          | -0.62            | 4.75                | -1.02               | 6.10                  | ≤24.00           | PASS    |
| 11ax40-MIMO                 | 6885            | -0.82          | 0.08           | 2.66             | 5.90                | 5.43                | 9.38                  | ≤24.00           | PASS    |
|                             | 6925            | -0.34          | -0.49          | 2.60             | 6.38                | 4.86                | 9.32                  | ≤24.00           | PASS    |
|                             | 6965            | 0.19           | -0.71          | 2.77             | 6.91                | 4.64                | 9.49                  | ≤24.00           | PASS    |
|                             | 7085            | 0.12           | -3.55          | 1.67             | 6.84                | 1.80                | 8.39                  | ≤24.00           | PASS    |
| 11ax80-MIMO                 | 6945            | 3.54           | 3.19           | 6.38             | 10.26               | 8.54                | 13.10                 | ≤24.00           | PASS    |
|                             | 7025            | 4.10           | 1.32           | 5.94             | 10.82               | 6.67                | 12.66                 | ≤24.00           | PASS    |

**Maximum power spectral density  
Test Result**

| Test Mode  | Antenna | Frequency [MHz] | Result [dBm/MHz] | Gain [dBi] | EIRP [dBm/MHz] | Limit [dBm/MHz] | Verdict |
|------------|---------|-----------------|------------------|------------|----------------|-----------------|---------|
| 11ac20MIMO | Ant1    | 5955            | -13.01           | 5.17       | -7.84          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 5955            | -12.61           | 5.90       | -6.71          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 5955            | -9.80            | 8.55       | -1.25          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6175            | -13.30           | 5.17       | -8.13          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6175            | -12.90           | 5.90       | -7.00          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6175            | -10.00           | 8.55       | -1.45          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6415            | -14.51           | 5.17       | -9.34          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6415            | -13.23           | 5.90       | -7.33          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6415            | -10.81           | 8.55       | -2.26          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6435            | -14.78           | 4.47       | -10.31         | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6435            | -11.32           | 4.58       | -6.74          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6435            | -9.70            | 7.54       | -2.16          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6475            | -14.53           | 4.47       | -10.06         | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6475            | -11.60           | 4.58       | -7.02          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6475            | -9.81            | 7.54       | -2.27          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6515            | -14.84           | 4.47       | -10.37         | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6515            | -11.48           | 4.58       | -6.90          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6515            | -9.83            | 7.54       | -2.29          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6535            | -14.96           | 5.48       | -9.48          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6535            | -12.22           | 6.22       | -6.00          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6535            | -10.37           | 8.87       | -1.50          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6695            | -15.67           | 5.48       | -10.19         | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6695            | -13.04           | 6.22       | -6.82          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6695            | -11.15           | 8.87       | -2.28          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6855            | -14.11           | 5.48       | -8.63          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6855            | -15.07           | 6.22       | -8.85          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6855            | -11.55           | 8.87       | -2.68          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6875            | -14.84           | 5.48       | -9.36          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6875            | -14.08           | 6.22       | -7.86          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6875            | -11.43           | 8.87       | -2.56          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6895            | -13.92           | 6.72       | -7.20          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6895            | -14.37           | 5.35       | -9.02          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6895            | -11.13           | 9.07       | -2.06          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6995            | -13.54           | 6.72       | -6.82          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6995            | -15.65           | 5.35       | -10.30         | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6995            | -11.46           | 9.07       | -2.39          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 7115            | -13.58           | 6.72       | -6.86          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 7115            | -17.60           | 5.35       | -12.25         | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 7115            | -12.13           | 9.07       | -3.06          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 5965            | -13.04           | 5.17       | -7.87          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 5965            | -12.60           | 5.90       | -6.70          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 5965            | -9.80            | 8.55       | -1.25          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6165            | -14.08           | 5.17       | -8.91          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6165            | -13.13           | 5.90       | -7.23          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 6165            | -10.57           | 8.55       | -2.02          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6405            | -15.67           | 5.17       | -10.50         | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6405            | -12.43           | 5.90       | -6.53          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 6405            | -10.74           | 8.55       | -2.19          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6445            | -14.63           | 4.47       | -10.16         | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6445            | -12.17           | 4.58       | -7.59          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 6445            | -10.22           | 7.54       | -2.68          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6485            | -15.20           | 4.47       | -10.73         | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6485            | -11.19           | 4.58       | -6.61          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 6485            | -9.74            | 7.54       | -2.20          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6525            | -15.29           | 5.48       | -9.81          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6525            | -11.96           | 6.22       | -5.74          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 6525            | -10.30           | 8.87       | -1.43          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6565            | -15.52           | 5.48       | -10.04         | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6565            | -12.03           | 6.22       | -5.81          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 6565            | -10.42           | 8.87       | -1.55          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6685            | -16.08           | 5.48       | -10.60         | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6685            | -12.37           | 6.22       | -6.15          | ≤-1.00          | PASS    |

|            |       |      |        |      |        |        |      |
|------------|-------|------|--------|------|--------|--------|------|
| 11ac40MIMO | total | 6685 | -10.83 | 8.87 | -1.96  | ≤-1.00 | PASS |
| 11ac40MIMO | Ant1  | 6845 | -15.20 | 5.48 | -9.72  | ≤-1.00 | PASS |
| 11ac40MIMO | Ant2  | 6845 | -14.30 | 6.22 | -8.08  | ≤-1.00 | PASS |
| 11ac40MIMO | total | 6845 | -11.72 | 8.87 | -2.85  | ≤-1.00 | PASS |
| 11ac40MIMO | Ant1  | 6885 | -14.11 | 6.72 | -7.39  | ≤-1.00 | PASS |
| 11ac40MIMO | Ant2  | 6885 | -13.68 | 5.35 | -8.33  | ≤-1.00 | PASS |
| 11ac40MIMO | total | 6885 | -10.88 | 9.07 | -1.81  | ≤-1.00 | PASS |
| 11ac40MIMO | Ant1  | 6925 | -13.91 | 6.72 | -7.19  | ≤-1.00 | PASS |
| 11ac40MIMO | Ant2  | 6925 | -13.54 | 5.35 | -8.19  | ≤-1.00 | PASS |
| 11ac40MIMO | total | 6925 | -10.71 | 9.07 | -1.64  | ≤-1.00 | PASS |
| 11ac40MIMO | Ant1  | 6965 | -13.14 | 6.72 | -6.42  | ≤-1.00 | PASS |
| 11ac40MIMO | Ant2  | 6965 | -14.31 | 5.35 | -8.96  | ≤-1.00 | PASS |
| 11ac40MIMO | total | 6965 | -10.68 | 9.07 | -1.61  | ≤-1.00 | PASS |
| 11ac40MIMO | Ant1  | 7085 | -12.58 | 6.72 | -5.86  | ≤-1.00 | PASS |
| 11ac40MIMO | Ant2  | 7085 | -16.44 | 5.35 | -11.09 | ≤-1.00 | PASS |
| 11ac40MIMO | total | 7085 | -11.08 | 9.07 | -2.01  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant1  | 5985 | -14.05 | 5.17 | -8.88  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant2  | 5985 | -12.62 | 5.90 | -6.72  | ≤-1.00 | PASS |
| 11ac80MIMO | total | 5985 | -10.27 | 8.55 | -1.72  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant1  | 6145 | -14.17 | 5.17 | -9.00  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant2  | 6145 | -13.20 | 5.90 | -7.30  | ≤-1.00 | PASS |
| 11ac80MIMO | total | 6145 | -10.65 | 8.55 | -2.10  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant1  | 6385 | -15.63 | 5.17 | -10.46 | ≤-1.00 | PASS |
| 11ac80MIMO | Ant2  | 6385 | -11.81 | 5.90 | -5.91  | ≤-1.00 | PASS |
| 11ac80MIMO | total | 6385 | -10.30 | 8.55 | -1.75  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant1  | 6465 | -15.50 | 4.47 | -11.03 | ≤-1.00 | PASS |
| 11ac80MIMO | Ant2  | 6465 | -11.74 | 4.58 | -7.16  | ≤-1.00 | PASS |
| 11ac80MIMO | total | 6465 | -10.21 | 7.54 | -2.67  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant1  | 6545 | -15.73 | 5.48 | -10.25 | ≤-1.00 | PASS |
| 11ac80MIMO | Ant2  | 6545 | -12.29 | 6.22 | -6.07  | ≤-1.00 | PASS |
| 11ac80MIMO | total | 6545 | -10.67 | 8.87 | -1.80  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant1  | 6625 | -16.13 | 5.48 | -10.65 | ≤-1.00 | PASS |
| 11ac80MIMO | Ant2  | 6625 | -12.15 | 6.22 | -5.93  | ≤-1.00 | PASS |
| 11ac80MIMO | total | 6625 | -10.69 | 8.87 | -1.82  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant1  | 6705 | -15.23 | 5.48 | -9.75  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant2  | 6705 | -12.45 | 6.22 | -6.23  | ≤-1.00 | PASS |
| 11ac80MIMO | total | 6705 | -10.61 | 8.87 | -1.74  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant1  | 6785 | -14.54 | 5.48 | -9.06  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant2  | 6785 | -13.09 | 6.22 | -6.87  | ≤-1.00 | PASS |
| 11ac80MIMO | total | 6785 | -10.74 | 8.87 | -1.87  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant1  | 6865 | -14.72 | 5.48 | -9.24  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant2  | 6865 | -14.04 | 6.22 | -7.82  | ≤-1.00 | PASS |
| 11ac80MIMO | total | 6865 | -11.36 | 8.87 | -2.49  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant1  | 6945 | -13.02 | 6.72 | -6.30  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant2  | 6945 | -13.95 | 5.35 | -8.60  | ≤-1.00 | PASS |
| 11ac80MIMO | total | 6945 | -10.45 | 9.07 | -1.38  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant1  | 7025 | -12.38 | 6.72 | -5.66  | ≤-1.00 | PASS |
| 11ac80MIMO | Ant2  | 7025 | -14.95 | 5.35 | -9.60  | ≤-1.00 | PASS |
| 11ac80MIMO | total | 7025 | -10.47 | 9.07 | -1.40  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant1  | 5955 | -13.15 | 5.17 | -7.98  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant2  | 5955 | -12.64 | 5.90 | -6.74  | ≤-1.00 | PASS |
| 11ax20MIMO | total | 5955 | -9.88  | 8.55 | -1.33  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant1  | 6175 | -13.08 | 5.17 | -7.91  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant2  | 6175 | -12.68 | 5.90 | -6.78  | ≤-1.00 | PASS |
| 11ax20MIMO | total | 6175 | -9.87  | 8.55 | -1.32  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant1  | 6415 | -15.15 | 5.17 | -9.98  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant2  | 6415 | -12.36 | 5.90 | -6.46  | ≤-1.00 | PASS |
| 11ax20MIMO | total | 6415 | -10.52 | 8.55 | -1.97  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant1  | 6435 | -14.18 | 4.47 | -9.71  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant2  | 6435 | -11.08 | 4.58 | -6.50  | ≤-1.00 | PASS |
| 11ax20MIMO | total | 6435 | -9.35  | 7.54 | -1.81  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant1  | 6475 | -14.99 | 4.47 | -10.52 | ≤-1.00 | PASS |
| 11ax20MIMO | Ant2  | 6475 | -11.35 | 4.58 | -6.77  | ≤-1.00 | PASS |
| 11ax20MIMO | total | 6475 | -9.79  | 7.54 | -2.25  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant1  | 6515 | -15.39 | 4.47 | -10.92 | ≤-1.00 | PASS |
| 11ax20MIMO | Ant2  | 6515 | -11.33 | 4.58 | -6.75  | ≤-1.00 | PASS |
| 11ax20MIMO | total | 6515 | -9.89  | 7.54 | -2.35  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant1  | 6535 | -15.27 | 5.48 | -9.79  | ≤-1.00 | PASS |

|            |       |      |        |      |        |        |      |
|------------|-------|------|--------|------|--------|--------|------|
| 11ax20MIMO | Ant2  | 6535 | -12.32 | 6.22 | -6.10  | ≤-1.00 | PASS |
| 11ax20MIMO | total | 6535 | -10.54 | 8.87 | -1.67  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant1  | 6695 | -15.77 | 5.48 | -10.29 | ≤-1.00 | PASS |
| 11ax20MIMO | Ant2  | 6695 | -13.10 | 6.22 | -6.88  | ≤-1.00 | PASS |
| 11ax20MIMO | total | 6695 | -11.22 | 8.87 | -2.35  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant1  | 6855 | -14.55 | 5.48 | -9.07  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant2  | 6855 | -13.81 | 6.22 | -7.59  | ≤-1.00 | PASS |
| 11ax20MIMO | total | 6855 | -11.15 | 8.87 | -2.28  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant1  | 6875 | -14.52 | 5.48 | -9.04  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant2  | 6875 | -14.12 | 6.22 | -7.90  | ≤-1.00 | PASS |
| 11ax20MIMO | total | 6875 | -11.31 | 8.87 | -2.44  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant1  | 6895 | -13.61 | 6.72 | -6.89  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant2  | 6895 | -14.14 | 5.35 | -8.79  | ≤-1.00 | PASS |
| 11ax20MIMO | total | 6895 | -10.86 | 9.07 | -1.79  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant1  | 6995 | -13.39 | 6.72 | -6.67  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant2  | 6995 | -15.10 | 5.35 | -9.75  | ≤-1.00 | PASS |
| 11ax20MIMO | total | 6995 | -11.15 | 9.07 | -2.08  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant1  | 7115 | -13.49 | 6.72 | -6.77  | ≤-1.00 | PASS |
| 11ax20MIMO | Ant2  | 7115 | -17.13 | 5.35 | -11.78 | ≤-1.00 | PASS |
| 11ax20MIMO | total | 7115 | -11.93 | 9.07 | -2.86  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant1  | 5965 | -13.11 | 5.17 | -7.94  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant2  | 5965 | -13.00 | 5.90 | -7.10  | ≤-1.00 | PASS |
| 11ax40MIMO | total | 5965 | -10.04 | 8.55 | -1.49  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant1  | 6165 | -14.39 | 5.17 | -9.22  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant2  | 6165 | -13.84 | 5.90 | -7.94  | ≤-1.00 | PASS |
| 11ax40MIMO | total | 6165 | -11.10 | 8.55 | -2.55  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant1  | 6405 | -16.18 | 5.17 | -11.01 | ≤-1.00 | PASS |
| 11ax40MIMO | Ant2  | 6405 | -13.08 | 5.90 | -7.18  | ≤-1.00 | PASS |
| 11ax40MIMO | total | 6405 | -11.35 | 8.55 | -2.80  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant1  | 6445 | -13.70 | 4.47 | -9.23  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant2  | 6445 | -10.68 | 4.58 | -6.10  | ≤-1.00 | PASS |
| 11ax40MIMO | total | 6445 | -8.92  | 7.54 | -1.38  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant1  | 6485 | -15.14 | 4.47 | -10.67 | ≤-1.00 | PASS |
| 11ax40MIMO | Ant2  | 6485 | -11.13 | 4.58 | -6.55  | ≤-1.00 | PASS |
| 11ax40MIMO | total | 6485 | -9.68  | 7.54 | -2.14  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant1  | 6525 | -14.89 | 5.48 | -9.41  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant2  | 6525 | -11.87 | 6.22 | -5.65  | ≤-1.00 | PASS |
| 11ax40MIMO | total | 6525 | -10.11 | 8.87 | -1.24  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant1  | 6565 | -15.07 | 5.48 | -9.59  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant2  | 6565 | -11.66 | 6.22 | -5.44  | ≤-1.00 | PASS |
| 11ax40MIMO | total | 6565 | -10.03 | 8.87 | -1.16  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant1  | 6685 | -15.82 | 5.48 | -10.34 | ≤-1.00 | PASS |
| 11ax40MIMO | Ant2  | 6685 | -11.92 | 6.22 | -5.70  | ≤-1.00 | PASS |
| 11ax40MIMO | total | 6685 | -10.44 | 8.87 | -1.57  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant1  | 6845 | -14.91 | 5.48 | -9.43  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant2  | 6845 | -14.19 | 6.22 | -7.97  | ≤-1.00 | PASS |
| 11ax40MIMO | total | 6845 | -11.52 | 8.87 | -2.65  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant1  | 6885 | -14.66 | 6.72 | -7.94  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant2  | 6885 | -14.12 | 5.35 | -8.77  | ≤-1.00 | PASS |
| 11ax40MIMO | total | 6885 | -11.37 | 9.07 | -2.30  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant1  | 6925 | -15.00 | 6.72 | -8.28  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant2  | 6925 | -14.14 | 5.35 | -8.79  | ≤-1.00 | PASS |
| 11ax40MIMO | total | 6925 | -11.54 | 9.07 | -2.47  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant1  | 6965 | -13.90 | 6.72 | -7.18  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant2  | 6965 | -14.65 | 5.35 | -9.30  | ≤-1.00 | PASS |
| 11ax40MIMO | total | 6965 | -11.25 | 9.07 | -2.18  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant1  | 7085 | -13.42 | 6.72 | -6.70  | ≤-1.00 | PASS |
| 11ax40MIMO | Ant2  | 7085 | -17.13 | 5.35 | -11.78 | ≤-1.00 | PASS |
| 11ax40MIMO | total | 7085 | -11.88 | 9.07 | -2.81  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant1  | 5985 | -13.34 | 5.17 | -8.17  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant2  | 5985 | -12.24 | 5.90 | -6.34  | ≤-1.00 | PASS |
| 11ax80MIMO | total | 5985 | -9.74  | 8.55 | -1.19  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant1  | 6145 | -14.06 | 5.17 | -8.89  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant2  | 6145 | -13.04 | 5.90 | -7.14  | ≤-1.00 | PASS |
| 11ax80MIMO | total | 6145 | -10.51 | 8.55 | -1.96  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant1  | 6385 | -15.15 | 5.17 | -9.98  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant2  | 6385 | -11.27 | 5.90 | -5.37  | ≤-1.00 | PASS |
| 11ax80MIMO | total | 6385 | -9.78  | 8.55 | -1.23  | ≤-1.00 | PASS |

|            |       |      |        |      |        |        |      |
|------------|-------|------|--------|------|--------|--------|------|
| 11ax80MIMO | Ant1  | 6465 | -14.84 | 4.47 | -10.37 | ≤-1.00 | PASS |
| 11ax80MIMO | Ant2  | 6465 | -11.32 | 4.58 | -6.74  | ≤-1.00 | PASS |
| 11ax80MIMO | total | 6465 | -9.72  | 7.54 | -2.18  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant1  | 6545 | -15.00 | 5.48 | -9.52  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant2  | 6545 | -11.97 | 6.22 | -5.75  | ≤-1.00 | PASS |
| 11ax80MIMO | total | 6545 | -10.22 | 8.87 | -1.35  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant1  | 6625 | -15.76 | 5.48 | -10.28 | ≤-1.00 | PASS |
| 11ax80MIMO | Ant2  | 6625 | -11.57 | 6.22 | -5.35  | ≤-1.00 | PASS |
| 11ax80MIMO | total | 6625 | -10.17 | 8.87 | -1.30  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant1  | 6705 | -14.91 | 5.48 | -9.43  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant2  | 6705 | -12.73 | 6.22 | -6.51  | ≤-1.00 | PASS |
| 11ax80MIMO | total | 6705 | -10.67 | 8.87 | -1.80  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant1  | 6785 | -14.46 | 5.48 | -8.98  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant2  | 6785 | -13.29 | 6.22 | -7.07  | ≤-1.00 | PASS |
| 11ax80MIMO | total | 6785 | -10.83 | 8.87 | -1.96  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant1  | 6865 | -14.78 | 5.48 | -9.30  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant2  | 6865 | -14.28 | 6.22 | -8.06  | ≤-1.00 | PASS |
| 11ax80MIMO | total | 6865 | -11.51 | 8.87 | -2.64  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant1  | 6945 | -13.86 | 6.72 | -7.14  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant2  | 6945 | -14.49 | 5.35 | -9.14  | ≤-1.00 | PASS |
| 11ax80MIMO | total | 6945 | -11.15 | 9.07 | -2.08  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant1  | 7025 | -12.93 | 6.72 | -6.21  | ≤-1.00 | PASS |
| 11ax80MIMO | Ant2  | 7025 | -15.88 | 5.35 | -10.53 | ≤-1.00 | PASS |
| 11ax80MIMO | total | 7025 | -11.15 | 9.07 | -2.08  | ≤-1.00 | PASS |

## Test Graphs

