



Contention Based Protocol Test Result


Test Mode	Antenna	Channel	Interference Frequency [MHz]		Status	Awgn Power [dBm]	Gain [dBi]	Path Loss [dB]	Adjusted Power [dBm]	Limit [dBm]	Detection Rate		Verdict
											Result [%]	Limit [%]	
11ax20MIMO	Ant1	6135	Center	6135	OFF	-70.02	0	0	-70.02	-62	100	90	PASS
11ax20MIMO	Ant1	6135	Center	6135	Minimal	-70.94	0	0	-70.94	-62	0	---	---
11ax20MIMO	Ant1	6135	Center	6135	ON	-72.00	0	0	-72.00	-62	---	---	---
11ax20MIMO	Ant1	6455	Center	6455	OFF	-74.83	0	0	-74.83	-62	90	90	PASS
11ax20MIMO	Ant1	6455	Center	6455	Minimal	-75.54	0	0	-75.54	-62	0	---	---
11ax20MIMO	Ant1	6455	Center	6455	ON	-79.00	0	0	-79.00	-62	---	---	---
11ax20MIMO	Ant1	6715	Center	6715	OFF	-71.59	0	0	-71.59	-62	100	90	PASS
11ax20MIMO	Ant1	6715	Center	6715	Minimal	-72.38	0	0	-72.38	-62	20	---	---
11ax20MIMO	Ant1	6715	Center	6715	ON	-77.00	0	0	-77.00	-62	---	---	---
11ax20MIMO	Ant1	6915	Center	6915	OFF	-75.32	0	0	-75.32	-62	90	90	PASS
11ax20MIMO	Ant1	6915	Center	6915	Minimal	-76.01	0	0	-76.01	-62	0	---	---
11ax20MIMO	Ant1	6915	Center	6915	ON	-78.00	0	0	-78.00	-62	---	---	---
11ax80MIMO	Ant1	6145	High	6180	OFF	-70.81	0	0	-70.81	-62	90	90	PASS
11ax80MIMO	Ant1	6145	Center	6145	OFF	-66.06	0	0	-66.06	-62	100	90	PASS
11ax80MIMO	Ant1	6145	Low	6110	OFF	-69.42	0	0	-69.42	-62	90	90	PASS
11ax80MIMO	Ant1	6145	High	6180	Minimal	-71.74	0	0	-71.74	-62	0	---	---
11ax80MIMO	Ant1	6145	Center	6145	Minimal	-67.03	0	0	-67.03	-62	20	---	---
11ax80MIMO	Ant1	6145	Low	6110	Minimal	-70.4	0	0	-70.4	-62	0	---	---
11ax80MIMO	Ant1	6145	High	6180	ON	-71.00	0	0	-71.00	-62	---	---	---
11ax80MIMO	Ant1	6145	Center	6145	ON	-72.00	0	0	-72.00	-62	---	---	---
11ax80MIMO	Ant1	6145	Low	6110	ON	-75.00	0	0	-75.00	-62	---	---	---
11ax80MIMO	Ant1	6465	Low	6430	OFF	-69.32	0	0	-69.32	-62	100	90	PASS
11ax80MIMO	Ant1	6465	Center	6465	OFF	-70.19	0	0	-70.19	-62	100	90	PASS
11ax80MIMO	Ant1	6465	High	6500	OFF	-70.25	0	0	-70.25	-62	100	90	PASS
11ax80MIMO	Ant1	6465	Low	6430	Minimal	-70.25	0	0	-70.25	-62	0	---	---
11ax80MIMO	Ant1	6465	Center	6465	Minimal	-71.13	0	0	-71.13	-62	20	---	---
11ax80MIMO	Ant1	6465	High	6500	Minimal	-71.15	0	0	-71.15	-62	---	---	---
11ax80MIMO	Ant1	6465	Low	6430	ON	-72.00	0	0	-72.00	-62	---	---	---
11ax80MIMO	Ant1	6465	Center	6465	ON	-72.00	0	0	-72.00	-62	---	---	---
11ax80MIMO	Ant1	6465	High	6500	ON	-71.00	0	0	-71.00	-62	---	---	---
11ax80MIMO	Ant1	6705	Low	6670	OFF	-69.23	0	0	-69.23	-62	100	90	PASS
11ax80MIMO	Ant1	6705	Center	6705	OFF	-68.33	0	0	-68.33	-62	100	90	PASS
11ax80MIMO	Ant1	6705	High	6740	OFF	-67.32	0	0	-67.32	-62	100	90	PASS
11ax80MIMO	Ant1	6705	Low	6670	Minimal	-70.16	0	0	-70.16	-62	40	---	---
11ax80MIMO	Ant1	6705	Center	6705	Minimal	-69.27	0	0	-69.27	-62	0	---	---
11ax80MIMO	Ant1	6705	High	6740	Minimal	-68.29	0	0	-68.29	-62	0	---	---
11ax80MIMO	Ant1	6705	Low	6670	ON	-71.00	0	0	-71.00	-62	---	---	---
11ax80MIMO	Ant1	6705	Center	6705	ON	-72.00	0	0	-72.00	-62	---	---	---
11ax80MIMO	Ant1	6705	High	6740	ON	-71.00	0	0	-71.00	-62	---	---	---
11ax80MIMO	Ant1	7025	Low	6990	OFF	-64.51	0	0	-64.51	-62	100	90	PASS
11ax80MIMO	Ant1	7025	Center	7025	OFF	-69.27	0	0	-69.27	-62	100	90	PASS
11ax80MIMO	Ant1	7025	High	7060	OFF	-69.25	0	0	-69.25	-62	100	90	PASS
11ax80MIMO	Ant1	7025	Low	6990	Minimal	-65.48	0	0	-65.48	-62	60	---	---
11ax80MIMO	Ant1	7025	Center	7025	Minimal	-70.19	0	0	-70.19	-62	0	---	---
11ax80MIMO	Ant1	7025	High	7060	Minimal	-70.16	0	0	-70.16	-62	---	---	---
11ax80MIMO	Ant1	7025	Low	6990	ON	-65.00	0	0	-65.00	-62	---	---	---
11ax80MIMO	Ant1	7025	Center	7025	ON	-73.00	0	0	-73.00	-62	---	---	---
11ax80MIMO	Ant1	7025	High	7060	ON	-69.00	0	0	-69.00	-62	---	---	---


Note: Adjusted Power= Injected AWGN Power - Antenna Gain + Path Loss


Test Graphs



























Radiated Spurious Emissions

Test Result Below 1GHz


Project Information			
Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	199
SN:		Engineer:	Tian shuo
Remark:	Powersetting 9		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	58.47	43.85	-26.24	17.61	40.00	22.39	258	Horizontal	PASS
2	162.99	50.73	-29.66	21.07	43.50	22.43	281	Horizontal	PASS
3	301.89	45.58	-23.49	22.09	46.00	23.91	282	Horizontal	PASS
4	326.97	45.95	-22.96	22.99	46.00	23.01	31	Horizontal	PASS
5	473.29	43.03	-19.47	23.56	46.00	22.44	126	Horizontal	PASS
6	911.29	44.41	-11.79	32.62	46.00	13.38	169	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	199
SN:		Engineer:	Tian shuo
Remark:	Powersetting 9		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	39.75	49.32	-28.77	20.55	40.00	19.45	239	Vertical	PASS
2	51.00	48.77	-26.07	22.70	40.00	17.30	328	Vertical	PASS
3	55.32	47.78	-25.92	21.86	40.00	18.14	156	Vertical	PASS
4	160.47	49.11	-29.79	19.32	43.50	24.18	360	Vertical	PASS
5	314.36	46.12	-23.26	22.86	46.00	23.14	227	Vertical	PASS
6	950.00	42.80	-11.52	31.28	46.00	14.72	2	Vertical	PASS

Test Result Above 1GHz


Project Information			
Mode:	802.11ac20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7477.10	29.91	17.23	47.14	54.00	6.86	10	Horizontal	PASS
2	12266.33	32.71	7.51	40.22	54.00	13.78	10	Horizontal	PASS
3	17960.33	30.08	16.56	46.64	54.00	7.36	40	Horizontal	PASS
4	5957.40	69.96	13.91	83.87	-	-	20	Horizontal	NA
5	7478.15	38.37	17.24	55.61	74.00	18.39	40	Horizontal	PASS
6	12256.67	41.22	7.54	48.76	74.00	25.24	10	Horizontal	PASS
7	17983.00	37.51	16.73	54.24	74.00	19.76	30	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7507.90	30.41	17.29	47.70	54.00	6.30	30	Vertical	PASS
2	12214.67	33.01	7.66	40.67	54.00	13.33	40	Vertical	PASS
3	17967.67	28.95	16.61	45.56	54.00	8.44	20	Vertical	PASS
4	5955.65	80.30	13.91	94.21	-	-	70	Vertical	NA
5	7522.60	38.23	17.20	55.43	74.00	18.57	20	Vertical	PASS
6	12391.00	40.09	7.62	47.71	74.00	26.29	20	Vertical	PASS
7	17979.00	37.70	16.70	54.40	74.00	19.60	10	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:		Engineer:	Oushuyan
Remark:	Powersetting 3.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7482.35	30.01	17.25	47.26	54.00	6.74	40	Horizontal	PASS
2	11716.33	34.32	6.46	40.78	54.00	13.22	0	Horizontal	PASS
3	17963.33	29.99	16.58	46.57	54.00	7.43	0	Horizontal	PASS
4	5957.40	69.68	13.91	83.59	-	-	20	Horizontal	NA
5	7311.20	39.14	16.43	55.57	74.00	18.43	70	Horizontal	PASS
6	12340.33	40.92	7.51	48.43	74.00	25.57	10	Horizontal	PASS
7	17990.67	36.70	16.79	53.49	74.00	20.51	50	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:		Engineer:	Oushuyan
Remark:	Powersetting 3.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7495.30	30.60	17.32	47.92	54.00	6.08	20	Vertical	PASS
2	12400.33	33.06	7.64	40.70	54.00	13.30	30	Vertical	PASS
3	17929.67	30.27	16.33	46.60	54.00	7.40	10	Vertical	PASS
4	5967.90	79.87	13.86	93.73	-	-	50	Vertical	NA
5	7452.95	38.27	17.12	55.39	74.00	18.61	20	Vertical	PASS
6	12395.33	40.47	7.63	48.10	74.00	25.90	40	Vertical	PASS
7	17910.33	37.11	16.18	53.29	74.00	20.71	10	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7482.70	29.90	17.26	47.16	54.00	6.84	60	Horizontal	PASS
2	12339.33	32.80	7.51	40.31	54.00	13.69	10	Horizontal	PASS
3	17961.00	29.96	16.56	46.52	54.00	7.48	40	Horizontal	PASS
4	5992.05	72.21	13.79	86.00	-	-	60	Horizontal	NA
5	7488.30	38.71	17.29	56.00	74.00	18.00	40	Horizontal	PASS
6	12209.33	41.19	7.67	48.86	74.00	25.14	40	Horizontal	PASS
7	17984.33	37.39	16.74	54.13	74.00	19.87	40	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7523.65	29.97	17.19	47.16	54.00	6.84	10	Vertical	PASS
2	12252.00	32.75	7.56	40.31	54.00	13.69	20	Vertical	PASS
3	17994.33	28.96	16.82	45.78	54.00	8.22	30	Vertical	PASS
4	5981.90	80.79	13.83	94.62	-	-	30	Vertical	NA
5	7451.20	38.76	17.11	55.87	74.00	18.13	50	Vertical	PASS
6	12262.67	41.36	7.53	48.89	74.00	25.11	20	Vertical	PASS
7	17947.33	36.80	16.46	53.26	74.00	20.74	40	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7514.20	30.16	17.25	47.41	54.00	6.59	20	Horizontal	PASS
2	12393.33	33.14	7.63	40.77	54.00	13.23	50	Horizontal	PASS
3	17982.33	30.88	16.73	47.61	54.00	6.39	40	Horizontal	PASS
4	5954.60	73.89	13.91	87.80	-	-	60	Horizontal	NA
5	7553.40	38.55	16.99	55.54	74.00	18.46	20	Horizontal	PASS
6	12208.67	41.04	7.67	48.71	74.00	25.29	40	Horizontal	PASS
7	17982.00	37.83	16.73	54.56	74.00	19.44	30	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7621.30	30.58	16.66	47.24	54.00	6.76	40	Vertical	PASS
2	12216.00	32.98	7.65	40.63	54.00	13.37	40	Vertical	PASS
3	17953.33	29.74	16.50	46.24	54.00	7.76	10	Vertical	PASS
4	5953.55	83.69	13.92	97.61	-	-	30	Vertical	NA
5	7679.40	38.34	16.84	55.18	74.00	18.82	60	Vertical	PASS
6	12228.00	40.84	7.62	48.46	74.00	25.54	20	Vertical	PASS
7	17997.67	36.93	16.84	53.77	74.00	20.23	50	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:		Engineer:	Oushuyan
Remark:	Powersetting 3		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7476.75	29.92	17.23	47.15	54.00	6.85	20	Horizontal	PASS
2	12216.00	32.68	7.65	40.33	54.00	13.67	40	Horizontal	PASS
3	17947.33	29.26	16.46	45.72	54.00	8.28	40	Horizontal	PASS
4	5974.20	71.31	13.85	85.16	-	-	20	Horizontal	NA
5	7541.85	38.05	17.08	55.13	74.00	18.87	60	Horizontal	PASS
6	12285.67	40.91	7.46	48.37	74.00	25.63	50	Horizontal	PASS
7	17984.00	36.78	16.74	53.52	74.00	20.48	50	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:		Engineer:	Oushuyan
Remark:	Powersetting 3		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7564.25	30.40	16.91	47.31	54.00	6.69	60	Vertical	PASS
2	12220.33	32.79	7.64	40.43	54.00	13.57	20	Vertical	PASS
3	17953.67	29.59	16.50	46.09	54.00	7.91	0	Vertical	PASS
4	5967.55	81.32	13.87	95.19	-	-	20	Vertical	NA
5	7467.30	38.29	17.18	55.47	74.00	18.53	20	Vertical	PASS
6	12381.67	40.84	7.60	48.44	74.00	25.56	40	Vertical	PASS
7	17903.67	37.53	16.12	53.65	74.00	20.35	40	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7485.50	29.73	17.27	47.00	54.00	7.00	60	Horizontal	PASS
2	12227.33	32.94	7.62	40.56	54.00	13.44	50	Horizontal	PASS
3	17955.33	29.10	16.52	45.62	54.00	8.38	30	Horizontal	PASS
4	5983.30	72.81	13.81	86.62	-	-	70	Horizontal	NA
5	7435.80	39.01	16.92	55.93	74.00	18.07	50	Horizontal	PASS
6	12461.00	40.75	7.39	48.14	74.00	25.86	10	Horizontal	PASS
7	17955.67	37.38	16.52	53.90	74.00	20.10	30	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7665.40	30.47	16.78	47.25	54.00	6.75	70	Vertical	PASS
2	12208.00	32.35	7.68	40.03	54.00	13.97	60	Vertical	PASS
3	17946.00	29.20	16.45	45.65	54.00	8.35	50	Vertical	PASS
4	5967.20	83.60	13.88	97.48	-	-	70	Vertical	NA
5	7554.80	38.83	16.98	55.81	74.00	18.19	50	Vertical	PASS
6	12159.67	40.73	7.19	47.92	74.00	26.08	20	Vertical	PASS
7	17957.00	37.08	16.54	53.62	74.00	20.38	0	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-6
Bandwidth	20MHz	Channel	105
SN:		Engineer:	Oushuyan
Remark:	Powersetting 2		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7700.40	30.13	16.92	47.05	54.00	6.95	70	Horizontal	PASS
2	12447.33	33.47	7.45	40.92	54.00	13.08	30	Horizontal	PASS
3	17913.00	29.94	16.20	46.14	54.00	7.86	10	Horizontal	PASS
4	6474.35	76.30	14.93	91.23	-	-	60	Horizontal	NA
5	7655.95	38.55	16.74	55.29	74.00	18.71	20	Horizontal	PASS
6	12332.33	40.91	7.49	48.40	74.00	25.60	40	Horizontal	PASS
7	17911.00	37.59	16.18	53.77	74.00	20.23	30	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-6
Bandwidth	20MHz	Channel	105
SN:		Engineer:	Oushuyan
Remark:	Powersetting 2		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7361.95	30.92	16.58	47.50	54.00	6.50	20	Vertical	PASS
2	12159.33	33.15	7.19	40.34	54.00	13.66	30	Vertical	PASS
3	17920.67	29.98	16.25	46.23	54.00	7.77	60	Vertical	PASS
4	6476.80	75.89	14.91	90.80	-	-	40	Vertical	NA
5	7573.00	38.94	16.83	55.77	74.00	18.23	50	Vertical	PASS
6	12327.00	40.61	7.48	48.09	74.00	25.91	50	Vertical	PASS
7	17994.67	38.56	16.82	55.38	74.00	18.62	40	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-6
Bandwidth	40MHz	Channel	107
SN:		Engineer:	Oushuyan
Remark:	Powersetting 4		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7517.35	29.73	17.23	46.96	54.00	7.04	70	Horizontal	PASS
2	12353.00	32.79	7.54	40.33	54.00	13.67	30	Horizontal	PASS
3	17925.67	29.91	16.29	46.20	54.00	7.80	50	Horizontal	PASS
4	6481.35	75.17	14.89	90.06	-	-	20	Horizontal	NA
5	7485.50	38.36	17.27	55.63	74.00	18.37	40	Horizontal	PASS
6	12282.00	40.87	7.47	48.34	74.00	25.66	10	Horizontal	PASS
7	17905.33	37.52	16.14	53.66	74.00	20.34	50	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-6
Bandwidth	40MHz	Channel	107
SN:		Engineer:	Oushuyan
Remark:	Powersetting 4		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7521.55	30.25	17.20	47.45	54.00	6.55	70	Vertical	PASS
2	11707.67	33.25	6.46	39.71	54.00	14.29	40	Vertical	PASS
3	17950.67	29.28	16.48	45.76	54.00	8.24	30	Vertical	PASS
4	6478.90	74.31	14.90	89.21	-	-	70	Vertical	NA
5	7651.40	39.18	16.72	55.90	74.00	18.10	60	Vertical	PASS
6	11810.00	41.14	6.47	47.61	74.00	26.39	0	Vertical	PASS
7	17942.00	37.10	16.42	53.52	74.00	20.48	30	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7556.55	30.27	16.97	47.24	54.00	6.76	60	Horizontal	PASS
2	11613.33	34.04	6.55	40.59	54.00	13.41	40	Horizontal	PASS
3	17945.67	30.09	16.44	46.53	54.00	7.47	10	Horizontal	PASS
4	6451.60	76.05	15.06	91.11	-	-	70	Horizontal	NA
5	7529.25	38.81	17.16	55.97	74.00	18.03	30	Horizontal	PASS
6	11684.67	41.08	6.48	47.56	74.00	26.44	20	Horizontal	PASS
7	17897.67	37.57	16.09	53.66	74.00	20.34	50	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7482.70	30.52	17.26	47.78	54.00	6.22	60	Vertical	PASS
2	12221.67	33.30	7.64	40.94	54.00	13.06	0	Vertical	PASS
3	17897.67	30.28	16.09	46.37	54.00	7.63	40	Vertical	PASS
4	6452.65	74.46	15.06	89.52	-	-	50	Vertical	NA
5	7556.20	38.91	16.98	55.89	74.00	18.11	60	Vertical	PASS
6	12217.00	40.78	7.65	48.43	74.00	25.57	40	Vertical	PASS
7	17897.33	38.24	16.08	54.32	74.00	19.68	30	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-6
Bandwidth	20MHz	Channel	105
SN:		Engineer:	Oushuyan
Remark:	Powersetting 2		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7536.60	30.01	17.11	47.12	54.00	6.88	20	Horizontal	PASS
2	11660.00	33.81	6.50	40.31	54.00	13.69	0	Horizontal	PASS
3	17983.33	30.10	16.73	46.83	54.00	7.17	20	Horizontal	PASS
4	6476.10	77.75	14.93	92.68	-	-	60	Horizontal	NA
5	7468.00	38.52	17.19	55.71	74.00	18.29	70	Horizontal	PASS
6	12170.00	41.67	7.32	48.99	74.00	25.01	50	Horizontal	PASS
7	17993.33	36.61	16.81	53.42	74.00	20.58	20	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-6
Bandwidth	20MHz	Channel	105
SN:		Engineer:	Oushuyan
Remark:	Powersetting 2		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7519.45	29.60	17.22	46.82	54.00	7.18	60	Vertical	PASS
2	11715.67	33.54	6.46	40.00	54.00	14.00	30	Vertical	PASS
3	17905.67	29.33	16.14	45.47	54.00	8.53	0	Vertical	PASS
4	6474.00	77.13	14.93	92.06	-	-	30	Vertical	NA
5	7547.80	38.95	17.04	55.99	74.00	18.01	20	Vertical	PASS
6	12221.33	40.27	7.64	47.91	74.00	26.09	50	Vertical	PASS
7	17801.00	37.81	15.59	53.40	74.00	20.60	0	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-6
Bandwidth	40MHz	Channel	107
SN:		Engineer:	Oushuyan
Remark:	Powersetting 4		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7509.30	30.27	17.28	47.55	54.00	6.45	30	Horizontal	PASS
2	12283.67	32.90	7.47	40.37	54.00	13.63	20	Horizontal	PASS
3	17901.67	30.40	16.12	46.52	54.00	7.48	40	Horizontal	PASS
4	6479.25	77.72	14.90	92.62	-	-	50	Horizontal	NA
5	7615.00	39.44	16.64	56.08	74.00	17.92	70	Horizontal	PASS
6	12359.33	40.19	7.55	47.74	74.00	26.26	0	Horizontal	PASS
7	17712.00	38.55	15.57	54.12	74.00	19.88	30	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-6
Bandwidth	40MHz	Channel	107
SN:		Engineer:	Oushuyan
Remark:	Powersetting 4		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7455.75	31.09	17.13	48.22	54.00	5.78	70	Vertical	PASS
2	11448.00	33.90	6.35	40.25	54.00	13.75	40	Vertical	PASS
3	17909.33	29.90	16.17	46.07	54.00	7.93	50	Vertical	PASS
4	6482.40	76.03	14.88	90.91	-	-	40	Vertical	NA
5	7475.00	38.22	17.22	55.44	74.00	18.56	40	Vertical	PASS
6	12232.00	40.46	7.61	48.07	74.00	25.93	40	Vertical	PASS
7	17903.00	37.43	16.12	53.55	74.00	20.45	50	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7564.60	30.30	16.90	47.20	54.00	6.80	30	Horizontal	PASS
2	11700.00	33.72	6.46	40.18	54.00	13.82	60	Horizontal	PASS
3	17980.33	28.85	16.71	45.56	54.00	8.44	0	Horizontal	PASS
4	6449.15	76.65	15.07	91.72	-	-	70	Horizontal	NA
5	7650.00	38.71	16.71	55.42	74.00	18.58	60	Horizontal	PASS
6	12131.00	41.92	6.83	48.75	74.00	25.25	0	Horizontal	PASS
7	17740.00	38.49	15.57	54.06	74.00	19.94	50	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7481.65	29.65	17.25	46.90	54.00	7.10	20	Vertical	PASS
2	12292.33	32.76	7.44	40.20	54.00	13.80	40	Vertical	PASS
3	17984.33	29.84	16.74	46.58	54.00	7.42	0	Vertical	PASS
4	6429.90	75.22	14.99	90.21	-	-	30	Vertical	NA
5	7665.75	38.61	16.78	55.39	74.00	18.61	60	Vertical	PASS
6	12400.67	40.81	7.64	48.45	74.00	25.55	30	Vertical	PASS
7	17940.33	37.04	16.41	53.45	74.00	20.55	40	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-7
Bandwidth	20MHz	Channel	117
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7526.45	30.75	17.17	47.92	54.00	6.08	0	Horizontal	PASS
2	12229.33	33.83	7.62	41.45	54.00	12.55	178	Horizontal	PASS
3	17991.33	29.64	16.80	46.44	54.00	7.56	51	Horizontal	PASS
4	6537.70	72.05	14.96	87.01	-	-	216	Horizontal	NA
5	7705.30	39.68	16.95	56.63	74.00	17.37	186	Horizontal	PASS
6	12207.33	41.72	7.68	49.40	74.00	24.60	25	Horizontal	PASS
7	17974.67	37.40	16.67	54.07	74.00	19.93	197	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-7
Bandwidth	20MHz	Channel	117
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7629.35	31.92	16.67	48.59	54.00	5.41	156	Vertical	PASS
2	11444.00	34.92	6.34	41.26	54.00	12.74	35	Vertical	PASS
3	17976.67	29.85	16.69	46.54	54.00	7.46	343	Vertical	PASS
4	6535.60	71.05	14.95	86.00	-	-	241	Vertical	NA
5	7515.60	39.05	17.24	56.29	74.00	17.71	271	Vertical	PASS
6	12212.67	40.95	7.67	48.62	74.00	25.38	330	Vertical	PASS
7	17939.67	38.85	16.40	55.25	74.00	18.75	3	Vertical	PASS