





























































Maximum e.i.r.p. Output Power Test Result

Ant1 Gain:		3.52dBi							
Ant2 Gain:		3.52dBi							
Directional Gain For Power:		3.52dBi							
Test Mode	Frequency [MHz]	Avg. Ant1(dBm)	Avg. Ant2(dBm)	Avg. Total (dBm)	EIRP Avg. Ant1(dBm)	EIRP Avg. Ant2(dBm)	EIRP Avg. Total (dBm)	EIRP Limit (dBm)	Verdict
11ac20-MIMO	5955	0.66	0.87	3.78	4.18	4.39	7.30	≤24.00	PASS
	6175	1.41	-0.39	3.61	4.93	3.13	7.13	≤24.00	PASS
	6415	2.01	0.16	4.19	5.53	3.68	7.71	≤24.00	PASS
11ac40-MIMO	5965	4.36	3.66	7.03	7.88	7.18	10.55	≤24.00	PASS
	6165	4.36	3.25	6.85	7.88	6.77	10.37	≤24.00	PASS
	6405	5.23	4.61	7.94	8.75	8.13	11.46	≤24.00	PASS
11ac80-MIMO	5985	7.67	7.31	10.50	11.19	10.83	14.02	≤24.00	PASS
	6145	7.72	6.94	10.36	11.24	10.46	13.88	≤24.00	PASS
	6385	7.81	6.66	10.28	11.33	10.18	13.80	≤24.00	PASS
11ac160-MIMO	6025	7.52	6.42	10.02	11.04	9.94	13.54	≤24.00	PASS
	6185	7.47	6.54	10.04	10.99	10.06	13.56	≤24.00	PASS
	6345	7.44	6.39	9.96	10.96	9.91	13.48	≤24.00	PASS
11ax20-MIMO	5955	0.69	0.91	3.81	4.21	4.43	7.33	≤24.00	PASS
	6175	1.36	-0.38	3.59	4.88	3.14	7.11	≤24.00	PASS
	6415	2.05	0.21	4.24	5.57	3.73	7.76	≤24.00	PASS
11ax40-MIMO	5965	4.18	3.54	6.88	7.70	7.06	10.40	≤24.00	PASS
	6165	4.19	3.26	6.76	7.71	6.78	10.28	≤24.00	PASS
	6405	5.16	4.47	7.84	8.68	7.99	11.36	≤24.00	PASS
11ax80-MIMO	5985	7.86	7.36	10.63	11.38	10.88	14.15	≤24.00	PASS
	6145	7.72	7.05	10.41	11.24	10.57	13.93	≤24.00	PASS
	6385	7.99	6.75	10.42	11.51	10.27	13.94	≤24.00	PASS
11ax160-MIMO	6025	7.48	6.55	10.05	11.00	10.07	13.57	≤24.00	PASS
	6185	7.64	6.22	10.00	11.16	9.74	13.52	≤24.00	PASS
	6345	7.51	6.29	9.95	11.03	9.81	13.47	≤24.00	PASS

Ant1 Gain:		2.86dBi							
Ant2 Gain:		2.86dBi							
Directional Gain For Power:		2.86dBi							
Test Mode	Frequency [MHz]	Avg. Ant1(dBm)	Avg. Ant2(dBm)	Avg. Total (dBm)	EIRP Avg. Ant1(dBm)	EIRP Avg. Ant2(dBm)	EIRP Avg. Total (dBm)	EIRP Limit (dBm)	Verdict
11ac20-MIMO	6435	2.93	0.46	4.88	5.79	3.32	7.74	≤24.00	PASS
	6475	0.61	-0.03	3.31	3.47	2.83	6.17	≤24.00	PASS
	6515	0.43	-0.41	3.04	3.29	2.45	5.90	≤24.00	PASS
11ac40-MIMO	6445	4.73	4.49	7.62	7.59	7.35	10.48	≤24.00	PASS
	6485	4.57	4.24	7.42	7.43	7.10	10.28	≤24.00	PASS
	6525	4.38	4.83	7.62	7.24	7.69	10.48	≤24.00	PASS
11ac80-MIMO	6465	8.87	9.10	12.00	11.73	11.96	14.86	≤24.00	PASS
11ac160-MIMO	6505	8.52	8.99	11.77	11.38	11.85	14.63	≤24.00	PASS
11ax20-MIMO	6435	2.90	0.44	4.85	5.76	3.30	7.71	≤24.00	PASS
	6475	0.66	0.05	3.38	3.52	2.91	6.24	≤24.00	PASS
	6515	0.52	-0.39	3.10	3.38	2.47	5.96	≤24.00	PASS
11ax40-MIMO	6445	4.56	4.36	7.47	7.42	7.22	10.33	≤24.00	PASS
	6485	4.47	4.16	7.33	7.33	7.02	10.19	≤24.00	PASS
	6525	4.31	4.83	7.59	7.17	7.69	10.45	≤24.00	PASS
11ax80-MIMO	6465	8.91	9.14	12.04	11.77	12.00	14.90	≤24.00	PASS
11ax160-MIMO	6505	8.62	9.02	11.83	11.48	11.88	14.69	≤24.00	PASS

Ant1 Gain:		2.77dBi							
Ant2 Gain:		2.77dBi							
Directional Gain For Power:		2.77dBi							
Test Mode	Frequency [MHz]	Avg. Ant1(dBm)	Avg. Ant2(dBm)	Avg. Total (dBm)	EIRP Avg. Ant1(dBm)	EIRP Avg. Ant2(dBm)	EIRP Avg. Total (dBm)	EIRP Limit (dBm)	Verdict
11ac20-MIMO	6535	-0.22	1.16	3.53	2.55	3.93	6.30	≤24.00	PASS
	6695	0.51	2.79	4.81	3.28	5.56	7.58	≤24.00	PASS
	6855	0.08	-0.57	2.78	2.85	2.20	5.55	≤24.00	PASS
	6875	0.04	-0.59	2.75	2.81	2.18	5.52	≤24.00	PASS
11ac40-MIMO	6565	4.44	4.95	7.71	7.21	7.72	10.48	≤24.00	PASS
	6685	4.26	5.81	8.11	7.03	8.58	10.88	≤24.00	PASS
	6845	3.22	3.45	6.35	5.99	6.22	9.12	≤24.00	PASS
11ac80-MIMO	6545	7.56	8.16	10.88	10.33	10.93	13.65	≤24.00	PASS
	6625	7.66	9.10	11.45	10.43	11.87	14.22	≤24.00	PASS
	6705	7.42	9.33	11.49	10.19	12.10	14.26	≤24.00	PASS
	6785	6.74	7.87	10.35	9.51	10.64	13.12	≤24.00	PASS
	6865	6.29	6.52	9.42	9.06	9.29	12.19	≤24.00	PASS
11ac160-MIMO	6665	6.12	6.33	9.24	8.89	9.10	12.01	≤24.00	PASS
	6825	6.04	6.29	9.18	8.81	9.06	11.95	≤24.00	PASS
11ax20-MIMO	6535	-0.26	1.15	3.51	2.51	3.92	6.28	≤24.00	PASS
	6695	0.48	2.80	4.80	3.25	5.57	7.57	≤24.00	PASS
	6855	0.09	-0.52	2.81	2.86	2.25	5.58	≤24.00	PASS
	6875	0.01	-0.55	2.75	2.78	2.22	5.52	≤24.00	PASS
11ax40-MIMO	6565	4.32	4.93	7.65	7.09	7.70	10.42	≤24.00	PASS
	6685	4.15	5.75	8.03	6.92	8.52	10.80	≤24.00	PASS
	6845	3.07	3.36	6.23	5.84	6.13	9.00	≤24.00	PASS
11ax80-MIMO	6545	7.63	8.29	10.98	10.40	11.06	13.75	≤24.00	PASS
	6625	7.74	9.17	11.52	10.51	11.94	14.29	≤24.00	PASS
	6705	7.46	9.44	11.57	10.23	12.21	14.34	≤24.00	PASS
	6785	6.81	7.94	10.42	9.58	10.71	13.19	≤24.00	PASS
	6865	6.37	6.61	9.50	9.14	9.38	12.27	≤24.00	PASS
11ax160-MIMO	6665	6.29	6.55	9.43	9.06	9.32	12.20	≤24.00	PASS
	6825	6.14	6.47	9.32	8.91	9.24	12.09	≤24.00	PASS

Ant1 Gain:		3.71dBi							
Ant2 Gain:		3.71dBi							
Directional Gain For Power:		3.71dBi							
Test Mode	Frequency [MHz]	Avg. Ant1(dBm)	Avg. Ant2(dBm)	Avg. Total (dBm)	EIRP Avg. Ant1(dBm)	EIRP Avg. Ant2(dBm)	EIRP Avg. Total (dBm)	EIRP Limit (dBm)	Verdict
11ac20-MIMO	6895	0.97	0.72	3.86	4.68	4.43	7.57	≤24.00	PASS
	6995	0.96	0.01	3.52	4.67	3.72	7.23	≤24.00	PASS
	7115	0.69	0.20	3.46	4.40	3.91	7.17	≤24.00	PASS
11ac40-MIMO	6885	2.94	2.82	5.89	6.65	6.53	9.60	≤24.00	PASS
	6925	2.92	3.13	6.04	6.63	6.84	9.75	≤24.00	PASS
	6965	2.77	2.98	5.89	6.48	6.69	9.60	≤24.00	PASS
	7085	2.89	3.09	6.00	6.60	6.80	9.71	≤24.00	PASS
11ac80-MIMO	6945	7.38	7.56	10.48	11.09	11.27	14.19	≤24.00	PASS
	7025	7.42	7.13	10.29	11.13	10.84	14.00	≤24.00	PASS
11ac160-MIMO	6985	7.25	7.02	10.15	10.96	10.73	13.86	≤24.00	PASS
11ax20-MIMO	6895	0.97	0.75	3.87	4.68	4.46	7.58	≤24.00	PASS
	6995	0.94	-0.02	3.50	4.65	3.69	7.21	≤24.00	PASS
	7115	0.73	0.15	3.46	4.44	3.86	7.17	≤24.00	PASS
11ax40-MIMO	6885	2.84	2.71	5.79	6.55	6.42	9.50	≤24.00	PASS
	6925	2.67	2.98	5.84	6.38	6.69	9.55	≤24.00	PASS
	6965	2.55	2.91	5.74	6.26	6.62	9.45	≤24.00	PASS
	7085	2.72	2.92	5.83	6.43	6.63	9.54	≤24.00	PASS
11ax80-MIMO	6945	7.45	7.64	10.56	11.16	11.35	14.27	≤24.00	PASS
	7025	7.54	7.23	10.40	11.25	10.94	14.11	≤24.00	PASS
11ax160-MIMO	6985	7.34	7.11	10.24	11.05	10.82	13.95	≤24.00	PASS

**Maximum power spectral density
Test Result**

Test Mode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11ac20MIMO	Ant1	5955	-11.35	3.52	-7.83	≤-1.00	PASS
11ac20MIMO	Ant2	5955	-11.83	3.52	-8.31	≤-1.00	PASS
11ac20MIMO	total	5955	-8.57	6.53	-2.04	≤-1.00	PASS
11ac20MIMO	Ant1	6175	-12.39	3.52	-8.87	≤-1.00	PASS
11ac20MIMO	Ant2	6175	-10.68	3.52	-7.16	≤-1.00	PASS
11ac20MIMO	total	6175	-8.44	6.53	-1.91	≤-1.00	PASS
11ac20MIMO	Ant1	6415	-11.78	3.52	-8.26	≤-1.00	PASS
11ac20MIMO	Ant2	6415	-10.04	3.52	-6.52	≤-1.00	PASS
11ac20MIMO	total	6415	-7.81	6.53	-1.28	≤-1.00	PASS
11ac20MIMO	Ant1	6435	-11.96	2.86	-9.10	≤-1.00	PASS
11ac20MIMO	Ant2	6435	-9.00	2.86	-6.14	≤-1.00	PASS
11ac20MIMO	total	6435	-7.22	5.87	-1.35	≤-1.00	PASS
11ac20MIMO	Ant1	6475	-12.31	2.86	-9.45	≤-1.00	PASS
11ac20MIMO	Ant2	6475	-11.78	2.86	-8.92	≤-1.00	PASS
11ac20MIMO	total	6475	-9.03	5.87	-3.16	≤-1.00	PASS
11ac20MIMO	Ant1	6515	-12.29	2.86	-9.43	≤-1.00	PASS
11ac20MIMO	Ant2	6515	-11.50	2.86	-8.64	≤-1.00	PASS
11ac20MIMO	total	6515	-8.87	5.87	-3.00	≤-1.00	PASS
11ac20MIMO	Ant1	6535	-10.96	2.77	-8.19	≤-1.00	PASS
11ac20MIMO	Ant2	6535	-12.39	2.77	-9.62	≤-1.00	PASS
11ac20MIMO	total	6535	-8.61	5.78	-2.83	≤-1.00	PASS
11ac20MIMO	Ant1	6695	-9.44	2.77	-6.67	≤-1.00	PASS
11ac20MIMO	Ant2	6695	-11.21	2.77	-8.44	≤-1.00	PASS
11ac20MIMO	total	6695	-7.23	5.78	-1.45	≤-1.00	PASS
11ac20MIMO	Ant1	6855	-12.29	2.77	-9.52	≤-1.00	PASS
11ac20MIMO	Ant2	6855	-11.65	2.77	-8.88	≤-1.00	PASS
11ac20MIMO	total	6855	-8.95	5.78	-3.17	≤-1.00	PASS
11ac20MIMO	Ant1	6875	-12.38	3.71	-8.67	≤-1.00	PASS
11ac20MIMO	Ant2	6875	-12.01	3.71	-8.30	≤-1.00	PASS
11ac20MIMO	total	6875	-9.18	6.72	-2.46	≤-1.00	PASS
11ac20MIMO	Ant1	6895	-11.45	3.71	-7.74	≤-1.00	PASS
11ac20MIMO	Ant2	6895	-11.19	3.71	-7.48	≤-1.00	PASS
11ac20MIMO	total	6895	-8.31	6.72	-1.59	≤-1.00	PASS
11ac20MIMO	Ant1	6995	-12.54	3.71	-8.83	≤-1.00	PASS
11ac20MIMO	Ant2	6995	-11.12	3.71	-7.41	≤-1.00	PASS
11ac20MIMO	total	6995	-8.76	6.72	-2.04	≤-1.00	PASS
11ac20MIMO	Ant1	7115	-11.95	3.71	-8.24	≤-1.00	PASS
11ac20MIMO	Ant2	7115	-11.50	3.71	-7.79	≤-1.00	PASS
11ac20MIMO	total	7115	-8.71	6.72	-1.99	≤-1.00	PASS
11ac40MIMO	Ant1	5965	-11.38	3.52	-7.86	≤-1.00	PASS
11ac40MIMO	Ant2	5965	-10.75	3.52	-7.23	≤-1.00	PASS
11ac40MIMO	total	5965	-8.04	6.53	-1.51	≤-1.00	PASS
11ac40MIMO	Ant1	6165	-11.52	3.52	-8.00	≤-1.00	PASS
11ac40MIMO	Ant2	6165	-11.18	3.52	-7.66	≤-1.00	PASS
11ac40MIMO	total	6165	-8.34	6.53	-1.81	≤-1.00	PASS
11ac40MIMO	Ant1	6405	-11.20	3.52	-7.68	≤-1.00	PASS
11ac40MIMO	Ant2	6405	-10.76	3.52	-7.24	≤-1.00	PASS
11ac40MIMO	total	6405	-7.96	6.53	-1.43	≤-1.00	PASS
11ac40MIMO	Ant1	6445	-10.89	2.86	-8.03	≤-1.00	PASS
11ac40MIMO	Ant2	6445	-10.58	2.86	-7.72	≤-1.00	PASS
11ac40MIMO	total	6445	-7.72	5.87	-1.85	≤-1.00	PASS
11ac40MIMO	Ant1	6485	-11.03	2.86	-8.17	≤-1.00	PASS
11ac40MIMO	Ant2	6485	-10.73	2.86	-7.87	≤-1.00	PASS
11ac40MIMO	total	6485	-7.87	5.87	-2.00	≤-1.00	PASS
11ac40MIMO	Ant1	6525	-10.28	2.86	-7.42	≤-1.00	PASS
11ac40MIMO	Ant2	6525	-10.66	2.86	-7.80	≤-1.00	PASS
11ac40MIMO	total	6525	-7.46	5.87	-1.59	≤-1.00	PASS
11ac40MIMO	Ant1	6565	-10.09	2.77	-7.32	≤-1.00	PASS
11ac40MIMO	Ant2	6565	-10.71	2.77	-7.94	≤-1.00	PASS
11ac40MIMO	total	6565	-7.38	5.78	-1.60	≤-1.00	PASS
11ac40MIMO	Ant1	6685	-9.58	2.77	-6.81	≤-1.00	PASS
11ac40MIMO	Ant2	6685	-10.69	2.77	-7.92	≤-1.00	PASS

11ac40MIMO	total	6685	-7.09	5.78	-1.31	≤-1.00	PASS
11ac40MIMO	Ant1	6845	-11.49	2.77	-8.72	≤-1.00	PASS
11ac40MIMO	Ant2	6845	-11.44	2.77	-8.67	≤-1.00	PASS
11ac40MIMO	total	6845	-8.45	5.78	-2.67	≤-1.00	PASS
11ac40MIMO	Ant1	6885	-11.86	3.71	-8.15	≤-1.00	PASS
11ac40MIMO	Ant2	6885	-11.92	3.71	-8.21	≤-1.00	PASS
11ac40MIMO	total	6885	-8.88	6.72	-2.16	≤-1.00	PASS
11ac40MIMO	Ant1	6925	-11.74	3.71	-8.03	≤-1.00	PASS
11ac40MIMO	Ant2	6925	-12.11	3.71	-8.40	≤-1.00	PASS
11ac40MIMO	total	6925	-8.91	6.72	-2.19	≤-1.00	PASS
11ac40MIMO	Ant1	6965	-12.13	3.71	-8.42	≤-1.00	PASS
11ac40MIMO	Ant2	6965	-12.28	3.71	-8.57	≤-1.00	PASS
11ac40MIMO	total	6965	-9.19	6.72	-2.47	≤-1.00	PASS
11ac40MIMO	Ant1	7085	-12.25	3.71	-8.54	≤-1.00	PASS
11ac40MIMO	Ant2	7085	-12.30	3.71	-8.59	≤-1.00	PASS
11ac40MIMO	total	7085	-9.26	6.72	-2.54	≤-1.00	PASS
11ac80MIMO	Ant1	5985	-11.28	3.52	-7.76	≤-1.00	PASS
11ac80MIMO	Ant2	5985	-10.96	3.52	-7.44	≤-1.00	PASS
11ac80MIMO	total	5985	-8.11	6.53	-1.58	≤-1.00	PASS
11ac80MIMO	Ant1	6145	-11.37	3.52	-7.85	≤-1.00	PASS
11ac80MIMO	Ant2	6145	-11.32	3.52	-7.80	≤-1.00	PASS
11ac80MIMO	total	6145	-8.33	6.53	-1.80	≤-1.00	PASS
11ac80MIMO	Ant1	6385	-11.99	3.52	-8.47	≤-1.00	PASS
11ac80MIMO	Ant2	6385	-11.10	3.52	-7.58	≤-1.00	PASS
11ac80MIMO	total	6385	-8.51	6.53	-1.98	≤-1.00	PASS
11ac80MIMO	Ant1	6465	-9.83	2.86	-6.97	≤-1.00	PASS
11ac80MIMO	Ant2	6465	-9.99	2.86	-7.13	≤-1.00	PASS
11ac80MIMO	total	6465	-6.90	5.87	-1.03	≤-1.00	PASS
11ac80MIMO	Ant1	6545	-10.09	2.86	-7.23	≤-1.00	PASS
11ac80MIMO	Ant2	6545	-11.02	2.86	-8.16	≤-1.00	PASS
11ac80MIMO	total	6545	-7.52	5.87	-1.65	≤-1.00	PASS
11ac80MIMO	Ant1	6625	-9.67	2.77	-6.90	≤-1.00	PASS
11ac80MIMO	Ant2	6625	-10.14	2.77	-7.37	≤-1.00	PASS
11ac80MIMO	total	6625	-6.89	5.78	-1.11	≤-1.00	PASS
11ac80MIMO	Ant1	6705	-9.48	2.77	-6.71	≤-1.00	PASS
11ac80MIMO	Ant2	6705	-10.42	2.77	-7.65	≤-1.00	PASS
11ac80MIMO	total	6705	-6.91	5.78	-1.13	≤-1.00	PASS
11ac80MIMO	Ant1	6785	-9.97	2.77	-7.20	≤-1.00	PASS
11ac80MIMO	Ant2	6785	-10.98	2.77	-8.21	≤-1.00	PASS
11ac80MIMO	total	6785	-7.44	5.78	-1.66	≤-1.00	PASS
11ac80MIMO	Ant1	6865	-10.74	3.71	-7.03	≤-1.00	PASS
11ac80MIMO	Ant2	6865	-10.85	3.71	-7.14	≤-1.00	PASS
11ac80MIMO	total	6865	-7.78	6.72	-1.06	≤-1.00	PASS
11ac80MIMO	Ant1	6945	-10.97	3.71	-7.26	≤-1.00	PASS
11ac80MIMO	Ant2	6945	-11.09	3.71	-7.38	≤-1.00	PASS
11ac80MIMO	total	6945	-8.02	6.72	-1.30	≤-1.00	PASS
11ac80MIMO	Ant1	7025	-11.39	3.71	-7.68	≤-1.00	PASS
11ac80MIMO	Ant2	7025	-10.83	3.71	-7.12	≤-1.00	PASS
11ac80MIMO	total	7025	-8.09	6.72	-1.37	≤-1.00	PASS
11ac160MIMO	Ant1	6025	-13.75	3.52	-10.23	≤-1.00	PASS
11ac160MIMO	Ant2	6025	-13.35	3.52	-9.83	≤-1.00	PASS
11ac160MIMO	total	6025	-10.54	6.53	-4.01	≤-1.00	PASS
11ac160MIMO	Ant1	6185	-13.82	3.52	-10.30	≤-1.00	PASS
11ac160MIMO	Ant2	6185	-13.55	3.52	-10.03	≤-1.00	PASS
11ac160MIMO	total	6185	-10.67	6.53	-4.14	≤-1.00	PASS
11ac160MIMO	Ant1	6345	-14.00	3.52	-10.48	≤-1.00	PASS
11ac160MIMO	Ant2	6345	-13.17	3.52	-9.65	≤-1.00	PASS
11ac160MIMO	total	6345	-10.55	6.53	-4.02	≤-1.00	PASS
11ac160MIMO	Ant1	6505	-11.35	2.86	-8.49	≤-1.00	PASS
11ac160MIMO	Ant2	6505	-11.66	2.86	-8.80	≤-1.00	PASS
11ac160MIMO	total	6505	-8.49	5.87	-2.62	≤-1.00	PASS
11ac160MIMO	Ant1	6665	-11.57	2.77	-8.80	≤-1.00	PASS
11ac160MIMO	Ant2	6665	-11.72	2.77	-8.95	≤-1.00	PASS
11ac160MIMO	total	6665	-8.63	5.78	-2.85	≤-1.00	PASS
11ac160MIMO	Ant1	6825	-12.65	3.71	-8.94	≤-1.00	PASS
11ac160MIMO	Ant2	6825	-13.07	3.71	-9.36	≤-1.00	PASS
11ac160MIMO	total	6825	-9.84	6.72	-3.12	≤-1.00	PASS
11ac160MIMO	Ant1	6985	-13.88	3.71	-10.17	≤-1.00	PASS

11ac160MIMO	Ant2	6985	-13.58	3.71	-9.87	≤-1.00	PASS
11ac160MIMO	total	6985	-10.72	6.72	-4.00	≤-1.00	PASS
11ax20MIMO	Ant1	5955	-11.38	3.52	-7.86	≤-1.00	PASS
11ax20MIMO	Ant2	5955	-11.86	3.52	-8.34	≤-1.00	PASS
11ax20MIMO	total	5955	-8.60	6.53	-2.07	≤-1.00	PASS
11ax20MIMO	Ant1	6175	-12.46	3.52	-8.94	≤-1.00	PASS
11ax20MIMO	Ant2	6175	-10.84	3.52	-7.32	≤-1.00	PASS
11ax20MIMO	total	6175	-8.56	6.53	-2.03	≤-1.00	PASS
11ax20MIMO	Ant1	6415	-12.04	3.52	-8.52	≤-1.00	PASS
11ax20MIMO	Ant2	6415	-10.30	3.52	-6.78	≤-1.00	PASS
11ax20MIMO	total	6415	-8.07	6.53	-1.54	≤-1.00	PASS
11ax20MIMO	Ant1	6435	-12.16	2.86	-9.30	≤-1.00	PASS
11ax20MIMO	Ant2	6435	-8.97	2.86	-6.11	≤-1.00	PASS
11ax20MIMO	total	6435	-7.27	5.87	-1.40	≤-1.00	PASS
11ax20MIMO	Ant1	6475	-12.73	2.86	-9.87	≤-1.00	PASS
11ax20MIMO	Ant2	6475	-11.73	2.86	-8.87	≤-1.00	PASS
11ax20MIMO	total	6475	-9.19	5.87	-3.32	≤-1.00	PASS
11ax20MIMO	Ant1	6515	-12.07	2.86	-9.21	≤-1.00	PASS
11ax20MIMO	Ant2	6515	-11.77	2.86	-8.91	≤-1.00	PASS
11ax20MIMO	total	6515	-8.91	5.87	-3.04	≤-1.00	PASS
11ax20MIMO	Ant1	6535	-11.15	2.77	-8.38	≤-1.00	PASS
11ax20MIMO	Ant2	6535	-12.41	2.77	-9.64	≤-1.00	PASS
11ax20MIMO	total	6535	-8.72	5.78	-2.94	≤-1.00	PASS
11ax20MIMO	Ant1	6695	-9.76	2.77	-6.99	≤-1.00	PASS
11ax20MIMO	Ant2	6695	-11.43	2.77	-8.66	≤-1.00	PASS
11ax20MIMO	total	6695	-7.50	5.78	-1.72	≤-1.00	PASS
11ax20MIMO	Ant1	6855	-12.27	2.77	-9.50	≤-1.00	PASS
11ax20MIMO	Ant2	6855	-11.78	2.77	-9.01	≤-1.00	PASS
11ax20MIMO	total	6855	-9.01	5.78	-3.23	≤-1.00	PASS
11ax20MIMO	Ant1	6875	-12.25	3.71	-8.54	≤-1.00	PASS
11ax20MIMO	Ant2	6875	-12.01	3.71	-8.30	≤-1.00	PASS
11ax20MIMO	total	6875	-9.12	6.72	-2.40	≤-1.00	PASS
11ax20MIMO	Ant1	6895	-11.20	3.71	-7.49	≤-1.00	PASS
11ax20MIMO	Ant2	6895	-11.05	3.71	-7.34	≤-1.00	PASS
11ax20MIMO	total	6895	-8.11	6.72	-1.39	≤-1.00	PASS
11ax20MIMO	Ant1	6995	-12.76	3.71	-9.05	≤-1.00	PASS
11ax20MIMO	Ant2	6995	-11.34	3.71	-7.63	≤-1.00	PASS
11ax20MIMO	total	6995	-8.98	6.72	-2.26	≤-1.00	PASS
11ax20MIMO	Ant1	7115	-12.36	3.71	-8.65	≤-1.00	PASS
11ax20MIMO	Ant2	7115	-11.53	3.71	-7.82	≤-1.00	PASS
11ax20MIMO	total	7115	-8.91	6.72	-2.19	≤-1.00	PASS
11ax40MIMO	Ant1	5965	-11.49	3.52	-7.97	≤-1.00	PASS
11ax40MIMO	Ant2	5965	-10.87	3.52	-7.35	≤-1.00	PASS
11ax40MIMO	total	5965	-8.16	6.53	-1.63	≤-1.00	PASS
11ax40MIMO	Ant1	6165	-11.57	3.52	-8.05	≤-1.00	PASS
11ax40MIMO	Ant2	6165	-11.19	3.52	-7.67	≤-1.00	PASS
11ax40MIMO	total	6165	-8.37	6.53	-1.84	≤-1.00	PASS
11ax40MIMO	Ant1	6405	-10.80	3.52	-7.28	≤-1.00	PASS
11ax40MIMO	Ant2	6405	-10.42	3.52	-6.90	≤-1.00	PASS
11ax40MIMO	total	6405	-7.60	6.53	-1.07	≤-1.00	PASS
11ax40MIMO	Ant1	6445	-10.82	2.86	-7.96	≤-1.00	PASS
11ax40MIMO	Ant2	6445	-10.86	2.86	-8.00	≤-1.00	PASS
11ax40MIMO	total	6445	-7.83	5.87	-1.96	≤-1.00	PASS
11ax40MIMO	Ant1	6485	-11.34	2.86	-8.48	≤-1.00	PASS
11ax40MIMO	Ant2	6485	-10.81	2.86	-7.95	≤-1.00	PASS
11ax40MIMO	total	6485	-8.06	5.87	-2.19	≤-1.00	PASS
11ax40MIMO	Ant1	6525	-10.47	2.86	-7.61	≤-1.00	PASS
11ax40MIMO	Ant2	6525	-10.78	2.86	-7.92	≤-1.00	PASS
11ax40MIMO	total	6525	-7.61	5.87	-1.74	≤-1.00	PASS
11ax40MIMO	Ant1	6565	-10.48	2.77	-7.71	≤-1.00	PASS
11ax40MIMO	Ant2	6565	-11.05	2.77	-8.28	≤-1.00	PASS
11ax40MIMO	total	6565	-7.75	5.78	-1.97	≤-1.00	PASS
11ax40MIMO	Ant1	6685	-9.83	2.77	-7.06	≤-1.00	PASS
11ax40MIMO	Ant2	6685	-10.84	2.77	-8.07	≤-1.00	PASS
11ax40MIMO	total	6685	-7.30	5.78	-1.52	≤-1.00	PASS
11ax40MIMO	Ant1	6845	-11.60	2.77	-8.83	≤-1.00	PASS
11ax40MIMO	Ant2	6845	-11.72	2.77	-8.95	≤-1.00	PASS
11ax40MIMO	total	6845	-8.65	5.78	-2.87	≤-1.00	PASS

11ax40MIMO	Ant1	6885	-12.09	3.71	-8.38	≤-1.00	PASS
11ax40MIMO	Ant2	6885	-12.07	3.71	-8.36	≤-1.00	PASS
11ax40MIMO	total	6885	-9.07	6.72	-2.35	≤-1.00	PASS
11ax40MIMO	Ant1	6925	-12.13	3.71	-8.42	≤-1.00	PASS
11ax40MIMO	Ant2	6925	-12.24	3.71	-8.53	≤-1.00	PASS
11ax40MIMO	total	6925	-9.17	6.72	-2.45	≤-1.00	PASS
11ax40MIMO	Ant1	6965	-12.66	3.71	-8.95	≤-1.00	PASS
11ax40MIMO	Ant2	6965	-12.51	3.71	-8.80	≤-1.00	PASS
11ax40MIMO	total	6965	-9.57	6.72	-2.85	≤-1.00	PASS
11ax40MIMO	Ant1	7085	-12.15	3.71	-8.44	≤-1.00	PASS
11ax40MIMO	Ant2	7085	-12.72	3.71	-9.01	≤-1.00	PASS
11ax40MIMO	total	7085	-9.42	6.72	-2.70	≤-1.00	PASS
11ax80MIMO	Ant1	5985	-11.16	3.52	-7.64	≤-1.00	PASS
11ax80MIMO	Ant2	5985	-10.98	3.52	-7.46	≤-1.00	PASS
11ax80MIMO	total	5985	-8.06	6.53	-1.53	≤-1.00	PASS
11ax80MIMO	Ant1	6145	-11.23	3.52	-7.71	≤-1.00	PASS
11ax80MIMO	Ant2	6145	-10.91	3.52	-7.39	≤-1.00	PASS
11ax80MIMO	total	6145	-8.06	6.53	-1.53	≤-1.00	PASS
11ax80MIMO	Ant1	6385	-11.70	3.52	-8.18	≤-1.00	PASS
11ax80MIMO	Ant2	6385	-11.00	3.52	-7.48	≤-1.00	PASS
11ax80MIMO	total	6385	-8.33	6.53	-1.80	≤-1.00	PASS
11ax80MIMO	Ant1	6465	-10.36	2.86	-7.50	≤-1.00	PASS
11ax80MIMO	Ant2	6465	-10.44	2.86	-7.58	≤-1.00	PASS
11ax80MIMO	total	6465	-7.39	5.87	-1.52	≤-1.00	PASS
11ax80MIMO	Ant1	6545	-9.84	2.86	-6.98	≤-1.00	PASS
11ax80MIMO	Ant2	6545	-10.71	2.86	-7.85	≤-1.00	PASS
11ax80MIMO	total	6545	-7.24	5.87	-1.37	≤-1.00	PASS
11ax80MIMO	Ant1	6625	-9.47	2.77	-6.70	≤-1.00	PASS
11ax80MIMO	Ant2	6625	-10.74	2.77	-7.97	≤-1.00	PASS
11ax80MIMO	total	6625	-7.05	5.78	-1.27	≤-1.00	PASS
11ax80MIMO	Ant1	6705	-9.43	2.77	-6.66	≤-1.00	PASS
11ax80MIMO	Ant2	6705	-10.31	2.77	-7.54	≤-1.00	PASS
11ax80MIMO	total	6705	-6.84	5.78	-1.06	≤-1.00	PASS
11ax80MIMO	Ant1	6785	-9.64	2.77	-6.87	≤-1.00	PASS
11ax80MIMO	Ant2	6785	-10.90	2.77	-8.13	≤-1.00	PASS
11ax80MIMO	total	6785	-7.21	5.78	-1.43	≤-1.00	PASS
11ax80MIMO	Ant1	6865	-10.85	3.71	-7.14	≤-1.00	PASS
11ax80MIMO	Ant2	6865	-10.63	3.71	-6.92	≤-1.00	PASS
11ax80MIMO	total	6865	-7.73	6.72	-1.01	≤-1.00	PASS
11ax80MIMO	Ant1	6945	-10.61	3.71	-6.90	≤-1.00	PASS
11ax80MIMO	Ant2	6945	-10.93	3.71	-7.22	≤-1.00	PASS
11ax80MIMO	total	6945	-7.76	6.72	-1.04	≤-1.00	PASS
11ax80MIMO	Ant1	7025	-11.54	3.71	-7.83	≤-1.00	PASS
11ax80MIMO	Ant2	7025	-10.76	3.71	-7.05	≤-1.00	PASS
11ax80MIMO	total	7025	-8.12	6.72	-1.40	≤-1.00	PASS
11ax160MIMO	Ant1	6025	-13.41	3.52	-9.89	≤-1.00	PASS
11ax160MIMO	Ant2	6025	-13.20	3.52	-9.68	≤-1.00	PASS
11ax160MIMO	total	6025	-10.29	6.53	-3.76	≤-1.00	PASS
11ax160MIMO	Ant1	6185	-13.70	3.52	-10.18	≤-1.00	PASS
11ax160MIMO	Ant2	6185	-13.38	3.52	-9.86	≤-1.00	PASS
11ax160MIMO	total	6185	-10.53	6.53	-4.00	≤-1.00	PASS
11ax160MIMO	Ant1	6345	-13.79	3.52	-10.27	≤-1.00	PASS
11ax160MIMO	Ant2	6345	-13.21	3.52	-9.69	≤-1.00	PASS
11ax160MIMO	total	6345	-10.48	6.53	-3.95	≤-1.00	PASS
11ax160MIMO	Ant1	6505	-11.39	2.86	-8.53	≤-1.00	PASS
11ax160MIMO	Ant2	6505	-11.51	2.86	-8.65	≤-1.00	PASS
11ax160MIMO	total	6505	-8.44	5.87	-2.57	≤-1.00	PASS
11ax160MIMO	Ant1	6665	-11.66	2.77	-8.89	≤-1.00	PASS
11ax160MIMO	Ant2	6665	-11.93	2.77	-9.16	≤-1.00	PASS
11ax160MIMO	total	6665	-8.78	5.78	-3.00	≤-1.00	PASS
11ax160MIMO	Ant1	6825	-55.16	3.71	-51.45	≤-1.00	PASS
11ax160MIMO	Ant2	6825	-54.91	3.71	-51.20	≤-1.00	PASS
11ax160MIMO	total	6825	-52.02	6.72	-45.30	≤-1.00	PASS
11ax160MIMO	Ant1	6985	-13.92	3.71	-10.21	≤-1.00	PASS
11ax160MIMO	Ant2	6985	-13.62	3.71	-9.91	≤-1.00	PASS
11ax160MIMO	total	6985	-10.76	6.72	-4.04	≤-1.00	PASS