



Contention Based Protocol Test Result

Test Mode	Antenna	Channel	Interference Frequency [MHz]		Status	Awgn Power [dBm]	Gain [dBi]	Path Loss [dB]	Adjusted Power [dBm]	Limit [dBm]	Detection Rate		Verdict
											Result [%]	Limit [%]	
11ax20MIMO	Ant1	6135	Center	6135	OFF	-69.97	1.40	0	-71.37	-62	100	90	PASS
11ax20MIMO	Ant1	6135	Center	6135	Minimal	-70.86	1.40	0	-72.26	-62	66.67	---	---
11ax20MIMO	Ant1	6135	Center	6135	ON	-70.60	1.40	0	-72.00	-62	---	---	---
11ax20MIMO	Ant1	6455	Center	6455	OFF	-74.95	1.40	0	-76.35	-62	100	90	PASS
11ax20MIMO	Ant1	6455	Center	6455	Minimal	-75.68	1.40	0	-77.08	-62	0	---	---
11ax20MIMO	Ant1	6455	Center	6455	ON	-72.60	1.40	0	-74.00	-62	---	---	---
11ax20MIMO	Ant1	6715	Center	6715	OFF	-72.61	1.40	0	-74.01	-62	100	90	PASS
11ax20MIMO	Ant1	6715	Center	6715	Minimal	-73.48	1.40	0	-74.88	-62	0	---	---
11ax20MIMO	Ant1	6715	Center	6715	ON	-71.60	1.40	0	-73.00	-62	---	---	---
11ax20MIMO	Ant1	6915	Center	6915	OFF	-75.16	1.40	0	-76.56	-62	100	90	PASS
11ax20MIMO	Ant1	6915	Center	6915	Minimal	-75.84	1.40	0	-77.24	-62	0	---	---
11ax20MIMO	Ant1	6915	Center	6915	ON	-74.60	1.40	0	-76.00	-62	---	---	---
11ax160MIMO	Ant1	6505	Low	6430	OFF	-70.85	1.40	0	-72.25	-62	100	90	PASS
11ax160MIMO	Ant1	6505	Center	6505	OFF	-67.02	1.40	0	-68.42	-62	100	90	PASS
11ax160MIMO	Ant1	6505	High	6580	OFF	-67.92	1.40	0	-69.32	-62	100	90	PASS
11ax160MIMO	Ant1	6505	Low	6430	Minimal	-71.79	1.40	0	-73.19	-62	0	---	---
11ax160MIMO	Ant1	6505	Center	6505	Minimal	-68.00	1.40	0	-69.40	-62	0	---	---
11ax160MIMO	Ant1	6505	High	6580	Minimal	-68.88	1.40	0	-70.28	-62	---	---	---
11ax160MIMO	Ant1	6505	Low	6430	ON	-69.60	1.40	0	-71.00	-62	---	---	---
11ax160MIMO	Ant1	6505	Center	6505	ON	-65.60	1.40	0	-67.00	-62	---	---	---
11ax160MIMO	Ant1	6505	High	6580	ON	-66.60	1.40	0	-68.00	-62	---	---	---
11ax160MIMO	Ant1	6185	Low	6110	OFF	-71.69	1.40	0	-73.09	-62	100	90	PASS
11ax160MIMO	Ant1	6185	Center	6185	OFF	-65.13	1.40	0	-66.53	-62	100	90	PASS
11ax160MIMO	Ant1	6185	High	6260	OFF	-63.19	1.40	0	-64.59	-62	100	90	PASS
11ax160MIMO	Ant1	6185	Low	6110	Minimal	-72.58	1.40	0	-73.98	-62	66.67	---	---
11ax160MIMO	Ant1	6185	Center	6185	Minimal	-66.09	1.40	0	-67.49	-62	0	---	---
11ax160MIMO	Ant1	6185	High	6260	Minimal	-64.14	1.40	0	-65.54	-62	---	---	---
11ax160MIMO	Ant1	6185	Low	6110	ON	-72.60	1.40	0	-74.00	-62	---	---	---
11ax160MIMO	Ant1	6185	Center	6185	ON	-69.60	1.40	0	-71.00	-62	---	---	---
11ax160MIMO	Ant1	6185	High	6260	ON	-64.60	1.40	0	-66.00	-62	---	---	---
11ax160MIMO	Ant1	6985	Low	6910	OFF	-74.20	1.40	0	-75.60	-62	100	90	PASS
11ax160MIMO	Ant1	6985	Center	6985	OFF	-68.83	1.40	0	-70.23	-62	100	90	PASS
11ax160MIMO	Ant1	6985	High	7060	OFF	-73.45	1.40	0	-74.85	-62	100	90	PASS
11ax160MIMO	Ant1	6985	Low	6910	Minimal	-74.96	1.40	0	-76.36	-62	---	---	---
11ax160MIMO	Ant1	6985	Center	6985	Minimal	-69.75	1.40	0	-71.15	-62	---	---	---
11ax160MIMO	Ant1	6985	High	7060	Minimal	-74.21	1.40	0	-75.61	-62	---	---	---
11ax160MIMO	Ant1	6985	Low	6910	ON	-75.60	1.40	0	-77.00	-62	---	---	---
11ax160MIMO	Ant1	6985	Center	6985	ON	-72.60	1.40	0	-74.00	-62	---	---	---
11ax160MIMO	Ant1	6985	High	7060	ON	-75.60	1.40	0	-77.00	-62	---	---	---
11ax160MIMO	Ant1	6665	Low	6590	OFF	-70.73	1.40	0	-72.13	-62	100	90	PASS
11ax160MIMO	Ant1	6665	High	6740	OFF	-65.12	1.40	0	-66.52	-62	100	90	PASS
11ax160MIMO	Ant1	6665	Center	6665	OFF	-65.25	1.40	0	-66.65	-62	100	90	PASS
11ax160MIMO	Ant1	6665	Low	6590	Minimal	-71.65	1.40	0	-73.05	-62	33.33	---	---
11ax160MIMO	Ant1	6665	High	6740	Minimal	-67.99	1.40	0	-69.39	-62	---	---	---
11ax160MIMO	Ant1	6665	Center	6665	Minimal	-66.19	1.40	0	-67.59	-62	0	---	---
11ax160MIMO	Ant1	6665	Low	6590	ON	-75.60	1.40	0	-77.00	-62	---	---	---
11ax160MIMO	Ant1	6665	High	6740	ON	-69.60	1.40	0	-71.00	-62	---	---	---
11ax160MIMO	Ant1	6665	Center	6665	ON	-67.60	1.40	0	-69.00	-62	---	---	---

Note: Adjusted Power= Injected AWGN Power - Antenna Gain + Path Loss


Test Graphs








11ax20MIMO-Ant1-6915-Center-6915-OFF-PASS



11ax20MIMO-Ant1-6915-Center-6915-OFF-PASS




11ax20MIMO-Ant1-6915-Center-6915-Minimal



11ax20MIMO-Ant1-6915-Center-6915-Minimal




11ax160MIMO-Ant1-6505-Low-6430-OFF-PASS



11ax160MIMO-Ant1-6505-Low-6430-OFF-PASS




11ax160MIMO-Ant1-6505-Center-6505-OFF-PASS



11ax160MIMO-Ant1-6505-Center-6505-OFF-PASS




11ax160MIMO-Ant1-6505-High-6580-OFF-PASS



11ax160MIMO-Ant1-6505-High-6580-OFF-PASS




11ax160MIMO-Ant1-6505-Low-6430-Minimal



11ax160MIMO-Ant1-6505-Low-6430-Minimal




11ax160MIMO-Ant1-6505-Center-6505-Minimal



11ax160MIMO-Ant1-6505-Center-6505-Minimal




11ax160MIMO-Ant1-6185-Low-6110-OFF-PASS




11ax160MIMO-Ant1-6185-Low-6110-OFF-PASS




11ax160MIMO-Ant1-6185-Center-6185-OFF-PASS




11ax160MIMO-Ant1-6185-Center-6185-OFF-PASS








11ax160MIMO-Ant1-6665-Low-6590-OFF-PASS



11ax160MIMO-Ant1-6665-Low-6590-OFF-PASS



11ax160MIMO-Ant1-6665-High-6740-OFF-PASS




11ax160MIMO-Ant1-6665-High-6740-OFF-PASS



11ax160MIMO-Ant1-6665-Center-6665-OFF-PASS



11ax160MIMO-Ant1-6665-Center-6665-OFF-PASS




Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	802.11ax80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 8		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	68.02	58.87	-28.07	30.80	40.00	9.20	Horizontal	PASS
2	72.05	60.69	-29.35	31.34	40.00	8.66	Horizontal	PASS
3	82.43	59.03	-31.90	27.13	40.00	12.87	Horizontal	PASS
4	104.64	55.72	-30.15	25.57	43.50	17.93	Horizontal	PASS
5	162.16	57.36	-29.74	27.62	43.50	15.88	Horizontal	PASS
6	313.29	48.96	-23.28	25.68	46.00	20.32	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 8		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	38.68	56.30	-29.17	27.13	40.00	12.87	Vertical	PASS
2	42.76	51.56	-27.36	24.20	40.00	15.80	Vertical	PASS
3	57.98	59.04	-26.33	32.71	40.00	7.29	Vertical	PASS
4	68.70	62.17	-28.27	33.90	40.00	6.10	Vertical	PASS
5	163.33	56.26	-29.68	26.58	43.50	16.92	Vertical	PASS
6	198.34	55.03	-27.74	27.29	43.50	16.21	Vertical	PASS

Test Result Above 1GHz


Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	93
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting -1		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7506.48	30.48	17.30	47.78	54.00	6.22	Horizontal	PASS
2	11605.00	34.10	6.55	40.65	54.00	13.35	Horizontal	PASS
3	17910.33	30.03	16.18	46.21	54.00	7.79	Horizontal	PASS
4	6417.22	79.97	14.94	94.91	-	-	Horizontal	NA
5	7724.19	38.74	17.05	55.79	74.00	18.21	Horizontal	PASS
6	11644.00	41.25	6.52	47.77	74.00	26.23	Horizontal	PASS
7	17983.33	37.26	16.73	53.99	74.00	20.01	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	93
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -1		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7468.32	30.82	17.19	48.01	54.00	5.99	Vertical	PASS
2	11782.33	34.49	6.48	40.97	54.00	13.03	Vertical	PASS
3	17970.33	29.38	16.63	46.01	54.00	7.99	Vertical	PASS
4	6411.27	75.77	14.92	90.69	-	-	Vertical	NA
5	7911.80	38.95	17.35	56.30	68.20	11.90	Vertical	PASS
6	11702.00	41.84	6.46	48.30	74.00	25.70	Vertical	PASS
7	17962.00	37.14	16.57	53.71	74.00	20.29	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	91
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 3.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7694.08	30.80	16.90	47.70	54.00	6.30	Horizontal	PASS
2	11871.67	33.96	6.40	40.36	54.00	13.64	Horizontal	PASS
3	17981.67	30.03	16.72	46.75	54.00	7.25	Horizontal	PASS
4	6415.47	81.44	14.93	96.37	-	-	Horizontal	NA
5	7730.84	39.06	17.08	56.14	74.00	17.86	Horizontal	PASS
6	11624.33	41.53	6.54	48.07	74.00	25.93	Horizontal	PASS
7	17690.00	38.60	15.37	53.97	68.20	14.23	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	91
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 3.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7462.37	30.56	17.16	47.72	54.00	6.28	Vertical	PASS
2	12214.33	33.35	7.66	41.01	54.00	12.99	Vertical	PASS
3	17971.00	29.55	16.64	46.19	54.00	7.81	Vertical	PASS
4	6407.77	76.65	14.91	91.56	-	-	Vertical	NA
5	7247.11	40.34	16.40	56.74	68.20	11.46	Vertical	PASS
6	12229.33	41.09	7.62	48.71	74.00	25.29	Vertical	PASS
7	17970.67	37.82	16.63	54.45	74.00	19.55	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7673.43	30.86	16.81	47.67	54.00	6.33	Horizontal	PASS
2	12225.00	33.01	7.62	40.63	54.00	13.37	Horizontal	PASS
3	17943.33	29.76	16.43	46.19	54.00	7.81	Horizontal	PASS
4	5980.40	84.81	13.83	98.64	-	-	Horizontal	NA
5	7848.09	38.76	17.35	56.11	68.20	12.09	Horizontal	PASS
6	12257.67	40.45	7.54	47.99	74.00	26.01	Horizontal	PASS
7	17979.00	37.91	16.70	54.61	74.00	19.39	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7524.68	30.27	17.18	47.45	54.00	6.55	Vertical	PASS
2	12382.67	33.24	7.60	40.84	54.00	13.16	Vertical	PASS
3	17985.67	29.30	16.75	46.05	54.00	7.95	Vertical	PASS
4	6004.20	80.05	13.76	93.81	-	-	Vertical	NA
5	7853.34	38.65	17.34	55.99	68.20	12.21	Vertical	PASS
6	12296.00	40.76	7.43	48.19	74.00	25.81	Vertical	PASS
7	17851.00	38.27	15.85	54.12	74.00	19.88	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7616.38	30.85	16.65	47.50	54.00	6.50	Horizontal	PASS
2	12215.00	33.81	7.65	41.46	54.00	12.54	Horizontal	PASS
3	17946.67	29.63	16.46	46.09	54.00	7.91	Horizontal	PASS
4	6027.30	82.73	13.77	96.50	-	-	Horizontal	NA
5	7567.38	39.57	16.89	56.46	74.00	17.54	Horizontal	PASS
6	12472.33	41.26	7.35	48.61	74.00	25.39	Horizontal	PASS
7	17988.33	36.71	16.77	53.48	74.00	20.52	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7369.62	31.24	16.55	47.79	54.00	6.21	Vertical	PASS
2	12305.67	33.74	7.43	41.17	54.00	12.83	Vertical	PASS
3	17940.33	30.83	16.41	47.24	54.00	6.76	Vertical	PASS
4	6003.50	78.17	13.76	91.93	-	-	Vertical	NA
5	7798.39	39.44	17.24	56.68	68.20	11.52	Vertical	PASS
6	11619.67	41.84	6.54	48.38	74.00	25.62	Vertical	PASS
7	17943.67	37.49	16.43	53.92	74.00	20.08	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-5
Bandwidth	160MHz	Channel	47
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7697.93	30.41	16.91	47.32	54.00	6.68	Horizontal	PASS
2	12226.00	33.50	7.62	41.12	54.00	12.88	Horizontal	PASS
3	17960.00	29.70	16.56	46.26	54.00	7.74	Horizontal	PASS
4	6204.41	83.58	13.93	97.51	-	-	Horizontal	NA
5	7346.52	39.87	16.60	56.47	74.00	17.53	Horizontal	PASS
6	12244.33	41.43	7.58	49.01	74.00	24.99	Horizontal	PASS
7	17973.00	36.98	16.65	53.63	74.00	20.37	Horizontal	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-5
Bandwidth	160MHz	Channel	47
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7582.78	30.59	16.75	47.34	54.00	6.66	Vertical	PASS
2	12179.67	33.45	7.44	40.89	54.00	13.11	Vertical	PASS
3	17910.67	30.13	16.18	46.31	54.00	7.69	Vertical	PASS
4	6164.51	78.41	13.87	92.28	-	-	Vertical	NA
5	7788.94	39.25	17.23	56.48	68.20	11.72	Vertical	PASS
6	12330.33	41.52	7.49	49.01	74.00	24.99	Vertical	PASS
7	17994.33	37.21	16.82	54.03	74.00	19.97	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-5
Bandwidth	20MHz	Channel	97
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -2		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7489.32	30.76	17.29	48.05	54.00	5.95	Horizontal	PASS
2	12371.00	33.74	7.58	41.32	54.00	12.68	Horizontal	PASS
3	17945.67	29.96	16.44	46.40	54.00	7.60	Horizontal	PASS
4	6433.67	81.11	15.01	96.12	-	-	Horizontal	NA
5	7744.14	39.48	17.16	56.64	74.00	17.36	Horizontal	PASS
6	12351.67	41.36	7.54	48.90	74.00	25.10	Horizontal	PASS
7	17989.00	37.00	16.78	53.78	74.00	20.22	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-5
Bandwidth	20MHz	Channel	97
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting -2		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7443.12	30.71	17.01	47.72	54.00	6.28	Vertical	PASS
2	12211.33	33.27	7.67	40.94	54.00	13.06	Vertical	PASS
3	17962.00	30.05	16.57	46.62	54.00	7.38	Vertical	PASS
4	6436.82	74.43	15.02	89.45	-	-	Vertical	NA
5	7546.03	40.12	17.05	57.17	74.00	16.83	Vertical	PASS
6	12177.33	41.57	7.42	48.99	74.00	25.01	Vertical	PASS
7	17992.33	37.37	16.80	54.17	74.00	19.83	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-5
Bandwidth	40MHz	Channel	99
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 3.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7500.18	31.36	17.34	48.70	54.00	5.30	Horizontal	PASS
2	12222.33	33.28	7.64	40.92	54.00	13.08	Horizontal	PASS
3	17905.67	30.23	16.14	46.37	54.00	7.63	Horizontal	PASS
4	6433.67	82.95	15.01	97.96	-	-	Horizontal	NA
5	7463.07	38.45	17.17	55.62	74.00	18.38	Horizontal	PASS
6	12183.67	40.97	7.49	48.46	74.00	25.54	Horizontal	PASS
7	17927.33	38.21	16.31	54.52	74.00	19.48	Horizontal	PASS


Project Information			
Mode:	802.11ac40	Band:	U-NII-5
Bandwidth	40MHz	Channel	99
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 3.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7562.13	31.19	16.93	48.12	54.00	5.88	Vertical	PASS
2	12264.00	33.88	7.52	41.40	54.00	12.60	Vertical	PASS
3	17990.33	29.78	16.79	46.57	54.00	7.43	Vertical	PASS
4	6436.12	75.70	15.02	90.72	-	-	Vertical	NA
5	7757.44	39.32	17.20	56.52	68.20	11.68	Vertical	PASS
6	12175.00	41.91	7.39	49.30	74.00	24.70	Vertical	PASS
7	17920.67	37.82	16.25	54.07	74.00	19.93	Vertical	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7452.92	30.81	17.12	47.93	54.00	6.07	Horizontal	PASS
2	11448.33	34.60	6.35	40.95	54.00	13.05	Horizontal	PASS
3	17951.00	29.90	16.48	46.38	54.00	7.62	Horizontal	PASS
4	6474.62	83.54	14.93	98.47	-	-	Horizontal	NA
5	7373.47	39.26	16.54	55.80	74.00	18.20	Horizontal	PASS
6	12219.67	41.52	7.64	49.16	74.00	24.84	Horizontal	PASS
7	17927.67	37.74	16.31	54.05	74.00	19.95	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7503.33	30.29	17.32	47.61	54.00	6.39	Vertical	PASS
2	12216.33	33.74	7.65	41.39	54.00	12.61	Vertical	PASS
3	17966.00	29.88	16.60	46.48	54.00	7.52	Vertical	PASS
4	6474.27	77.66	14.93	92.59	-	-	Vertical	NA
5	7698.98	39.43	16.92	56.35	74.00	17.65	Vertical	PASS
6	12559.33	41.65	7.12	48.77	74.00	25.23	Vertical	PASS
7	17968.00	37.71	16.61	54.32	74.00	19.68	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-6
Bandwidth	160MHz	Channel	111
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7651.73	30.77	16.72	47.49	54.00	6.51	Horizontal	PASS
2	12259.67	33.21	7.53	40.74	54.00	13.26	Horizontal	PASS
3	17913.67	30.30	16.20	46.50	54.00	7.50	Horizontal	PASS
4	6463.77	82.45	14.99	97.44	-	-	Horizontal	NA
5	7513.83	39.54	17.25	56.79	74.00	17.21	Horizontal	PASS
6	11884.00	41.74	6.39	48.13	74.00	25.87	Horizontal	PASS
7	17943.00	36.88	16.42	53.30	74.00	20.70	Horizontal	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-6
Bandwidth	160MHz	Channel	111
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7654.53	30.71	16.73	47.44	54.00	6.56	Vertical	PASS
2	12402.33	33.33	7.63	40.96	54.00	13.04	Vertical	PASS
3	17992.67	30.10	16.80	46.90	54.00	7.10	Vertical	PASS
4	6445.22	75.41	15.05	90.46	-	-	Vertical	NA
5	7708.44	39.09	16.97	56.06	74.00	17.94	Vertical	PASS
6	11624.00	41.94	6.54	48.48	74.00	25.52	Vertical	PASS
7	17990.00	37.99	16.78	54.77	74.00	19.23	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-6
Bandwidth	20MHz	Channel	97
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting -2		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7609.03	30.96	16.63	47.59	54.00	6.41	Horizontal	PASS
2	11724.67	34.05	6.46	40.51	54.00	13.49	Horizontal	PASS
3	17898.67	30.38	16.09	46.47	54.00	7.53	Horizontal	PASS
4	6436.12	81.91	15.02	96.93	-	-	Horizontal	NA
5	7482.32	39.38	17.25	56.63	74.00	17.37	Horizontal	PASS
6	11528.33	42.05	6.53	48.58	74.00	25.42	Horizontal	PASS
7	17970.33	36.96	16.63	53.59	74.00	20.41	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-6
Bandwidth	20MHz	Channel	97
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -2		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7607.28	30.71	16.63	47.34	54.00	6.66	Vertical	PASS
2	12185.00	33.06	7.51	40.57	54.00	13.43	Vertical	PASS
3	17953.33	29.73	16.50	46.23	54.00	7.77	Vertical	PASS
4	6435.77	76.95	15.01	91.96	-	-	Vertical	NA
5	7562.13	39.32	16.93	56.25	74.00	17.75	Vertical	PASS
6	12270.00	40.49	7.50	47.99	74.00	26.01	Vertical	PASS
7	17893.67	38.03	16.07	54.10	74.00	19.90	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-6
Bandwidth	40MHz	Channel	107
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 3.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7451.52	30.55	17.10	47.65	54.00	6.35	Horizontal	PASS
2	12185.00	33.38	7.51	40.89	54.00	13.11	Horizontal	PASS
3	17932.33	30.52	16.35	46.87	54.00	7.13	Horizontal	PASS
4	6474.97	83.01	14.93	97.94	-	-	Horizontal	NA
5	7603.78	39.21	16.62	55.83	74.00	18.17	Horizontal	PASS
6	12215.33	41.01	7.65	48.66	74.00	25.34	Horizontal	PASS
7	17902.00	37.57	16.12	53.69	74.00	20.31	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-6
Bandwidth	40MHz	Channel	107
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 3.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7416.52	30.94	16.68	47.62	54.00	6.38	Vertical	PASS
2	11646.33	34.25	6.51	40.76	54.00	13.24	Vertical	PASS
3	17992.00	29.76	16.80	46.56	54.00	7.44	Vertical	PASS
4	6498.07	77.45	14.79	92.24	-	-	Vertical	NA
5	7455.37	39.49	17.13	56.62	74.00	17.38	Vertical	PASS
6	12327.33	41.11	7.48	48.59	74.00	25.41	Vertical	PASS
7	17914.67	37.83	16.21	54.04	74.00	19.96	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 8		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7515.58	30.01	17.24	47.25	54.00	6.75	Horizontal	PASS
2	12220.00	33.41	7.64	41.05	54.00	12.95	Horizontal	PASS
3	17816.00	29.78	15.66	45.44	54.00	8.56	Horizontal	PASS
4	6463.07	87.28	15.00	102.28	-	-	Horizontal	NA
5	7487.57	39.20	17.28	56.48	74.00	17.52	Horizontal	PASS
6	12225.67	41.06	7.62	48.68	74.00	25.32	Horizontal	PASS
7	17891.33	38.09	16.06	54.15	74.00	19.85	Horizontal	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7507.53	31.82	17.29	49.11	54.00	4.89	Vertical	PASS
2	12401.00	33.37	7.63	41.00	54.00	13.00	Vertical	PASS
3	17948.00	29.55	16.46	46.01	54.00	7.99	Vertical	PASS
4	6484.77	80.53	14.87	95.40	-	-	Vertical	NA
5	7609.03	39.31	16.63	55.94	74.00	18.06	Vertical	PASS
6	12255.00	41.16	7.54	48.70	74.00	25.30	Vertical	PASS
7	17986.00	37.47	16.75	54.22	74.00	19.78	Vertical	PASS


Project Information			
Mode:	802.11ax160	Band:	U-NII-6
Bandwidth	160MHz	Channel	111
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 8		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7553.73	30.88	16.99	47.87	54.00	6.13	Horizontal	PASS
2	12225.00	33.01	7.62	40.63	54.00	13.37	Horizontal	PASS
3	17946.33	30.03	16.46	46.49	54.00	7.51	Horizontal	PASS
4	6452.57	83.03	15.06	98.09	-	-	Horizontal	NA
5	7553.38	39.70	16.99	56.69	74.00	17.31	Horizontal	PASS
6	12342.33	41.38	7.52	48.90	74.00	25.10	Horizontal	PASS
7	17873.33	38.05	15.96	54.01	74.00	19.99	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-6
Bandwidth	160MHz	Channel	111
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7518.73	30.38	17.22	47.60	54.00	6.40	Vertical	PASS
2	12345.00	33.55	7.51	41.06	54.00	12.94	Vertical	PASS
3	17958.00	30.41	16.54	46.95	54.00	7.05	Vertical	PASS
4	6518.03	79.23	14.86	94.09	-	-	Vertical	NA
5	7665.03	39.85	16.78	56.63	74.00	17.37	Vertical	PASS
6	12223.33	40.80	7.64	48.44	74.00	25.56	Vertical	PASS
7	17952.00	37.62	16.50	54.12	74.00	19.88	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-7
Bandwidth	20MHz	Channel	149
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting -2		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7491.42	30.21	17.29	47.50	54.00	6.50	Horizontal	PASS
2	12191.33	34.09	7.59	41.68	54.00	12.32	Horizontal	PASS
3	17948.33	30.44	16.46	46.90	54.00	7.10	Horizontal	PASS
4	6696.53	79.03	15.59	94.62	-	-	Horizontal	NA
5	7644.73	39.70	16.70	56.40	74.00	17.60	Horizontal	PASS
6	12253.00	40.70	7.55	48.25	74.00	25.75	Horizontal	PASS
7	17975.00	36.98	16.67	53.65	74.00	20.35	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-7
Bandwidth	20MHz	Channel	149
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -2		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7499.47	30.08	17.34	47.42	54.00	6.58	Vertical	PASS
2	12405.67	34.41	7.62	42.03	54.00	11.97	Vertical	PASS
3	17850.33	29.89	15.84	45.73	54.00	8.27	Vertical	PASS
4	6688.83	78.39	15.56	93.95	-	-	Vertical	NA
5	7568.08	39.26	16.87	56.13	74.00	17.87	Vertical	PASS
6	12954.67	40.97	8.19	49.16	68.20	19.04	Vertical	PASS
7	17903.33	37.66	16.12	53.78	74.00	20.22	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-7
Bandwidth	40MHz	Channel	147
SN:	NMR151NHENGGO00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 3.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7655.23	30.83	16.74	47.57	54.00	6.43	Horizontal	PASS
2	12481.67	33.36	7.31	40.67	54.00	13.33	Horizontal	PASS
3	17983.33	29.67	16.73	46.40	54.00	7.60	Horizontal	PASS
4	6695.83	80.82	15.59	96.41	-	-	Horizontal	NA
5	7881.34	39.03	17.34	56.37	68.20	11.83	Horizontal	PASS
6	12311.00	40.74	7.45	48.19	74.00	25.81	Horizontal	PASS
7	17980.00	37.51	16.71	54.22	74.00	19.78	Horizontal	PASS


Project Information			
Mode:	802.11ac40	Band:	U-NII-7
Bandwidth	40MHz	Channel	147
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 3.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7489.32	30.30	17.29	47.59	54.00	6.41	Vertical	PASS
2	12355.67	32.95	7.54	40.49	54.00	13.51	Vertical	PASS
3	17994.67	29.69	16.82	46.51	54.00	7.49	Vertical	PASS
4	6699.33	78.67	15.60	94.27	-	-	Vertical	NA
5	7754.64	39.17	17.19	56.36	68.20	11.84	Vertical	PASS
6	12463.00	41.40	7.38	48.78	74.00	25.22	Vertical	PASS
7	17873.00	38.80	15.96	54.76	74.00	19.24	Vertical	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-7
Bandwidth	80MHz	Channel	151
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 7		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7505.43	30.21	17.31	47.52	54.00	6.48	Horizontal	PASS
2	12342.33	33.06	7.52	40.58	54.00	13.42	Horizontal	PASS
3	17990.33	29.82	16.79	46.61	54.00	7.39	Horizontal	PASS
4	6706.69	80.90	15.58	96.48	-	-	Horizontal	NA
5	7706.69	39.09	16.95	56.04	74.00	17.96	Horizontal	PASS
6	12460.67	41.24	7.40	48.64	74.00	25.36	Horizontal	PASS
7	17958.33	36.73	16.54	53.27	74.00	20.73	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-7
Bandwidth	80MHz	Channel	151
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 7		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7455.02	31.03	17.12	48.15	54.00	5.85	Vertical	PASS
2	11752.33	34.23	6.47	40.70	54.00	13.30	Vertical	PASS
3	17703.33	31.28	15.57	46.85	54.00	7.15	Vertical	PASS
4	6701.09	79.97	15.60	95.57	-	-	Vertical	NA
5	7454.67	39.37	17.12	56.49	74.00	17.51	Vertical	PASS
6	12396.00	40.75	7.63	48.38	74.00	25.62	Vertical	PASS
7	17926.33	38.44	16.30	54.74	74.00	19.26	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-7
Bandwidth	160MHz	Channel	143
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 7		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7461.32	30.71	17.15	47.86	54.00	6.14	Horizontal	PASS
2	12258.33	33.31	7.53	40.84	54.00	13.16	Horizontal	PASS
3	17989.67	29.62	16.78	46.40	54.00	7.60	Horizontal	PASS
4	6636.68	78.39	15.33	93.72	-	-	Horizontal	NA
5	7416.87	39.75	16.68	56.43	74.00	17.57	Horizontal	PASS
6	12220.00	41.21	7.64	48.85	74.00	25.15	Horizontal	PASS
7	17922.33	37.86	16.27	54.13	74.00	19.87	Horizontal	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-7
Bandwidth	160MHz	Channel	143
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 7		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7700.39	30.64	16.92	47.56	54.00	6.44	Vertical	PASS
2	11723.00	34.24	6.46	40.70	54.00	13.30	Vertical	PASS
3	17974.33	29.42	16.67	46.09	54.00	7.91	Vertical	PASS
4	6698.63	77.18	15.60	92.78	-	-	Vertical	NA
5	7651.03	39.47	16.72	56.19	74.00	17.81	Vertical	PASS
6	11681.33	42.02	6.48	48.50	74.00	25.50	Vertical	PASS
7	17925.33	37.72	16.29	54.01	74.00	19.99	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-7
Bandwidth	20MHz	Channel	149
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting -2		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7490.37	29.94	17.30	47.24	54.00	6.76	Horizontal	PASS
2	12214.33	33.20	7.66	40.86	54.00	13.14	Horizontal	PASS
3	17906.00	30.30	16.14	46.44	54.00	7.56	Horizontal	PASS
4	6691.28	80.13	15.57	95.70	-	-	Horizontal	NA
5	7527.13	39.29	17.17	56.46	74.00	17.54	Horizontal	PASS
6	12396.00	41.15	7.63	48.78	74.00	25.22	Horizontal	PASS
7	17909.67	37.22	16.17	53.39	74.00	20.61	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-7
Bandwidth	20MHz	Channel	149
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -2		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7485.12	29.89	17.27	47.16	54.00	6.84	Vertical	PASS
2	12224.33	33.42	7.64	41.06	54.00	12.94	Vertical	PASS
3	17977.33	29.67	16.69	46.36	54.00	7.64	Vertical	PASS
4	6698.63	80.50	15.60	96.10	-	-	Vertical	NA
5	7520.83	39.04	17.21	56.25	74.00	17.75	Vertical	PASS
6	12186.00	40.53	7.52	48.05	74.00	25.95	Vertical	PASS
7	17935.00	37.52	16.37	53.89	74.00	20.11	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-7
Bandwidth	40MHz	Channel	147
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 3.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7440.32	30.71	16.97	47.68	54.00	6.32	Horizontal	PASS
2	12262.67	33.36	7.53	40.89	54.00	13.11	Horizontal	PASS
3	17921.33	29.81	16.27	46.08	54.00	7.92	Horizontal	PASS
4	6685.68	83.74	15.55	99.29	-	-	Horizontal	NA
5	7568.08	39.30	16.87	56.17	74.00	17.83	Horizontal	PASS
6	12261.33	41.09	7.53	48.62	74.00	25.38	Horizontal	PASS
7	17993.33	36.63	16.81	53.44	74.00	20.56	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-7
Bandwidth	40MHz	Channel	147
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 3.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7741.34	30.33	17.14	47.47	54.00	6.53	Vertical	PASS
2	12215.67	34.07	7.65	41.72	54.00	12.28	Vertical	PASS
3	17962.67	29.65	16.58	46.23	54.00	7.77	Vertical	PASS
4	6691.28	80.45	15.57	96.02	-	-	Vertical	NA
5	7712.99	39.32	16.99	56.31	74.00	17.69	Vertical	PASS
6	12218.67	40.68	7.65	48.33	74.00	25.67	Vertical	PASS
7	17930.33	37.42	16.33	53.75	74.00	20.25	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-7
Bandwidth	80MHz	Channel	151
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 7		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7539.38	30.27	17.09	47.36	54.00	6.64	Horizontal	PASS
2	12337.33	33.36	7.50	40.86	54.00	13.14	Horizontal	PASS
3	17999.00	29.22	16.86	46.08	54.00	7.92	Horizontal	PASS
4	6691.63	83.10	15.57	98.67	-	-	Horizontal	NA
5	7561.08	39.86	16.94	56.80	74.00	17.20	Horizontal	PASS
6	12212.33	40.92	7.67	48.59	74.00	25.41	Horizontal	PASS
7	17930.67	38.11	16.33	54.44	74.00	19.56	Horizontal	PASS