



		1																																																																																								
Mode	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																									
ANT	5																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2023-03-23 23102328.42346.82365.22383.62402 Frequency (MHz) Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.12</td><td>53.73</td><td>74.00</td><td>-20.27</td><td>45.79</td><td>32.26</td><td>7.76</td><td>32.08</td><td>394</td><td>360 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2389.12	53.73	74.00	-20.27	45.79	32.26	7.76	32.08	394	360 PEAK	Level (dBuV/m) Date: 2023-03-23 100014001800220026003000 Frequency (MHz) Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2402.00</td><td>97.23</td><td>-----</td><td>-----</td><td>89.24</td><td>32.28</td><td>7.79</td><td>32.08</td><td>394</td><td>360 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2402.00	97.23	-----	-----	89.24	32.28	7.79	32.08	394	360 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 2389.12	53.73	74.00	-20.27	45.79	32.26	7.76	32.08	394	360 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 2402.00	97.23	-----	-----	89.24	32.28	7.79	32.08	394	360 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2023-03-23 23102328.42346.82365.22383.62402 Frequency (MHz) Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.49</td><td>40.73</td><td>54.00</td><td>-13.27</td><td>32.79</td><td>32.26</td><td>7.76</td><td>32.08</td><td>394</td><td>360 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2389.49	40.73	54.00	-13.27	32.79	32.26	7.76	32.08	394	360 AVERAGE	Level (dBuV/m) Date: 2023-03-23 100014001800220026003000 Frequency (MHz) Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2402.00</td><td>96.25</td><td>-----</td><td>-----</td><td>88.26</td><td>32.28</td><td>7.79</td><td>32.08</td><td>394</td><td>360 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2402.00	96.25	-----	-----	88.26	32.28	7.79	32.08	394	360 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 2389.49	40.73	54.00	-13.27	32.79	32.26	7.76	32.08	394	360 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 2402.00	96.25	-----	-----	88.26	32.28	7.79	32.08	394	360 AVERAGE																																																																																	



Mode	1																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																			
ANT	5																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2389.76</td><td>59.17</td><td>74.00</td><td>-14.83</td><td>51.23</td><td>32.26</td><td>7.76</td><td>32.08</td><td>100</td><td>72</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2389.76	59.17	74.00	-14.83	51.23	32.26	7.76	32.08	100	72	PEAK	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2402.00</td><td>87.77</td><td>-----</td><td>-----</td><td>79.78</td><td>32.28</td><td>7.79</td><td>32.08</td><td>100</td><td>72</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2402.00	87.77	-----	-----	79.78	32.28	7.79	32.08	100	72	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2389.76	59.17	74.00	-14.83	51.23	32.26	7.76	32.08	100	72	PEAK																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2402.00	87.77	-----	-----	79.78	32.28	7.79	32.08	100	72	PEAK																																																										
Avg	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2388.66</td><td>44.88</td><td>54.00</td><td>-9.12</td><td>36.94</td><td>32.26</td><td>7.76</td><td>32.08</td><td>100</td><td>72</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2388.66	44.88	54.00	-9.12	36.94	32.26	7.76	32.08	100	72	AVERAGE	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2402.00</td><td>86.71</td><td>-----</td><td>-----</td><td>78.72</td><td>32.28</td><td>7.79</td><td>32.08</td><td>100</td><td>72</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2402.00	86.71	-----	-----	78.72	32.28	7.79	32.08	100	72	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2388.66	44.88	54.00	-9.12	36.94	32.26	7.76	32.08	100	72	AVERAGE																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2402.00	86.71	-----	-----	78.72	32.28	7.79	32.08	100	72	AVERAGE																																																										



Mode	1																																																																																											
	Harmonic																																																																																											
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																											
ANT	5																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 5 IMEI : 352134900043864/352134900043872 Plane : X with Accessories Plane : 1M <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>45.87</td><td>74.00</td><td>-28.13</td><td>51.56</td><td>34.82</td><td>11.07</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4804.00	45.87	74.00	-28.13	51.56	34.82	11.07	51.58	---	---	Peak	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 5 IMEI : 352134900043864/352134900043872 Plane : X with Accessories Plane : 1M <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>45.31</td><td>74.00</td><td>-28.69</td><td>51.00</td><td>34.82</td><td>11.07</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4804.00	45.31	74.00	-28.69	51.00	34.82	11.07	51.58	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4804.00	45.87	74.00	-28.13	51.56	34.82	11.07	51.58	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4804.00	45.31	74.00	-28.69	51.00	34.82	11.07	51.58	---	---	Peak																																																																																	



Mode	2																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																																			
ANT	5																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2023-03-23 PEAK_74 AVG_54 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 6 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1M <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>50.29</td><td>34.85</td><td>11.10</td><td>51.58</td><td></td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>47.74</td><td>74.00</td><td>-26.26</td><td>49.48</td><td>36.33</td><td>13.09</td><td>51.16</td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	44.66	74.00	-29.34	50.29	34.85	11.10	51.58		---	---	Peak	2	7320.00	47.74	74.00	-26.26	49.48	36.33	13.09	51.16		---	---	Peak	Level (dBuV/m) Date: 2023-03-23 PEAK_74 AVG_54 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 6 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1M <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>51.38</td><td>34.85</td><td>11.10</td><td>51.58</td><td></td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>49.35</td><td>36.33</td><td>13.09</td><td>51.16</td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	45.75	74.00	-28.25	51.38	34.85	11.10	51.58		---	---	Peak	2	7320.00	47.61	74.00	-26.39	49.35	36.33	13.09	51.16		---	---	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	4880.00	44.66	74.00	-29.34	50.29	34.85	11.10	51.58		---	---	Peak																																																																																																								
2	7320.00	47.74	74.00	-26.26	49.48	36.33	13.09	51.16		---	---	Peak																																																																																																								
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4880.00	45.75	74.00	-28.25	51.38	34.85	11.10	51.58		---	---	Peak																																																																																																								
2	7320.00	47.61	74.00	-26.39	49.35	36.33	13.09	51.16		---	---	Peak																																																																																																								



Mode	3																																																																											
	Band Edge																																																																											
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																											
ANT	5																																																																											
Pol.	Horizontal					Fundamental																																																																						
Peak	Level (dBuV/m) Date: 2023-03-23 PEAK_BE_74 Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.70</td><td>52.18</td><td>74.00</td><td>-21.82</td><td>43.94</td><td>32.46</td><td>7.88</td><td>32.10</td><td>120</td><td>320 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2483.70	52.18	74.00	-21.82	43.94	32.46	7.88	32.10	120	320 PEAK	Level (dBuV/m) Date: 2023-03-23 PEAK_74 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>101.33</td><td>-----</td><td>-----</td><td>93.10</td><td>32.46</td><td>7.87</td><td>32.10</td><td>120</td><td>320 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	101.33	-----	-----	93.10	32.46	7.87	32.10	120	320 PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	2483.70	52.18	74.00	-21.82	43.94	32.46	7.88	32.10	120	320 PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	2480.00	101.33	-----	-----	93.10	32.46	7.87	32.10	120	320 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2023-03-23 AVG_BE_54 Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.02</td><td>39.78</td><td>54.00</td><td>-14.22</td><td>31.53</td><td>32.47</td><td>7.88</td><td>32.10</td><td>120</td><td>320 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2484.02	39.78	54.00	-14.22	31.53	32.47	7.88	32.10	120	320 AVERAGE	Level (dBuV/m) Date: 2023-03-23 AVG_54 Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>100.51</td><td>-----</td><td>-----</td><td>92.28</td><td>32.46</td><td>7.87</td><td>32.10</td><td>120</td><td>320 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	100.51	-----	-----	92.28	32.46	7.87	32.10	120	320 AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	2484.02	39.78	54.00	-14.22	31.53	32.47	7.88	32.10	120	320 AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	2480.00	100.51	-----	-----	92.28	32.46	7.87	32.10	120	320 AVERAGE																																																																		



Mode	3																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																			
ANT	5																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2023-03-23 PEAK_BE_74 Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.60</td><td>51.38</td><td>74.00</td><td>-22.62</td><td>43.14</td><td>32.46</td><td>7.88</td><td>32.10</td><td>332</td><td>0</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2483.60	51.38	74.00	-22.62	43.14	32.46	7.88	32.10	332	0	PEAK	Level (dBuV/m) Date: 2023-03-23 PEAK_74 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>100.04</td><td>-----</td><td>-----</td><td>91.81</td><td>32.46</td><td>7.87</td><td>32.10</td><td>332</td><td>0</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2480.00	100.04	-----	-----	91.81	32.46	7.87	32.10	332	0	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2483.60	51.38	74.00	-22.62	43.14	32.46	7.88	32.10	332	0	PEAK																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2480.00	100.04	-----	-----	91.81	32.46	7.87	32.10	332	0	PEAK																																																										
Avg	Level (dBuV/m) Date: 2023-03-23 AVG_BE_54 Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2490.08</td><td>39.36</td><td>54.00</td><td>-14.64</td><td>31.10</td><td>32.48</td><td>7.88</td><td>32.10</td><td>332</td><td>0</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2490.08	39.36	54.00	-14.64	31.10	32.48	7.88	32.10	332	0	AVERAGE	Level (dBuV/m) Date: 2023-03-23 AVG_54 Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>99.21</td><td>-----</td><td>-----</td><td>90.98</td><td>32.46</td><td>7.87</td><td>32.10</td><td>332</td><td>0</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2480.00	99.21	-----	-----	90.98	32.46	7.87	32.10	332	0	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2490.08	39.36	54.00	-14.64	31.10	32.48	7.88	32.10	332	0	AVERAGE																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2480.00	99.21	-----	-----	90.98	32.46	7.87	32.10	332	0	AVERAGE																																																										



Mode	3																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																			
ANT	5																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 7 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1M <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>51.15</td><td>34.88</td><td>11.14</td><td>51.58</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>48.82</td><td>36.38</td><td>12.97</td><td>51.19</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	45.59	74.00	-28.41	51.15	34.88	11.14	51.58	---	---	---	Peak	2	7440.00	46.98	74.00	-27.02	48.82	36.38	12.97	51.19	---	---	---	Peak	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 7 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1M <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>51.45</td><td>34.88</td><td>11.14</td><td>51.58</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>49.36</td><td>36.38</td><td>12.97</td><td>51.19</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	45.89	74.00	-28.11	51.45	34.88	11.14	51.58	---	---	---	Peak	2	7440.00	47.52	74.00	-26.48	49.36	36.38	12.97	51.19	---	---	---	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	4960.00	45.59	74.00	-28.41	51.15	34.88	11.14	51.58	---	---	---	Peak																																																																																																								
2	7440.00	46.98	74.00	-27.02	48.82	36.38	12.97	51.19	---	---	---	Peak																																																																																																								
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	4960.00	45.89	74.00	-28.11	51.45	34.88	11.14	51.58	---	---	---	Peak																																																																																																								
2	7440.00	47.52	74.00	-26.48	49.36	36.38	12.97	51.19	---	---	---	Peak																																																																																																								



Mode	4																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																			
ANT	5																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>PEAK</th></tr><tr><td>1 2389.49</td><td>56.58</td><td>74.00</td><td>-17.42</td><td>48.64</td><td>32.26</td><td>7.76</td><td>32.08</td><td>316</td><td>65</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2389.49	56.58	74.00	-17.42	48.64	32.26	7.76	32.08	316	65	PEAK	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>PEAK</th></tr><tr><td>1 2402.00</td><td>105.64</td><td>74.00</td><td>31.64</td><td>97.65</td><td>32.28</td><td>7.79</td><td>32.08</td><td>316</td><td>65</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2402.00	105.64	74.00	31.64	97.65	32.28	7.79	32.08	316	65	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																										
1 2389.49	56.58	74.00	-17.42	48.64	32.26	7.76	32.08	316	65	PEAK																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																										
1 2402.00	105.64	74.00	31.64	97.65	32.28	7.79	32.08	316	65	PEAK																																																										
Avg	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>AVERAGE</th></tr><tr><td>1 2388.94</td><td>42.59</td><td>54.00</td><td>-11.41</td><td>34.65</td><td>32.26</td><td>7.76</td><td>32.08</td><td>316</td><td>65</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2388.94	42.59	54.00	-11.41	34.65	32.26	7.76	32.08	316	65	AVERAGE	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>AVERAGE</th></tr><tr><td>1 2402.00</td><td>103.66</td><td>54.00</td><td>49.66</td><td>95.67</td><td>32.28</td><td>7.79</td><td>32.08</td><td>316</td><td>65</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2402.00	103.66	54.00	49.66	95.67	32.28	7.79	32.08	316	65	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																										
1 2388.94	42.59	54.00	-11.41	34.65	32.26	7.76	32.08	316	65	AVERAGE																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																										
1 2402.00	103.66	54.00	49.66	95.67	32.28	7.79	32.08	316	65	AVERAGE																																																										



Mode	4																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																			
ANT	5																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.67</td><td>59.31</td><td>74.00</td><td>-14.69</td><td>51.37</td><td>32.26</td><td>7.76</td><td>32.08</td><td>166</td><td>74 PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2389.67	59.31	74.00	-14.69	51.37	32.26	7.76	32.08	166	74 PEAK	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>80.69</td><td>-----</td><td>72.70</td><td>32.28</td><td>7.79</td><td>32.08</td><td>166</td><td>74</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	80.69	-----	72.70	32.28	7.79	32.08	166	74	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2389.67	59.31	74.00	-14.69	51.37	32.26	7.76	32.08	166	74 PEAK																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2402.00	80.69	-----	72.70	32.28	7.79	32.08	166	74	PEAK																																																										
Avg	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.67</td><td>49.89</td><td>54.00</td><td>-4.11</td><td>41.95</td><td>32.26</td><td>7.76</td><td>32.08</td><td>166</td><td>74 AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2389.67	49.89	54.00	-4.11	41.95	32.26	7.76	32.08	166	74 AVERAGE	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>78.52</td><td>-----</td><td>70.53</td><td>32.28</td><td>7.79</td><td>32.08</td><td>166</td><td>74</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	78.52	-----	70.53	32.28	7.79	32.08	166	74	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2389.67	49.89	54.00	-4.11	41.95	32.26	7.76	32.08	166	74 AVERAGE																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2402.00	78.52	-----	70.53	32.28	7.79	32.08	166	74	AVERAGE																																																										







Mode	4																																																																																							
	Harmonic																																																																																							
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																							
ANT	5																																																																																							
Pol.	Horizontal								Vertical																																																																															
Peak Avg	Level (dBuV/m) Date: 2023-03-23 PEAK_74 AVG_54 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 8 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>4804.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>51.94</td><td>34.82</td><td>11.07</td><td>51.58 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	4804.00	46.25	74.00	-27.75	51.94	34.82	11.07	51.58 --- Peak	Level (dBuV/m) Date: 2023-03-23 PEAK_74 AVG_54 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 8 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>4804.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>51.58</td><td>34.82</td><td>11.07</td><td>51.58 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	4804.00	45.89	74.00	-28.11	51.58	34.82	11.07	51.58 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																
1	4804.00	46.25	74.00	-27.75	51.94	34.82	11.07	51.58 --- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																
1	4804.00	45.89	74.00	-28.11	51.58	34.82	11.07	51.58 --- Peak																																																																																



Mode	5																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																		
ANT	5																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg	Level (dBuV/m) Date: 2023-03-23						Level (dBuV/m) Date: 2023-03-23																																																																																												
	Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 9 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M						Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 9 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>50.41</td><td>34.85</td><td>11.10</td><td>51.58</td><td>--- Peak</td></tr><tr><td>2</td><td>7320.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>48.78</td><td>36.33</td><td>13.09</td><td>51.16</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4880.00	44.78	74.00	-29.22	50.41	34.85	11.10	51.58	--- Peak	2	7320.00	47.04	74.00	-26.96	48.78	36.33	13.09	51.16	--- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>44.77</td><td>74.00</td><td>-29.23</td><td>50.40</td><td>34.85</td><td>11.10</td><td>51.58</td><td>--- Peak</td></tr><tr><td>2</td><td>7320.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>49.40</td><td>36.33</td><td>13.09</td><td>51.16</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4880.00	44.77	74.00	-29.23	50.40	34.85	11.10	51.58	--- Peak	2	7320.00	47.66	74.00	-26.34	49.40	36.33	13.09	51.16
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	4880.00	44.78	74.00	-29.22	50.41	34.85	11.10	51.58	--- Peak																																																																																										
2	7320.00	47.04	74.00	-26.96	48.78	36.33	13.09	51.16	--- Peak																																																																																										
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	4880.00	44.77	74.00	-29.23	50.40	34.85	11.10	51.58	--- Peak																																																																																										
2	7320.00	47.66	74.00	-26.34	49.40	36.33	13.09	51.16	--- Peak																																																																																										



Mode	6																																																																											
	Band Edge																																																																											
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																											
ANT	5																																																																											
Pol.	Horizontal					Fundamental																																																																						
Peak	Level (dBuV/m) Date: 2023-03-23  Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.52</td><td>59.23</td><td>74.00</td><td>-14.77</td><td>50.99</td><td>32.46</td><td>7.88</td><td>32.10</td><td>100</td><td>324 PEAK</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.52	59.23	74.00	-14.77	50.99	32.46	7.88	32.10	100	324 PEAK	Level (dBuV/m) Date: 2023-03-23  Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>109.23</td><td>-----</td><td>101.00</td><td>32.46</td><td>7.87</td><td>32.10</td><td>100</td><td>324</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	109.23	-----	101.00	32.46	7.87	32.10	100	324	PEAK
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	2483.52	59.23	74.00	-14.77	50.99	32.46	7.88	32.10	100	324 PEAK																																																																		
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	2480.00	109.23	-----	101.00	32.46	7.87	32.10	100	324	PEAK																																																																		
Avg	Level (dBuV/m) Date: 2023-03-23  Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.52</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>37.09</td><td>32.46</td><td>7.88</td><td>32.10</td><td>100</td><td>324 AVERAGE</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.52	45.33	54.00	-8.67	37.09	32.46	7.88	32.10	100	324 AVERAGE	Level (dBuV/m) Date: 2023-03-23  Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>107.34</td><td>-----</td><td>99.11</td><td>32.46</td><td>7.87</td><td>32.10</td><td>100</td><td>324</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	107.34	-----	99.11	32.46	7.87	32.10	100	324	AVERAGE
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	2483.52	45.33	54.00	-8.67	37.09	32.46	7.88	32.10	100	324 AVERAGE																																																																		
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	2480.00	107.34	-----	99.11	32.46	7.87	32.10	100	324	AVERAGE																																																																		



Mode	6																																																																											
	Band Edge																																																																											
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																											
ANT	5																																																																											
Pol.	Vertical					Fundamental																																																																						
Peak	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.54</td><td>58.88</td><td>74.00</td><td>-15.12</td><td>50.64</td><td>32.46</td><td>7.88</td><td>32.10</td><td>330</td><td>0</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 2483.54	58.88	74.00	-15.12	50.64	32.46	7.88	32.10	330	0	PEAK	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>109.01</td><td>-----</td><td>-----</td><td>100.78</td><td>32.46</td><td>7.87</td><td>32.10</td><td>330</td><td>0</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 2480.00	109.01	-----	-----	100.78	32.46	7.87	32.10	330	0	PEAK
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2483.54	58.88	74.00	-15.12	50.64	32.46	7.88	32.10	330	0	PEAK																																																																		
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2480.00	109.01	-----	-----	100.78	32.46	7.87	32.10	330	0	PEAK																																																																		
Avg	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.52</td><td>44.62</td><td>54.00</td><td>-9.38</td><td>36.38</td><td>32.46</td><td>7.88</td><td>32.10</td><td>330</td><td>0</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 2483.52	44.62	54.00	-9.38	36.38	32.46	7.88	32.10	330	0	AVERAGE	Level (dBuV/m) Date: 2023-03-23 Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>107.02</td><td>-----</td><td>-----</td><td>98.79</td><td>32.46</td><td>7.87</td><td>32.10</td><td>330</td><td>0</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 2480.00	107.02	-----	-----	98.79	32.46	7.87	32.10	330	0	AVERAGE
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2483.52	44.62	54.00	-9.38	36.38	32.46	7.88	32.10	330	0	AVERAGE																																																																		
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2480.00	107.02	-----	-----	98.79	32.46	7.87	32.10	330	0	AVERAGE																																																																		



Mode	6																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																			
ANT	5																																																																																																																			
Pol.	Horizontal					Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2023-03-23 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 300060009000120001500018000 Frequency (MHz) Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 10 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>51.89</td><td>34.88</td><td>11.14</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>49.31</td><td>36.38</td><td>12.97</td><td>51.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	46.33	74.00	-27.67	51.89	34.88	11.14	51.58	---	---	Peak	2	7440.00	47.47	74.00	-26.53	49.31	36.38	12.97	51.19	---	---	Peak	Level (dBuV/m) Date: 2023-03-23 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 300060009000120001500018000 Frequency (MHz) Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 10 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>51.12</td><td>34.88</td><td>11.14</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>47.34</td><td>74.00</td><td>-26.66</td><td>49.18</td><td>36.38</td><td>12.97</td><td>51.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	45.56	74.00	-28.44	51.12	34.88	11.14	51.58	---	---	Peak	2	7440.00	47.34	74.00	-26.66	49.18	36.38	12.97	51.19	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	4960.00	46.33	74.00	-27.67	51.89	34.88	11.14	51.58	---	---	Peak																																																																																																									
2	7440.00	47.47	74.00	-26.53	49.31	36.38	12.97	51.19	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	4960.00	45.56	74.00	-28.44	51.12	34.88	11.14	51.58	---	---	Peak																																																																																																									
2	7440.00	47.34	74.00	-26.66	49.18	36.38	12.97	51.19	---	---	Peak																																																																																																									







Mode	7										
	LF										
	2400-2483.5_Bluetooth-LE_CH00_2402MHz										
ANT	5										
Pol.	Horizontal										
Peak Avg											



Co-location

2.4GHz 2400~2483.5MHz



BLE CH00 2402MHz+Band48 (Band Edge @ 3m)

BLE ANT	2.4GHz 2400~2483.5MHz Band Edge @ 3m BLE CH00 2402MHz+Band48 Co-location	
5	Horizontal	Fundamental
Peak	Date: 1 Level (dBuV/m)  Date: 2023-03-30 Site : 03CH01-SZ Condition : PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : RBW:1000.000KHz VBW:3000.000KHz IMEI : 352134980043864/352134980043872 Plane : X with Accessories ZM	Date: 3 Level (dBuV/m)  Date: 2023-03-30 Site : 03CH01-SZ Condition : PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : RBW:1000.000KHz VBW:3000.000KHz IMEI : 352134980043864/352134980043872 Plane : X with Accessories ZM
Avg.	Date: 2 Level (dBuV/m)  Date: 2023-03-30 Site : 03CH01-SZ Condition : AVG_54 3m HF_ANT(3117)_22 HORIZONTAL Mode : RBW:1000.000KHz VBW:3000.000KHz IMEI : 352134980043864/352134980043872 Plane : X with Accessories ZM	Date: 4 Level (dBuV/m)  Date: 2023-03-30 Site : 03CH01-SZ Condition : AVG_54 3m HF_ANT(3117)_22 HORIZONTAL Mode : RBW:1000.000KHz VBW:3000.000KHz IMEI : 352134980043864/352134980043872 Plane : X with Accessories ZM



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH00 2402MHz+Band48 Co-location	
5	Vertical	Fundamental
Peak	Date: 5 Level (dBm/Vm) Frequency (MHz) Site : 03CH01-SZ Condition : PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL Mode : RBW:1000.000KHz VBW:3000.000KHz IMET : 27 Plane : 352134980043864/352134980043872 : X with Accessories : 2M	Date: 7 Level (dBm/Vm) Frequency (MHz) Site : 03CH01-SZ Condition : PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : RBW:1000.000KHz VBW:3000.000KHz IMET : 27 Plane : 352134980043864/352134980043872 : X with Accessories : 2M
	Date: 6 Level (dBm/Vm) Frequency (MHz) Site : 03CH01-SZ Condition : AVG_BE_54 3m HF_ANT(3117)_22 VERTICAL Mode : RBW:1000.000KHz VBW:10.000KHz IMET : 27 Plane : 352134980043864/352134980043872 : X with Accessories : 2M	Date: 8 Level (dBm/Vm) Frequency (MHz) Site : 03CH01-SZ Condition : AVG_54 3m HF_ANT(3117)_22 VERTICAL Mode : RBW:1000.000KHz VBW:10.000KHz IMET : 27 Plane : 352134980043864/352134980043872 : X with Accessories : 2M

BLE CH00 2402MHz+Band48 (Harmonic @ 3m)


BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH00 2402MHz+Band48 Co-location	
5	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-SZ Condition : PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : Z7 TIME1 : 352134980043864/352134980043872 Plane : X with Accessories : 2M	 Site : 03CH01-SZ Condition : PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : Z7 TIME1 : 352134980043864/352134980043872 Plane : X with Accessories : 2M

Note: the highest signal over limit is LTE Band 48 fundamental signal.

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	62.037	0.388	2.575	3KHz
Bluetooth LE 2Mbps	32.871	0.206	4.860	10KHZ

Bluetooth LE 1Mbps





Bluetooth LE 2Mbps



Date: 8.MAR.2023 10:33:28